

Bart de Keizer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5396980/publications.pdf>

Version: 2024-02-01

140
papers

3,560
citations

101384

36
h-index

174990

52
g-index

145
all docs

145
docs citations

145
times ranked

4249
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative Comparison of PET and Bremsstrahlung SPECT for Imaging the In Vivo Yttrium-90 Microsphere Distribution after Liver Radioembolization. <i>PLoS ONE</i> , 2013, 8, e55742.	1.1	162
2	FDG PET/CT for the detection of bone marrow involvement in diffuse large B-cell lymphoma: systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 565-574.	3.3	135
3	Systematic review and meta-analysis on the diagnostic performance of FDG-PET/CT in detecting bone marrow involvement in newly diagnosed Hodgkin lymphoma: is bone marrow biopsy still necessary?. <i>Annals of Oncology</i> , 2014, 25, 921-927.	0.6	113
4	Hormonal crises following receptor radionuclide therapy with the radiolabeled somatostatin analogue [177Lu-DOTA0,Tyr3]octreotate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 749-755.	3.3	104
5	Opportunistic screening for osteoporosis on routine computed tomography? An external validation study. <i>European Radiology</i> , 2015, 25, 2074-2079.	2.3	100
6	Whole-body MRI for initial staging of paediatric lymphoma: prospective comparison to an FDG-PET/CT-based reference standard. <i>European Radiology</i> , 2014, 24, 1153-1165.	2.3	96
7	Prognostic significance of successful ablation with radioiodine of differentiated thyroid cancer patients. <i>European Journal of Endocrinology</i> , 2005, 152, 33-37.	1.9	93
8	Use of PET tracers for parathyroid localization: a systematic review and meta-analysis. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 925-935.	0.8	85
9	Prospective Validation of Gallium-68 Prostate Specific Membrane Antigen-Positron Emission Tomography/Computerized Tomography for Primary Staging of Prostate Cancer. <i>Journal of Urology</i> , 2020, 203, 537-545.	0.2	79
10	Not the Number but the Location of Lymph Nodes Matters for Recurrence Rate and Disease-Free Survival in Patients with Differentiated Thyroid Cancer. <i>World Journal of Surgery</i> , 2012, 36, 1262-1267.	0.8	78
11	The tubarial salivary glands: A potential new organ at risk for radiotherapy. <i>Radiotherapy and Oncology</i> , 2021, 154, 292-298.	0.3	77
12	¹⁸ F Fluorocholine PET/MR Imaging in Patients with Primary Hyperparathyroidism and Inconclusive Conventional Imaging: A Prospective Pilot Study. <i>Radiology</i> , 2017, 284, 460-467.	3.6	73
13	Enabling minimal invasive parathyroidectomy for patients with primary hyperparathyroidism using Tc-99m-sestamibi SPECT-CT, ultrasound and first results of 18F-fluorocholine PET-CT. <i>European Journal of Radiology</i> , 2015, 84, 1745-1751.	1.2	68
14	Fluorine-18 fluorocholine PET-CT localizes hyperparathyroidism in patients with inconclusive conventional imaging. <i>Nuclear Medicine Communications</i> , 2016, 37, 1246-1252.	0.5	64
15	Tumour dosimetry and response in patients with metastatic differentiated thyroid cancer using recombinant human thyrotropin before radioiodine therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 367-373.	3.3	62
16	Accuracy of bone mineral density quantification using dual-layer spectral detector CT: a phantom study. <i>European Radiology</i> , 2017, 27, 4351-4359.	2.3	60
17	Physiologic distribution of PSMA-ligand in salivary glands and seromucous glands of the head and neck on PET/CT. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018, 125, 478-486.	0.2	58
18	Qualitative elastography can replace thyroid nodule fine-needle aspiration in patients with soft thyroid nodules. A systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2015, 84, 652-661.	1.2	57

#	ARTICLE	IF	CITATIONS
19	Diagnostic performance of computed tomography for parathyroid adenoma localization; a systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2017, 88, 117-128.	1.2	56
20	Neuroblastoma between 1990 and 2014 in the Netherlands: Increased incidence and improved survival of high-risk neuroblastoma. <i>European Journal of Cancer</i> , 2020, 124, 47-55.	1.3	55
21	Impact of external cooling with icepacks on 68Ga-PSMA uptake in salivary glands. <i>EJNMMI Research</i> , 2018, 8, 56.	1.1	54
22	Elective Neck Dissection or Sentinel Lymph Node Biopsy in Early Stage Oral Cavity Cancer Patients: The Dutch Experience. <i>Cancers</i> , 2020, 12, 1783.	1.7	50
23	Fixed dosage of 131I for remnant ablation in patients with differentiated thyroid carcinoma without pre-ablative diagnostic 131I scintigraphy. <i>Nuclear Medicine Communications</i> , 2000, 21, 529-532.	0.5	49
24	The Role of Routine Diagnostic Radioiodine Whole-Body Scintigraphy in Patients with High-Risk Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2011, 52, 56-59.	2.8	48
25	High Failure Rates After 131I Therapy in Graves Hyperthyroidism Patients With Large Thyroid Volumes, High Iodine Uptake, and High Iodine Turnover. <i>Clinical Nuclear Medicine</i> , 2013, 38, 401-406.	0.7	48
26	Differential FDG-PET Uptake Patterns in Uninfected and Infected Central Prosthetic Vascular Grafts. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 376-383.	0.8	48
27	Thyroid Ultrasound-Guided Fine-Needle Aspiration: The Positive Influence of On-Site Adequacy Assessment and Number of Needle Passes on Diagnostic Cytology Rate. <i>Acta Cytologica</i> , 2016, 60, 39-45.	0.7	46
28	Rituximab-CHOP With Early Rituximab Intensification for Diffuse Large B-Cell Lymphoma: A Randomized Phase III Trial of the HOVON and the Nordic Lymphoma Group (HOVON-84). <i>Journal of Clinical Oncology</i> , 2020, 38, 3377-3387.	0.8	46
29	68Ga-PSMA PET/CT in radioactive iodine-refractory differentiated thyroid cancer and first treatment results with 177Lu-PSMA-617. <i>EJNMMI Research</i> , 2020, 10, 18.	1.1	46
30	Efficacy of high therapeutic doses of iodine-131 in patients with differentiated thyroid cancer and detectable serum thyroglobulin. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 198-202.	2.2	45
31	Whole-body MRI for the detection of bone marrow involvement in lymphoma: prospective study in 116 patients and comparison with FDG-PET. <i>European Radiology</i> , 2013, 23, 2271-2278.	2.3	44
32	Modest utility of quantitative measures in 18 F-fluorodeoxyglucose positron emission tomography scanning for the diagnosis of aortic prosthetic graft infection. <i>Journal of Vascular Surgery</i> , 2015, 61, 965-971.	0.6	44
33	Bone marrow dosimetry and safety of high 131I activities given after recombinant human thyroid-stimulating hormone to treat metastatic differentiated thyroid cancer. <i>Journal of Nuclear Medicine</i> , 2004, 45, 1549-54.	2.8	42
34	Prostate-specific membrane antigen PET imaging and immunohistochemistry in adenoid cystic carcinoma—a preliminary analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1614-1621.	3.3	41
35	Whole-body MRI-DWI for assessment of residual disease after completion of therapy in lymphoma: A prospective multicenter study. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1646-1655.	1.9	39
36	124I PET/CT to Predict the Outcome of Blind 131I Treatment in Patients with Biochemical Recurrence of Differentiated Thyroid Cancer: Results of a Multicenter Diagnostic Cohort Study (THYROPET). <i>Journal of Nuclear Medicine</i> , 2016, 57, 701-707.	2.8	39

#	ARTICLE	IF	CITATIONS
37	Dose-Response and Dose-Toxicity Relationships for Glass ⁹⁰ Y Radioembolization in Patients with Liver Metastases from Colorectal Cancer. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1616-1623.	2.8	36
38	Detection of distant interval metastases after neoadjuvant therapy for esophageal cancer with 18F-FDG PET(/CT): a systematic review and meta-analysis. <i>Ecological Management and Restoration</i> , 2018, 31, .	0.2	31
39	Prostate-specific membrane antigen expression in hepatocellular carcinoma: potential use for prognosis and diagnostic imaging. <i>Oncotarget</i> , 2019, 10, 4149-4160.	0.8	31
40	Nuclear Medicine Imaging in Neuroblastoma: Current Status and New Developments. <i>Journal of Personalized Medicine</i> , 2021, 11, 270.	1.1	31
41	Depth of invasion in patients with early stage oral cancer staged by sentinel node biopsy. <i>Head and Neck</i> , 2019, 41, 2100-2106.	0.9	30
42	Sentinel lymph node detection in oral cancer: a within-patient comparison between [99mTc]Tc-tilmanocept and [99mTc]Tc-nanocolloid. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 851-858.	3.3	28
43	The use of 18F-FDG PET to differentiate progressive disease from treatment induced necrosis in high grade glioma. <i>Journal of Neuro-Oncology</i> , 2015, 125, 167-175.	1.4	27
44	European guideline for imaging in paediatric and adolescent rhabdomyosarcoma – joint statement by the European Paediatric Soft Tissue Sarcoma Study Group, the Cooperative Weichteilsarkom Studiengruppe and the Oncology Task Force of the European Society of Paediatric Radiology. <i>Pediatric Radiology</i> , 2021, 51, 1940-1951.	1.1	27
45	What is the role of sentinel lymph node biopsy in the management of oral cancer in 2020?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3181-3191.	0.8	27
46	Quantitative Comparison of ¹²⁴ I PET/CT and ¹³¹ I SPECT/CT Detectability. <i>Journal of Nuclear Medicine</i> , 2016, 57, 103-108.	2.8	26
47	Response assessment after induction chemotherapy for head and neck squamous cell carcinoma: From physical examination to modern imaging techniques and beyond. <i>Head and Neck</i> , 2017, 39, 2329-2349.	0.9	26
48	New Developments in Imaging for Sentinel Lymph Node Biopsy in Early-Stage Oral Cavity Squamous Cell Carcinoma. <i>Cancers</i> , 2020, 12, 3055.	1.7	26
49	Prostate-specific membrane antigen (PSMA) expression in adenoid cystic carcinoma of the head and neck. <i>BMC Cancer</i> , 2020, 20, 519.	1.1	25
50	Interobserver Agreement of Interim and End-of-Treatment ¹⁸ F-FDG PET/CT in Diffuse Large B-Cell Lymphoma: Impact on Clinical Practice and Trials. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1831-1836.	2.8	23
51	High rate of unexpected lymphatic drainage patterns and a high accuracy of the sentinel lymph node biopsy in oral cancer after previous neck treatment. <i>Oral Oncology</i> , 2019, 94, 68-72.	0.8	23
52	Healthy Tissue Uptake of ⁶⁸ Ga-Prostate-Specific Membrane Antigen, ¹⁸ F-DCFPyL, ¹⁸ F-Fluoromethylcholine, and ¹⁸ F-Dihydrotestosterone. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1111-1117.	2.8	23
53	New national recommendations for the treatment of pediatric differentiated thyroid carcinoma in the Netherlands. <i>European Journal of Endocrinology</i> , 2020, 183, P11-P18.	1.9	23
54	First Experience With ¹⁷⁷ Lu-PSMA-617 Therapy for Advanced Prostate Cancer in the Netherlands. <i>Clinical Nuclear Medicine</i> , 2019, 44, 446-451.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Recurrent differentiated thyroid cancer: towards personalized treatment based on evaluation of tumor characteristics with PET (THYROPET Study): study protocol of a multicenter observational cohort study. <i>BMC Cancer</i> , 2014, 14, 405.	1.1	21
56	Neuroblastoma stage 4S: Tumor regression rate and risk factors of progressive disease. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28061.	0.8	21
57	Use of C-Arm Cone Beam CT During Hepatic Radioembolization: Protocol Optimization for Extrahepatic Shunting and Parenchymal Enhancement. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 64-73.	0.9	20
58	A phantom study: Should ¹²⁴ I-MIBG PET/CT replace ¹²³ I-MIBG SPECT/CT?. <i>Medical Physics</i> , 2017, 44, 1624-1631.	1.6	19
59	Zirconium-89-labelled rituximab PET-CT in orbital inflammatory disease. <i>EJNMMI Research</i> , 2019, 9, 69.	1.1	19
60	Impact of DNA damage repair defects on response to PSMA radioligand therapy in metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 71-78.	2.0	19
61	Quantitative classification and radiomics of [18F]FDG-PET/CT in indeterminate thyroid nodules. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2174-2188.	3.3	19
62	Identifying Aberrant Hepatic Arteries Prior to Intra-arterial Radioembolization. <i>CardioVascular and Interventional Radiology</i> , 2014, 37, 1482-1493.	0.9	18
63	Accuracy of whole-body MRI in the assessment of splenic involvement in lymphoma. <i>Acta Radiologica</i> , 2016, 57, 142-151.	0.5	18
64	Follow-up of patients with thyroglobulin-antibodies: Rising Tg-Ab trend is a risk factor for recurrence of differentiated thyroid cancer. <i>Endocrine Research</i> , 2017, 42, 302-310.	0.6	17
65	⁶⁸ Ga-PSMA PET-CT Imaging of Metastatic Adenoid Cystic Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 360-361.	0.6	17
66	Whole-body MRI versus an FDG-PET/CT-based reference standard for staging of paediatric Hodgkin lymphoma: a prospective multicentre study. <i>European Radiology</i> , 2021, 31, 1494-1504.	2.3	17
67	CXCR4 expression in glioblastoma tissue and the potential for PET imaging and treatment with [68Ga]Ga-Pentixafor / [177Lu]Lu-Pentixather. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 481-491.	3.3	17
68	Randomized phase III study on the effect of early intensification of rituximab in combination with 2-weekly CHOP chemotherapy followed by rituximab or no maintenance in patients with diffuse large B-cell lymphoma: Results from a HOVON-Nordic Lymphoma Group study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 7504-7504.	0.8	17
69	Current Status and Future Direction of Hepatic Radioembolisation. <i>Clinical Oncology</i> , 2021, 33, 106-116.	0.6	16
70	[68Ga]Ga-tilmanocept PET/CT lymphoscintigraphy: a novel technique for sentinel lymph node imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 963-965.	3.3	15
71	The Added Value of [18F]FDG PET/CT in the Management of Invasive Fungal Infections. <i>Diagnostics</i> , 2021, 11, 137.	1.3	15
72	First experiences with ¹⁷⁷ Lu-PSMA-617 therapy for recurrent or metastatic salivary gland cancer. <i>EJNMMI Research</i> , 2021, 11, 126.	1.1	15

#	ARTICLE	IF	CITATIONS
73	The theranostic target prostate-specific membrane antigen is expressed in medullary thyroid cancer. <i>Human Pathology</i> , 2018, 81, 245-254.	1.1	14
74	Use of an anti-reflux catheter to improve tumor targeting for holmium-166 radioembolization—a prospective, within-patient randomized study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1658-1668.	3.3	13
75	Intraarterial Administration Boosts ¹⁷⁷ Lu-HA-DOTATATE Accumulation in Salvage Meningioma Patients. <i>Journal of Nuclear Medicine</i> , 2022, 63, 406-409.	2.8	13
76	PET Molecular Targets and Near-Infrared Fluorescence Imaging of Atherosclerosis. <i>Current Cardiology Reports</i> , 2018, 20, 11.	1.3	12
77	Contralateral Regional Recurrence in Lateralized or Paramedian Early-Stage Oral Cancer Undergoing Sentinel Lymph Node Biopsy—Comparison to a Historic Elective Neck Dissection Cohort. <i>Frontiers in Oncology</i> , 2021, 11, 644306.	1.3	12
78	¹⁸ F-FDG PET Improves Baseline Clinical Predictors of Response in Diffuse Large B-Cell Lymphoma: The HOVON-84 Study. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1001-1007.	2.8	12
79	Prediction of ultrasound guided fine needle aspiration cytology results by FDG PET-CT for lymph node metastases in head and neck squamous cell carcinoma patients. <i>Acta Oncologica</i> , 2018, 57, 1687-1692.	0.8	11
80	Fast-track Radioiodine Ablation Therapy After Thyroidectomy Reduces Sick Leave in Patients With Differentiated Thyroid Cancer (FASTHYNA Trial). <i>Clinical Nuclear Medicine</i> , 2019, 44, 272-275.	0.7	11
81	Feasibility of sentinel node navigated surgery in high-risk T1b esophageal adenocarcinoma patients using a hybrid tracer of technetium-99m and indocyanine green. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 2671-2679.	1.3	11
82	High FDG Uptake in the Right Ventricular Myocardium of a Pulmonary Hypertension Patient. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1724.	1.2	10
83	The tubarial glands paper: A starting point. A reply to comments. <i>Radiotherapy and Oncology</i> , 2021, 154, 308-311.	0.3	10
84	Whole-body MRI versus an [18F]FDG-PET/CT-based reference standard for early response assessment and restaging of paediatric Hodgkin's lymphoma: a prospective multicentre study. <i>European Radiology</i> , 2021, 31, 8925-8936.	2.3	10
85	Relationship between pretreatment FDG-PET and diffusion-weighted MRI biomarkers in diffuse large B-cell lymphoma. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 4, 231-8.	1.0	10
86	Baseline Imaging Derived Predictive Factors of Response Following [177Lu]Lu-PSMA-617 Therapy in Salvage Metastatic Castration-Resistant Prostate Cancer: A Lesion- and Patient-Based Analysis. <i>Biomedicines</i> , 2022, 10, 1575.	1.4	10
87	SSTR2A expression in medullary thyroid carcinoma is correlated with longer survival. <i>Endocrine</i> , 2018, 62, 639-647.	1.1	9
88	Persistent Disease in Patients with Papillary Thyroid Carcinoma and Lymph Node Metastases After Surgery and Iodine-131 Ablation. <i>World Journal of Surgery</i> , 2007, 31, 2309-2314.	0.8	8
89	I-131 Accumulation in a Benign Cystic Mesothelioma in a Patient with Follicular Thyroid Cancer. <i>Thyroid</i> , 2008, 18, 369-371.	2.4	8
90	18F-Fluorocholine PET-CT enables minimal invasive parathyroidectomy in patients with negative sestamibi SPECT-CT and ultrasound: A case report. <i>International Journal of Surgery Case Reports</i> , 2015, 13, 73-75.	0.2	8

#	ARTICLE	IF	CITATIONS
91	Lutetium-177-PSMA therapy for prostate cancer patientsâ€”aÂbrief overview of the literature. Tijdschrift Voor Urologie, 2020, 10, 141-146.	0.1	8
92	Value of Targeted Biopsies and Combined PSMA PET/CT and mp-MRI Imaging in Locally Recurrent Prostate Cancer after Primary Radiotherapy. Cancers, 2022, 14, 781.	1.7	8
93	Use of Radiopharmaceuticals for Diagnosis, Treatment, and Follow-Up of Differentiated Thyroid Carcinoma. Anti-Cancer Agents in Medicinal Chemistry, 2007, 7, 399-409.	0.9	7
94	New Insights in Resistance to Interchange. Transportation Research Procedia, 2015, 8, 72-79.	0.8	7
95	Fluorine-18-fluorodeoxyglucose (FDG) positron emission tomography (PET) computed tomography (CT) for the detection of bone, lung, and lymph node metastases in rhabdomyosarcoma. The Cochrane Library, 2021, 2021, CD012325.	1.5	7
96	To give or not to give? A critical appraisal of a clinical trial on radioiodine treatment. European Journal of Nuclear Medicine and Molecular Imaging, 2022, , .	3.3	7
97	Calibration of PET/CT scanners for multicenter studies on differentiated thyroid cancer with 124I. EJNMMI Research, 2016, 6, 39.	1.1	6
98	PSMA PET/CT Identifies Inpatient Variation in Salivary Gland Toxicity From Iodine-131 Therapy. Molecular Imaging, 2020, 19, 153601212093499.	0.7	6
99	High CXCR4 expression in adenoid cystic carcinoma of the head and neck is associated with increased risk of locoregional recurrence. Journal of Clinical Pathology, 2020, 73, 476-482.	1.0	6
100	Diagnostic accuracy of [^{99m} Tc]Tcâ€”tilmanocept compared to [^{99m} Tc]Tcâ€”nanocolloid for sentinel lymph node identification in earlyâ€”stage oral cancer. Clinical Otolaryngology, 2021, 46, 1383-1388.	0.6	6
101	Retrospective analysis of PSMA PET/CT thyroid incidental uptake in adults: incidence, diagnosis, and treatment/outcome in a tertiary cancer referral center and University Medical Center. European Journal of Nuclear Medicine and Molecular Imaging, 2022, , 1.	3.3	6
102	Urothelial carcinoma in an orthotopic neobladder: an unusual pattern of recurrence and metastasis. BMJ Case Reports, 2017, 2017, bcr-2017-221052.	0.2	5
103	Gastrointestinal stromal tumour detection with somatostatin receptor imaging, 68Ga-HA-DOTATATE PETâ€”CT. Lancet Oncology, The, 2017, 18, e185.	5.1	4
104	Fused high b-value diffusion weighted and T2-weighted MR images in staging of pediatric Hodgkinâ€”s lymphoma: A pilot study. European Journal of Radiology, 2019, 121, 108737.	1.2	4
105	Aberrant patterns of PET response during treatment for DLBCL patients with MYC gene rearrangements. European Journal of Nuclear Medicine and Molecular Imaging, 2021, , 1.	3.3	4
106	A Rapid and Safe Infusion Protocol for ¹⁷⁷ Lu Peptide Receptor Radionuclide Therapy. Journal of Nuclear Medicine, 2021, 62, 816-822.	2.8	4
107	FDG PET/CT in differentiated thyroid cancer patients with low thyroglobulin levels. European Journal of Endocrinology, 2022, 187, 101-110.	1.9	4
108	Potential Clinical Applications of PET/Magnetic Resonance Imaging. PET Clinics, 2013, 8, 367-384.	1.5	3

#	ARTICLE	IF	CITATIONS
109	False-positive PET scan after bone marrow biopsy. British Journal of Haematology, 2013, 161, 753-753.	1.2	3
110	The role of qualitative elastography in thyroid nodule evaluation: exploring its target populations. Endocrine, 2015, 50, 265-267.	1.1	3
111	⁸⁹ Zr-rituximab PET/CT to detect neurolymphomatosis. American Journal of Hematology, 2016, 91, 649-650.	2.0	3
112	New Developments in Sentinel Lymph Node Biopsy Procedure in Localized Oral Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2019, 145, 741.	1.2	3
113	Zirconium-89 labelled rituximab PET-CT imaging of Graves' orbitopathy. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 738-739.	3.3	3
114	[68Ga]Ga-tilmanocept PET/CT lymphoscintigraphy for sentinel lymph node detection in early-stage oral cavity carcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1246-1247.	3.3	3
115	The prognostic impact of micrometastases and isolated tumor cells in early oral squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2021, 278, 5105-5106.	0.8	3
116	Rituximab maintenance for patients with diffuse large B-cell lymphoma in first complete remission: Results from a randomized HOVON-Nordic Lymphoma Group phase III study.. Journal of Clinical Oncology, 2019, 37, 7507-7507.	0.8	3
117	Breast cancer sentinel node scintigraphy. Nuclear Medicine Communications, 2012, 33, 1138-1143.	0.5	2
118	Detection of Synchronous Parathyroid Adenoma and Breast Cancer with 18F-Fluorocholine PET-CT. Nuclear Medicine and Molecular Imaging, 2016, 50, 180-182.	0.6	2
119	Letter to the Editor Regarding the Article ¹²⁴ I PET/CT in Patients with Differentiated Thyroid Cancer: Clinical and Quantitative Image Analysis. Thyroid, 2016, 26, 1141-1142.	2.4	2
120	Is there a place for FDG-PET-CT in early oral cancer patients?. Oral Oncology, 2018, 84, 123-124.	0.8	2
121	Competition (â€˜Stealâ€™ Phenomenon) between [68Ga]Ga-PSMA-11 Uptake in Prostate Tumor Tissue Versus Healthy Tissue. Pharmaceuticals, 2021, 13, 699.	2.0	2
122	Increased vascular inflammation on PET/CT in psoriasis and the effects of biologic treatment: systematic review and meta-analyses. Clinical and Translational Imaging, 2022, 10, 225-235.	1.1	2
123	Value of diagnostic radioiodine scintigraphy and thyroglobulin measurements after rhTSH injection. Nuklearmedizin - NuclearMedicine, 2009, 48, 26-9.	0.3	2
124	Within-patient comparison between [68Ga]Ga-tilmanocept PET/CT lymphoscintigraphy and [99mTc]Tc-tilmanocept lymphoscintigraphy for sentinel lymph node detection in oral cancer: a pilot study. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 2023-2036.	3.3	2
125	Reply: THYROPET Study: Is It Biology or Technology That Is the Issue?. Journal of Nuclear Medicine, 2017, 58, 354.2-355.	2.8	1
126	RITUXIMAB MAINTENANCE FOR PATIENTS WITH DIFFUSE LARGE B-CELL LYMPHOMA IN FIRST COMPLETE REMISSION: RESULTS FROM A RANDOMIZED HOVON-NORDIC LYMPHOMA GROUP PHASE III STUDY. Hematological Oncology, 2019, 37, 79-80.	0.8	1

#	ARTICLE	IF	CITATIONS
127	Detection of sentinel lymph nodes by tilmanocept in oral squamous cell carcinoma. Clinical and Experimental Metastasis, 2022, 39, 417-419.	1.7	1
128	FDG-PET combined with CT considerably alters tumour delineation for radiotherapy for h&n cancer compared to CT only. Radiotherapy and Oncology, 2007, 82, S6.	0.3	0
129	Reply: Utility of Diagnostic Whole-Body Iodine Scanning in High-Risk Differentiated Thyroid Carcinoma. Journal of Nuclear Medicine, 2012, 53, 662-663.	2.8	0
130	OC-007: Sentinel node biopsy for early stage oral cancer; experience of 2 Dutch head and neck centers. Radiotherapy and Oncology, 2017, 122, 7.	0.3	0
131	FDG-PET as a Biomarker of Response in DLBCL: the HOVON 84 Study Experience. Hematological Oncology, 2017, 35, 40-41.	0.8	0
132	OC-020 Sentinel lymph node biopsy for early stage oral cancer; experience of 3 Dutch Head and Neck centers. Radiotherapy and Oncology, 2019, 132, 12-13.	0.3	0
133	OC-022 Unexpected drainage patterns and high accuracy of SLNB in OSCC after previous neck treatment. Radiotherapy and Oncology, 2019, 132, 13-14.	0.3	0
134	S1599 RITUXIMAB MAINTENANCE FOR PATIENTS WITH DIFFUSE LARGE B-CELL LYMPHOMA IN FIRST COMPLETE REMISSION: RESULTS FROM A RANDOMIZED HOVON-NORDIC LYMPHOMA GROUP PHASE III STUDY. HemaSphere, 2019, 3, 736.	1.2	0
135	Sa1235 FEASIBILITY OF SENTINEL NODE NAVIGATION SURGERY IN PATIENTS WITH HIGH-RISK SUBMUCOSAL (T1B) ESOPHAGEAL ADENOCARCINOMA USING A HYBRID TRACER OF TECHNETIUM-99M AND INDOCYANINE GREEN. Gastrointestinal Endoscopy, 2020, 91, AB123-AB124.	0.5	0
136	Comparison of different diagnostic approaches in the management of the clinically negative neck in early oral cancer patients. Cancer, 2021, 127, 1959-1962.	2.0	0
137	Holmium-166 Radioembolization. Digestive Disease Interventions, 0, 05, .	0.3	0
138	Evaluation of a streamlined sentinel lymph-node imaging protocol in early-stage oral cancer. Annals of Nuclear Medicine, 2021, 35, 1353-1360.	1.2	0
139	High Negative Predictive Value (NPV) Of Undetectable TSH Stimulated Tg For Disease Recurrence In Both Low And High Risk Differentiated Thyroid Cancer. Journal of Thyroid Disorders & Therapy, 2014, 03, .	0.1	0
140	FEASIBILITY OF SENTINEL NODE NAVIGATED SURGERY IN PATIENTS WITH HIGH-RISK SUBMUCOSAL (T1B) ESOPHAGEAL ADENOCARCINOMA USING A HYBRID TRACER OF TECHNETIUM-99M AND INDOCYANINE GREEN. Endoscopy, 2020, 52, .	1.0	0