## Andrs A Garca-Granada

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5397119/andres-a-garcia-granada-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24	575	12	23
papers	citations	h-index	g-index
29 ext. papers	716 ext. citations	3.6 avg, IF	3.95 L-index

#	Paper	IF	Citations
24	Time-Dependent Mechanical Properties in Polyetherimide 3D-Printed Parts Are Dictated by Isotropic Performance Being Accurately Predicted by the Generalized Time Hardening Model. <i>Polymers</i> , <b>2020</b> , 12,	4.5	1
23	The effect of in-plane layer orientation on mixed-mode I-II fracture behavior of 3D-printed poly-carbonate specimens. <i>Engineering Fracture Mechanics</i> , <b>2020</b> , 231, 107018	4.2	16
22	Design and Evaluation of an Osteogenesis-on-a-Chip Microfluidic Device Incorporating 3D Cell Culture. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2020</b> , 8, 557111	5.8	13
21	Replication of nanoscale surface gratings via injection molding. <i>Micro and Nano Engineering</i> , <b>2019</b> , 3, 37-43	3.4	5
20	Numerical and experimental study of blow and blow for perfume bottles to predict glass thickness and blank mold influence. <i>International Journal of Applied Glass Science</i> , <b>2019</b> , 10, 569-583	1.8	O
19	Mechanical behavior of an additively manufactured poly-carbonate specimen: tensile, flexural and mode I fracture properties. <i>Rapid Prototyping Journal</i> , <b>2019</b> , 26, 267-277	3.8	16
18	Topology optimization through stiffness/weight ratio analysis for a three-point bending test of additive manufactured parts. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2019</b> , 700, 0120	12 <sup>0.4</sup>	1
17	Injection moulding of plastic parts with laser textured surfaces with optical applications. <i>Optical Materials</i> , <b>2018</b> , 79, 372-380	3.3	6
16	A study of creep in polycarbonate fused deposition modelling parts. <i>Materials and Design</i> , <b>2018</b> , 141, 414-425	8.1	44
15	Thermal Comparison of Conventional and Conformal Cooling Channel Designs for a Non-Constant Thickness Screw Cap. <i>Journal of the Korean Society for Precision Engineering</i> , <b>2018</b> , 35, 95-101	0.3	2
14	Arterial pulse attenuation prediction using the decaying rate of a pressure wave in a viscoelastic material model. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2018</b> , 17, 589-603	3.8	1
13	Glass Gob Modeling and Experimental Validation Using a Drop Test. <i>MATEC Web of Conferences</i> , <b>2018</b> , 167, 02009	0.3	1
12	Multi Jet Fusion PA12 Manufacturing Parameters for Watertightness, Strength and Tolerances. <i>Materials</i> , <b>2018</b> , 11,	3.5	37
11	Ball-burnishing effect on deep residual stress on AISI 1038 and AA2017-T4. <i>Materials and Manufacturing Processes</i> , <b>2017</b> , 32, 1279-1289	4.1	21
10	A statistical analysis of nanocavities replication applied to injection moulding. <i>International Communications in Heat and Mass Transfer</i> , <b>2017</b> , 81, 131-140	5.8	11
9	Molecular dynamics simulation method applied to nanocavities replication via injection moulding. <i>International Communications in Heat and Mass Transfer</i> , <b>2017</b> , 87, 1-5	5.8	15
8	3D Simulation of Nanostructures Replication via Injection Molding. <i>International Polymer Processing</i> , <b>2017</b> , 32, 483-488	1	2

## LIST OF PUBLICATIONS

7	A methodology for damping measurement of engineering materials: application to a structure under bending and torsion loading. <i>JVC/Journal of Vibration and Control</i> , <b>2016</b> , 22, 2471-2481	2	5	
6	Mechanical property characterization and simulation of fused deposition modeling Polycarbonate parts. <i>Materials and Design</i> , <b>2015</b> , 83, 670-677	8.1	271	
5	Engineered arterial models to correlate blood flow to tissue biological response. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1254, 51-6	6.5	5	
4	Prediction of the growth rate for fatigue cracks emanating from cold expanded holes. <i>International Journal of Fatigue</i> , <b>2004</b> , 26, 585-595	5	27	
3	A new procedure based on Sachslboring for measuring non-axisymmetric residual stresses: experimental application. <i>International Journal of Mechanical Sciences</i> , <b>2001</b> , 43, 2753-2768	5.5	13	
2	Creep Relaxation of Residual Stresses Around Cold Expanded Holes. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , <b>2001</b> , 123, 125-131	1.8	24	
1	A new procedure based on Sachslboring for measuring non-axisymmetric residual stresses.  International Journal of Mechanical Sciences, 2000, 42, 1027-1047	5.5	38	