

Andrés A García-a-Granada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5397119/publications.pdf>

Version: 2024-02-01

28
papers

853
citations

686830

13
h-index

552369

26
g-index

29
all docs

29
docs citations

29
times ranked

875
citing authors

#	ARTICLE	IF	CITATIONS
1	Fracture assessment of polycarbonate parts produced by fused deposition modeling in the out-of-plane printing direction – effect of raster angle. <i>Rapid Prototyping Journal</i> , 2022, 28, 226-235.	1.6	1
2	Simulation Approach for Hydrophobicity Replication via Injection Molding. <i>Polymers</i> , 2021, 13, 2069.	2.0	4
3	Design and Evaluation of an Osteogenesis-on-a-Chip Microfluidic Device Incorporating 3D Cell Culture. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 557111.	2.0	41
4	Time-Dependent Mechanical Properties in Polyetherimide 3D-Printed Parts Are Dictated by Isotropic Performance Being Accurately Predicted by the Generalized Time Hardening Model. <i>Polymers</i> , 2020, 12, 678.	2.0	6
5	The effect of in-plane layer orientation on mixed-mode I-II fracture behavior of 3D-printed poly-carbonate specimens. <i>Engineering Fracture Mechanics</i> , 2020, 231, 107018.	2.0	35
6	Replication of nanoscale surface gratings via injection molding. <i>Micro and Nano Engineering</i> , 2019, 3, 37-43.	1.4	13
7	Numerical and experimental study of blow and blow for perfume bottles to predict glass thickness and blank mold influence. <i>International Journal of Applied Glass Science</i> , 2019, 10, 569-583.	1.0	2
8	Mechanical behavior of an additively manufactured poly-carbonate specimen: tensile, flexural and mode I fracture properties. <i>Rapid Prototyping Journal</i> , 2019, 26, 267-277.	1.6	27
9	Topology optimization through stiffness/weight ratio analysis for a three-point bending test of additive manufactured parts. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 700, 012012.	0.3	8
10	Injection moulding of plastic parts with laser textured surfaces with optical applications. <i>Optical Materials</i> , 2018, 79, 372-380.	1.7	9
11	A study of creep in polycarbonate fused deposition modelling parts. <i>Materials and Design</i> , 2018, 141, 414-425.	3.3	54
12	Arterial pulse attenuation prediction using the decaying rate of a pressure wave in a viscoelastic material model. <i>Biomechanics and Modeling in Mechanobiology</i> , 2018, 17, 589-603.	1.4	2
13	Glass Gob Modeling and Experimental Validation Using a Drop Test. <i>MATEC Web of Conferences</i> , 2018, 167, 02009.	0.1	3
14	Multi Jet Fusion PA12 Manufacturing Parameters for Watertightness, Strength and Tolerances. <i>Materials</i> , 2018, 11, 1472.	1.3	58
15	Thermal Comparison of Conventional and Conformal Cooling Channel Designs for a Non-Constant Thickness Screw Cap. <i>Journal of the Korean Society for Precision Engineering</i> , 2018, 35, 95-101.	0.1	4
16	Ball-burnishing effect on deep residual stress on AISI 1038 and AA2017-T4. <i>Materials and Manufacturing Processes</i> , 2017, 32, 1279-1289.	2.7	31
17	A statistical analysis of nanocavities replication applied to injection moulding. <i>International Communications in Heat and Mass Transfer</i> , 2017, 81, 131-140.	2.9	16
18	Molecular dynamics simulation method applied to nanocavities replication via injection moulding. <i>International Communications in Heat and Mass Transfer</i> , 2017, 87, 1-5.	2.9	22

#	ARTICLE	IF	CITATIONS
19	3D Simulation of Nanostructures Replication via Injection Molding. International Polymer Processing, 2017, 32, 483-488.	0.3	3
20	A methodology for damping measurement of engineering materials: application to a structure under bending and torsion loading. JVC/Journal of Vibration and Control, 2016, 22, 2471-2481.	1.5	10
21	ANÁLISIS DE RIGIDEZ DE UN SISTEMA DE INTERIOR DE AUTOMÓVIL. EXPERIENCIA DOCENTE EN EL MARCO EEES. Dyna (Spain), 2016, 91, 272-276.	0.1	0
22	IMPLEMENTACIÓN DE UN DISEÑO DE EXPERIMENTOS PARA UNA MEJORA ESTRUCTURAL DE UN ASIDERO APOYAPIERNAS. Dyna (Spain), 2016, 91, 392-396.	0.1	0
23	Mechanical property characterization and simulation of fused deposition modeling Polycarbonate parts. Materials and Design, 2015, 83, 670-677.	3.3	378
24	Engineered arterial models to correlate blood flow to tissue biological response. Annals of the New York Academy of Sciences, 2012, 1254, 51-56.	1.8	6
25	Prediction of the growth rate for fatigue cracks emanating from cold expanded holes. International Journal of Fatigue, 2004, 26, 585-595.	2.8	34
26	A new procedure based on Sachs's™ boring for measuring non-axisymmetric residual stresses: experimental application. International Journal of Mechanical Sciences, 2001, 43, 2753-2768.	3.6	13
27	Creep Relaxation of Residual Stresses Around Cold Expanded Holes. Journal of Engineering Materials and Technology, Transactions of the ASME, 2001, 123, 125-131.	0.8	26
28	A new procedure based on Sachs's™ boring for measuring non-axisymmetric residual stresses. International Journal of Mechanical Sciences, 2000, 42, 1027-1047.	3.6	47