

Johan K Sandberg

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5398941/johan-k-sandberg-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

6,390
citations

44
h-index

76
g-index

163
ext. papers

8,338
ext. citations

8.5
avg, IF

5.57
L-index

#	Paper	IF	Citations
153	Robust T Cell Immunity in Convalescent Individuals with Asymptomatic or Mild COVID-19. <i>Cell</i> , 2020 , 183, 158-168.e14	56.2	955
152	Activation, exhaustion, and persistent decline of the antimicrobial MR1-restricted MAIT-cell population in chronic HIV-1 infection. <i>Blood</i> , 2013 , 121, 1124-35	2.2	264
151	Natural killer cell immunotypes related to COVID-19 disease severity. <i>Science Immunology</i> , 2020 , 5,	28	183
150	CD56 negative NK cells: origin, function, and role in chronic viral disease. <i>Trends in Immunology</i> , 2010 , 31, 401-6	14.4	161
149	Acquisition of innate-like microbial reactivity in mucosal tissues during human fetal MAIT-cell development. <i>Nature Communications</i> , 2014 , 5, 3143	17.4	148
148	Arming of MAIT Cell Cytolytic Antimicrobial Activity Is Induced by IL-7 and Defective in HIV-1 Infection. <i>PLoS Pathogens</i> , 2015 , 11, e1005072	7.6	141
147	Selective loss of innate CD4(+) V alpha 24 natural killer T cells in human immunodeficiency virus infection. <i>Journal of Virology</i> , 2002 , 76, 7528-34	6.6	131
146	Multiple layers of heterogeneity and subset diversity in human MAIT cell responses to distinct microorganisms and to innate cytokines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E5434-E5443	11.5	130
145	MAIT cells reside in the female genital mucosa and are biased towards IL-17 and IL-22 production in response to bacterial stimulation. <i>Mucosal Immunology</i> , 2017 , 10, 35-45	9.2	127
144	Functional heterogeneity of cytokines and cytolytic effector molecules in human CD8+ T lymphocytes. <i>Journal of Immunology</i> , 2001 , 167, 181-7	5.3	127
143	CD8+ T cells rapidly acquire NK1.1 and NK cell-associated molecules upon stimulation in vitro and in vivo. <i>Journal of Immunology</i> , 2000 , 165, 3673-9	5.3	123
142	High levels of chronic immune activation in the T-cell compartments of patients coinfecting with hepatitis C virus and human immunodeficiency virus type 1 and on highly active antiretroviral therapy are reverted by alpha interferon and ribavirin treatment. <i>Journal of Virology</i> , 2009 , 83, 11407-11	6.6	122
141	CXCR5+ CCR7- CD8 T cells are early effector memory cells that infiltrate tonsil B cell follicles. <i>European Journal of Immunology</i> , 2007 , 37, 3352-62	6.1	112
140	Expansion of functionally skewed CD56-negative NK cells in chronic hepatitis C virus infection: correlation with outcome of pegylated IFN-alpha and ribavirin treatment. <i>Journal of Immunology</i> , 2009 , 183, 6612-8	5.3	104
139	The viral protein corona directs viral pathogenesis and amyloid aggregation. <i>Nature Communications</i> , 2019 , 10, 2331	17.4	103
138	Exosomes from breast milk inhibit HIV-1 infection of dendritic cells and subsequent viral transfer to CD4+ T cells. <i>Aids</i> , 2014 , 28, 171-80	3.5	102
137	Nonreversible MAIT cell-dysfunction in chronic hepatitis C virus infection despite successful interferon-free therapy. <i>European Journal of Immunology</i> , 2016 , 46, 2204-10	6.1	102

136	Inhibition of lipid antigen presentation in dendritic cells by HIV-1 Vpu interference with CD1d recycling from endosomal compartments. <i>Blood</i> , 2010 , 116, 1876-84	2.2	96
135	The CD4CD8 MAIT cell subpopulation is a functionally distinct subset developmentally related to the main CD8 MAIT cell pool. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E11513-E11522	11.5	86
134	Robust T cell immunity in convalescent individuals with asymptomatic or mild COVID-19		85
133	NKG2D performs two functions in invariant NKT cells: direct TCR-independent activation of NK-like cytotoxicity and co-stimulation of activation by CD1d. <i>European Journal of Immunology</i> , 2011 , 41, 1913-23	6.1	83
132	Identification and characterization of HIV-specific resident memory CD8 T cells in human lymphoid tissue. <i>Science Immunology</i> , 2018 , 3,	28	82
131	Compromised function of natural killer cells in acute and chronic viral hepatitis. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1362-73	7	80
130	Temporal dynamics of the primary human T cell response to yellow fever virus 17D as it matures from an effector- to a memory-type response. <i>Journal of Immunology</i> , 2013 , 190, 2150-8	5.3	80
129	Severe functional impairment and elevated PD-1 expression in CD1d-restricted NKT cells retained during chronic HIV-1 infection. <i>European Journal of Immunology</i> , 2009 , 39, 902-11	6.1	79
128	MAIT cell activation and dynamics associated with COVID-19 disease severity. <i>Science Immunology</i> , 2020 , 5,	28	74
127	Dominant effector memory characteristics, capacity for dynamic adaptive expansion, and sex bias in the innate Valpha24 NKT cell compartment. <i>European Journal of Immunology</i> , 2003 , 33, 588-96	6.1	73
126	Human MAIT-cell responses to Escherichia coli: activation, cytokine production, proliferation, and cytotoxicity. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 233-40	6.5	70
125	Trafficking of human immunodeficiency virus type 1-specific CD8+ T cells to gut-associated lymphoid tissue during chronic infection. <i>Journal of Virology</i> , 2003 , 77, 5621-31	6.6	67
124	T cell tolerance based on avidity thresholds rather than complete deletion allows maintenance of maximal repertoire diversity. <i>Journal of Immunology</i> , 2000 , 165, 25-33	5.3	66
123	T cell competition for the antigen-presenting cell as a model for immunodominance in the cytotoxic T lymphocyte response against minor histocompatibility antigens. <i>European Journal of Immunology</i> , 1999 , 29, 2197-204	6.1	60
122	Ancestral SARS-CoV-2-specific T cells cross-recognize the Omicron variant.. <i>Nature Medicine</i> , 2022 ,	50.5	59
121	Development of innate CD4+ alpha-chain variable gene segment 24 (Valpha24) natural killer T cells in the early human fetal thymus is regulated by IL-7. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7058-63	11.5	57
120	Abundant expression of granzyme A, but not perforin, in granules of CD8+ T cells in GALT: implications for immune control of HIV-1 infection. <i>Journal of Immunology</i> , 2004 , 173, 641-8	5.3	56
119	Expansion of CD56- NK cells in chronic HCV/HIV-1 co-infection: reversion by antiviral treatment with pegylated IFNalpha and ribavirin. <i>Clinical Immunology</i> , 2008 , 128, 46-56	9	55

118	HIV-specific CD8+ T cell function in children with vertically acquired HIV-1 infection is critically influenced by age and the state of the CD4+ T cell compartment. <i>Journal of Immunology</i> , 2003 , 170, 4403-10	5.3	54
117	Soluble biomarkers of HIV transmission, disease progression and comorbidities. <i>Current Opinion in HIV and AIDS</i> , 2013 , 8, 117-24	4.2	53
116	TOX is expressed by exhausted and polyfunctional human effector memory CD8 T cells. <i>Science Immunology</i> , 2020 , 5,	28	52
115	Individuals with pulmonary tuberculosis have lower levels of circulating CD1d-restricted NKT cells. <i>Journal of Infectious Diseases</i> , 2007 , 195, 1361-4	7	51
114	Expansion of CD1d-restricted NKT cells in patients with primary HIV-1 infection treated with interleukin-2. <i>Blood</i> , 2006 , 107, 3081-3	2.2	49
113	Tissue-resident MAIT cell populations in human oral mucosa exhibit an activated profile and produce IL-17. <i>European Journal of Immunology</i> , 2019 , 49, 133-143	6.1	48
112	CD7 is a differentiation marker that identifies multiple CD8 T cell effector subsets. <i>Journal of Immunology</i> , 2003 , 170, 2349-55	5.3	47
111	Elevated numbers of Fc gamma RIIIA+ (CD16+) effector CD8 T cells with NK cell-like function in chronic hepatitis C virus infection. <i>Journal of Immunology</i> , 2008 , 181, 4219-28	5.3	45
110	Innate immunity and chronic immune activation in HCV/HIV-1 co-infection. <i>Clinical Immunology</i> , 2010 , 135, 12-25	9	44
109	IgG regulates the CD1 expression profile and lipid antigen-presenting function in human dendritic cells via Fc gamma RIIa. <i>Blood</i> , 2008 , 111, 5037-46	2.2	43
108	The Human NK Cell Response to Yellow Fever Virus 17D Is Primarily Governed by NK Cell Differentiation Independently of NK Cell Education. <i>Journal of Immunology</i> , 2015 , 195, 3262-72	5.3	41
107	Elevated natural killer cell activity despite altered functional and phenotypic profile in Ugandans with HIV-1 clade A or clade D infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51, 380-9	3.1	40
106	Effects of HDV infection and pegylated interferon α treatment on the natural killer cell compartment in chronically infected individuals. <i>Gut</i> , 2015 , 64, 469-82	19.2	39
105	TAP1-deficient mice select a CD8+ T cell repertoire that displays both diversity and peptide specificity. <i>European Journal of Immunology</i> , 1996 , 26, 288-93	6.1	39
104	IVIg immune reconstitution treatment alleviates the state of persistent immune activation and suppressed CD4 T cell counts in COVID. <i>PLoS ONE</i> , 2013 , 8, e75199	3.7	39
103	A structural basis for LCMV immune evasion: subversion of H-2D(b) and H-2K(b) presentation of gp33 revealed by comparative crystal structure analyses. <i>Immunity</i> , 2002 , 17, 757-68	32.3	38
102	Generation of CD3+CD8low thymocytes in the HIV type 1-infected thymus. <i>Journal of Immunology</i> , 2002 , 169, 2788-96	5.3	36
101	Vitamin D treatment modulates immune activation in cystic fibrosis. <i>Clinical and Experimental Immunology</i> , 2017 , 189, 359-371	6.2	35

100	Chronic hepatitis delta virus infection leads to functional impairment and severe loss of MAIT cells. <i>Journal of Hepatology</i> , 2019 , 71, 301-312	13.4	34
99	Lower cytokine secretion ex vivo by natural killer T cells in HIV-infected individuals is associated with higher CD161 expression. <i>Aids</i> , 2009 , 23, 1965-70	3.5	33
98	Innate and adaptive immune responses both contribute to pathological CD4 T cell activation in HIV-1 infected Ugandans. <i>PLoS ONE</i> , 2011 , 6, e18779	3.7	33
97	Invariant natural killer T cells developing in the human fetus accumulate and mature in the small intestine. <i>Mucosal Immunology</i> , 2014 , 7, 1233-43	9.2	32
96	IL-18 skews the invariant NKT-cell population via autoreactive activation in atopic eczema. <i>European Journal of Immunology</i> , 2009 , 39, 2293-301	6.1	29
95	Spontaneous HCV clearance in HCV/HIV-1 coinfection associated with normalized CD4 counts, low level of chronic immune activation and high level of T cell function. <i>Journal of Clinical Virology</i> , 2008 , 41, 160-3	14.5	28
94	Expansion of CD7(low) and CD7(negative) CD8 T-cell effector subsets in HIV-1 infection: correlation with antigenic load and reversion by antiretroviral treatment. <i>Blood</i> , 2004 , 104, 3672-8	2.2	28
93	Application of nine-color flow cytometry for detailed studies of the phenotypic complexity and functional heterogeneity of human lymphocyte subsets. <i>Journal of Immunological Methods</i> , 2008 , 330, 64-74	2.5	27
92	Reactivity and specificity of CD8+ T cells in mice with defects in the MHC class I antigen-presenting pathway. <i>Immunological Reviews</i> , 1996 , 151, 123-48	11.3	27
91	Reduction of the HIV-1 reservoir in resting CD4+ T-lymphocytes by high dosage intravenous immunoglobulin treatment: a proof-of-concept study. <i>AIDS Research and Therapy</i> , 2009 , 6, 15	3	26
90	Development and function of CD1d-restricted NKT cells: influence of sphingolipids, SAP and sex. <i>Trends in Immunology</i> , 2005 , 26, 347-9	14.4	26
89	Specificity and dynamics of effector and memory CD8 T cell responses in human tick-borne encephalitis virus infection. <i>PLoS Pathogens</i> , 2015 , 11, e1004622	7.6	25
88	The Identity of Human Tissue-Emigrant CD8 T Cells. <i>Cell</i> , 2020 , 183, 1946-1961.e15	56.2	25
87	Persistent Immune Activation in COVID and the Role of IVIg in Its Suppression. <i>Frontiers in Immunology</i> , 2014 , 5, 637	8.4	25
86	Clinical impact of vitamin D treatment in cystic fibrosis: a pilot randomized, controlled trial. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 203-205	5.2	23
85	Proteome analysis of human CD56 NK cells reveals a homogeneous phenotype surprisingly similar to CD56 NK cells. <i>European Journal of Immunology</i> , 2018 , 48, 1456-1469	6.1	23
84	Limited immune surveillance in lymphoid tissue by cytolytic CD4+ T cells during health and HIV disease. <i>PLoS Pathogens</i> , 2018 , 14, e1006973	7.6	23
83	Severely Impaired Control of Bacterial Infections in a Patient With Cystic Fibrosis Defective in Mucosal-Associated Invariant T Cells. <i>Chest</i> , 2018 , 153, e93-e96	5.3	22

82	Analysis of the KIR repertoire in human NK cells by flow cytometry. <i>Methods in Molecular Biology</i> , 2010 , 612, 353-64	1.4	22
81	Chronic immune activation in the T cell compartment of HCV/HIV-1 co-infected patients. <i>Virulence</i> , 2010 , 1, 177-9	4.7	21
80	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> . <i>PLoS Biology</i> , 2020 , 18, e3000644	9.7	20
79	Extensive Phenotypic Analysis, Transcription Factor Profiling, and Effector Cytokine Production of Human MAIT Cells by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2017 , 1514, 241-256	1.4	20
78	Perforin expression in the gastrointestinal mucosa is limited to acute simian immunodeficiency virus infection. <i>Journal of Virology</i> , 2006 , 80, 3083-7	6.6	20
77	Elevated levels of invariant natural killer T-cell and natural killer cell activation correlate with disease progression in HIV-1 and HIV-2 infections. <i>Aids</i> , 2016 , 30, 1713-22	3.5	20
76	MAIT Cells Are Major Contributors to the Cytokine Response in Group A Streptococcal Toxic Shock Syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 25923-25931	11.5	20
75	Cytomegalovirus-Driven Adaptive-Like Natural Killer Cell Expansions Are Unaffected by Concurrent Chronic Hepatitis Virus Infections. <i>Frontiers in Immunology</i> , 2017 , 8, 525	8.4	19
74	Dynamic MAIT cell response with progressively enhanced innateness during acute HIV-1 infection. <i>Nature Communications</i> , 2020 , 11, 272	17.4	18
73	IL-7 treatment supports CD8+ mucosa-associated invariant T-cell restoration in HIV-1-infected patients on antiretroviral therapy. <i>Aids</i> , 2018 , 32, 825-828	3.5	18
72	Quality monitoring of HIV-1-infected and uninfected peripheral blood mononuclear cell samples in a resource-limited setting. <i>Vaccine Journal</i> , 2010 , 17, 910-8		18
71	Will loss of your MAITs weaken your HAART [corrected]?. <i>Aids</i> , 2013 , 27, 2501-4	3.5	17
70	HIV-1 Vpu interference with innate cell-mediated immune mechanisms. <i>Current HIV Research</i> , 2012 , 10, 327-33	1.3	17
69	Immunization with dendritic cells breaks immunodominance in CTL responses against minor histocompatibility and synthetic peptide antigens. <i>Journal of Leukocyte Biology</i> , 1999 , 66, 268-71	6.5	16
68	Baseline levels of soluble CD14 and CD16+56- natural killer cells are negatively associated with response to interferon/ribavirin therapy during HCV-HIV-1 coinfection. <i>Journal of Infectious Diseases</i> , 2012 , 206, 969-73	7	15
67	Contact-dependent interference with invariant NKT cell activation by herpes simplex virus-infected cells. <i>Journal of Immunology</i> , 2012 , 188, 6216-24	5.3	15
66	Bacterial deception of MAIT cells in a cloud of superantigen and cytokines. <i>PLoS Biology</i> , 2017 , 15, e2003167	11.7	15
65	HIV Type 1 Disease Progression to AIDS and Death in a Rural Ugandan Cohort Is Primarily Dependent on Viral Load Despite Variable Subtype and T-Cell Immune Activation Levels. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1574-84	7	14

64	Factors Influencing Functional Heterogeneity in Human Mucosa-Associated Invariant T Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 1602	8.4	14
63	Recruitment of MAIT Cells to the Intervillous Space of the Placenta by Placenta-Derived Chemokines. <i>Frontiers in Immunology</i> , 2019 , 10, 1300	8.4	14
62	Innate Invariant NKT Cell Recognition of HIV-1-Infected Dendritic Cells Is an Early Detection Mechanism Targeted by Viral Immune Evasion. <i>Journal of Immunology</i> , 2016 , 197, 1843-51	5.3	14
61	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	14
60	Recognition of the major histocompatibility complex restriction element modulates CD8(+) T cell specificity and compensates for loss of T cell receptor contacts with the specific peptide. <i>Journal of Experimental Medicine</i> , 1999 , 189, 883-94	16.6	13
59	Terminal Effector CD8 T Cells Defined by an IKZF2IL-7R Transcriptional Signature Express FcR11A, Expand in HIV Infection, and Mediate Potent HIV-Specific Antibody-Dependent Cellular Cytotoxicity. <i>Journal of Immunology</i> , 2019 , 203, 2210-2221	5.3	13
58	Cell-Mediated Immune Responses and Immunopathogenesis of Human Tick-Borne Encephalitis Virus-Infection. <i>Frontiers in Immunology</i> , 2018 , 9, 2174	8.4	13
57	CD56 NK IL-7R α expression negatively associates with HCV level, and IL-7-induced NK function is impaired during HCV and HIV infections. <i>Journal of Leukocyte Biology</i> , 2017 , 102, 171-184	6.5	12
56	Involvement of a C-terminal motif in the interference of primate lentiviral Vpu proteins with CD1d-mediated antigen presentation. <i>Scientific Reports</i> , 2015 , 5, 9675	4.9	12
55	Dysregulated CD1 profile in myeloid dendritic cells in CVID is normalized by IVIg treatment. <i>Blood</i> , 2013 , 121, 4963-4	2.2	12
54	Human immunodeficiency virus type 1 infection is associated with increased NK cell polyfunctionality and higher levels of KIR3DL1+ NK cells in ugandans carrying the HLA-B Bw4 motif. <i>Journal of Virology</i> , 2011 , 85, 4802-11	6.6	12
53	CD8 T cell effector maturation in HIV-1-infected children. <i>Virology</i> , 2006 , 347, 117-26	3.6	11
52	Higher frequency of HIV-1-specific T cell immune responses in African American children vertically infected with HIV-1. <i>Journal of Infectious Diseases</i> , 2005 , 192, 1772-80	7	11
51	Impaired natural killer cell responses are associated with loss of the highly activated NKG2A(+)/CD57(+)/CD56(dim) subset in HIV-1 subtype D infection in Uganda. <i>Aids</i> , 2014 , 28, 1273-8	3.5	10
50	Expansion of donor-unrestricted MAIT cells with enhanced cytolytic function suitable for TCR redirection. <i>JCI Insight</i> , 2021 , 6,	9.9	10
49	Brief Report: Differential Associations of Interleukin 6 and Intestinal Fatty Acid-Binding Protein With Progressive Untreated HIV-1 Infection in Rakai, Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 72, 15-20	3.1	10
48	Mucosal-associated invariant T cells and oral microbiome in persistent apical periodontitis. <i>International Journal of Oral Science</i> , 2019 , 11, 16	27.9	9
47	Rebound of residual plasma viremia after initial decrease following addition of intravenous immunoglobulin to effective antiretroviral treatment of HIV. <i>AIDS Research and Therapy</i> , 2011 , 8, 21	3	9

46	MAIT cell activation and dynamics associated with COVID-19 disease severity and outcome		9
45	Emerging Role for MAIT Cells in Control of Antimicrobial Resistance. <i>Trends in Microbiology</i> , 2021 , 29, 504-516	12.4	9
44	Plasma FABP4 is associated with liver disease recovery during treatment-induced clearance of chronic HCV infection. <i>Scientific Reports</i> , 2020 , 10, 2081	4.9	8
43	The dynamic relationship between innate immune biomarkers and interferon-based treatment effects and outcome in hepatitis C virus infection is altered by telaprevir. <i>PLoS ONE</i> , 2014 , 9, e105665	3.7	7
42	Loss of Circulating Mucosal-Associated Invariant T Cells in Common Variable Immunodeficiency Is Associated with Immune Activation and Loss of Eomes and PLZF. <i>ImmunoHorizons</i> , 2017 , 1, 142-155	2.7	6
41	IL13R α expression identifies tissue-resident IL-22-producing PLZF innate T cells in the human liver. <i>European Journal of Immunology</i> , 2018 , 48, 1329-1335	6.1	5
40	Single-cell level response of HIV-specific and cytomegalovirus-specific CD4 T cells correlate with viral control in chronic HIV-1 subtype A infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 61, 9-18	3.1	5
39	Detection of macaque perforin expression and release by flow cytometry, immunohistochemistry, ELISA, and ELISpot. <i>Journal of Immunological Methods</i> , 2006 , 312, 45-53	2.5	5
38	Sex and Urbanicity Contribute to Variation in Lymphocyte Distribution across Ugandan Populations. <i>PLoS ONE</i> , 2016 , 11, e0146196	3.7	5
37	MR1-Restricted T Cells with MAIT-like Characteristics Are Functionally Conserved in the Pteropid Bat. <i>iScience</i> , 2020 , 23, 101876	6.1	5
36	Natural killer cell activation related to clinical outcome of COVID-19		5
35	Activated PD-1+ CD4+ T cells represent a short-lived part of the viral reservoir and predict poor immunologic recovery upon initiation of ART. <i>Aids</i> , 2020 , 34, 197-202	3.5	5
34	Oponization-Enhanced Antigen Presentation by MR1 Activates Rapid Polyfunctional MAIT Cell Responses Acting as an Effector Arm of Humoral Antibacterial Immunity. <i>Journal of Immunology</i> , 2020 , 205, 67-77	5.3	4
33	Differential loss of invariant natural killer T cells and FoxP3+ regulatory T cells in HIV-1 subtype A and subtype D infections. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, 289-93	3.1	4
32	Breadth and Dynamics of HLA-A2- and HLA-B7-Restricted CD8 T Cell Responses against Nonstructural Viral Proteins in Acute Human Tick-Borne Encephalitis Virus Infection. <i>ImmunoHorizons</i> , 2018 , 2, 172-184	2.7	4
31	OMIP-046: Characterization of invariant T cell subset activation in humans. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2018 , 93, 499-503	4.6	3
30	Brief Report: CD14 ^{bright} CD16 ⁻ monocytes and sCD14 level negatively associate with CD4-memory T-cell frequency and predict HCV-decline on therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 258-262	3.1	3
29	Invariant natural killer T cells in patients with common variable immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 134, 989-90	11.5	3

28	Technical advance. Measurement of iNKT cell responses at the single-cell level against rare HIV-1-infected dendritic cells in a mixed culture. <i>Journal of Leukocyte Biology</i> , 2013 , 93, 449-55	6.5	3
27	HCV/HIV co-infection at a large HIV outpatient clinic in Sweden: feasibility and results of hepatitis C treatment. <i>Scandinavian Journal of Infectious Diseases</i> , 2009 , 41, 881-5		3
26	MAIT cell activation is associated with disease severity markers in acute hantavirus infection. <i>Cell Reports Medicine</i> , 2021 , 2, 100220	18	3
25	Divergent clonal differentiation trajectories establish CD8 memory T cell heterogeneity during acute viral infections in humans. <i>Cell Reports</i> , 2021 , 35, 109174	10.6	3
24	Quantification of Human MAIT Cell-Mediated Cellular Cytotoxicity and Antimicrobial Activity. <i>Methods in Molecular Biology</i> , 2020 , 2098, 149-165	1.4	3
23	Expression of MAIT Cells in Blood and Genital Mucosa of HIV Infected and Uninfected Women. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A47-A48	1.6	2
22	New observations on CD8 cell responses. <i>Aids</i> , 2003 , 17 Suppl 4, S61-5	3.5	2
21	NK cell frequencies, function and correlates to vaccine outcome in BNT162b2 mRNA anti-SARS-CoV-2 vaccinated healthy and immunocompromised individuals.. <i>Molecular Medicine</i> , 2022 , 28, 20	6.2	2
20	HCV/HIV co-infection at a large HIV outpatient clinic in Sweden: Feasibility and results of hepatitis C treatment. <i>Scandinavian Journal of Infectious Diseases</i> , 1-5		2
19	The Viral Protein Corona Directs Viral Pathogenesis and Amyloid Aggregation		2
18	COVID-19 specific metabolic imprint yields insights into multi organ-system perturbations. <i>European Journal of Immunology</i> , 2021 ,	6.1	1
17	Clonally distinct differentiation trajectories shape CD8+ memory T cell heterogeneity after acute viral infections in humans		1
16	Preserved Mucosal-Associated Invariant T-Cell Numbers and Function in Idiopathic CD4 Lymphocytopenia. <i>Journal of Infectious Diseases</i> , 2021 , 224, 715-725	7	1
15	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i>		1
14	Human MAIT cells endowed with HBV specificity are cytotoxic and migrate towards HBV-HCC while retaining antimicrobial functions. <i>JHEP Reports</i> , 2021 , 3, 100318	10.3	1
13	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19		1
12	Effects of Interleukin-2 Treatment on CD1d-Restricted Natural Killer T Cells. <i>Clinical Cancer Research</i> , 2007 , 13, 4311.1-4311	12.9	0
11	Ancestral SARS-CoV-2-specific T cells cross-recognize Omicron. <i>Nature Medicine</i> ,	50.5	0

10	In Situ Detection of MAIT Cells and MR1-Expressing Cells in Tissue Biopsies Utilizing Immunohistochemistry. <i>Methods in Molecular Biology</i> , 2020 , 2098, 83-94	1.4	○
9	MAIT cell compartment characteristics are associated with the immune response magnitude to the BNT162b2 mRNA anti-SARS-CoV-2 vaccine.. <i>Molecular Medicine</i> , 2022 , 28, 54	6.2	○
8	MAIT cell counts are associated with the risk of hospitalization in COPD.. <i>Respiratory Research</i> , 2022 , 23, 127	7.3	○
7	Effects of interleukin-2 treatment on CD1d-restricted natural killer T cells. <i>Clinical Cancer Research</i> , 2007 , 13, 4311; author reply 4311-2	12.9	
6	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		
5	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		
4	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		
3	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		
2	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		
1	Human MAIT cell cytolytic effector proteins synergize to overcome carbapenem resistance in <i>Escherichia coli</i> 2020 , 18, e3000644		