

Eric Yuk Fai Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5398960/publications.pdf>

Version: 2024-02-01

119
papers

4,007
citations

257101

24
h-index

149479

56
g-index

123
all docs

123
docs citations

123
times ranked

6208
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association of genetic variants related to combined exposure to higher BMI and waist-to-hip ratio on lifelong cardiovascular risk in UK Biobank. <i>Public Health Nutrition</i> , 2023, 26, 416-424. | 1.1 | 0 |
| 2 | Messenger RNA Coronavirus Disease 2019 (COVID-19) Vaccination With BNT162b2 Increased Risk of Bell's Palsy: A Nested Case-Control and Self-Controlled Case Series Study. <i>Clinical Infectious Diseases</i> , 2023, 76, e291-e298. | 2.9 | 9 |
| 3 | Bell's palsy following vaccination with mRNA (BNT162b2) and inactivated (CoronaVac) SARS-CoV-2 vaccines: a case series and nested case-control study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 64-72. | 4.6 | 168 |
| 4 | Two-dose COVID-19 vaccination and possible arthritis flare among patients with rheumatoid arthritis in Hong Kong. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 564-568. | 0.5 | 86 |
| 5 | Carditis After COVID-19 Vaccination With a Messenger RNA Vaccine and an Inactivated Virus Vaccine. <i>Annals of Internal Medicine</i> , 2022, 175, 362-370. | 2.0 | 98 |
| 6 | COVID-19 vaccines and risks of hematological abnormalities: Nested case-control and self-controlled case series study. <i>American Journal of Hematology</i> , 2022, 97, 470-480. | 2.0 | 37 |
| 7 | Postmarketing safety of orphan drugs: a longitudinal analysis of the US Food and Drug Administration database between 1999 and 2018. <i>Orphanet Journal of Rare Diseases</i> , 2022, 17, 3. | 1.2 | 6 |
| 8 | Multimorbidity and adverse events of special interest associated with Covid-19 vaccines in Hong Kong. <i>Nature Communications</i> , 2022, 13, 411. | 5.8 | 58 |
| 9 | The association between trajectories of risk factors and risk of cardiovascular disease or mortality among patients with diabetes or hypertension: A systematic review. <i>PLoS ONE</i> , 2022, 17, e0262885. | 1.1 | 2 |
| 10 | Post-COVID-19 vaccination adverse events and healthcare utilization among individuals with or without previous SARS-CoV-2 infection. <i>Journal of Internal Medicine</i> , 2022, 291, 864-869. | 2.7 | 21 |
| 11 | Comparing self-reported reactogenicity between adolescents and adults following the use of BNT162b2 (Pfizer-BioNTech) messenger RNA COVID-19 vaccine: a prospective cohort study. <i>International Journal of Infectious Diseases</i> , 2022, 116, 47-50. | 1.5 | 10 |
| 12 | Herpes zoster related hospitalization after inactivated (CoronaVac) and mRNA (BNT162b2) SARS-CoV-2 vaccination: A self-controlled case series and nested case-control study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 21, 100393. | 1.3 | 41 |
| 13 | Self-reported reactogenicity of CoronaVac (Sinovac) compared with Comirnaty (Pfizer-BioNTech): A prospective cohort study with intensive monitoring. <i>Vaccine</i> , 2022, 40, 1390-1396. | 1.7 | 11 |
| 14 | Safety and effectiveness of low-dose aspirin for the prevention of gastrointestinal cancer in adults without atherosclerotic cardiovascular disease: a population-based cohort study. <i>BMJ Open</i> , 2022, 12, e050510. | 0.8 | 4 |
| 15 | Lack of inflammatory bowel disease flare-up following two-dose BNT162b2 vaccine: a population-based cohort study. <i>Gut</i> , 2022, 71, 2608-2611. | 6.1 | 21 |
| 16 | Association Between Team-Based Continuity of Care and Risk of Cardiovascular Diseases Among Patients With Diabetes: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1162-1169. | 4.3 | 3 |
| 17 | Impact of a delayed second dose of mRNA vaccine (BNT162b2) and inactivated SARS-CoV-2 vaccine (CoronaVac) on risks of all-cause mortality, emergency department visit, and unscheduled hospitalization. <i>BMC Medicine</i> , 2022, 20, 119. | 2.3 | 14 |
| 18 | Adverse events of special interest following the use of BNT162b2 in adolescents: a population-based retrospective cohort study. <i>Emerging Microbes and Infections</i> , 2022, 11, 885-893. | 3.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Identifying and articulating the student experience in the Intercalated Enrichment Year. <i>BMC Medical Education</i> , 2022, 22, 246. | 1.0 | 0 |
| 20 | Safety of Inactivated and mRNA COVID-19 Vaccination Among Patients Treated for Hypothyroidism: A Population-Based Cohort Study. <i>Thyroid</i> , 2022, 32, 505-514. | 2.4 | 35 |
| 21 | Autoimmune conditions following mRNA (BNT162b2) and inactivated (CoronaVac) COVID-19 vaccination: A descriptive cohort study among 1.1 million vaccinated people in Hong Kong. <i>Journal of Autoimmunity</i> , 2022, 130, 102830. | 3.0 | 18 |
| 22 | Association between BNT162b2 or CoronaVac COVID-19 vaccines and major adverse cardiovascular events among individuals with cardiovascular disease. <i>Cardiovascular Research</i> , 2022, 118, 2329-2338. | 1.8 | 20 |
| 23 | The Spill-Over Impact of the Novel Coronavirus-19 Pandemic on Medical Care and Disease Outcomes in Non-communicable Diseases: A Narrative Review. <i>Public Health Reviews</i> , 2022, 43, 1604121. | 1.3 | 12 |
| 24 | COVID-19 Vaccination Preferences of University Students and Staff in Hong Kong. <i>JAMA Network Open</i> , 2022, 5, e2212681. | 2.8 | 4 |
| 25 | Safety of two-dose COVID-19 vaccination (BNT162b2 and CoronaVac) in adults with cancer: a territory-wide cohort study. <i>Journal of Hematology and Oncology</i> , 2022, 15, 66. | 6.9 | 7 |
| 26 | Morbidity Patterns in Primary Care in Hong Kong: Protocol for a Practice-Based Morbidity Survey. <i>JMIR Research Protocols</i> , 2022, 11, e37334. | 0.5 | 1 |
| 27 | Adverse events of special interest and mortality following vaccination with mRNA (BNT162b2) and inactivated (CoronaVac) SARS-CoV-2 vaccines in Hong Kong: A retrospective study. <i>PLoS Medicine</i> , 2022, 19, e1004018. | 3.9 | 22 |
| 28 | Using the Revised Health Care System Distrust Scale to evaluate healthcare distrust among Chinese men in Hong Kong: An analysis from a prostate cancer screening behaviours survey. <i>Health and Social Care in the Community</i> , 2022, 30, . | 0.7 | 0 |
| 29 | Risk of acute liver injury following the mRNA (BNT162b2) and inactivated (CoronaVac) COVID-19 vaccines. <i>Journal of Hepatology</i> , 2022, 77, 1339-1348. | 1.8 | 34 |
| 30 | Safety of an inactivated, whole-virion COVID-19 vaccine (CoronaVac) in people aged 60 years or older in Hong Kong: a modified self-controlled case series. <i>The Lancet Healthy Longevity</i> , 2022, 3, e491-e500. | 2.0 | 24 |
| 31 | Thromboembolic events and hemorrhagic stroke after mRNA (BNT162b2) and inactivated (CoronaVac) covid-19 vaccination: A self-controlled case series study. <i>EClinicalMedicine</i> , 2022, 50, 101504. | 3.2 | 28 |
| 32 | Prediction models and nomograms for 10-year risk of end-stage renal disease in Chinese type 2 diabetes mellitus patients in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 897-909. | 2.2 | 11 |
| 33 | Health-related quality of life among Chinese primary care patients with different lower urinary tract symptoms: a latent class analysis. <i>Quality of Life Research</i> , 2021, 30, 1305-1315. | 1.5 | 4 |
| 34 | Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. <i>BMJ Open</i> , 2021, 11, e038775. | 0.8 | 3 |
| 35 | Blood Pressure and Risk of Cardiovascular Disease in UK Biobank. <i>Hypertension</i> , 2021, 77, 367-375. | 1.3 | 60 |
| 36 | Clinical outcomes of different therapeutic options for COVID-19 in two Chinese case cohorts: A propensity-score analysis. <i>EClinicalMedicine</i> , 2021, 32, 100743. | 3.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | COVID-19 and Health-Related Quality of Life: A Community-Based Online Survey in Hong Kong. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3228. | 1.2 | 23 |
| 38 | The Experience of Using Dating Applications for Sexual Hook-Ups: A Qualitative Exploration among HIV-Negative Men Who Have Sex With Men in Hong Kong. <i>Journal of Sex Research</i> , 2021, 58, 785-794. | 1.6 | 7 |
| 39 | Generative adversarial networks for imputing missing data for big data clinical research. <i>BMC Medical Research Methodology</i> , 2021, 21, 78. | 1.4 | 22 |
| 40 | Greater variability in lipid measurements associated with kidney diseases in patients with type 2 diabetes mellitus in a 10-year diabetes cohort study. <i>Scientific Reports</i> , 2021, 11, 8047. | 1.6 | 8 |
| 41 | Comparative Risks of Nonsteroidal Anti-Inflammatory Drugs on CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 898-907. | 2.2 | 17 |
| 42 | Prognostic value of perfusion cardiovascular magnetic resonance with adenosine triphosphate stress in stable coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 75. | 1.6 | 10 |
| 43 | Association between health behaviours and cardiometabolic dysregulation: a population-based survey among healthy adults in Hong Kong. <i>BMJ Open</i> , 2021, 11, e043503. | 0.8 | 2 |
| 44 | Age-Specific Associations of Usual Blood Pressure Variability With Cardiovascular Disease and Mortality: 10-Year Diabetes Mellitus Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019026. | 1.6 | 4 |
| 45 | Prevalence of depression and suicide ideation in Hong Kong doctors: a cross-sectional study. <i>Scientific Reports</i> , 2021, 11, 19366. | 1.6 | 9 |
| 46 | Relation of substance use disorders to mortality, accident and emergency department attendances, and hospital admissions: A 13-year population-based cohort study in Hong Kong. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109119. | 1.6 | 3 |
| 47 | Adverse event reporting and Bell's palsy risk after COVID-19 vaccination – Authors' reply. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1492-1493. | 4.6 | 4 |
| 48 | Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. <i>Quality of Life Research</i> , 2020, 29, 1311-1321. | 1.5 | 2 |
| 49 | Association of visit-to-visit variability of systolic blood pressure with cardiovascular disease, chronic kidney disease and mortality in patients with hypertension. <i>Journal of Hypertension</i> , 2020, 38, 943-953. | 0.3 | 13 |
| 50 | Doxorubicin and subsequent risk of cardiovascular diseases among survivors of diffuse large B-cell lymphoma in Hong Kong. <i>Blood Advances</i> , 2020, 4, 5107-5117. | 2.5 | 8 |
| 51 | Age-Specific Associations Between Systolic Blood Pressure and Cardiovascular Disease: A 10-Year Diabetes Mellitus Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e015771. | 1.6 | 11 |
| 52 | Associations between usual glycated haemoglobin and cardiovascular disease in patients with type 2 diabetes mellitus: A 10-year diabetes cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2325-2334. | 2.2 | 5 |
| 53 | Prevalence and severity of burnout in Hong Kong doctors up to 20 years post-graduation: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e040178. | 0.8 | 13 |
| 54 | Development and validation of risk prediction models for COVID-19 positivity in a hospital setting. <i>International Journal of Infectious Diseases</i> , 2020, 101, 74-82. | 1.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Gut Microbiota-Associated Activation of TLR5 Induces Apolipoprotein A1 Production in the Liver. <i>Circulation Research</i> , 2020, 127, 1236-1252. | 2.0 | 32 |
| 56 | The Impact of Cardiovascular Disease and Chronic Kidney Disease on Life Expectancy and Direct Medical Cost in a 10-Year Diabetes Cohort Study. <i>Diabetes Care</i> , 2020, 43, 1750-1758. | 4.3 | 24 |
| 57 | Depression and Anxiety in Hong Kong during COVID-19. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3740. | 1.2 | 610 |
| 58 | Greater variability in lipid measurements associated with cardiovascular disease and mortality: A 10-year diabetes cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1777-1788. | 2.2 | 27 |
| 59 | The safe use of dating applications among men who have sex with men: a study protocol for a randomised controlled trial to evaluate an interactive web-based intervention to reduce risky sexual behaviours. <i>BMC Public Health</i> , 2020, 20, 795. | 1.2 | 10 |
| 60 | Age-specific associations of glycated haemoglobin variability with cardiovascular disease and mortality in patients with type 2 diabetes mellitus: A 10-year cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1316-1327. | 2.2 | 15 |
| 61 | Frequency and Distribution of Chest Radiographic Findings in Patients Positive for COVID-19. <i>Radiology</i> , 2020, 296, E72-E78. | 3.6 | 1,068 |
| 62 | Crowdsourcing to promote hepatitis C testing and linkage-to-care in China: A randomized controlled trial protocol. <i>BMC Public Health</i> , 2020, 20, 1048. | 1.2 | 5 |
| 63 | Cardiac magnetic resonance for asymptomatic patients with type 2 diabetes and cardiovascular high risk (CATCH): a pilot study. <i>Cardiovascular Diabetology</i> , 2020, 19, 42. | 2.7 | 12 |
| 64 | Hospitalization and Mortality in Patients With Heart Failure Treated With Sacubitril/Valsartan vs. Enalapril: A Real-World, Population-Based Study. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 602363. | 1.1 | 14 |
| 65 | How are family doctors serving the Hong Kong community during the COVID-19 outbreak? A survey of HKCFP members. , 2020, 26, 176-183. | | 13 |
| 66 | Effectiveness of a Peer-Led Web-Based Intervention to Improve General Self-Efficacy in Using Dating Apps Among Young Adults: Randomized Clustered Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e16378. | 2.1 | 3 |
| 67 | Health-related quality of life and health utility of Chinese patients undergoing nocturnal home haemodialysis in comparison with other modes of dialysis. <i>Nephrology</i> , 2019, 24, 630-637. | 0.7 | 15 |
| 68 | Evaluation of the responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in Chinese patients with hypertension in primary care. <i>Quality of Life Research</i> , 2019, 28, 2851-2857. | 1.5 | 8 |
| 69 | Association of Blood Pressure and Risk of Cardiovascular and Chronic Kidney Disease in Hong Kong Hypertensive Patients. <i>Hypertension</i> , 2019, 74, 331-340. | 1.3 | 27 |
| 70 | Burden of CKD and Cardiovascular Disease on Life Expectancy and Health Service Utilization: a Cohort Study of Hong Kong Chinese Hypertensive Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1991-1999. | 3.0 | 13 |
| 71 | The mediating role of sleep quality in the association between nocturia and health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 181. | 1.0 | 27 |
| 72 | Cost-effectiveness of a primary care multidisciplinary Risk Assessment and Management Program for patients with diabetes mellitus (RAMP-DM) over lifetime. <i>Endocrine</i> , 2019, 63, 259-269. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of Achieved Systolic Blood Pressure on Cardiovascular Outcomes in Patients With Type 2 Diabetes: A Population-Based Retrospective Cohort Study. <i>Diabetes Care</i> , 2018, 41, 1134-1141. | 4.3 | 25 |
| 74 | Development of a cardiovascular diseases risk prediction model and tools for Chinese patients with type 2 diabetes mellitus: A population-based retrospective cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 309-318. | 2.2 | 26 |
| 75 | Temporal trends in quality of primary care for patients with type 2 diabetes mellitus: A population-based retrospective cohort study after implementation of a quality improvement initiative. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2952. | 1.7 | 6 |
| 76 | Five-Year Cost-effectiveness of the Multidisciplinary Risk Assessment and Management Programme "Diabetes Mellitus (RAMP-DM). <i>Diabetes Care</i> , 2018, 41, 250-257. | 4.3 | 42 |
| 77 | Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme "Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses" A Population-Based and Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2018, 41, 49-59. | 4.3 | 82 |
| 78 | Ten-year risk prediction models of complications and mortality of Chinese patients with diabetes mellitus in primary care in Hong Kong: a study protocol. <i>BMJ Open</i> , 2018, 8, e023070. | 0.8 | 7 |
| 79 | Evaluation of the internal and external responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2018, 27, 2459-2469. | 1.5 | 8 |
| 80 | Prediction of five-year all-cause mortality in Chinese patients with type 2 diabetes mellitus " A population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 939-944. | 1.2 | 19 |
| 81 | Association of Visit-to-Visit Variability of Systolic Blood Pressure With Cardiovascular Disease and Mortality in Primary Care Chinese Patients With Type 2 Diabetes" A Retrospective Population-Based Cohort Study. <i>Diabetes Care</i> , 2017, 40, 270-279. | 4.3 | 42 |
| 82 | Effects of risk assessment and management programme for hypertension on clinical outcomes and cardiovascular disease risks after 12 months. <i>Journal of Hypertension</i> , 2017, 35, 627-636. | 0.3 | 12 |
| 83 | The Health-Related Quality of Life of Chinese Patients on Hemodialysis and Peritoneal Dialysis. <i>Patient</i> , 2017, 10, 799-808. | 1.1 | 28 |
| 84 | Association of estimated glomerular filtration rate and urine albumin-to-creatinine ratio with incidence of cardiovascular diseases and mortality in Chinese patients with type 2 diabetes mellitus " a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 47. | 0.8 | 27 |
| 85 | Do We Need a Patient-Centered Target for Systolic Blood Pressure in Hypertensive Patients With Type 2 Diabetes Mellitus?. <i>Hypertension</i> , 2017, 70, 1273-1282. | 1.3 | 12 |
| 86 | Effect of Multifactorial Treatment Targets and Relative Importance of Hemoglobin A1c, Blood Pressure, and Low-Density Lipoprotein Cholesterol on Cardiovascular Diseases in Chinese Primary Care Patients With Type 2 Diabetes Mellitus: A Population-Based Retrospective Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 37 |
| 87 | Evaluation of the outcomes of care of nurse-led continence care clinics for Chinese patients with lower urinary tract symptoms, a 2-year prospective longitudinal study. <i>Journal of Advanced Nursing</i> , 2017, 73, 1158-1171. | 1.5 | 6 |
| 88 | Classification Rule for 5-year Cardiovascular Diseases Risk using decision tree in Primary Care Chinese Patients with Type 2 Diabetes Mellitus. <i>Scientific Reports</i> , 2017, 7, 15238. | 1.6 | 4 |
| 89 | Statin use reduces cardiovascular events and all-cause mortality amongst Chinese patients with type 2 diabetes mellitus: a 5-year cohort study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 166. | 0.7 | 12 |
| 90 | Effectiveness of a multidisciplinary risk assessment and management programme "diabetes mellitus (RAMP-DM) on patient-reported outcomes. <i>Endocrine</i> , 2017, 55, 416-426. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prediction of new onset of end stage renal disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 257. | 0.8 | 33 |
| 92 | The mediating factors in the relationship between lower urinary tract symptoms and health-related quality of life. <i>BMC Research Notes</i> , 2017, 10, 611. | 0.6 | 7 |
| 93 | Trajectory Pathways for Depressive Symptoms and Their Associated Factors in a Chinese Primary Care Cohort by Growth Mixture Modelling. <i>PLoS ONE</i> , 2016, 11, e0147775. | 1.1 | 10 |
| 94 | Simple non-laboratory and laboratory based risk assessment algorithms and nomogram for detecting undiagnosed diabetes mellitus. <i>Journal of Diabetes</i> , 2016, 8, 414-421. | 0.8 | 16 |
| 95 | Quality of care and volume for patients with diabetes mellitus in the primary care setting: A population based retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 171-181. | 1.1 | 5 |
| 96 | Clinical and patient-reported outcomes of Chinese patients undergoing haemodialysis in hospital or in the community: A 1-year longitudinal study. <i>Nephrology</i> , 2016, 21, 617-623. | 0.7 | 7 |
| 97 | Evaluation of patient-reported outcomes data in structured diabetes education intervention: 2-year follow-up data of patient empowerment programme. <i>Endocrine</i> , 2016, 54, 422-432. | 1.1 | 9 |
| 98 | Evaluation of the quality of care of a haemodialysis public-private partnership programme for patients with end-stage renal disease. <i>BMC Nephrology</i> , 2016, 17, 79. | 0.8 | 8 |
| 99 | Association of variability in hemoglobin A1c with cardiovascular diseases and mortality in Chinese patients with type 2 diabetes mellitus – A retrospective population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1240-1247. | 1.2 | 46 |
| 100 | The internal and external responsiveness of Functional Assessment of Cancer Therapy-Prostate (FACT-P) and Short Form-12 Health Survey version 2 (SF-12 v2) in patients with prostate cancer. <i>Quality of Life Research</i> , 2016, 25, 2379-2393. | 1.5 | 14 |
| 101 | Validity and reliability of the 19-item Audit of Diabetes-Dependent Quality of Life (ADDQoL-19) questionnaire in Chinese patients with type 2 diabetes mellitus in primary care. <i>Quality of Life Research</i> , 2016, 25, 2373-2378. | 1.5 | 13 |
| 102 | Macrovascular and microvascular disease in obese patients with type 2 diabetes attending structured diabetes education program: a population-based propensity-matched cohort analysis of Patient Empowerment Programme (PEP). <i>Endocrine</i> , 2016, 53, 412-422. | 1.1 | 21 |
| 103 | A curvilinear association of body mass index with cardiovascular diseases in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1261-1268. | 1.2 | 9 |
| 104 | Main predictors in health-related quality of life in Chinese patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2016, 25, 2957-2965. | 1.5 | 19 |
| 105 | The 12-Month Incidence and Predictors of PHQ-9-Screened Depressive Symptoms in Chinese Primary Care Patients. <i>Annals of Family Medicine</i> , 2016, 14, 47-53. | 0.9 | 19 |
| 106 | Health-related quality of life mediates associations between multi-morbidity and depressive symptoms in Chinese primary care patients. <i>Family Practice</i> , 2016, 33, 61-68. | 0.8 | 13 |
| 107 | Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing (<sc>PUSH</sc>) tool for assessing acute and chronic wounds. <i>Journal of Advanced Nursing</i> , 2016, 72, 1134-1143. | 1.5 | 47 |
| 108 | Association of Hemoglobin A1c Levels With Cardiovascular Disease and Mortality in Chinese Patients With Diabetes. <i>Journal of the American College of Cardiology</i> , 2016, 67, 456-458. | 1.2 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Incidence and predictors for cardiovascular disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 444-450. | 1.2 | 17 |
| 110 | Validation of the Disease-Specific Components of the Kidney Disease Quality of Life-36 (KDQOL-36) in Chinese Patients Undergoing Maintenance Dialysis. <i>PLoS ONE</i> , 2016, 11, e0155188. | 1.1 | 27 |
| 111 | Effect of metformin monotherapy on cardiovascular diseases and mortality; a retrospective cohort study on Chinese type 2 diabetes mellitus patients. <i>Cardiovascular Diabetology</i> , 2015, 14, 137. | 2.7 | 56 |
| 112 | Five-year change of clinical and complications profile of diabetic patients under primary care: a population-based longitudinal study on 127,977 diabetic patients. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 79. | 1.2 | 20 |
| 113 | The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaire and Depression, Anxiety and Stress Scale in patients with lower urinary tract symptoms. <i>Journal of Advanced Nursing</i> , 2015, 71, 1857-1870. | 1.5 | 11 |
| 114 | Evaluation of the Effectiveness of Nurse-Led Continence Care Treatments for Chinese Primary Care Patients with Lower Urinary Tract Symptoms. <i>PLoS ONE</i> , 2015, 10, e0129875. | 1.1 | 17 |
| 115 | 12-Month naturalistic outcomes of depressive disorders in Hong Kong's primary care. <i>Family Practice</i> , 2015, 32, 288-296. | 0.8 | 16 |
| 116 | Help-seeking intentions and subsequent 12-month mental health service use in Chinese primary care patients with depressive symptoms. <i>BMJ Open</i> , 2015, 5, e006730-e006730. | 0.8 | 41 |
| 117 | Patterns of health-related quality of life and associated factors in Chinese patients undergoing haemodialysis. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 108. | 1.0 | 23 |
| 118 | Evaluation of the quality of care of a multi-disciplinary Risk Factor Assessment and Management Programme for Hypertension (RAMP-HT). <i>BMC Family Practice</i> , 2015, 16, 71. | 2.9 | 7 |
| 119 | Increased number of structured diabetes education attendance was not associated with the improvement in patient-reported health-related quality of life: results from Patient Empowerment Programme (PEP). <i>Health and Quality of Life Outcomes</i> , 2015, 13, 126. | 1.0 | 22 |