

Marco Vincenti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5399233/marco-vincenti-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

4,495
citations

38
h-index

55
g-index

202
ext. papers

4,901
ext. citations

4.6
avg, IF

5.5
L-index

#	Paper	IF	Citations
189	Development and validation of a UHPLC-HRMS-QTOF method for the detection of 132 New Psychoactive Substances and synthetic opioids, including fentanyl, in Dried Blood Spots.. <i>Talanta</i> , 2022 , 241, 123265	6.2	1
188	Limited Role of Hair Cortisol and Cortisone Measurement for Detecting Cortisol Autonomy in Patients With Adrenal Incidentalomas.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 833514	5.7	0
187	Comprehensive biomarker profiles and chemometric filtering of urinary metabolomics for effective discrimination of prostate carcinoma from benign hyperplasia.. <i>Scientific Reports</i> , 2022 , 12, 4361	4.9	
186	Development and Validation of a GC-EI-MS/MS Method for Ethyl Glucuronide Quantification in Human Hair.. <i>Frontiers in Chemistry</i> , 2022 , 10, 858205	5	0
185	Non-destructive age estimation of biological fluid stains: An integrated analytical strategy based on near-infrared hyperspectral imaging and multivariate regression.. <i>Talanta</i> , 2022 , 245, 123472	6.2	0
184	Evaluation of stress-related parameters and intramural coronary arteriosclerosis in Lidia bulls and Piemontese oxen. <i>Italian Journal of Animal Science</i> , 2021 , 20, 2002-2011	2.2	
183	Accelerated Extraction and Analysis of Ethyl Glucuronide in Hair by Means of Pressurized Liquid Extraction Followed by Liquid Chromatography-Tandem Mass Spectrometry Determination. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 927-936	2.9	
182	Prospective evaluation of urinary steroids and prostate carcinoma-induced deviation: preliminary results. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 98-106	2.3	2
181	The Impact of COVID-19 Pandemic and Lockdown on Alcohol Consumption: A Perspective From Hair Analysis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 632519	5	5
180	Detection of the synthetic peptide ipamorelin in dried blood spots by means of UHPLC-HRMS. <i>International Journal of Mass Spectrometry</i> , 2021 , 462, 116531	1.9	2
179	Targeted and untargeted detection of fentanyl analogues and their metabolites in hair by means of UHPLC-QTOF-HRMS. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 225-233	4.4	11
178	Determination of cannabinoids in urine, oral fluid and hair samples after repeated intake of CBD-rich cannabis by smoking. <i>Forensic Science International</i> , 2021 , 318, 110561	2.6	7
177	Optimization and validation of a GC-MS quantitative method for the determination of an extended estrogenic profile in human urine: Variability intervals in a population of healthy women. <i>Biomedical Chromatography</i> , 2021 , 35, e4967	1.7	
176	The "DOLPHINS" Project: A Low-Cost Real-Time Multivariate Process Control From Large Sensor Arrays Providing Sparse Binary Data. <i>Frontiers in Chemistry</i> , 2021 , 9, 734132	5	0
175	Beef cattle welfare assessment: use of resource and animal-based indicators, blood parameters and hair 20Eidihydrocortisol. <i>Italian Journal of Animal Science</i> , 2020 , 19, 341-350	2.2	5
174	Experimental and statistical protocol for the effective validation of chromatographic analytical methods. <i>MethodsX</i> , 2020 , 7, 100919	1.9	6
173	Identification of invisible biological traces in forensic evidences by hyperspectral NIR imaging combined with chemometrics. <i>Talanta</i> , 2020 , 215, 120911	6.2	17

172	Effective validation of chromatographic analytical methods: The illustrative case of androgenic steroids. <i>Talanta</i> , 2020 , 215, 120867	6.2	19
171	Should NPS be included in workplace drug testing?. <i>Drug Testing and Analysis</i> , 2020 , 12, 191-194	3.5	6
170	Toward the Interpretation of Positive Testing for Fentanyl and Its Analogs in Real Hair Samples: Preliminary Considerations. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 362-369	2.9	8
169	Toward a novel framework for bloodstains dating by Raman spectroscopy: How to avoid sample photodamage and subsampling errors. <i>Talanta</i> , 2020 , 209, 120565	6.2	13
168	A multivariate statistical approach for the estimation of the ethnic origin of unknown genetic profiles in forensic genetics. <i>Forensic Science International: Genetics</i> , 2020 , 45, 102209	4.3	4
167	Evaluation of Forensic Data Using Logistic Regression-Based Classification Methods and an R Shiny Implementation. <i>Frontiers in Chemistry</i> , 2020 , 8, 738	5	1
166	Untargeted Metabolomic Profile for the Detection of Prostate Carcinoma-Preliminary Results from PARAFAC2 and PLS-DA Models. <i>Molecules</i> , 2019 , 24,	4.8	9
165	Effects of truck transportation and slaughtering on the occurrence of prednisolone and its metabolites in cow urine, liver, and adrenal glands. <i>BMC Veterinary Research</i> , 2019 , 15, 336	2.7	1
164	Furosemide as a functional marker of acute kidney injury in ICU patients: a new role for an old drug. <i>Journal of Nephrology</i> , 2019 , 32, 883-893	4.8	12
163	Hair analysis can provide additional information in doping and forensic cases involving clostebol. <i>Drug Testing and Analysis</i> , 2019 , 11, 95-101	3.5	9
162	Evidence of seasonal variation of ethyl glucuronide in hair: Modeling a seven-year data series. <i>Drug Testing and Analysis</i> , 2019 , 11, 77-85	3.5	3
161	Multivariate interpretation of the urinary steroid profile and training-induced modifications. The case study of a Marathon runner. <i>Drug Testing and Analysis</i> , 2019 , 11, 1556-1565	3.5	8
160	Individual and cyclic estrogenic profile in women: Structure and variability of the data. <i>Steroids</i> , 2019 , 150, 108432	2.8	2
159	A multivariate statistical approach to for the evaluation of the biogeographical ancestry information from traditional STRs. <i>Forensic Science International: Genetics Supplement Series</i> , 2019 , 7, 253-255	0.5	
158	MP18-01 PRELIMINARY RESULTS OF PROSPECTIVE EVALUATION OF URINARY ENDOGENOUS STEROID PROFILE AND PROSTATIC CARCINOMA-INDUCED DEVIATION.. <i>Journal of Urology</i> , 2019 , 201,	2.5	1
157	Determination of several synthetic cathinones and an amphetamine-like compound in urine by gas chromatography with mass spectrometry. Method validation and application to real cases. <i>Journal of Separation Science</i> , 2019 , 42, 1577-1584	3.4	14
156	Detection of Fentanyl Analogs and Synthetic Opioids in Real Hair Samples. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 259-265	2.9	31
155	Testing hair for fentanyl exposure: a method to inform harm reduction behavior among individuals who use heroin. <i>American Journal of Drug and Alcohol Abuse</i> , 2019 , 45, 90-96	3.7	24

154	On-site identification of psychoactive drugs by portable Raman spectroscopy during drug-checking service in electronic music events. <i>Drug and Alcohol Review</i> , 2019 , 38, 50-56	3.2	24
153	Occupational Exposure to Alcohol-Based Hand Sanitizers: The Diagnostic Role of Alcohol Biomarkers in Hair. <i>Journal of Analytical Toxicology</i> , 2018 , 42, 157-162	2.9	10
152	Development and Validation of a Method for the Detection of α -Endosulfan (Organochlorine Insecticide) in <i>Calliphora vomitoria</i> (Diptera: Calliphoridae). <i>Journal of Medical Entomology</i> , 2018 , 55, 51-58	2.2	6
151	First Case in Italy of Fatal Intoxication Involving the New Opioid U-47700. <i>Frontiers in Pharmacology</i> , 2018 , 9, 747	5.6	18
150	Development and validation of an HPLC-MS/MS method for the detection of ketamine in <i>Calliphora vomitoria</i> (L.) (Diptera: Calliphoridae). <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018 , 58, 64-71	1.7	4
149	DNA mixtures interpretation - A proof-of-concept multi-software comparison highlighting different probabilistic methods performances on challenging samples. <i>Forensic Science International: Genetics</i> , 2018 , 37, 143-150	4.3	27
148	Does the Abiotic Formation of Oligopeptides on TiO ₂ Nanoparticles Require Special Catalytic Sites? Apparently Not. <i>Journal of Nanoscience and Nanotechnology</i> , 2018 , 18, 5854-5857	1.3	4
147	Analytical Approaches in Fatal Intoxication Cases Involving New Synthetic Opioids. <i>Current Pharmaceutical Biotechnology</i> , 2018 , 19, 113-123	2.6	22
146	Development and validation of an UHPLC-MS/MS method for β -agonists quantification in human urine and application to clinical samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 150, 15-24	3.5	5
145	Development and validation of a Partial Least Squares-Discriminant Analysis (PLS-DA) model based on the determination of ethyl glucuronide (EtG) and fatty acid ethyl esters (FAEEs) in hair for the diagnosis of chronic alcohol abuse. <i>Forensic Science International</i> , 2018 , 282, 221-230	2.6	11
144	Solvent-free synthesis of Ser ^{His} dipeptide from non-activated amino acids and its potential function as organocatalyst. <i>Research on Chemical Intermediates</i> , 2018 , 44, 1797-1810	2.8	2
143	Correlation between chronological and physiological age of males from their multivariate urinary endogenous steroid profile and prostatic carcinoma-induced deviation. <i>Steroids</i> , 2018 , 139, 10-17	2.8	8
142	Urine volume as a predicting factor for furosemide clearance during continuous infusion in AKI septic shock patients on hemodiafiltration. <i>Journal of Nephrology</i> , 2018 , 31, 889-897	4.8	3
141	Systematic optimisation of ethyl glucuronide extraction conditions from scalp hair by design of experiments and its potential effect on cut-off values appraisal. <i>Drug Testing and Analysis</i> , 2018 , 10, 1394-1403	2.5	7
140	Evaluation of direct and indirect ethanol biomarkers using a likelihood ratio approach to identify chronic alcohol abusers for forensic purposes. <i>Forensic Science International</i> , 2017 , 271, 13-22	2.6	18
139	Study of cocaine incorporation in hair damaged by cosmetic treatments. <i>Forensic Chemistry</i> , 2017 , 3, 69-73	2.8	9
138	A Case of Nonfatal Intoxication Associated with the Recreational use of Diphenidine. <i>Journal of Forensic Sciences</i> , 2017 , 62, 1107-1111	1.8	11
137	Hair Testing for Drugs of Abuse and New Psychoactive Substances in a High-Risk Population. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 376-381	2.9	55

136	Direct and indirect alcohol biomarkers data collected in hair samples - multivariate data analysis and likelihood ratio interpretation perspectives. <i>Data in Brief</i> , 2017 , 12, 1-8	1.2	7
135	Interpretation of NPS results in real hair samples. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 4-10	0.4	12
134	Chromium, nickel, and cobalt in cosmetic matrices: an integrated bioanalytical characterization through total content, bioaccessibility, and Cr(III)/Cr(VI) speciation. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 6831-6841	4.4	13
133	Hair testing to assess both known and unknown use of drugs amongst ecstasy users in the electronic dance music scene. <i>International Journal of Drug Policy</i> , 2017 , 48, 91-98	5.5	55
132	Determination of endogenous and exogenous corticosteroids in bovine urine and effect of fighting stress during the "Batailles des Reines" on their biosynthesis. <i>Research in Veterinary Science</i> , 2017 , 114, 423-429	2.5	4
131	Commentary on current changes of the SoHT 2016 consensus on alcohol markers in hair and further background information. <i>Forensic Science International</i> , 2017 , 278, 326-333	2.6	23
130	"One-pot" ethyl chloroformate derivatization and liquid-liquid extraction of reduced glutathione in erythrocyte and its quantitative GC-MS analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1070, 15-22	3.2	5
129	Identification of exposure to toxic metals by means of segmental hair analysis: a case report of alleged chromium intoxication. <i>Forensic Toxicology</i> , 2017 , 35, 195-200	2.6	4
128	Detection of "bath salts" and other novel psychoactive substances in hair samples of ecstasy/MDMA/"Molly" users. <i>Drug and Alcohol Dependence</i> , 2016 , 161, 200-5	4.9	90
127	Development and validation of a GC-MS method for nicotine detection in <i>Calliphora vomitoria</i> (L.) (Diptera: Calliphoridae). <i>Forensic Science International</i> , 2016 , 261, 53-60	2.6	14
126	Determination of cathinones and other stimulant, psychedelic, and dissociative designer drugs in real hair samples. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2035-42	4.4	78
125	Application of multivariate statistics to the Steroidal Module of the Athlete Biological Passport: A proof of concept study. <i>Analytica Chimica Acta</i> , 2016 , 922, 19-29	6.6	12
124	Determination of Anticoagulant Rodenticides and ß-Chloralose in Human Hair. Application to a Real Case. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 277-85	2.9	4
123	Effects of various sample pretreatment procedures on ethyl glucuronide quantification in hair samples: Comparison of positivity rates and appraisal of cut-off values. <i>Forensic Science International</i> , 2016 , 267, 60-65	2.6	21
122	New Challenges and Perspectives in Hair Analysis 2015 , 337-368		3
121	Cut-off proposal for the detection of ketamine in hair. <i>Forensic Science International</i> , 2015 , 248, 119-23	2.6	17
120	Effect-based detection of synthetic glucocorticoids in bovine urine. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 194-204	3.2	4
119	Chemometric approach to open validation protocols: Prediction of validation parameters in multi-residue ultra-high performance liquid chromatography-tandem mass spectrometry methods. <i>Analytica Chimica Acta</i> , 2015 , 878, 78-86	6.6	2

118	Evaluation of DNA typing as a positive identification method for soft and hard tissues immersed in strong acids. <i>Legal Medicine</i> , 2015 , 17, 569-75	1.9	7
117	An alternative application of the consensus method to DNA typing interpretation for Low Template-DNA mixtures. <i>Forensic Science International: Genetics Supplement Series</i> , 2015 , 5, e422-e424	0.5	8
116	In vitro metabolism studies on the selective androgen receptor modulator (SARM) LG121071 and its implementation into human doping controls using liquid chromatography-mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2015 , 21, 27-36	1.1	16
115	Interpretation of group-level factors from a large population dataset in the determination of ethyl glucuronide in hair. <i>Drug Testing and Analysis</i> , 2015 , 7, 407-13	3.5	12
114	Efficient removal of colistin A and B in critically ill patients undergoing CVVHDF and sorbent technologies. <i>Journal of Nephrology</i> , 2015 , 28, 623-31	4.8	13
113	Postmortem redistribution of triazolam, alprazolam, delorazepam (chlordesmethyldiazepam) and zolpidem in a suicide case. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 233-238	0.4	3
112	Direct drug analysis from oral fluid using medical swab touch spray mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 861, 47-54	6.6	62
111	Toxicological findings in a fatal multidrug intoxication involving mephedrone. <i>Forensic Science International</i> , 2014 , 243, 68-73	2.6	51
110	Development of a GC-MS method for methamphetamine detection in <i>Calliphora vomitoria</i> L. (Diptera: Calliphoridae). <i>Forensic Science International</i> , 2014 , 241, 96-101	2.6	18
109	Hair analysis as a tool to evaluate the prevalence of synthetic cannabinoids in different populations of drug consumers. <i>Drug Testing and Analysis</i> , 2014 , 6, 126-34	3.5	58
108	Oxidative stress in adolescent passive smokers living in urban and rural environments. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 287-93	6.9	20
107	The formation and self-assembly of long prebiotic oligomers produced by the condensation of unactivated amino acids on oxide surfaces. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 4671-4	16.4	50
106	The Formation and Self-Assembly of Long Prebiotic Oligomers Produced by the Condensation of Unactivated Amino Acids on Oxide Surfaces. <i>Angewandte Chemie</i> , 2014 , 126, 4759-4762	3.6	12
105	Innentitelbild: The Formation and Self-Assembly of Long Prebiotic Oligomers Produced by the Condensation of Unactivated Amino Acids on Oxide Surfaces (Angew. Chem. 18/2014). <i>Angewandte Chemie</i> , 2014 , 126, 4586-4586	3.6	
104	Development, validation and application to real samples of a multiresidue LC-MS/MS method for determination of β -agonists and anabolic steroids in bovine hair. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 936-46	2.2	13
103	Profile of the urinary excretion of prednisolone and its metabolites in finishing bulls and cows treated with a therapeutic schedule. <i>BMC Veterinary Research</i> , 2014 , 10, 237	2.7	8
102	Hair analysis for long-term monitoring of buprenorphine intake in opiate withdrawal. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 796-807	3.2	10
101	Sensitivity and specificity of EtG in hair as a marker of chronic excessive drinking: pooled analysis of raw data and meta-analysis of diagnostic accuracy studies. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 560-75 ^{3,2}		29

100	Determination by LC-MS/MS of colistins A and B in plasma and ultrafiltrate from critically ill patients undergoing continuous venovenous hemodiafiltration. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 182-91	3.2	27
99	Role of LC-MS/MS in hair testing for the determination of common drugs of abuse and other psychoactive drugs. <i>Bioanalysis</i> , 2013 , 5, 1919-38	2.1	37
98	Determination of ethyl glucuronide levels in hair for the assessment of alcohol abstinence. <i>Forensic Science International</i> , 2013 , 232, 229-36	2.6	33
97	Application of mass spectrometry to hair analysis for forensic toxicological investigations. <i>Mass Spectrometry Reviews</i> , 2013 , 32, 312-32	11	51
96	Fast screening of 88 pharmaceutical drugs and metabolites in whole blood by ultrahigh-performance liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 863-79	4.4	22
95	Determination of pharmaceutical and illicit drugs in oral fluid by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 927, 133-41	3.2	23
94	Direct Synthesis of Amides from Carboxylic Acids and Amines by Using Heterogeneous Catalysts: Evidence of Surface Carboxylates as Activated Electrophilic Species. <i>ChemCatChem</i> , 2013 , 5, 2832-2834	5.2	27
93	Multivariate strategies for screening evaluation of harmful drinking. <i>Bioanalysis</i> , 2013 , 5, 687-99	2.1	15
92	Determination of prednisolone metabolites in beef cattle. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013 , 30, 1044-54	3.2	14
91	Formaldehyde and tobacco smoke as alkylating agents: the formation of N-methylevaline in pathologists and in plastic laminate workers. <i>Science of the Total Environment</i> , 2012 , 414, 701-7	10.2	20
90	Fit-for-purpose in veterinary drug residue analysis: development and validation of an LC-MS/MS method for the screening of thirty illicit drugs in bovine urine. <i>Journal of Separation Science</i> , 2012 , 35, 400-9	3.4	14
89	A field survey on the presence of prednisolone and prednisone in urine samples from untreated cows. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2012 , 29, 1893-900	3.2	17
88	Investigation of the degradation of cresols in the treatments with ozone. <i>Water Research</i> , 2012 , 46, 2795-804	11.9	36
87	Simultaneous determination in hair of multiclass drugs of abuse (including THC) by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 899, 154-9	3.2	53
86	Rapid determination of anti-estrogens by gas chromatography/mass spectrometry in urine: Method validation and application to real samples. <i>Journal of Pharmaceutical Analysis</i> , 2012 , 2, 1-11	14	13
85	Simultaneous analysis of several synthetic cannabinoids, THC, CBD and CBN, in hair by ultra-high performance liquid chromatography tandem mass spectrometry. Method validation and application to real samples. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 604-10	2.2	95
84	Distribution of chloralose in a fatal intoxication. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 452-6	2.9	5
83	Hair analysis of drugs involved in drug-facilitated sexual assault and detection of zolpidem in a suspected case. <i>International Journal of Legal Medicine</i> , 2012 , 126, 451-9	3.1	39

82	Evidence of Haldol (haloperidol) long-term intoxication. <i>Forensic Science International</i> , 2012 , 215, 121-3	2.6	9
81	A fast liquid chromatography-tandem mass spectrometry method for determining benzodiazepines and analogues in urine. Validation and application to real cases of forensic interest. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 582-91	3.5	42
80	Validation of a GC/MS method for the detection of two quinolinone-derived selective androgen receptor modulators in doping control analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 137-44	4.4	13
79	Chemometric evaluation of nine alcohol biomarkers in a large population of clinically-classified subjects: pre-eminence of ethyl glucuronide concentration in hair for confirmatory classification. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 2153-64	4.4	43
78	A study of distribution of ethyl glucuronide in different keratin matrices. <i>Forensic Science International</i> , 2011 , 210, 271-7	2.6	38
77	Effects of low-dose dexamethasone and prednisolone long term administration in beef calf: chemical and morphological investigation. <i>Analytica Chimica Acta</i> , 2011 , 700, 95-104	6.6	44
76	A fatal case of simultaneous ingestion of mirtazapine, escitalopram, and valproic acid. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 519-23	2.9	13
75	Health risk screening in adolescents: a pilot study. <i>Journal of Sports Medicine and Physical Fitness</i> , 2011 , 51, 268-74	1.4	
74	Simultaneous determination of beta2-agonists in human urine by fast-gas chromatography/mass spectrometry: method validation and clinical application. <i>Biomedical Chromatography</i> , 2010 , 24, 358-66	1.7	32
73	Application of the novel 5-chloro-2,2,3,3,4,4,5,5-octafluoro-1-pentyl chloroformate derivatizing agent for the direct determination of highly polar water disinfection byproducts. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 43-54	4.4	20
72	Isolation, structure determination and synthesis of a novel tryptophan-containing heptapeptide (basic tryptophyllin) from the skin of <i>Phyllomedusa rohdei</i> . <i>International Journal of Peptide and Protein Research</i> , 2009 , 33, 391-395		4
71	Natural origin of ascorbic acid: Validation by ¹³ C NMR and IRMS. <i>Food Chemistry</i> , 2009 , 112, 715-720	8.5	10
70	Study of dexamethasone urinary excretion profile in cattle by LC-MS/MS: comparison between therapeutic and growth-promoting administration. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 1299-306	5.7	34
69	High-speed gas chromatography in doping control: fast-GC and fast-GC/MS determination of beta-adrenoceptor ligands and diuretics. <i>Journal of Separation Science</i> , 2006 , 29, 2765-71	3.4	47
68	N-Methylvaline in a group of subjects occupationally exposed to formaldehyde. <i>Toxicology Letters</i> , 2006 , 161, 10-7	4.4	13
67	Fast gas chromatographic/mass spectrometric determination of diuretics and masking agents in human urine: Development and validation of a productive screening protocol for antidoping analysis. <i>Journal of Chromatography A</i> , 2006 , 1135, 219-29	4.5	68
66	Photoinduced halophenol formation in the presence of iron(III) species or cadmium sulfide. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2005 , 170, 61-67	4.7	21
65	Comparison of highly-fluorinated chloroformates as direct aqueous sample derivatizing agents for hydrophilic analytes and drinking-water disinfection by-products. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 803-13	3.5	17

64	Cotinine and N-(2-hydroxyethyl)valine as markers of passive exposure to tobacco smoke in children. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005 , 15, 66-73	6.7	18
63	Synthesis of Highly Fluorinated Chloroformates and Their Use as Derivatizing Agents for Hydrophilic Compounds and Drinking-Water-Disinfection By-Products. <i>Helvetica Chimica Acta</i> , 2004 , 87, 370-375	2	12
62	Aromatic photonitration in homogeneous and heterogeneous aqueous systems. <i>Environmental Science and Pollution Research</i> , 2003 , 10, 321-4	5.1	18
61	Gas-phase interactions of calixarene- and resorcinarene-cavitands with molecular guests studied by mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2002 , 214, 23-36	1.9	34
60	Tobacco smoke and formation of N-(2-hydroxyethyl)valine in human hemoglobin. <i>Archives of Environmental Health</i> , 2002 , 57, 416-21		11
59	The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers. <i>International Journal of Mass Spectrometry</i> , 2001 , 212, 505-518	1.9	11
58	Diastereoselective formation of host-guest complexes between a series of phosphate-bridged cavitands and alkyl- and arylammonium ions studied by liquid secondary-ion mass spectrometry. <i>Chemistry - A European Journal</i> , 2001 , 7, 2034-42	4.8	26
57	Detection of Nitro-Substituted Polycyclic Aromatic Hydrocarbons in the Antarctic Airborne Particulate. <i>International Journal of Environmental Analytical Chemistry</i> , 2001 , 79, 257-272	1.8	24
56	Formation of nitrophenols upon UV irradiation of phenol and nitrate in aqueous solutions and in TiO ₂ aqueous suspensions. <i>Chemosphere</i> , 2001 , 44, 237-48	8.4	45
55	Stabilization of Carbenium Ions Derived from Ethynylestradiol by Different Adjacent Organometallic Moieties. Implication in the Inactivation of the Estrogen Receptor. <i>European Journal of Inorganic Chemistry</i> , 2000 , 2000, 491-497	2.3	12
54	The first organometallic derivative of 11 β -ethynylestradiol, a potential high-affinity marker for the estrogen receptor. <i>Journal of Organometallic Chemistry</i> , 2000 , 596, 242-247	2.3	16
53	Gas-Phase Ion-Molecule Reactions between a Series of Protonated Diastereomeric Cavitands and Neutral Amines Studied by ESI-FTICRMS: Gas-Phase Inclusion Complex Formation. <i>Journal of the American Chemical Society</i> , 2000 , 122, 10090-10100	16.4	33
52	Photocatalytic transformation of sulfonylurea herbicides over irradiated titanium dioxide particles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999 , 151, 329-338	5.1	44
51	Ultratrace determination of highly hydrophilic compounds by 2,2,3,3,4,4,5,5-octafluoropentyl chloroformate-mediated derivatization directly in water. <i>Journal of the American Society for Mass Spectrometry</i> , 1999 , 10, 1328-1336	3.5	17
50	Photocatalytic and photolytic transformation of chloramben in aqueous solutions. <i>Applied Catalysis B: Environmental</i> , 1999 , 22, 149-158	21.8	79
49	Formation of N-(2-hydroxyethyl)valine due to exposure to ethylene oxide via tobacco smoke: A risk factor for onset of cancer. <i>Environmental Research</i> , 1999 , 81, 62-71	7.9	21
48	Improved procedure for n-hexyl chloroformate-mediated derivatization of highly hydrophilic substances directly in water: hydroxyaminic compounds. <i>Journal of Chromatography A</i> , 1998 , 793, 307-316	16.5	18
47	Photocatalytic degradation of naphthalene in aqueous TiO ₂ dispersions: Effect of nonionic surfactants. <i>Chemosphere</i> , 1998 , 36, 1523-1542	8.4	54

46	Photocatalytic interconversion of nitrogen-containing benzenederivatives. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1997 , 93, 1993-2000		48
45	Photocatalytic Degradation of Carbaryl in Aqueous Solutions Containing TiO ₂ Suspensions. <i>Environmental Science & Technology</i> , 1997 , 31, 3126-3131	10.3	45
44	Fate of aromatic sulfonates in fluvial environment. <i>Chemosphere</i> , 1997 , 35, 2295-2305	8.4	40
43	Light-assisted 1,4-dioxane degradation. <i>Chemosphere</i> , 1997 , 35, 2675-2688	8.4	80
42	Photocatalytic mineralization of nitrogen-containing benzene derivatives. <i>Catalysis Today</i> , 1997 , 39, 187-195	5.9	53
41	Labeling of Proteins by a Triosmium Carbonyl Cluster via a Bolton-Hunter-like Procedure. <i>Organometallics</i> , 1996 , 15, 3037-3041	3.8	27
40	Sub-parts-per-billion determination of nitro-substituted polynuclear aromatic hydrocarbons in airborne particulate matter and soil by electron capture-Tandem mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1996 , 7, 1255-65	3.5	21
39	Microbial metabolism of fenoxaprop-ethyl. <i>Pest Management Science</i> , 1995 , 44, 299-303		16
38	Gas-phase complexation of neutral molecules by upper rim bridged calix[4]arenes. <i>Tetrahedron</i> , 1995 , 51, 599-606	2.4	34
37	Host-guest chemistry in the gas phase and at the gas-solid interface: Fundamental aspects and practical applications. <i>Pure and Applied Chemistry</i> , 1995 , 67, 1075-1084	2.1	40
36	Formation of Condensation Products in Advanced Oxidation Technologies: The Photocatalytic Degradation of Dichlorophenols on TiO ₂ . <i>Environmental Science & Technology</i> , 1995 , 29, 2226-34	10.3	81
35	Host-guest complexation in the gas phase. Investigation of the mechanism of interaction between cavitands and neutral guest molecules. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995 , 1069-1076		29
34	Determination of hydroxycarbamates in aqueous matrices by direct derivatization and GC-MS analysis in chemical ionization mode. <i>Journal of High Resolution Chromatography</i> , 1995 , 18, 359-362		13
33	Optimized splitless injection of hydroxylated PCBs by pressure pulse programming. <i>Journal of High Resolution Chromatography</i> , 1995 , 18, 490-494		6
32	Special feature: Perspective. Host-guest chemistry in the mass spectrometer. <i>Journal of Mass Spectrometry</i> , 1995 , 30, 925-939	2.2	107
31	Identification of polydimethylsiloxane lubricant traces from latex condoms in cases of sexual assault. <i>Journal - Forensic Science Society</i> , 1994 , 34, 245-56		45
30	Determination of trace amounts of highly hydrophilic compounds in water by direct derivatization and gas chromatography-mass spectrometry. <i>Fresenius Journal of Analytical Chemistry</i> , 1994 , 350, 403-409		30
29	Photocatalyzed transformation of nitrobenzene on TiO ₂ and ZnO. <i>Chemosphere</i> , 1994 , 28, 1229-1244	8.4	30

28	Anaerobic Degradation of Acifluorfen by Different Enrichment Cultures. <i>Journal of Agricultural and Food Chemistry</i> , 1994 , 42, 1232-1236	5.7	17
27	Photocatalytic Degradation of Organic Contaminants 1994 , 101-138		7
26	Photocatalytic degradation of Monuron in aqueous titanium dioxide dispersions. <i>Environmental Science & Technology</i> , 1993 , 27, 1790-1795	10.3	114
25	Characterization of perfluoropolyethers by desorption chemical ionization and tandem mass spectrometry. <i>Analytical Chemistry</i> , 1993 , 65, 970-975	7.8	13
24	Molecular recognition in the gas phase. <i>Pure and Applied Chemistry</i> , 1993 , 65, 1507-1512	2.1	34
23	Determination of plasma tocopherols by high-performance liquid chromatography with coulometric detection. <i>Biomedical Applications</i> , 1993 , 620, 268-72		11
22	Phototransformations of nitrogen containing organic compounds over irradiated semiconductor metal oxides. <i>Coordination Chemistry Reviews</i> , 1993 , 125, 183-193	23.2	73
21	Degradation pathways of atrazine under solar light and in the presence of TiO ₂ colloidal particles. <i>Science of the Total Environment</i> , 1992 , 123-124, 161-169	10.2	24
20	Labile hydrogen counting in biomolecules using deuterated reagents in desorption chemical ionization and fast atom bombardment mass spectrometry. <i>Analytical Chemistry</i> , 1992 , 64, 204-210	7.8	26
19	Determination of molecular weight distributions of polymers by desorption chemical ionization mass spectrometry. <i>Analytical Chemistry</i> , 1992 , 64, 1879-1884	7.8	22
18	Identification of photocatalytic degradation pathways of 2-Cl-s-triazine herbicides and detection of their decomposition intermediates. <i>Chemosphere</i> , 1992 , 24, 891-910	8.4	58
17	Host-guest complexation. 55. Guest capture during shell closure. <i>Journal of the American Chemical Society</i> , 1991 , 113, 2167-2172	16.4	100
16	Structural analysis of macrotetralide antibiotic mixtures using collision-induced dissociation mass spectrometry. <i>Biological Mass Spectrometry</i> , 1990 , 19, 240-247		6
15	Shell closures of tetrabenzyl chloride cavitands with tetrabenzylthiol cavitands provide carceplexes in which one or two guest molecules are incarcerated. <i>Journal of the Chemical Society Chemical Communications</i> , 1990 , 1403		19
14	Host-guest complexation in the gas phase by desorption chemical ionization mass spectrometry. <i>Journal of the American Chemical Society</i> , 1990 , 112, 445-447	16.4	64
13	Angular dependence of internal energy distributions of activated Fe(CO) ₅ .cntdot.+ and W(CO) ₆ .cntdot.+ ions. The contributions of vibrational and electronic excitation mechanisms in kiloelectron volt collisions. <i>Journal of the American Chemical Society</i> , 1990 , 112, 119-126	16.4	27
12	Desorption chemical ionization mass spectrometry of cosmomycins A, B, C, D and ditrisarubicin B. <i>Biomedical & Environmental Mass Spectrometry</i> , 1989 , 18, 352-4		3
11	Characterization of high molecular weight macrocycles by desorption chemical ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1989 , 3, 106-109	2.2	3

10	Desorption due to charge exchange in low-energy collisions of organofluorine ions at solid surfaces. <i>Organic Mass Spectrometry</i> , 1988 , 23, 317-326		66
9	The functional relationship scan in tandem mass spectrometry. <i>Organic Mass Spectrometry</i> , 1988 , 23, 579-584		12
8	Energetics of retro-Diels-Alder fragmentation in limonene as characterized by surface-induced dissociation, and energy- and angle-resolved mass spectrometry. <i>Organic Mass Spectrometry</i> , 1988 , 23, 585-593		23
7	Determination of double-bond position in diunsaturated compounds by mass spectrometry of dimethyl disulfide derivatives. <i>Analytical Chemistry</i> , 1987 , 59, 694-699	7.8	159
6	Sunlight photodegradation of 2,4,5-trichlorophenoxy-acetic acid and 2,4,5-trichlorophenol on TiO ₂ . Identification of intermediates and degradation pathway. <i>Chemosphere</i> , 1987 , 16, 1165-1179	8.4	71
5	Ion/surface collisions which lead to charge permutation. <i>Rapid Communications in Mass Spectrometry</i> , 1987 , 1, 92-94	2.2	16
4	Cobalt-catalyzed low pressure double carbonylation of aryl and secondary benzyl halides. <i>Journal of Organometallic Chemistry</i> , 1986 , 301, C27-C30	2.3	26
3	Kinetics of electron transfer between Ce(IV) nitrate and iron(II) complexes. <i>Inorganica Chimica Acta</i> , 1985 , 110, 51-53	2.7	4
2	Electron-transfer kinetics of 4,4'Rbis(alkoxycarbonyl)-2,2'Rbipyridine-iron complexes in micellar solution. <i>Inorganic Chemistry</i> , 1985 , 24, 4533-4537	5.1	5
1	Equilibria and kinetics of electron transfer between tris (4,4'-dimethyl-2,2'-bipyridine)-osmium(III)/-osmium(II) and iron(III)/iron(II) in aqueous mixtures of acetone and acetonitrile. <i>Transition Metal Chemistry</i> , 1983 , 8, 273-276	2.1	2