

# Luiz H Marcolino-Junior

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5400993/luiz-h-marcolino-junior-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110  
papers

2,737  
citations

33  
h-index

47  
g-index

113  
ext. papers

3,248  
ext. citations

4.9  
avg, IF

5.49  
L-index

#	Paper	IF	Citations
110	Simple Melatonin Determination Using Disposable and Low-Cost Lab-Made Screen-Printed Carbon Electrode. <i>Journal of the Electrochemical Society</i> , <b>2022</b> , 169, 037503	3.9	0
109	Screen-Printed Electrochemical Sensors and Biosensors for Detection of Biomarkers <b>2022</b> , 113-140		
108	Selective carbonaceous-based (nano)composite sensors for electrochemical determination of paraquat in food samples. <i>Food Chemistry</i> , <b>2021</b> , 373, 131521	8.5	4
107	Disposable and low-cost lab-made screen-printed electrodes for voltammetric determination of L-Dopa. <i>Sensors and Actuators Reports</i> , <b>2021</b> , 100056	4.7	5
106	A complete lab-made point of care device for non-immunological electrochemical determination of cortisol levels in salivary samples. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 332, 129532	8.5	11
105	Label-free aptasensor for p24-HIV protein detection based on graphene quantum dots as an electrochemical signal amplifier. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1166, 338548	6.6	9
104	Biochar obtained from spent coffee grounds: Evaluation of adsorption properties and its application in a voltammetric sensor for lead (II) ions. <i>Microchemical Journal</i> , <b>2021</b> , 165, 106114	4.8	10
103	3D-printed electrode as a new platform for electrochemical immunosensors for virus detection. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1147, 30-37	6.6	25
102	A simple, fast, and cost-effective analytical method for monitoring active quinones in a H <sub>2</sub> O <sub>2</sub> production process. <i>Microchemical Journal</i> , <b>2021</b> , 163, 105861	4.8	0
101	Microfluidic devices based on textile threads for analytical applications: state of the art and prospects. <i>Analytical Methods</i> , <b>2021</b> , 13, 4830-4857	3.2	2
100	Use of beeswax as an alternative binder in the development of composite electrodes: an approach for determination of hydrogen peroxide in honey samples. <i>Electrochimica Acta</i> , <b>2021</b> , 390, 138876	6.7	0
99	State-of-the-art and perspectives in the use of biochar for electrochemical and electroanalytical applications. <i>Green Chemistry</i> , <b>2021</b> , 23, 5272-5301	10	7
98	A simple enzymeless approach for Paraoxon determination using imidazole-functionalized carbon nanotubes. <i>Materials Science and Engineering C</i> , <b>2020</b> , 116, 111140	8.3	8
97	Microfluidic paper-based device integrated with smartphone for point-of-use colorimetric monitoring of water quality index. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2020</b> , 164, 108085	4.6	19
96	A carbon fiber ultramicroelectrode as a simple tool to direct antioxidant estimation based on caffeic acid oxidation. <i>Analytical Methods</i> , <b>2020</b> , 12, 3608-3616	3.2	4
95	Chemical Wet Oxidation of Carbon Nanotubes for Electrochemical Determination of Methyl Parathion. <i>Journal of Analytical Chemistry</i> , <b>2020</b> , 75, 119-126	1.1	8
94	Nanomodified Screen-Printed Electrode for direct determination of Aflatoxin B1 in malted barley samples. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 307, 127547	8.5	16

93	Electrochemical sensor based on biochar and reduced graphene oxide nanocomposite for carbendazim determination. <i>Talanta</i> , <b>2020</b> , 220, 121334	6.2	22
92	Simple and low-cost sensor based on activated biochar for the stripping voltammetric detection of caffeic acid. <i>Microchemical Journal</i> , <b>2020</b> , 159, 105380	4.8	14
91	Mercury isles in titanate nanotubes: a new strategy for using mercury electrodes in analytical application. <i>Monatshefte Für Chemie</i> , <b>2020</b> , 151, 1485-1491	1.4	1
90	Improvement in the performance of an electrochemical sensor for ethanol determination by chemical treatment of graphite. <i>Journal of Electroanalytical Chemistry</i> , <b>2020</b> , 877, 114659	4.1	5
89	A low cost, versatile and chromatographic device for microfluidic amperometric analyses. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 304, 127117	8.5	12
88	Electrochemically Reduced Graphene Oxide as Screen-printed Electrode Modifier for Fenamiphos Determination. <i>Electroanalysis</i> , <b>2020</b> , 32, 1689-1695	3	7
87	Determination of lactate levels in biological fluids using a disposable ion-selective potentiometric sensor based on polypyrrole films. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 296, 126663	8.5	18
86	Quick electrochemical immunoassay for hantavirus detection based on biochar platform. <i>Talanta</i> , <b>2019</b> , 204, 163-171	6.2	13
85	Label-free electrochemical immunosensor for quick detection of anti-hantavirus antibody. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 842, 140-145	4.1	15
84	Green method for glucose determination using microfluidic device with a non-enzymatic sensor based on nickel oxyhydroxide supported at activated biochar. <i>Talanta</i> , <b>2019</b> , 200, 518-525	6.2	24
83	Disposable and flexible electrochemical sensor made by recyclable material and low cost conductive ink. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 840, 109-116	4.1	46
82	Facile synthesis and dopamine sensing application of three component nanocomposite thin films based on polythiophene, gold nanoparticles and carbon nanotubes. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 840, 208-217	4.1	21
81	Nonenzymatic sensor for determination of glucose in blood plasma based on nickel oxyhydroxide in a microfluidic system of cotton thread. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 840, 153-159	4.1	9
80	A carbon black composite electrode for flow injection amperometric determination of hydrochlorothiazide. <i>Analytical Methods</i> , <b>2019</b> , 11, 2422-2427	3.2	2
79	Graphene Quantum Dots Modified Screen-printed Electrodes as Electroanalytical Sensing Platform for Diethylstilbestrol. <i>Electroanalysis</i> , <b>2019</b> , 31, 838-843	3	18
78	Voltammetric Electronic Tongue Based on Carbon Paste Electrodes Modified with Biochar for Phenolic Compounds Stripping Detection. <i>Electroanalysis</i> , <b>2019</b> , 31, 2238-2245	3	18
77	Electrochemical behavior of a cation-exchange resin modified with copper ions on non-enzymatic glucose determination. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 835, 248-253	4.1	2
76	Disposable electrode obtained by pencil drawing on corrugated fiberboard substrate. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 264, 20-26	8.5	28

75	Nonenzymatic electrochemical sensor based on imidazole-functionalized graphene oxide for progesterone detection. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 112, 108-113	11.8	48
74	Microfluidic thread based electroanalytical system for green chromatographic separations. <i>Lab on A Chip</i> , <b>2018</b> , 18, 670-678	7.2	28
73	Nickel hexacyanoferrate supported at nickel nanoparticles for voltammetric determination of rifampicin. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 260, 816-823	8.5	17
72	Simple and Inexpensive Microfluidic Thread Based Device for Teaching Microflow Injection Analysis and Electrochemistry. <i>Journal of Chemical Education</i> , <b>2018</b> , 95, 1411-1414	2.4	6
71	Copper hexacyanoferrate nanoparticles supported on biochar for amperometric determination of isoniazid. <i>Electrochimica Acta</i> , <b>2018</b> , 285, 373-380	6.7	28
70	3D-printed Microfluidic Device Based on Cotton Threads for Amperometric Estimation of Antioxidants in Wine Samples. <i>Electroanalysis</i> , <b>2018</b> , 30, 101-108	3	22
69	Combination of electrochemical biosensor and textile threads: A microfluidic device for phenol determination in tap water. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 99, 382-388	11.8	61
68	Cellulose membrane modified with polypyrrole as an extraction device for the determination of emerging contaminants in river water with gas chromatography-mass spectrometry. <i>Journal of Separation Science</i> , <b>2018</b> , 41, 2790-2798	3.4	5
67	Facile synthesis of a silver nanoparticles/polypyrrole nanocomposite for non-enzymatic glucose determination. <i>Materials Science and Engineering C</i> , <b>2017</b> , 75, 88-94	8.3	33
66	Design of a new nanocomposite between bismuth nanoparticles and graphene oxide for development of electrochemical sensors. <i>Materials Science and Engineering C</i> , <b>2017</b> , 79, 262-269	8.3	16
65	The use of activated biochar for development of a sensitive electrochemical sensor for determination of methyl parathion. <i>Journal of Electroanalytical Chemistry</i> , <b>2017</b> , 799, 602-608	4.1	50
64	Construction and evaluation of carbon black and poly(ethylene co-vinyl)acetate (EVA) composite electrodes for development of electrochemical (bio)sensors. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 253, 10-18	8.5	14
63	Activated biochar: Preparation, characterization and electroanalytical application in an alternative strategy of nickel determination. <i>Analytica Chimica Acta</i> , <b>2017</b> , 983, 103-111	6.6	36
62	Characterization and optimization of low cost microfluidic thread based electroanalytical device for micro flow injection analysis. <i>Analytica Chimica Acta</i> , <b>2017</b> , 951, 108-115	6.6	40
61	Tear glucose detection combining microfluidic thread based device, amperometric biosensor and microflow injection analysis. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 98, 161-167	11.8	46
60	Electroanalytical thread-device for estriol determination using screen-printed carbon electrodes modified with carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 241, 978-984	8.5	55
59	Gold nanoparticles supported on multi-walled carbon nanotubes produced by biphasic modified method and dopamine sensing application. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 243, 43-50	8.5	59
58	An Overview of Pesticide Monitoring at Environmental Samples Using Carbon Nanotubes-Based Electrochemical Sensors. <i>Journal of Carbon Research</i> , <b>2017</b> , 3, 8	3.3	18

57	Biochar prepared from castor oil cake at different temperatures: A voltammetric study applied for Pb(2+), Cd(2+) and Cu(2+) ions preconcentration. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 318, 526-532	12.8	44
56	One material, multiple functions: graphene/Ni(OH) thin films applied in batteries, electrochromism and sensors. <i>Scientific Reports</i> , <b>2016</b> , 6, 33806	4.9	43
55	Disposable potentiometric citrate sensor based on polypyrrole-doped films for indirect determination of sildenafil in pharmaceuticals formulations. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133,	2.9	6
54	Evaluation of antimony microparticles supported on biochar for application in the voltammetric determination of paraquat. <i>Materials Science and Engineering C</i> , <b>2016</b> , 62, 123-9	8.3	29
53	Nickel nanoparticles with hcp structure: Preparation, deposition as thin films and application as electrochemical sensor. <i>Journal of Colloid and Interface Science</i> , <b>2016</b> , 468, 34-41	9.3	24
52	Low cost microfluidic device based on cotton threads for electroanalytical application. <i>Lab on A Chip</i> , <b>2016</b> , 16, 345-52	7.2	61
51	Carbon Paste Electrode Modified with Biochar for Sensitive Electrochemical Determination of Paraquat. <i>Electroanalysis</i> , <b>2016</b> , 28, 764-769	3	31
50	Novel flow injection spectrophotometric determination of ranitidine in pharmaceuticals. <i>Canadian Journal of Chemistry</i> , <b>2016</b> , 94, 604-607	0.9	1
49	Thiol-capped gold nanoparticles: Influence of capping amount on electrochemical behavior and potential application as voltammetric sensor for diltiazem. <i>Sensors and Actuators B: Chemical</i> , <b>2015</b> , 220, 673-678	8.5	18
48	Sensitive voltammetric determination of lead released from ceramic dishes by using of bismuth nanostructures anchored on biochar. <i>Talanta</i> , <b>2015</b> , 142, 221-7	6.2	35
47	Mercury nanodroplets supported at biochar for electrochemical determination of zinc ions using a carbon paste electrode. <i>Electrochimica Acta</i> , <b>2015</b> , 151, 525-530	6.7	38
46	Electrochemical determination of copper ions in spirit drinks using carbon paste electrode modified with biochar. <i>Food Chemistry</i> , <b>2015</b> , 171, 426-31	8.5	95
45	A Simple and Rapid Estimation of Totals Polyphenols Based On Carbon Paste Electrode Modified with Ruthenium Oxo-Complex. <i>Electroanalysis</i> , <b>2015</b> , 27, 2371-2376	3	8
44	PVP-capped nickel nanoparticles: Synthesis, characterization and utilization as a glycerol electrosensor. <i>Sensors and Actuators B: Chemical</i> , <b>2014</b> , 196, 574-581	8.5	47
43	Potentiometric determination of pantoprazole using an ion-selective sensor based on polypyrrole doped films. <i>Materials Science and Engineering C</i> , <b>2014</b> , 43, 517-20	8.3	6
42	Potentiometric determination of Diclofenac using an ion-selective electrode prepared from polypyrrole films. <i>Journal of Electroanalytical Chemistry</i> , <b>2014</b> , 732, 11-16	4.1	19
41	Filmes de polipirrol aplicados no desenvolvimento de eletrodos descartáveis seletivos a íons fluoreto. <i>Polimeros</i> , <b>2014</b> , 24, 508-513	1.6	2
40	A Simple and Precise Determination of Diltiazem Hydrochloride by Simultaneous Conductometric and Potentiometric Detection. <i>Current Pharmaceutical Analysis</i> , <b>2014</b> , 10, 203-207	0.6	5

39	Inexpensive and disposable copper mini-sensor modified with bismuth for lead and cadmium determination using square-wave anodic stripping voltammetry. <i>Analytical Methods</i> , <b>2013</b> , 5, 202-207	3.2	40
38	Flow-injection spectrophotometric determination of dipyrone in pharmaceutical formulations using a solid-phase reactor with copper(II) phosphate. <i>Open Chemistry</i> , <b>2013</b> , 11, 1830-1836	1.6	2
37	An electroanalytical approach for evaluation of biochar adsorption characteristics and its application for lead and cadmium determination. <i>Bioresource Technology</i> , <b>2013</b> , 143, 40-5	11	50
36	Disposable Solid-State Sensor Based on Polypyrrole Films Doped for Potentiometric Determination of Dipyrone in Human Urine and Pharmaceuticals Products. <i>Electroanalysis</i> , <b>2013</b> , 25, 1535-1540	3	10
35	Electrochemical sensor for ranitidine determination based on carbon paste electrode modified with oxovanadium (IV) salen complex. <i>Materials Science and Engineering C</i> , <b>2013</b> , 33, 4081-5	8.3	26
34	Electroanalytical application of a screen-printed electrode modified by dodecanethiol-stabilized platinum nanoparticles for dapsone determination. <i>Electrochimica Acta</i> , <b>2012</b> , 66, 265-270	6.7	22
33	Flow injection amperometric determination of isoniazid using a screen-printed carbon electrode modified with silver hexacyanoferrates nanoparticles. <i>Sensors and Actuators B: Chemical</i> , <b>2012</b> , 171-172, 795-802	8.5	56
32	Degradação de corantes têxteis e remediação de resíduos de tingimento por processos Fenton, foto-Fenton e eletro-Fenton. <i>Química Nova</i> , <b>2012</b> , 35, 932-938	1.6	7
31	Construção e aplicação de um minissensor de filme de bismuto utilizando materiais de baixo custo para determinações voltamétricas in loco. <i>Química Nova</i> , <b>2012</b> , 35, 1016-1019	1.6	4
30	Use of Barium Chloranilate Solid-Phase Reactor for the Determination of Sulfate in Natural Water Samples Exploiting Long Pathlength Spectrophotometry and Multicommutation. <i>Analytical Letters</i> , <b>2011</b> , 44, 298-309	2.2	6
29	Voltammetric determination of the antioxidant capacity in wine samples using a carbon nanotube modified electrode. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 7620-5	5.7	106
28	Development of a carbon nanotubes paste electrode modified with crosslinked chitosan for cadmium(II) and mercury(II) determination. <i>Journal of Electroanalytical Chemistry</i> , <b>2011</b> , 660, 209-216	4.1	93
27	Differential Pulse Voltammetric Determination of Paraquat Using a Bismuth-Film Electrode. <i>Electroanalysis</i> , <b>2010</b> , 22, 1260-1266	3	59
26	Determinação espectrofotométrica em fluxo de cloro em água usando célula de longo caminho óptico e multicomutação. <i>Química Nova</i> , <b>2009</b> , 32, 112-115	1.6	5
25	Anodic stripping voltammetric determination of copper(II) using a functionalized carbon nanotubes paste electrode modified with crosslinked chitosan. <i>Sensors and Actuators B: Chemical</i> , <b>2009</b> , 142, 260-266	8.5	135
24	Determination of Analgesics (Dipyrone and Acetaminophen) in Pharmaceutical Preparations by Cyclic Voltammetry at a Copper(II) Hexacyanoferrate(III) Modified Carbon Paste Electrode. <i>Current Analytical Chemistry</i> , <b>2009</b> , 5, 303-310	1.7	23
23	Flow Injection Spectrophotometric System for Ranitidine Determination in Pharmaceuticals Using Cerium(IV) and Ferroin. <i>Current Analytical Chemistry</i> , <b>2009</b> , 5, 213-218	1.7	12
22	Conductometric Determination of N-acetylcysteine in Pharmaceutical Formulations Using Copper(II) Sulphate as Titrant. <i>Analytical Letters</i> , <b>2008</b> , 41, 3264-3271	2.2	17

21	Determina�o condutom�trica de captopril em formula�es farmac�uticas utilizando sulfato de cobre(II) como titulante. <i>Quimica Nova</i> , <b>2008</b> , 31, 349-352	1.6	4
20	Electrochemical Modified Electrodes Based on Metal-Salen Complexes. <i>Analytical Letters</i> , <b>2007</b> , 40, 1825-1852	4.4	44
19	Determina�o voltam�trica por redissolu�o an�dica de Cu(II) em �guas residuais empregando um eletrodo de pasta de carbono modificado com quitosana. <i>Quimica Nova</i> , <b>2007</b> , 30, 1673-1676	1.6	11
18	An electrochemical sensor for l-dopa based on oxovanadium-salen thin film electrode applied flow injection system. <i>Sensors and Actuators B: Chemical</i> , <b>2007</b> , 122, 549-555	8.5	82
17	An improved flow system for chloride determination in natural waters exploiting solid-phase reactor and long pathlength spectrophotometry. <i>Talanta</i> , <b>2007</b> , 72, 663-7	6.2	26
16	Anodic Stripping Voltammetric Determination of Mercury in Water Using a Chitosan-Modified Carbon Paste Electrode. <i>Analytical Letters</i> , <b>2007</b> , 40, 3119-3128	2.2	49
15	Detection of cadmium sulphide nanoparticles by using screen-printed electrodes and a handheld device. <i>Nanotechnology</i> , <b>2007</b> , 18, 035502	3.4	33
14	Voltammetric determination of N-acetylcysteine using a carbon paste electrode modified with copper(II) hexacyanoferrate(III). <i>Microchemical Journal</i> , <b>2006</b> , 82, 163-167	4.8	48
13	Flow-Injection Spectrophotometric Determination of Dipyrone in Pharmaceutical Formulations Using Ammonium Molybdate as Chromogenic Reagent. <i>Analytical Letters</i> , <b>2005</b> , 38, 2315-2326	2.2	8
12	Voltammetric determination of dipyrone using a N,N'-ethylenebis(salicylideneaminato)oxovanadium(IV) modified carbon-paste electrode. <i>Journal of the Brazilian Chemical Society</i> , <b>2004</b> , 15, 803-808	1.5	36
11	Flow Injection Spectrophotometric Determination of Isoproterenol with an On-Line Solid-Phase Reactor Containing Immobilized Manganese Dioxide. <i>Analytical Letters</i> , <b>2004</b> , 37, 2111-2124	2.2	9
10	Voltammetric determination of isoprenaline in pharmaceutical preparations using a copper(II) hexacyanoferrate(III) modified carbon paste electrode. <i>Microchemical Journal</i> , <b>2004</b> , 78, 55-59	4.8	42
9	Flow injection amperometric determination of dipyrone in pharmaceutical formulations using a carbon paste electrode. <i>Il Farmaco</i> , <b>2003</b> , 58, 999-1004		24
8	Determination of vitamin B6 (pyridoxine) in pharmaceutical preparations by cyclic voltammetry at a copper(II) hexacyanoferrate(III) modified carbon paste electrode. <i>Journal of the Brazilian Chemical Society</i> , <b>2003</b> , 14, 316-321	1.5	27
7	Flow injection spectrophotometric determination of adrenaline in pharmaceutical formulations using a solid-phase reactor containing lead(IV) dioxide immobilized in a polyester resin. <i>Il Farmaco</i> , <b>2002</b> , 57, 215-9		11
6	Flow injection determination of levodopa in tablets using a solid-phase reactor containing lead(IV) dioxide immobilized. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2001</b> , 25, 393-8	3.5	59
5	Determina�o espectrofotom�trica de aspartame em ado�antes por inje�o em fluxo usando um reator em fase s�lida contendo fosfato de zinco imobilizado. <i>Quimica Nova</i> , <b>2000</b> , 23, 167-172	1.6	4
4	Solid-phase reactor with copper(II) phosphate for flow-injection spectrophotometric determination of aspartame in tabletop sweeteners. <i>Analytica Chimica Acta</i> , <b>1999</b> , 384, 167-174	6.6	40

3	Chemically-Activated Biochar from Ricinus communis L. Cake and Their Potential Applications for the Voltammetric Assessment of Some Relevant Environmental Pollutants. <i>Journal of the Brazilian Chemical Society</i> ,	1.5	5
2	Screen-Printed Electrodes Constructed Using Carbon Black as Conductive Material. <i>Revista Virtual De Quimica</i> ,626-640	1.3	4
1	Evaluation of Titanate Nanotubes (TiNTs) as a Modifier for the Determination of Lead (II) by Differential Pulse Adsorptive Stripping Voltammetry (DPAdSV). <i>Analytical Letters</i> ,1-13	2.2	0