Demetrius Klee Lopes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5401236/demetrius-klee-lopes-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 181
 12,539
 45
 111

 papers
 citations
 h-index
 g-index

 194
 15,161
 4.7
 5.77

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
181	In Reply: Dismantling the Apocalypse Narrative: The Myth of the COVID-19 Stroke. <i>Neurosurgery</i> , 2021 , 88, E277-E280	3.2	1
180	Optical coherence tomography for elucidation of flow-diversion phenomena: The concept of endothelized mural thrombus behind reversible in-stent stenosis in flow-diverters. <i>Interventional Neuroradiology</i> , 2021 , 27, 774-780	1.9	4
179	Crossing the Carotid Siphon: Techniques to Facilitate Distal Access in Tortuous Anatomy: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E41-E42	1.6	1
178	Carotid Stenting: Flow Reversal Technique: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E111-E112	1.6	
177	Middle Cerebral Artery Thrombectomy: Clinical Findings and Technical Pearls: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E107-E108	1.6	
176	Endovascular Treatment of Basilar Bifurcation Aneurysms With PulseRider-Assisted Coiling: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E109-E110	1.6	
175	Intracranial Access: Dural Venous Sinus Stenting: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E113-E114	1.6	
174	Intracranial Stenting: Angioplasty Basic Technique, Indications, and Sizing: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E115-E116	1.6	0
173	Management of Mobile Thrombus With Distal Protection Devices During Carotid Artery Angioplasty: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E242-E243	1.6	
172	Healthy Life-Year Costs of Treatment Speed From Arrival to Endovascular Thrombectomy in Patients With Ischemic Stroke: A Meta-analysis of Individual Patient Data From 7 Randomized Clinical Trials. <i>JAMA Neurology</i> , 2021 , 78, 709-717	17.2	6
171	Neuroendovascular Management of Acute Ischemic Basilar Strokes: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E346-E347	1.6	
170	Carotid In-Stent Stenosis: Cutting Balloon Angioplasty: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E240-E241	1.6	1
169	Ulnar Artery Access: A Nontraditional Access Site for Diagnostic Cerebral Angiography and Neurointervention: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E350-E352	1.6	
168	Transvenous Onyx Embolization of Carotid-Cavernous Fistulas: Mid- and Long-Term Outcomes. Journal of Neurological Surgery, Part B: Skull Base, 2021 , 82, e278-e284	1.5	1
167	Endovascular Treatment of Aneurysms Using Flow-Diversion Embolization: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 20, E284-E285	1.6	1
166	Aspiration Thrombectomy: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 20, E286-E2	871.6	
165	Management of Thromboembolic Complications During Aneurysm Coiling: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 20, E348-E349	1.6	1

(2019-2021)

164	The Role of Angioplasty Alone in Intracranial Atherosclerosis: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 20, E350-E351	1.6	
163	Pivotal trial of the Neuroform Atlas stent for treatment of posterior circulation aneurysms: one-year outcomes. <i>Journal of NeuroInterventional Surgery</i> , 2021 ,	7.8	1
162	Mechanical Thrombectomy of Carotid Terminus Occlusion Using Direct Aspiration Technique-Video Illustration: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2021 , 21, E441-E442	1.6	
161	Automated Final Lesion Segmentation in Posterior Circulation Acute Ischemic Stroke Using Deep Learning. <i>Diagnostics</i> , 2021 , 11,	3.8	1
160	Distal Access to Wide-Necked Aneurysms-Around the WorldPTechnique: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2020 , 20, E39-E40	1.6	
159	Transarterial Embolization of a Transverse Sinus Dural Arteriovenous Fistula: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2020 , 20, E41-E42	1.6	
158	Pivotal Trial of the Neuroform Atlas Stent for Treatment of Anterior Circulation Aneurysms: One-Year Outcomes. <i>Stroke</i> , 2020 , 51, 2087-2094	6.7	15
157	Combined Transarterial and Transvenous Onyx Embolization of Jugular Foramen Paragangliomas. <i>World Neurosurgery</i> , 2020 , 136, 178-183	2.1	1
156	Endovascular Coil Embolization of a Posterior Communicating Artery Aneurysm: 2-Dimensional Operative Video. <i>Operative Neurosurgery</i> , 2020 , 19, E597-E598	1.6	
155	Co-registration of Intravascular Ultrasound With Angiographic Imaging for Carotid Artery Disease. <i>World Neurosurgery</i> , 2020 , 143, 325-331	2.1	
154	Transvenous arteriovenous malformation embolization. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 332	7.8	1
153	Impact and prevention of errors in endovascular treatment of unruptured intracranial aneurysms. <i>Interventional Neuroradiology</i> , 2020 , 26, 575-581	1.9	1
152	A neurovascular high-frequency optical coherence tomography system enables in situ cerebrovascular volumetric microscopy. <i>Nature Communications</i> , 2020 , 11, 3851	17.4	14
151	In Reply: May Cooler Heads Prevail During a Pandemic: Stroke in COVID-19 Patients or COVID-19 in Stroke Patients?. <i>Neurosurgery</i> , 2020 , 87, E691-E693	3.2	1
150	Factors Affecting the Degree of Angular Remodeling in Stent-Assisted Coiling of Bifurcation Aneurysms. <i>Interventional Neurology</i> , 2020 , 8, 220-230	3	2
149	Flow Diversion for Treatment of Intracranial Aneurysms in Pediatric Patients: Multicenter Case Series. <i>Neurosurgery</i> , 2020 , 87, 53-62	3.2	7
148	Prospective study on embolization of intracranial aneurysms with the pipeline device: the PREMIER study 1 year results. <i>Journal of NeuroInterventional Surgery</i> , 2020 , 12, 62-66	7.8	80
147	Endovascular Recanalization of Symptomatic Intracranial Arterial Stenosis Despite Aggressive Medical Management. <i>World Neurosurgery</i> , 2019 , 123, e693-e699	2.1	5

146	Evaluation of the Intracranial Flow Alteration during Manual Syringe and Continuous Pump Aspiration. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 2574-2579	2.8	2
145	Preliminary outcomes of single antiplatelet therapy for surface-modified flow diverters in an animal model: analysis of neointimal development and thrombus formation using OCT. <i>Journal of NeuroInterventional Surgery</i> , 2019 , 11, 74-79	7.8	22
144	Stent-assisted coil embolization of MCA aneurysm via a trans-posterior communicating artery access. <i>Neurosurgical Focus</i> , 2019 , 46, V3	4.2	1
143	Stent-Assisted Coil Embolization 2019 , 187-205		1
142	Objective Assessment of Arterial Steal Phenomenon in Direct Carotid Cavernous Fistula Using 2D Parametric Parenchymal Blood Flow Analysis. <i>Neurointervention</i> , 2019 , 14, 63-67	1.4	O
141	Glucose Modifies the Effect of Endovascular Thrombectomy in Patients With Acute Stroke. <i>Stroke</i> , 2019 , 50, 690-696	6.7	30
140	Multicenter Study of Pipeline Flex for Intracranial Aneurysms. <i>Neurosurgery</i> , 2019 , 84, E402-E409	3.2	12
139	Optical coherence tomography: Translation from 3D-printed vascular models of the anterior cerebral circulation to the first human images of implanted surface modified flow diverters. <i>Interventional Neuroradiology</i> , 2019 , 25, 150-156	1.9	9
138	Penumbral imaging and functional outcome in patients with anterior circulation ischaemic stroke treated with endovascular thrombectomy versus medical therapy: a meta-analysis of individual patient-level data. <i>Lancet Neurology, The</i> , 2019 , 18, 46-55	24.1	156
137	Mediation of the Relationship Between Endovascular Therapy and Functional Outcome by Follow-up Infarct Volume in Patients With Acute Ischemic Stroke. <i>JAMA Neurology</i> , 2019 , 76, 194-202	17.2	41
136	The safety and effectiveness of the LVIS stent system for the treatment of wide-necked cerebral aneurysms: final results of the pivotal US LVIS trial. <i>Journal of NeuroInterventional Surgery</i> , 2019 , 11, 357-361	7.8	31
135	Treatment of blood blister aneurysms of the internal carotid artery with flow diversion. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 1074-1078	7.8	80
134	Association of follow-up infarct volume with functional outcome in acute ischemic stroke: a pooled analysis of seven randomized trials. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 1137-1142	7.8	54
133	Morbidity and Mortality in Patients With Posterior Circulation Aneurysms Treated With the Pipeline Embolization Device: A Subgroup Analysis of the International Retrospective Study of the Pipeline Embolization Device. <i>Neurosurgery</i> , 2018 , 83, 488-500	3.2	26
132	Safety and Efficacy of a 3-Dimensional Stent Retriever With Aspiration-Based Thrombectomy vs Aspiration-Based Thrombectomy Alone in Acute Ischemic Stroke Intervention: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2018 , 75, 304-311	17.2	59
131	Assessment of human placenta as an ex-vivo vascular model for testing of liquid embolic agent injections with adjunctive techniques. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 892-895	7.8	3
130	Analysis of neointima development in flow diverters using optical coherence tomography imaging. Journal of NeuroInterventional Surgery, 2018, 10, 162-167	7.8	44
129	A comparison between the new Low-profile Visualized Intraluminal Support (LVIS Blue) stent and the Flow Redirection Endoluminal Device (FRED) in bench-top and cadaver studies. <i>Journal of NeuroInterventional Surgery</i> , 2018 , 10, 274-278	7.8	28

128	Software-based simulation for preprocedural assessment of braided stent sizing: a validation study. Journal of Neurosurgery, 2018 , 1-7	3.2	7
127	First Human Evaluation of Endothelial Healing after a Pipeline Flex Embolization Device with Shield Technology Implanted in Posterior Circulation Using Optical Coherence Tomography. Neurointervention, 2018, 13, 129-132	1.4	12
126	Intraventricular Hemorrhage: A Rare Complication Secondary to Traumatic Lumbar Puncture. Journal of Innovative Optical Health Sciences, 2018 , 13, 198-199	1.2	
125	Outcomes of Endovascular Treatment of Intracranial Aneurysms at Bifurcation Sites. <i>World Journal of Neuroscience</i> , 2018 , 08, 432-443	0.4	
124	Intravascular Optical Coherence Tomography for Neurointerventional Surgery. Stroke, 2018, STROKEA	.H ≜ †18	02Ø315
123	A new low-profile visualized intraluminal support (LVIS) device, LVIS Blue: laboratory comparison between old and new LVIS. <i>Neurological Research</i> , 2018 , 40, 78-85	2.7	10
122	An Onyx tunnel: reconstructive transvenous balloon-assisted Onyx embolization for dural arteriovenous fistula of the transverse-sigmoid sinus. <i>Journal of Neurosurgery</i> , 2018 , 129, 922-927	3.2	21
121	Thrombectomy 6 to 24 Hours after Stroke with a Mismatch between Deficit and Infarct. <i>New England Journal of Medicine</i> , 2018 , 378, 11-21	59.2	2503
120	Imaging features and safety and efficacy of endovascular stroke treatment: a meta-analysis of individual patient-level data. <i>Lancet Neurology, The</i> , 2018 , 17, 895-904	24.1	179
119	2D Parametric Parenchymal Blood Flow as a Predictor of the Hemorrhagic Events after Endovascular Treatment of Acute Ischemic Stroke: A Single-Center Retrospective Study. <i>Interventional Neurology</i> , 2018 , 7, 522-532	3	5
118	Treatment of wide-necked aneurysms with the Low-profile Visualized Intraluminal Support (LVIS Jr) device: a multicenter experience. <i>Journal of NeuroInterventional Surgery</i> , 2017 , 9, 1098-1102	7.8	29
117	Utility of a Y-configured stentriever technique as a rescue method of thrombectomy for an intractable rooted thrombus located on the middle cerebral artery bifurcation: technical note. <i>Neurosurgical Focus</i> , 2017 , 42, E17	4.2	9
116	Results of the ANSWER Trial Using the PulseRider for the Treatment of Broad-Necked, Bifurcation Aneurysms. <i>Neurosurgery</i> , 2017 , 81, 56-65	3.2	63
115	Diffusion-weighted imaging or computerized tomography perfusion assessment with clinical mismatch in the triage of wake up and late presenting strokes undergoing neurointervention with Trevo (DAWN) trial methods. <i>International Journal of Stroke</i> , 2017 , 12, 641-652	6.3	119
114	Impact of Thrombus Length on Outcomes After Intra-Arterial Aspiration Thrombectomy in the THERAPY Trial. <i>Stroke</i> , 2017 , 48, 1895-1900	6.7	28
113	Long-Term Clinical and Angiographic Outcomes Following Pipeline Embolization Device Treatment of Complex Internal Carotid Artery Aneurysms: Five-Year Results of the Pipeline for Uncoilable or Failed Aneurysms Trial. <i>Neurosurgery</i> , 2017 , 80, 40-48	3.2	234
112	Novel balloon-and-aspiration method for cerebral venous sinus thrombosis: dental-floss technique. Neurosurgical Focus, 2017 , 42, E19	4.2	10
111	Introduction: New techniques and technologies in the management of ischemic stroke. Neurosurgical Focus, 2017, 42, E1	4.2	

110	Cost-Effectiveness of Solitaire Stent Retriever Thrombectomy for Acute Ischemic Stroke: Results From the SWIFT-PRIME Trial (Solitaire With the Intention for Thrombectomy as Primary Endovascular Treatment for Acute Ischemic Stroke). <i>Stroke</i> , 2017 , 48, 379-387	6.7	80
109	Giant vein of Galen malformation in an adult. Radiology Case Reports, 2017, 12, 585-589	1	1
108	Arteriovenous malformation embocure score (AVMES): reply. <i>Journal of NeuroInterventional Surgery</i> , 2017 , 9, e13-e14	7.8	
107	Safety and efficacy of the Pipeline embolization device for treatment of intracranial aneurysms: a pooled analysis of 3 large studies. <i>Journal of Neurosurgery</i> , 2017 , 127, 775-780	3.2	122
106	Pipeline for uncoilable or failed aneurysms: 3-year follow-up results. <i>Journal of Neurosurgery</i> , 2017 , 127, 81-88	3.2	129
105	Mobile Real-time Tracking of Acute Stroke Patients and Instant, Secure Inter-team Communication - the Join App. <i>Neurointervention</i> , 2017 , 12, 69-76	1.4	21
104	Arteriovenous malformation embocure score: AVMES. <i>Journal of NeuroInterventional Surgery</i> , 2016 , 8, 685-91	7.8	25
103	Geographic Differences in Endovascular Treatment and Retreatment of Cerebral Aneurysms. <i>American Journal of Neuroradiology</i> , 2016 , 37, 2055-2059	4.4	7
102	Use of flow-diverting stents as salvage treatment following failed stent-assisted embolization of intracranial aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2016 , 8, 692-5	7.8	26
101	Minimally invasive evacuation of intraventricular hemorrhage with the Apollo vibration/suction device. <i>Journal of Clinical Neuroscience</i> , 2016 , 27, 53-8	2.2	12
100	The fate of cranial neuropathy after flow diversion for carotid aneurysms. <i>Journal of Neurosurgery</i> , 2016 , 124, 1107-13	3.2	19
99	Progressive Deconstruction of a Distal Posterior Cerebral Artery Aneurysm Using Competitive Flow Diversion. <i>Neurointervention</i> , 2016 , 11, 46-9	1.4	3
98	Neuro-endovascular Embolic Agent for Treatment of a Renal Arteriovenous Fistula. <i>AIMS Medical Science</i> , 2016 , 3, 96-102	0.4	
97	Monoplane 3D Overlay Roadmap versus Conventional Biplane 2D Roadmap Technique for Neurointervenional Procedures. <i>Neurointervention</i> , 2016 , 11, 105-13	1.4	5
96	Treatment of Distal Anterior Circulation Aneurysms With the Pipeline Embolization Device: A US Multicenter Experience. <i>Neurosurgery</i> , 2016 , 79, 14-22	3.2	74
95	Aneurysm Study of Pipeline in an Observational Registry (ASPIRe). <i>Interventional Neurology</i> , 2016 , 5, 89-99	3	122
94	Risk Factors for Ischemic Complications following Pipeline Embolization Device Treatment of Intracranial Aneurysms: Results from the IntrePED Study. <i>American Journal of Neuroradiology</i> , 2016 , 37, 1673-8	4.4	64
93	Aspiration Thrombectomy After Intravenous Alteplase Versus Intravenous Alteplase Alone. <i>Stroke</i> , 2016 , 47, 2331-8	6.7	205

(2014-2016)

92	Ischemic core and hypoperfusion volumes predict infarct size in SWIFT PRIME. <i>Annals of Neurology</i> , 2016 , 79, 76-89	9.4	114
91	Endovascular treatment of cerebral venous thrombosis: Contemporary multicenter experience. <i>Interventional Neuroradiology</i> , 2015 , 21, 520-6	1.9	29
90	Thromboembolic complications with Pipeline Embolization Device placement: impact of procedure time, number of stents and pre-procedure P2Y12 reaction unit (PRU) value. <i>Journal of NeuroInterventional Surgery</i> , 2015 , 7, 217-21	7.8	114
89	High cervical spinal subdural hemorrhage as a harbinger of craniocervical arteriovenous fistula: an unusual clinical presentation. <i>Spine Journal</i> , 2015 , 15, e13-7	4	8
88	Stent-retriever thrombectomy after intravenous t-PA vs. t-PA alone in stroke. <i>New England Journal of Medicine</i> , 2015 , 372, 2285-95	59.2	3234
87	Complication analysis in nitinol stent-assisted embolization of 486 intracranial aneurysms. <i>Journal of Neurosurgery</i> , 2015 , 123, 453-9	3.2	22
86	Neuroophthalmological outcomes associated with use of the Pipeline Embolization Device: analysis of the PUFS trial results. <i>Journal of Neurosurgery</i> , 2015 , 123, 897-905	3.2	40
85	Utilization of Pipeline embolization device for treatment of ruptured intracranial aneurysms: US multicenter experience. <i>Journal of NeuroInterventional Surgery</i> , 2015 , 7, 808-15	7.8	95
84	Solitaire with the Intention for Thrombectomy as Primary Endovascular Treatment for Acute Ischemic Stroke (SWIFT PRIME) trial: protocol for a randomized, controlled, multicenter study comparing the Solitaire revascularization device with IV tPA with IV tPA alone in acute ischemic	6.3	195
83	Surgical management of malignant cerebral edema secondary to immune reconstitution inflammatory syndrome from natalizumab-associated progressive multifocal encephalopathy. Journal of Clinical Neuroscience, 2015, 22, 1669-71	2.2	2
82	Outcome following intracranial hemorrhage associated with novel oral anticoagulants. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 212-5	2.2	12
81	Recovery of pituitary function following treatment of an unruptured giant cavernous carotid aneurysm using Surpass flow-diverting stents. <i>Journal of NeuroInterventional Surgery</i> , 2015 , 7, e20	7.8	4
80	Ventriculoperitoneal shunt in a patient with ruptured blister aneurysm treated with pipeline embolization device. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2015 , 17, 54-8	0.7	
79	International retrospective study of the pipeline embolization device: a multicenter aneurysm treatment study. <i>American Journal of Neuroradiology</i> , 2015 , 36, 108-15	4.4	365
78	Compressive cervical myelopathy secondary to totally extradural spinal arteriovenous fistula. <i>Neurology India</i> , 2015 , 63, 790-2	0.7	3
77	Persistent aneurysm growth following pipeline embolization device assisted coiling of a fusiform vertebral artery aneurysm: a word of caution!. <i>Neurointervention</i> , 2015 , 10, 28-33	1.4	9
76	Endovascular treatment of acute ischemic stroke: the end or just the beginning?. <i>Neurosurgical Focus</i> , 2014 , 36, E5	4.2	35
75	Frameless neuronavigation based only on 3D digital subtraction angiography using surface-based facial registration. <i>Journal of Neurosurgery</i> , 2014 , 121, 745-50	3.2	16

74	Y-stent-assisted coil embolization of cerebral aneurysms. <i>Neurosurgical Focus</i> , 2014 , 37, 1	4.2	60
73	"Contrast-less" stent-assisted coiling of an A1 aneurysm. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2283-6	2.8	5
7 ²	Stent-assisted coiling versus coiling alone in unruptured intracranial aneurysms in the matrix and platinum science trial: safety, efficacy, and mid-term outcomes. <i>American Journal of Neuroradiology</i> , 2014 , 35, 698-705	4.4	102
71	The "Spot Sign" secondary to a ruptured lenticulostriate artery aneurysm. <i>Clinical Imaging</i> , 2014 , 38, 508-509	2.7	8
70	Current utility of diagnostic catheter cerebral angiography. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, e145-50	2.8	9
69	Feasibility and safety of pipeline embolization device in patients with ruptured carotid blister aneurysms. <i>Neurosurgery</i> , 2014 , 75, 419-29; discussion 429	3.2	76
68	Long-term radiographic results of stent-assisted embolization of cerebral aneurysms. <i>Neurosurgery</i> , 2014 , 74, 286-91	3.2	32
67	Delayed Vascular Claudication Following Diagnostic Cerebral Angiography: A Rare Complication of the AngioSeal Arteriotomy Closure Device. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2014 , 16, 275-80	0.7	7
66	Symptomatic Cerebral Air Embolism During Stent-assisted Coiling of an Unruptured Middle Cerebral Artery Aneurysm: Intraoperative Diagnosis and Management of a Rare Complication. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2014 , 16, 93-7	0.7	7
65	The Pipeline Embolization Device for the treatment of posterior circulation fusiform aneurysms: lessons learned at a single institution. <i>Journal of Neurosurgery</i> , 2014 , 121, 1077-84	3.2	76
64	Recanalization of acute carotid stent occlusion using Penumbra 4Max aspiration catheter: technical report and review of rescue strategies for acute carotid stent occlusion. <i>Journal of NeuroInterventional Surgery</i> , 2014 , 6, e42	7.8	4
63	Evaluation of a metal artifacts reduction algorithm applied to postinterventional flat panel detector CT imaging. <i>American Journal of Neuroradiology</i> , 2014 , 35, 2164-9	4.4	19
62	Progressive deconstruction: a novel aneurysm treatment using the pipeline embolization device for competitive flow diversion: case report. <i>Operative Neurosurgery</i> , 2014 , 10 Suppl 1, E161-6; discussion E166	1.6	12
61	Endovascular repair of a double-lumen dissecting aneurysm. <i>Journal of NeuroInterventional Surgery</i> , 2014 , 6, e29	7.8	
60	Ultrasound-guided posterolateral approach for midline calcified thoracic disc herniation. <i>Journal of Korean Neurosurgical Society</i> , 2014 , 55, 383-6	2.3	5
59	Manual Aspiration Technique to Retrieve a Prematurely Detached Coil during Cerebral Aneurysm Embolization. <i>Neurointervention</i> , 2014 , 9, 21-5	1.4	3
58	Aneurysm coil embolization using a 1.5-fr distal outer diameter microcatheter. <i>Neurointervention</i> , 2014 , 9, 39-44	1.4	5
57	Successful mechanical thrombectomy in a 2-year-old male through a 4-French guide catheter. <i>Neurointervention</i> , 2014 , 9, 94-100	1.4	25

(2010-2013)

56	Pipeline for uncoilable or failed aneurysms: results from a multicenter clinical trial. <i>Radiology</i> , 2013 , 267, 858-68	20.5	760
55	Massive cerebral involvement in fat embolism syndrome and intracranial pressure management. Journal of Neurosurgery, 2013 , 119, 1263-70	3.2	34
54	Stent-assisted embolization of 100 middle cerebral artery aneurysms. <i>Journal of Neurosurgery</i> , 2013 , 118, 950-5	3.2	30
53	Venous sinus manometry and intervention using the PrimeWire Prestige pressure guidewire: technique and initial experience. <i>Journal of NeuroInterventional Surgery</i> , 2013 , 5, 458-60	7.8	2
52	Stent assisted embolization of 64 anterior communicating artery aneurysms. <i>Journal of NeuroInterventional Surgery</i> , 2013 , 5 Suppl 3, iii62-5	7.8	26
51	Solitaire Flow Restoration thrombectomy for acute ischemic stroke: retrospective multicenter analysis of early postmarket experience after FDA approval. <i>Neurosurgery</i> , 2013 , 73, 19-25; discussion 25-6	3.2	52
50	Treatment of a ruptured vertebrobasilar fusiform aneurysm using pipeline embolization device. Journal of Cerebrovascular and Endovascular Neurosurgery, 2013 , 15, 30-3	0.7	20
49	Double wire technique for stenting tortuous cerebral vessels. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 905.e7-10	2.8	4
48	Intervention for intracranial atherosclerosis after SAMMPRIS. World Neurosurgery, 2012, 78, 409-12	2.1	4
47	Evaluation of cerebral artery perforators and the pipeline embolization device using optical coherence tomography. <i>Journal of NeuroInterventional Surgery</i> , 2012 , 4, 291-4	7.8	30
46	Gender differences in cerebral aneurysm location. Frontiers in Neurology, 2012, 3, 78	4.1	45
45	Initial Experience with Neuroform EZ in the Treatment of Wide-neck Cerebral Aneurysms. <i>Neurointervention</i> , 2012 , 7, 34-9	1.4	16
44	Moyamoya syndrome in an adult with essential thrombocythemia. <i>Neurology International</i> , 2011 , 3, e3	1.2	7
43	Hemodynamic changes following wingspan stent placementa quantitative magnetic resonance angiography study. <i>Journal of Neuroimaging</i> , 2011 , 21, e109-13	2.8	11
42	High-dose intra-arterial nicardipine results in hypotension following vasospasm treatment in subarachnoid hemorrhage. <i>Neurocritical Care</i> , 2011 , 15, 400-4	3.3	22
41	Transfer delay is a major factor limiting the use of intra-arterial treatment in acute ischemic stroke. <i>Stroke</i> , 2011 , 42, 1626-30	6.7	126
40	Use of intracranial stenting to secure unstable liquid embolic casts in wide-neck sidewall intracranial aneurysms. <i>Operative Neurosurgery</i> , 2010 , 66, 92-7; discussion 97-8	1.6	4
39	Onyx embolization of arteriovenous malformations using 2 microcatheters. <i>Neurosurgery</i> , 2010 , 66, 616-8; discussion 618-9	3.2	10

38	Histopathologic description of Wingspan stent in acute ischemic stroke. <i>Neurocritical Care</i> , 2009 , 11, 377-80	3.3	3
37	Stent remodeling technique for coiling of ruptured wide-neck cerebral aneurysms: case report. <i>Neurosurgery</i> , 2009 , 65, E1007-8; discussion E1008	3.2	12
36	Defining the risk of retreatment for aneurysm recurrence or residual after initial treatment by endovascular coiling: a multicenter study. <i>Neurosurgery</i> , 2009 , 65, 311-5; discussion 315	3.2	63
35	The utility of quantitative magnetic resonance angiography in the assessment of intracranial in-stent stenosis. <i>Stroke</i> , 2009 , 40, 991-3	6.7	47
34	Prevalence and risk factors for aspirin and clopidogrel resistance in cerebrovascular stenting. <i>American Journal of Neuroradiology</i> , 2008 , 29, 281-5	4.4	117
33	The "OK" sign: an unusual angiographic appearance of basilar artery fenestration. <i>Archives of Neurology</i> , 2008 , 65, 836		1
32	Does angiographic surveillance pose a risk in the management of coiled intracranial aneurysms? A multicenter study of 2243 patients. <i>Neurosurgery</i> , 2008 , 63, 845-9; discussion 849	3.2	22
31	Pseudo-subarachnoid hemorrhage in cerebellar infarction. <i>Neurocritical Care</i> , 2007 , 7, 172-4	3.3	10
30	Long-Term Follow-Up of Quality of Life after Gamma Knife Radiosurgery Treatment for Arteriovenous Malformations 2006 , 6, 211-220		
29	Endovascular treatment of intracranial aneurysms and vasospasm after aneurysmal subarachnoid hemorrhage. <i>Neurosurgery Clinics of North America</i> , 2005 , 16, 317-53, ix	4	9
		<u>'</u>	
28	Treatment of a middle cerebral artery bifurcation aneurysm using a double neuroform stent "Y" configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209	1.6	42
28	configuration and coil embolization: technical case report. Operative Neurosurgery, 2005, 57, E209;		113
	configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209 Histological postmortem study of an internal carotid artery aneurysm treated with the Neuroform	1.6	
27	configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209 Histological postmortem study of an internal carotid artery aneurysm treated with the Neuroform stent. <i>Neurosurgery</i> , 2005 , 56, E416; discussion E416 Treatment of wide-necked cerebral aneurysms with the Neuroform2 Treo stent. A prospective	3.2	113
27 26	configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209 Histological postmortem study of an internal carotid artery aneurysm treated with the Neuroform stent. <i>Neurosurgery</i> , 2005 , 56, E416; discussion E416 Treatment of wide-necked cerebral aneurysms with the Neuroform2 Treo stent. A prospective 6-month study. <i>Neurosurgical Focus</i> , 2005 , 18, E4 Clinical and Angiographic Results of Dilatation Procedures for Symptomatic Intracranial	1.6 3.2 4.2	113 47
27 26 25	configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209 Histological postmortem study of an internal carotid artery aneurysm treated with the Neuroform stent. <i>Neurosurgery</i> , 2005 , 56, E416; discussion E416 Treatment of wide-necked cerebral aneurysms with the Neuroform2 Treo stent. A prospective 6-month study. <i>Neurosurgical Focus</i> , 2005 , 18, E4 Clinical and Angiographic Results of Dilatation Procedures for Symptomatic Intracranial Atherosclerotic Disease. <i>Journal of Neuroimaging</i> , 2005 , 15, 240-249 Performance of magnetic field-guided navigation system for interventional neurosurgical and	1.6 3.2 4.2 2.8	113 47 13
27 26 25 24	configuration and coil embolization: technical case report. <i>Operative Neurosurgery</i> , 2005 , 57, E209; discussion E209 Histological postmortem study of an internal carotid artery aneurysm treated with the Neuroform stent. <i>Neurosurgery</i> , 2005 , 56, E416; discussion E416 Treatment of wide-necked cerebral aneurysms with the Neuroform2 Treo stent. A prospective 6-month study. <i>Neurosurgical Focus</i> , 2005 , 18, E4 Clinical and Angiographic Results of Dilatation Procedures for Symptomatic Intracranial Atherosclerotic Disease. <i>Journal of Neuroimaging</i> , 2005 , 15, 240-249 Performance of magnetic field-guided navigation system for interventional neurosurgical and cardiac procedures. <i>Journal of Applied Clinical Medical Physics</i> , 2005 , 6, 143-149 Clinical and angiographic results of dilatation procedures for symptomatic intracranial	1.6 3.2 4.2 2.8	113 47 13 9

(1998-2002)

20	Aggressive mechanical clot disruption and low-dose intra-arterial third-generation thrombolytic agent for ischemic stroke: a prospective study. <i>Neurosurgery</i> , 2002 , 51, 1319-27; discussion 1327-9	3.2	171
19	Angiographic quantification of contrast medium washout from cerebral aneurysms after stent placement. <i>American Journal of Neuroradiology</i> , 2002 , 23, 1214-21	4.4	45
18	Use of a craniofacial miniplate for internal fixation in a young child with cervical instability. Case report. <i>Journal of Neurosurgery: Spine</i> , 2001 , 95, 128-31	2.8	7
17	Current techniques for endovascular treatment of intracranial aneurysms. <i>Seminars in Cerebrovascular Diseases and Stroke</i> , 2001 , 1, 39-51		10
16	Sphenoid wing sarcoidosis. Case illustration. <i>Journal of Neurosurgery</i> , 2001 , 94, 849	3.2	6
15	Eyebrow incision for combined orbital osteotomy and supraorbital minicraniotomy: application to aneurysms of the anterior circulation. Technical note. <i>Journal of Neurosurgery</i> , 2001 , 95, 714-8	3.2	70
14	Intra-arterial third-generation recombinant tissue plasminogen activator (reteplase) for acute ischemic stroke. <i>Neurosurgery</i> , 2001 , 49, 41-8; discussion 48-50	3.2	104
13	A grading scale to predict outcomes after intra-arterial thrombolysis for stroke complicated by contrast extravasation. <i>Neurosurgery</i> , 2000 , 46, 1307-14; discussion 1314-5	3.2	51
12	Improved cerebral perfusion after stenting of a petrous carotid stenosis: technical case report. <i>Neurosurgery</i> , 1999 , 45, 638-42	3.2	19
11	Frequency and determinants of postprocedural hemodynamic instability after carotid angioplasty and stenting. <i>Stroke</i> , 1999 , 30, 2086-93	6.7	202
10	Carotid artery angioplasty and use of stents in high-risk patients with contralateral occlusions. <i>Journal of Neurosurgery</i> , 1999 , 90, 1031-6	3.2	80
9	CNS/AANS Subspecialty Fellowship Directory. <i>Neurosurgery</i> , 1999 , 44, 1320-1323	3.2	24
8	Percutaneous transluminal angioplasty and stent placement for recurrent carotid artery stenosis. Journal of Neurosurgery, 1999 , 90, 688-94	3.2	96
7	Postoperative hypotension after carotid angioplasty and stenting: report of three cases. <i>Neurosurgery</i> , 1999 , 44, 1320-3; discussion 1324	3.2	25
6	Cavernous sinus syndrome during balloon test occlusion of the cervical internal carotid artery. Report of two cases. <i>Journal of Neurosurgery</i> , 1998 , 89, 667-70	3.2	6
5	Delayed aneurysm regrowth and recanalization after Guglielmi detachable coil treatment. Case report. <i>Journal of Neurosurgery</i> , 1998 , 89, 142-5	3.2	83
4	Midcervical postinfectious ligamentous instability: a variant of Grisel® syndrome. <i>Pediatric Neurosurgery</i> , 1998 , 29, 133-7	0.9	11
3	Percutaneous transluminal angioplasty and stenting for recurrent carotid artery stenosis. <i>Neurosurgical Focus</i> , 1998 , 5, E7	4.2	

Partial Thrombosis of Canine Carotid Bifurcation Aneurysms with Cellulose Acetate Polymer.

Neurosurgery, 1998, 42, 1142-1143

3.2 5

Compression of thoracic nerve root by a facet joint synovial cyst: case report. *World Neurosurgery*, **1992**, 38, 338-40

21