

# Kim Butts Pauly

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5401836/publications.pdf>

Version: 2024-02-01

59  
papers

2,459  
citations

361413

20  
h-index

214800

47  
g-index

60  
all docs

60  
docs citations

60  
times ranked

2478  
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in the Cerebello-Thalamo-Cortical Network After Magnetic Resonance-Guided Focused Ultrasound Thalamotomy. <i>Brain Connectivity</i> , 2023, 13, 28-38.	1.7	4
2	Improving in situ acoustic intensity estimates using <sc>MR</sc> acoustic radiation force imaging in combination with multifrequency <sc>MR</sc> elastography. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1673-1689.	3.0	5
3	A preclinical study of diffusion-weighted MRI contrast as an early indicator of thermal ablation. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2145-2159.	3.0	8
4	Evaluation of an MRI receive head coil for use in transcranial MR guided focused ultrasound for functional neurosurgery. <i>International Journal of Hyperthermia</i> , 2021, 38, 22-29.	2.5	7
5	MRI-Guided Focused Ultrasound of Osseous Metastases. <i>Investigative Radiology</i> , 2021, 56, 141-146.	6.2	9
6	Anatomic and Thermometric Analysis of Cranial Nerve Palsy after Laser Amygdalohippocampotomy for Mesial Temporal Lobe Epilepsy. <i>Operative Neurosurgery</i> , 2020, 18, 684-691.	0.8	5
7	MR elastography frequency-dependent and independent parameters demonstrate accelerated decrease of brain stiffness in elder subjects. <i>European Radiology</i> , 2020, 30, 6614-6623.	4.5	13
8	Histologic evaluation of activation of acute inflammatory response in a mouse model following ultrasound-mediated blood-brain barrier using different acoustic pressures and microbubble doses. <i>Nanotheranostics</i> , 2020, 4, 210-223.	5.2	16
9	Improved Vim targeting for focused ultrasound ablation treatment of essential tremor: A probabilistic and patient-specific approach. <i>Human Brain Mapping</i> , 2020, 41, 4769-4788.	3.6	22
10	Remote, brain region-specific control of choice behavior with ultrasonic waves. <i>Science Advances</i> , 2020, 6, eaaz4193.	10.3	73
11	Histologic safety of transcranial focused ultrasound neuromodulation and magnetic resonance acoustic radiation force imaging in rhesus macaques and sheep. <i>Brain Stimulation</i> , 2020, 13, 804-814.	1.6	54
12	Case Report on Deep Brain Stimulation Rescue After Suboptimal MR-Guided Focused Ultrasound Thalamotomy for Essential Tremor: A Tractography-Based Investigation. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 191.	2.0	8
13	Impact of skull density ratio on efficacy and safety of magnetic resonance-guided focused ultrasound treatment of essential tremor. <i>Journal of Neurosurgery</i> , 2020, 132, 1392-1397.	1.6	50
14	Optimization of a Multifrequency Magnetic Resonance Elastography Protocol for the Human Brain. <i>Journal of Neuroimaging</i> , 2019, 29, 440-446.	2.0	20
15	Elimination of peripheral auditory pathway activation does not affect motor responses from ultrasound neuromodulation. <i>Brain Stimulation</i> , 2019, 12, 901-910.	1.6	108
16	Prolonged heating in nontargeted tissue during MR-guided focused ultrasound of bone tumors. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1526-1533.	3.4	6
17	Testing Different Combinations of Acoustic Pressure and Doses of Quinolinic Acid for Induction of Focal Neuron Loss in Mice Using Transcranial Low-Intensity Focused Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 129-136.	1.5	3
18	MRI monitoring of focused ultrasound sonications near metallic hardware. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 259-271.	3.0	3

#	ARTICLE	IF	CITATIONS
19	High sensitivity MR acoustic radiation force imaging using transition band balanced steady-state free precession. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1532-1537.	3.0	7
20	Transcranial MRI-guided high-intensity focused ultrasound for treatment of essential tremor: A pilot study on the correlation between lesion size, lesion location, thermal dose, and clinical outcome. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 58-65.	3.4	43
21	Magnetic resonance elastography of the brain: A comparison between pigs and humans. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 77, 702-710.	3.1	53
22	A spiral-based volumetric acquisition for MR temperature imaging. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 3122-3127.	3.0	14
23	Diffusion MRI tractography for improved transcranial MRI-guided focused ultrasound thalamotomy targeting for essential tremor. <i>NeuroImage: Clinical</i> , 2018, 19, 572-580.	2.7	64
24	Hearing out Ultrasound Neuromodulation. <i>Neuron</i> , 2018, 98, 875-877.	8.1	18
25	MR thermometry near metallic devices using multispectral imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1162-1169.	3.0	16
26	Magnetic resonance-guided focused ultrasound treatment of extra-abdominal desmoid tumors: a retrospective multicenter study. <i>European Radiology</i> , 2017, 27, 732-740.	4.5	83
27	Improved cortical bone specificity in UTE MR Imaging. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 684-695.	3.0	37
28	A meta-analysis of palliative treatment of pancreatic cancer with high intensity focused ultrasound. <i>Journal of Therapeutic Ultrasound</i> , 2017, 5, 9.	2.2	51
29	Cost-effectiveness of focused ultrasound, radiosurgery, and DBS for essential tremor. <i>Movement Disorders</i> , 2017, 32, 1165-1173.	3.9	75
30	A 1-MHz 2-D CMUT array for HIFU thermal ablation. <i>AIP Conference Proceedings</i> , 2017, , .	0.4	6
31	Specialized volumetric thermometry for improved guidance of MRgFUS in brain. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 508-517.	3.0	25
32	Treatment of Low-Flow Vascular Malformations of the Extremities Using MR-Guided High Intensity Focused Ultrasound: Preliminary Experience. <i>Journal of Vascular and Interventional Radiology</i> , 2017, 28, 1739-1744.	0.5	15
33	Improved MRI thermometry with multiple-echo spirals. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 747-756.	3.0	15
34	Predicting variation in subject thermal response during transcranial magnetic resonance guided focused ultrasound surgery: Comparison in seventeen subject datasets. <i>Medical Physics</i> , 2016, 43, 5170-5180.	3.0	24
35	Endoluminal ultrasound applicators for MR-guided thermal ablation of pancreatic tumors: Preliminary design and evaluation in a porcine pancreas model. <i>Medical Physics</i> , 2016, 43, 4184-4197.	3.0	9
36	Improving thermal dose accuracy in magnetic resonance-guided focused ultrasound surgery: Long-term thermometry using a prior baseline as a reference. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 181-189.	3.4	16

#	ARTICLE	IF	CITATIONS
37	Improving thermal dose accuracy in magnetic resonance-guided focused ultrasound surgery: Long-term thermometry using a prior baseline as a reference. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, spcone-spcone.	3.4	0
38	Frequency Dependence of Ultrasound Neurostimulation in the Mouse Brain. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 1512-1530.	1.5	182
39	A Randomized Trial of Focused Ultrasound Thalamotomy for Essential Tremor. <i>New England Journal of Medicine</i> , 2016, 375, 730-739.	27.0	770
40	Correcting heat-induced chemical shift distortions in proton resonance frequency-shift thermometry. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 172-182.	3.0	16
41	A feasibility study on monitoring the evolution of apparent diffusion coefficient decrease during thermal ablation. <i>Medical Physics</i> , 2015, 42, 5130-5137.	3.0	8
42	Transcranial MRI-Guided Focused Ultrasound: A Review of the Technologic and Neurologic Applications. <i>American Journal of Roentgenology</i> , 2015, 205, 150-159.	2.2	175
43	Transcranial phase aberration correction using beam simulations and MR-ARFI. <i>Medical Physics</i> , 2014, 41, 032901.	3.0	32
44	Localization of Ultrasound-Induced In-Vivo Neurostimulation in the Mouse Model. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1512-1522.	1.5	115
45	The road to clinical use of high-intensity focused ultrasound for liver cancer: technical and clinical consensus. <i>Journal of Therapeutic Ultrasound</i> , 2013, 1, 13.	2.2	76
46	Transcranial phase aberration correction using beam simulations and MR-ARFI. , 2012, , .		3
47	Magnetic resonance guided high-intensity focused ultrasound ablation of musculoskeletal tumors. <i>Current Orthopaedic Practice</i> , 2011, 22, 303-308.	0.2	5
48	The Feasibility of HIFU Liver Ablation Through the Ribcage and Cartilage in a Rodent Model. , 2009, , .		0
49	Fast Referenceless PRF Thermometry Using Spatially Saturated, Spatial-spectrally Excited Flyback EPI. , 2009, , .		0
50	Optimization of Encoding Gradients for Magnetic Resonance Acoustic Radiation Force Imaging. <i>AIP Conference Proceedings</i> , 2009, , .	0.4	2
51	Catheter-Based Ultrasound for 3D Control of Thermal Therapy. , 2009, , .		0
52	Progress in Development of HIFU CMUTs for use under MR-guidance. , 2009, , .		1
53	Design, Performance, and Applications of a Hybrid X-Ray/MR System for Interventional Guidance. <i>Proceedings of the IEEE</i> , 2008, 96, 468-480.	21.3	13
54	Referenceless PRF thermometry with multi-echo processing to monitor prostate ablation. <i>AIP Conference Proceedings</i> , 2007, , .	0.4	0

#	ARTICLE	IF	CITATIONS
55	Segmentation of Costal Cartilage in Abdominal CT Data using Watershed Markers. AIP Conference Proceedings, 2007, , .	0.4	3
56	Fast Conformal Thermal Ablation in the Prostate with Transurethral Multi-Sectoral Ultrasound Devices and MR Guidance. AIP Conference Proceedings, 2007, , .	0.4	0
57	Magnetic Resonance-Guided High-Intensity Ultrasound Ablation of the Prostate. Topics in Magnetic Resonance Imaging, 2006, 17, 195-207.	1.2	71
58	Targeted Prostate Thermal Therapy with Catheter-Based Ultrasound Devices and MR Thermal Monitoring. AIP Conference Proceedings, 2006, , .	0.4	0
59	Dynamic Angular Control Of Thermal Therapy With Stationary Multi-Sectoral Tubular Ultrasound Applicators Under MR Temperature Monitoring. AIP Conference Proceedings, 2006, , .	0.4	1