

Mark Lambie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5403863/publications.pdf>

Version: 2024-02-01

65
papers

2,279
citations

304743

22
h-index

223800

46
g-index

67
all docs

67
docs citations

67
times ranked

2789
citing authors

#	ARTICLE	IF	CITATIONS
1	Nomenclature for kidney function and disease: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. <i>Kidney International</i> , 2020, 97, 1117-1129.	5.2	407
2	Interleukin-6 Signaling Drives Fibrosis in Unresolved Inflammation. <i>Immunity</i> , 2014, 40, 40-50.	14.3	297
3	Independent Effects of Systemic and Peritoneal Inflammation on Peritoneal Dialysis Survival. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 2071-2080.	6.1	161
4	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part I "Assessment and Management of Various Cardiovascular Risk Factors. <i>Peritoneal Dialysis International</i> , 2015, 35, 379-387.	2.3	123
5	Length of Time on Peritoneal Dialysis and Encapsulating Peritoneal Sclerosis " Position Paper for ISPD: 2017 Update. <i>Peritoneal Dialysis International</i> , 2017, 37, 362-374.	2.3	113
6	The Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS): Unifying Efforts to Inform Practice and Improve Global Outcomes in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2016, 36, 297-307.	2.3	107
7	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Diseases, 2020, 75, 404-412.	1.9	92
8	The peritoneal osmotic conductance is low well before the diagnosis of encapsulating peritoneal sclerosis is made. <i>Kidney International</i> , 2010, 78, 611-618.	5.2	91
9	Bioimpedance-defined overhydration predicts survival in end stage kidney failure (ESKF): systematic review and subgroup meta-analysis. <i>Scientific Reports</i> , 2018, 8, 4441.	3.3	80
10	Determinants of Peritoneal Membrane Function Over Time. <i>Seminars in Nephrology</i> , 2011, 31, 172-182.	1.6	65
11	ISPD Cardiovascular and Metabolic Guidelines in Adult Peritoneal Dialysis Patients Part II "Management of Various Cardiovascular Complications. <i>Peritoneal Dialysis International</i> , 2015, 35, 388-396.	2.3	55
12	Peritoneal inflammation precedes encapsulating peritoneal sclerosis: results from the GLOBAL Fluid Study. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 480-486.	0.7	47
13	ISPD recommendations for the evaluation of peritoneal membrane dysfunction in adults: Classification, measurement, interpretation and rationale for intervention. <i>Peritoneal Dialysis International</i> , 2021, 41, 352-372.	2.3	42
14	Starting and withdrawing haemodialysis "associations between nephrologists' opinions, patient characteristics and practice patterns (data from the Dialysis Outcomes and Practice Patterns Study). <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2814-2820.	0.7	37
15	Biocompatible Solutions and Long-Term Changes in Peritoneal Solute Transport. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1526-1533.	4.5	34
16	<i>AQP1</i> Promoter Variant, Water Transport, and Outcomes in Peritoneal Dialysis. <i>New England Journal of Medicine</i> , 2021, 385, 1570-1580.	27.0	34
17	miR-21 Promotes Fibrogenesis in Peritoneal Dialysis. <i>American Journal of Pathology</i> , 2017, 187, 1537-1550.	3.8	30
18	Insulin resistance in cardiovascular disease, uremia, and peritoneal dialysis. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 721-730.	7.1	27

#	ARTICLE	IF	CITATIONS
19	Longitudinal Study of Small Solute Transport and Peritoneal Protein Clearance in Peritoneal Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 326-334.	4.5	26
20	A prospective, proteomics study identified potential biomarkers of encapsulating peritoneal sclerosis in peritoneal effluent. <i>Kidney International</i> , 2017, 92, 988-1002.	5.2	24
21	Transition between Different Renal Replacement Modalities: Gaps in Knowledge and Care—the Integrated Research Initiative. <i>Peritoneal Dialysis International</i> , 2019, 39, 4-12.	2.3	24
22	Proof-of-principle study to detect metabolic changes in peritoneal dialysis effluent in patients who develop encapsulating peritoneal sclerosis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2502-2510.	0.7	23
23	Peritoneal Protein Clearance Is a Function of Local Inflammation and Membrane Area Whereas Systemic Inflammation and Comorbidity Predict Survival of Incident Peritoneal Dialysis Patients. <i>Frontiers in Physiology</i> , 2019, 10, 105.	2.8	22
24	Impact of the implementation of an assisted peritoneal dialysis service on peritoneal dialysis initiation. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1595-1601.	0.7	20
25	Mycotic aneurysm of the aorta as a complication of Bacillus Calmette-Guérin instillation. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2011, 41, 114-116.	0.6	18
26	Histological and Clinical Findings in Patients with Post-Transplantation and Classical Encapsulating Peritoneal Sclerosis: A European Multicenter Study. <i>PLoS ONE</i> , 2014, 9, e106511.	2.5	18
27	Peritoneal Dialysate Glucose Load and Systemic Glucose Metabolism in Non-Diabetics: Results from the GLOBAL Fluid Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0155564.	2.5	18
28	The osmo-metabolic approach: a novel and tantalizing glucose-sparing strategy in peritoneal dialysis. <i>Journal of Nephrology</i> , 2021, 34, 503-519.	2.0	17
29	Assisted peritoneal dialysis across Europe: Practice variation and factors associated with availability. <i>Peritoneal Dialysis International</i> , 2021, 41, 533-541.	2.3	16
30	Trends in assisted peritoneal dialysis over the last decade: a cohort study from the French Peritoneal Dialysis Registry. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 1003-1011.	2.9	15
31	UK Renal Registry 19th Annual Report: Chapter 13 Home Therapies in 2015: National and Centre-specific Analyses. <i>Nephron</i> , 2017, 137, 297-326.	1.8	14
32	How unmeasured confounding in a competing risks setting can affect treatment effect estimates in observational studies. <i>BMC Medical Research Methodology</i> , 2019, 19, 166.	3.1	14
33	Variation in Peritoneal Dialysis Time on Therapy by Country. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 861-871.	4.5	14
34	Estimating risk of encapsulating peritoneal sclerosis accounting for the competing risk of death. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1585-1591.	0.7	13
35	A genome-wide association study suggests correlations of common genetic variants with peritoneal solute transfer rates in patients with kidney failure receiving peritoneal dialysis. <i>Kidney International</i> , 2021, 100, 1101-1111.	5.2	13
36	Ethnicity, age and incidence rates for renal replacement therapy (RRT) in Birmingham, UK: 1990-2004. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3983-3987.	0.7	12

#	ARTICLE	IF	CITATIONS
37	Mortality Trends After Transfer From Peritoneal Dialysis to Hemodialysis. <i>Kidney International Reports</i> , 2022, 7, 1062-1073.	0.8	12
38	Cryofiltration in the Treatment of Cryoglobulinemia and HLA Antibody- Incompatible Transplantation. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 91-96.	0.9	10
39	Attitudes toward Peritoneal Dialysis among Peritoneal Dialysis and Hemodialysis Medical Directors. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1067-1070.	4.5	9
40	Outcome measures for technique survival reported in peritoneal dialysis: A systematic review. <i>Peritoneal Dialysis International</i> , 2022, 42, 279-287.	2.3	9
41	Trends in Peritoneal Dialysis Technique Survival, Death, and Transfer to Hemodialysis: A Decade of Data from the RDPLF. <i>American Journal of Nephrology</i> , 2021, 52, 318-327.	3.1	8
42	Towards Standardized Reporting in Studies of Encapsulating Peritoneal Sclerosis. <i>Peritoneal Dialysis International</i> , 2013, 33, 482-486.	2.3	6
43	Understanding the variability in Ultrafiltration Obtained with Icodextrin. <i>Peritoneal Dialysis International</i> , 2009, 29, 407-411.	2.3	5
44	Long-Term Changes in Solute and Water Transport. <i>Contributions To Nephrology</i> , 2009, 163, 15-21.	1.1	5
45	Are Peritoneal Dialysis Center Characteristics a Modifiable Risk Factor to Improve Peritoneal Dialysis Outcomes?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1032-1034.	4.5	5
46	United Kingdom Catheter Study – Protocol Synopsis. <i>Peritoneal Dialysis International</i> , 2018, 38, 113-118.	2.3	5
47	Understanding the variability in ultrafiltration obtained with icodextrin. <i>Peritoneal Dialysis International</i> , 2009, 29, 407-11.	2.3	5
48	Use of tunnelled haemodialysis catheters at the start of haemodialysis–success rates and definition of infection. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1799-1800.	0.7	4
49	Transition between home dialysis modalities: another piece in the jigsaw of the integrated care pathway. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1781-1783.	0.7	4
50	Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. <i>Peritoneal Dialysis International</i> , 2021, 41, 292-297.	2.3	4
51	Risk factors associated with COVID-19 severity among patients on maintenance haemodialysis: a retrospective multicentre cross-sectional study in the UK. <i>BMJ Open</i> , 2022, 12, e054869.	1.9	4
52	Analgesia dose prescribing and estimated glomerular filtration rate decline: a general practice database linkage cohort study. <i>BMJ Open</i> , 2014, 4, e005581-e005581.	1.9	3
53	United Kingdom Catheter Study – Protocol Synopsis. <i>Peritoneal Dialysis International</i> , 2018, 38, 113-118.	2.3	3
54	Barriers and opportunities to increase PD incidence and prevalence: Lessons from a European Survey. <i>Peritoneal Dialysis International</i> , 2021, 41, 089686082110349.	2.3	3

#	ARTICLE	IF	CITATIONS
55	How do patients and their family members experience the transition from peritoneal dialysis to in-centre haemodialysis? A multisite qualitative study in England and Australia. <i>Peritoneal Dialysis International</i> , 2022, 42, 297-304.	2.3	3
56	Complement biomarkers in the management of peritoneal dialysis. <i>Immunobiology</i> , 2016, 221, 1172.	1.9	2
57	Renal staffsâ€™ understanding of patientsâ€™ experiences of transition from peritoneal dialysis to in-centre haemodialysis and their views on service improvement: A multi-site qualitative study in England and Australia. <i>PLoS ONE</i> , 2021, 16, e0254931.	2.5	2
58	Intervening to eliminate the centre-effect variation in home dialysis use: protocol for Inter-CEPTâ€™ a sequential mixed-methods study designing an intervention bundle. <i>BMJ Open</i> , 2022, 12, e060922.	1.9	2
59	Peritoneal Membrane Dysfunction. , 2017, , 451-460.e2.		1
60	Widening access to the specialised foundation programme. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2022, 83, 1-7.	0.5	1
61	Peritoneal dialysis - A. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, i214-i225.	0.7	0
62	FP564THE ROLE OF MICRORNAS-21 AND -31 IN PERITONEAL DIALYSIS-ASSOCIATED FIBROGENESIS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii262-iii262.	0.7	0
63	Variances in peritoneal dialysis outcomes still exist. <i>Journal of Kidney Care</i> , 2016, 1, 56-56.	0.1	0
64	FP467CHANGES IN DIALYSIS PRESCRIPTION AFFECT THE TIME COURSE OF SOLUTE TRANSPORT IN PERITONEAL DIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i194-i194.	0.7	0
65	MO681PERITONEAL DIALYSIS TIME ON THERAPY AND REGIONAL DIFFERENCES IN DEATH, TRANSFER TO HEMODIALYSIS AND KIDNEY TRANSPLANTATION: RESULTS FROM THE PDOPPS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0