

Penny Wright

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/540504/publications.pdf>

Version: 2024-02-01

57
papers

1,369
citations

361045

20
h-index

360668

35
g-index

57
all docs

57
docs citations

57
times ranked

2356
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Patients report improvements in continuity of care when quality of life assessments are used routinely in oncology practice: Secondary outcomes of a randomised controlled trial. <i>European Journal of Cancer</i> , 2010, 46, 2381-2388. | 1.3 | 150 |
| 2 | Health-Related Quality of Life After Colorectal Cancer in England: A Patient-Reported Outcomes Study of Individuals 12 to 36 Months After Diagnosis. <i>Journal of Clinical Oncology</i> , 2015, 33, 616-624. | 0.8 | 114 |
| 3 | Quality of life in men living with advanced and localised prostate cancer in the UK: a population-based study. <i>Lancet Oncology</i> , The, 2019, 20, 436-447. | 5.1 | 100 |
| 4 | Integrating Patient Reported Outcomes With Clinical Cancer Registry Data: A Feasibility Study of the Electronic Patient-Reported Outcomes From Cancer Survivors (ePOCS) System. <i>Journal of Medical Internet Research</i> , 2013, 15, e230. | 2.1 | 80 |
| 5 | Quality of Life After Bladder Cancer: A Cross-sectional Survey of Patient-reported Outcomes. <i>European Urology</i> , 2021, 79, 621-632. | 0.9 | 77 |
| 6 | Health-related quality of life after treatment for bladder cancer in England. <i>British Journal of Cancer</i> , 2018, 118, 1518-1528. | 2.9 | 55 |
| 7 | The Social Difficulties Inventory (SDI): development of subscales and scoring guidance for staff. <i>Psycho-Oncology</i> , 2011, 20, 36-43. | 1.0 | 51 |
| 8 | Ethnicity and the prostate cancer experience: a qualitative metasynthesis. <i>Psycho-Oncology</i> , 2016, 25, 1147-1156. | 1.0 | 46 |
| 9 | A Rasch and factor analysis of the Functional Assessment of Cancer Therapy-General (FACT-G). <i>Health and Quality of Life Outcomes</i> , 2007, 5, 19. | 1.0 | 45 |
| 10 | Functional Outcomes and Health-Related Quality of Life After Curative Treatment for Rectal Cancer: A Population-Level Study in England. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 1132-1142. | 0.4 | 43 |
| 11 | Psychometric evaluation of the Revised Illness Perception Questionnaire (IPQ-R) in cancer patients: Confirmatory factor analysis and Rasch analysis. <i>Journal of Psychosomatic Research</i> , 2013, 75, 556-562. | 1.2 | 39 |
| 12 | Illness perceptions within 6 months of cancer diagnosis are an independent prospective predictor of health-related quality of life 15 months post-diagnosis. <i>Psycho-Oncology</i> , 2015, 24, 1463-1470. | 1.0 | 38 |
| 13 | Evaluating patient-reported outcome measures (PROMs) for bladder cancer: a systematic review using the CONSORT-based Standards for the selection of health Measurement Instruments (COSMIN) checklist. <i>BJU International</i> , 2018, 122, 760-773. | 1.3 | 34 |
| 14 | Identifying Social Distress: A Cross-Sectional Survey of Social Outcomes 12 to 36 Months After Colorectal Cancer Diagnosis. <i>Journal of Clinical Oncology</i> , 2015, 33, 3423-3430. | 0.8 | 30 |
| 15 | Feasibility test of a UK-scalable electronic system for regular collection of patient-reported outcome measures and linkage with clinical cancer registry data: The electronic Patient-reported Outcomes from Cancer Survivors (ePOCS) system. <i>BMC Medical Informatics and Decision Making</i> , 2011, 11, 66. | 1.5 | 28 |
| 16 | Life after prostate cancer diagnosis: protocol for a UK-wide patient-reported outcomes study. <i>BMJ Open</i> , 2016, 6, e013555. | 0.8 | 27 |
| 17 | Decision regret in men living with and beyond nonmetastatic prostate cancer in the United Kingdom: A population-based patient-reported outcome study. <i>Psycho-Oncology</i> , 2020, 29, 886-893. | 1.0 | 26 |
| 18 | The economic burden of cancer in the UK: a study of survivors treated with curative intent. <i>Psycho-Oncology</i> , 2016, 25, 77-83. | 1.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Measuring social difficulties in routine patient-centred assessment: a Rasch analysis of the social difficulties inventory. <i>Quality of Life Research</i> , 2007, 16, 823-831. | 1.5 | 23 |
| 20 | Developing a useful, user-friendly website for cancer patient follow-up: users' perspectives on ease of access and usefulness. <i>European Journal of Cancer Care</i> , 2012, 21, 747-757. | 0.7 | 21 |
| 21 | A Needs-led Framework for Understanding the Impact of Caring for a Family Member With Dementia. <i>Gerontologist</i> , The, 2018, 58, e68-e77. | 2.3 | 21 |
| 22 | Cancer-related symptoms, mental well-being, and psychological distress in men diagnosed with prostate cancer treated with androgen deprivation therapy. <i>Quality of Life Research</i> , 2019, 28, 2741-2751. | 1.5 | 21 |
| 23 | Factors influencing job loss and early retirement in working men with prostate cancer—findings from the population-based Life After Prostate Cancer Diagnosis (LAPCD) study. <i>Journal of Cancer Survivorship</i> , 2018, 12, 669-678. | 1.5 | 20 |
| 24 | Validation of an item bank for detecting and assessing psychological distress in cancer patients. <i>Psycho-Oncology</i> , 2009, 18, 195-199. | 1.0 | 19 |
| 25 | Measurement and interpretation of social distress using the social difficulties inventory (SDI). <i>European Journal of Cancer</i> , 2008, 44, 1529-1535. | 1.3 | 18 |
| 26 | Urinary, bowel and sexual health in older men from Northern Ireland. <i>BJU International</i> , 2018, 122, 845-857. | 1.3 | 18 |
| 27 | Traditional and Rasch psychometric analyses of the Quality of Life in Adult Cancer Survivors (QLACS) questionnaire in shorter-term cancer survivors 15months post-diagnosis. <i>Journal of Psychosomatic Research</i> , 2014, 77, 322-329. | 1.2 | 15 |
| 28 | Key factors associated with social distress after prostate cancer: Results from the United Kingdom Life after Prostate Cancer diagnosis study. <i>Cancer Epidemiology</i> , 2019, 60, 201-207. | 0.8 | 15 |
| 29 | Regional multidisciplinary team intervention programme to improve colorectal cancer outcomes: study protocol for the Yorkshire Cancer Research Bowel Cancer Improvement Programme (YCR BCIP). <i>BMJ Open</i> , 2019, 9, e030618. | 0.8 | 15 |
| 30 | Cancer patients'™ and clinicians'™ opinions on the best time in secondary care to approach patients for recruitment to longitudinal questionnaire-based research. <i>Supportive Care in Cancer</i> , 2012, 20, 3365-3372. | 1.0 | 13 |
| 31 | Managing social difficulties: roles and responsibilities of patients and staff. <i>Psycho-Oncology</i> , 2012, 21, 20-28. | 1.0 | 13 |
| 32 | Changing Current Practice in Urology: Improving Guideline Development and Implementation Through Stakeholder Engagement. <i>European Urology</i> , 2017, 72, 161-163. | 0.9 | 13 |
| 33 | Transforming discrete choice experiment latent scale values for EQ-5D-3L using the visual analogue scale. <i>European Journal of Health Economics</i> , 2020, 21, 787-800. | 1.4 | 13 |
| 34 | Development of an Item Pool for a Needs-Based Measure of Quality of Life of Carers of a Family Member with Dementia. <i>Patient</i> , 2019, 12, 125-136. | 1.1 | 12 |
| 35 | Routine assessment of social difficulties in cancer patients: are we opening Pandora's™ box?. <i>Supportive Care in Cancer</i> , 2009, 17, 1425-1432. | 1.0 | 11 |
| 36 | A Qualitative Exploration of Prostate Cancer Survivors Experiencing Psychological Distress: Loss of Self, Function, Connection, and Control. <i>Oncology Nursing Forum</i> , 2020, 47, 318-330. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Score equivalence of electronic and paper versions of the Social Difficulties Inventory (SDI-21): a randomised crossover trial in cancer patients. <i>Quality of Life Research</i> , 2013, 22, 1435-1440. | 1.5 | 8 |
| 38 | Measuring Quality of Life in Carers of People With Dementia: Development and Psychometric Evaluation of Scales measuring the Impact of DEmentia on CARers (SIDE CAR). <i>Gerontologist</i> , The, 2021, 61, e1-e11. | 2.3 | 8 |
| 39 | Health-related quality of life in cancer survivorship: Predictive power of the Social Difficulties Inventory. <i>Psycho-Oncology</i> , 2017, 26, 1994-1997. | 1.0 | 6 |
| 40 | The psychological impact of being on a monitoring pathway for localised prostate cancer: A UK-wide mixed methods study. <i>Psycho-Oncology</i> , 2019, 28, 1567-1575. | 1.0 | 6 |
| 41 | Regional Variations in Quality of Survival Among Men with Prostate Cancer Across the United Kingdom. <i>European Urology</i> , 2019, 76, 228-237. | 0.9 | 6 |
| 42 | Life and bladder cancer: protocol for a longitudinal and cross-sectional patient-reported outcomes study of Yorkshire (UK) patients. <i>BMJ Open</i> , 2019, 9, e030850. | 0.8 | 6 |
| 43 | Influence of deprivation and rurality on patient-reported outcomes of men living with and beyond prostate cancer diagnosis in the UK: A population-based study. <i>Cancer Epidemiology</i> , 2020, 69, 101830. | 0.8 | 6 |
| 44 | Translation of the Social Difficulties Inventory (SDI-21) into three south Asian languages and preliminary evaluation of SDI-21 (Urdu). <i>Quality of Life Research</i> , 2011, 20, 431-438. | 1.5 | 4 |
| 45 | Quality of life among symptomatic compared to PSA-detected prostate cancer survivors - results from a UK wide patient-reported outcomes study. <i>BMC Cancer</i> , 2019, 19, 947. | 1.1 | 4 |
| 46 | Experiences of Support for Sexual Dysfunction in Men with Prostate Cancer: Findings from a U.K.-Wide Mixed Methods Study. <i>Journal of Sexual Medicine</i> , 2021, 18, 515-525. | 0.3 | 4 |
| 47 | A data flow process for confidential data and its application in a health research project. <i>PLoS ONE</i> , 2022, 17, e0262609. | 1.1 | 3 |
| 48 | Measurement invariance of the 16-item social distress scale. <i>Quality of Life Research</i> , 2011, 20, 507-511. | 1.5 | 2 |
| 49 | Strategies for living well with hormone-responsive advanced prostate cancer—a qualitative exploration. <i>Supportive Care in Cancer</i> , 2021, 29, 1317-1325. | 1.0 | 2 |
| 50 | Collection of cancer Patient Reported Outcome Measures (PROMS) to link with primary and secondary electronic care records to understand and improve long term cancer outcomes: A protocol paper. <i>PLoS ONE</i> , 2022, 17, e0266804. | 1.1 | 2 |
| 51 | Using International Web Sites as a Cancer Resource. <i>Cancer Practice</i> , 2002, 10, 167-169. | 0.8 | 1 |
| 52 | Improvements in measuring the health-related quality of life of cancer patients. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2006, 6, 97-105. | 0.7 | 1 |
| 53 | The social difficulties of cancer patients of South Asian Indian and Pakistani origin: a cross-sectional questionnaire and interview study. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 154-161. | 0.8 | 1 |
| 54 | Maximising Recruitment to Randomised Controlled Trials: The Role of Qualitative Research to Inform Recruitment Challenges. <i>European Urology</i> , 2017, 72, 799-800. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Stability of health-related quality of life and morbidity burden from 18 months after diagnosis of prostate cancer: results of a UK-wide population-based outcome cohort. <i>Supportive Care in Cancer</i> , 2022, 30, 3151-3164. | 1.0 | 1 |
| 56 | Using the Clinical Research Network for psychosocial cancer research: lessons learned from two observational studies. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, 202-211. | 0.8 | 0 |
| 57 | UK General Population Utility Values for the SIDECAR-D Instrument Measuring the Impact of Caring for People With Dementia. <i>Value in Health</i> , 2020, 23, 1079-1086. | 0.1 | 0 |