

Tom Luedde

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5405455/publications.pdf>

Version: 2024-02-01

247
papers

24,690
citations

13827

67
h-index

8138

148
g-index

262
all docs

262
docs citations

262
times ranked

32456
citing authors

#	ARTICLE	IF	CITATIONS
1	HIV-1 restriction by SERINC5. <i>Medical Microbiology and Immunology</i> , 2023, 212, 133-140.	2.6	5
2	Distribution of gastrointestinal neuroendocrine tumors in Europe: results from a retrospective cross-sectional study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 1411-1416.	1.2	3
3	miR-23a contributes to T cellular redox metabolism in juvenile idiopathic oligoarthritis. <i>Rheumatology</i> , 2022, 61, 2694-2703.	0.9	4
4	Intensity of mycophenolate mofetil treatment is associated with an impaired immune response to SARS-CoV-2 vaccination in kidney transplant recipients. <i>American Journal of Transplantation</i> , 2022, 22, 634-639.	2.6	97
5	Authors' reply: Pulmonary hypertension is associated with an increased incidence of NAFLD. <i>Journal of Internal Medicine</i> , 2022, 291, 527-527.	2.7	0
6	Spontaneous Cholemia in C57BL/6 Mice Predisposes to Liver Cancer in NASH. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 875-878.	2.3	5
7	Swelling-induced upregulation of miR-141-3p inhibits hepatocyte proliferation. <i>JHEP Reports</i> , 2022, 4, 100440.	2.6	5
8	Interruption of bile acid uptake by hepatocytes after acetaminophen overdose ameliorates hepatotoxicity. <i>Journal of Hepatology</i> , 2022, 77, 71-83.	1.8	31
9	Digital single-operator cholangioscopy with EHL as salvage therapy of an internalized and stone-impacted biliary stent 13 years after implantation. <i>Endoscopy International Open</i> , 2022, 10, E269-E272.	0.9	1
10	Feline Leukemia Virus-B Envelope Together With its GlycoGag and Human Immunodeficiency Virus-1 Nef Mediate Resistance to Feline SERINC5. <i>Journal of Molecular Biology</i> , 2022, 434, 167421.	2.0	5
11	Myelitis with flaccid paralysis due to Japanese encephalitis: case report and review of the literature. <i>Infection</i> , 2022, 50, 1597-1603.	2.3	6
12	N, LNR or LODDS: Which Is the Most Appropriate Lymph Node Classification Scheme for Patients with Radically Resected Pancreatic Cancer?. <i>Cancers</i> , 2022, 14, 1834.	1.7	7
13	The role of tumor-infiltrating lymphocytes in cholangiocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 127.	3.5	39
14	Neoadjuvant Treatment Lowers the Risk of Mesopancreatic Fat Infiltration and Local Recurrence in Patients with Pancreatic Cancer. <i>Cancers</i> , 2022, 14, 68.	1.7	2
15	Nuclear survivin is a prognosticator in gastroenteropancreatic neuroendocrine neoplasms: a meta-analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2235-2246.	1.2	3
16	An elevated FIB-4 score is associated with an increased incidence of liver cancer: A longitudinal analysis among 248,224 outpatients in Germany. <i>European Journal of Cancer</i> , 2022, 168, 41-50.	1.3	0
17	Swarm learning for decentralized artificial intelligence in cancer histopathology. <i>Nature Medicine</i> , 2022, 28, 1232-1239.	15.2	77
18	The implementation of the Kinyoun staining technique in a resource-limited setting is feasible and reveals a high prevalence of intestinal cryptosporidiosis in patients with HIV. <i>International Journal of Infectious Diseases</i> , 2022, 122, 130-135.	1.5	0

#	ARTICLE	IF	CITATIONS
19	Artificial intelligence for the prevention and clinical management of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 76, 1348-1361.	1.8	75
20	Staufen2 functions as a cofactor for enhanced Rev1-mediated nucleocytoplasmic trafficking of HIV-1 genomic RNA via the CRM1 pathway. <i>FEBS Journal</i> , 2022, 289, 6731-6751.	2.2	3
21	TREM-2 plays a protective role in cholestasis by acting as a negative regulator of inflammation. <i>Journal of Hepatology</i> , 2022, 77, 991-1004.	1.8	22
22	Roles of CCR2 and CCR5 for Hepatic Macrophage Polarization in Mice With Liver Parenchymal Cell-Specific NEMO Deletion. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 327-347.	2.3	23
23	Deep learning in cancer pathology: a new generation of clinical biomarkers. <i>British Journal of Cancer</i> , 2021, 124, 686-696.	2.9	291
24	CD40-mediated immune cell activation enhances response to anti-PD-1 in murine intrahepatic cholangiocarcinoma. <i>Journal of Hepatology</i> , 2021, 74, 1145-1154.	1.8	76
25	Prognostic evaluation of HCC patients undergoing surgical resection: an analysis of 8 different staging systems. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 75-86.	0.8	18
26	Deep learning detects genetic alterations in cancer histology generated by adversarial networks. <i>Journal of Pathology</i> , 2021, 254, 70-79.	2.1	31
27	Elevated soluble urokinase plasminogen activator receptor serum levels indicate poor survival following transarterial chemoembolization therapy for hepatic malignancies: An exploratory analysis. <i>JGH Open</i> , 2021, 5, 356-363.	0.7	0
28	From Liver Cirrhosis to Cancer: The Role of Micro-RNAs in Hepatocarcinogenesis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1492.	1.8	16
29	Serum levels of circulating microRNA-107 are elevated in patients with early-stage HCC. <i>PLoS ONE</i> , 2021, 16, e0247917.	1.1	9
30	JNK signaling prevents biliary cyst formation through a CASPASE-8-dependent function of RIPK1 during aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	8
31	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021, 592, 450-456.	13.7	649
32	Foamy Viruses, Bet, and APOBEC3 Restriction. <i>Viruses</i> , 2021, 13, 504.	1.5	6
33	The prognostic role of tumor-associated unilateral portal vein occlusion in perihilar cholangiocarcinoma. <i>Hpb</i> , 2021, 23, 1565-1577.	0.1	3
34	Achalasia is associated with a higher incidence of depression in outpatients in Germany. <i>PLoS ONE</i> , 2021, 16, e0250503.	1.1	11
35	Improved Recovery from Liver Fibrosis by Crenolanib. <i>Cells</i> , 2021, 10, 804.	1.8	6
36	CT-based determination of excessive visceral adipose tissue is associated with an impaired survival in critically ill patients. <i>PLoS ONE</i> , 2021, 16, e0250321.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Cancer Patients Have an Increased Incidence of Dementia: A Retrospective Cohort Study of 185,736 Outpatients in Germany. <i>Cancers</i> , 2021, 13, 2027.	1.7	10
38	Serum Levels of Soluble Urokinase Plasminogen Activator Receptor Predict Tumor Response and Outcome to Immune Checkpoint Inhibitor Therapy. <i>Frontiers in Oncology</i> , 2021, 11, 646883.	1.3	7
39	Case Report: Convalescent Plasma Achieves SARS-CoV-2 Viral Clearance in a Patient With Persistently High Viral Replication Over 8 Weeks Due to Severe Combined Immunodeficiency (SCID) and Graft Failure. <i>Frontiers in Immunology</i> , 2021, 12, 645989.	2.2	10
40	Impact of the COVID-19 Pandemic on Consultations and Diagnoses in Gastroenterology Practices in Germany. <i>Frontiers in Medicine</i> , 2021, 8, 684032.	1.2	7
41	Diverticular disease is associated with an increased incidence rate of depression and anxiety disorders. <i>International Journal of Colorectal Disease</i> , 2021, 36, 2437-2443.	1.0	2
42	Serum levels of soluble B and T lymphocyte attenuator predict overall survival in patients undergoing immune checkpoint inhibitor therapy for solid malignancies. <i>International Journal of Cancer</i> , 2021, 149, 1189-1198.	2.3	17
43	Secondary sclerosing cholangitis as a complication of severe COVID-19: A case report and review of the literature. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04068.	0.2	28
44	Murine leukemia virus resists producer cell APOBEC3A by its Glycosylated Gag but not target cell APOBEC3A. <i>Virology</i> , 2021, 557, 1-14.	1.1	3
45	Multicentric Castleman's disease in HIV patients: a single-center cohort diagnosed from 2008 to 2018. <i>Infection</i> , 2021, 49, 945-951.	2.3	4
46	Levels of Circulating PD-L1 Are Decreased in Patients with Resectable Cholangiocarcinoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6569.	1.8	3
47	Heart failure is associated with an increased incidence of cancer diagnoses. <i>ESC Heart Failure</i> , 2021, 8, 3628-3633.	1.4	31
48	Diagnosis and management of secondary causes of steatohepatitis. <i>Journal of Hepatology</i> , 2021, 74, 1455-1471.	1.8	56
49	Hospital Mortality and Current Trends in Liver Transplantation in Germany. <i>Deutsches Arzteblatt International</i> , 2021, 118, 497-502.	0.6	9
50	Macrophage migration inhibitory factor predicts an unfavorable outcome after transarterial chemoembolization for hepatic malignancies. <i>Clinical and Translational Science</i> , 2021, 14, 1853-1863.	1.5	6
51	Circulating Osteopontin Levels and Outcomes in Patients Hospitalized for COVID-19. <i>Journal of Clinical Medicine</i> , 2021, 10, 3907.	1.0	17
52	The Role of miRNA in the Pathophysiology of Neuroendocrine Tumors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8569.	1.8	8
53	Gallbladder Wall Thickening associated with Dengue Shock Syndrome in a German traveller – no indication for surgical therapy – a case report. <i>Tropical Diseases, Travel Medicine and Vaccines</i> , 2021, 7, 23.	0.9	1
54	Decreased Bone Mineral Density Is a Predictor of Poor Survival in Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3741.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Enlarged extracellular vesicles are a negative prognostic factor in patients undergoing TACE for primary or secondary liver cancer—a case series. <i>PLoS ONE</i> , 2021, 16, e0255983.	1.1	4
56	Delayed skin reaction after mRNA-1273 vaccine against SARS-CoV-2: a rare clinical reaction. <i>European Journal of Medical Research</i> , 2021, 26, 98.	0.9	16
57	Prognostic Discrimination of Alternative Lymph Node Classification Systems for Patients with Radically Resected Non-Metastatic Colorectal Cancer: A Cohort Study from a Single Tertiary Referral Center. <i>Cancers</i> , 2021, 13, 3898.	1.7	7
58	Pre-Operative MDCT Staging Predicts Mesopancreatic Fat Infiltration—A Novel Marker for Neoadjuvant Treatment?. <i>Cancers</i> , 2021, 13, 4361.	1.7	5
59	Spatio-Temporal Multiscale Analysis of Western Diet-Fed Mice Reveals a Translationally Relevant Sequence of Events during NAFLD Progression. <i>Cells</i> , 2021, 10, 2516.	1.8	24
60	Perioperative rifaximin is not associated with enhanced functional and volumetric recovery after major liver resection. <i>Scientific Reports</i> , 2021, 11, 17936.	1.6	1
61	Reply to: “Multiple investigations for a very common disorder: Finding the right balance in NAFLD”, <i>Journal of Hepatology</i> , 2021, 75, 1502-1503.	1.8	0
62	Pulmonary hypertension is associated with an increased incidence of NAFLD: A retrospective cohort study of 18,910 patients. <i>Journal of Internal Medicine</i> , 2021, 290, 886-893.	2.7	7
63	Emergence of the E484K mutation in SARS-COV-2-infected immunocompromised patients treated with bamlanivimab in Germany. <i>Lancet Regional Health - Europe</i> , The, 2021, 8, 100164.	3.0	83
64	Downregulation of TGR5 (GPBAR1) in biliary epithelial cells contributes to the pathogenesis of sclerosing cholangitis. <i>Journal of Hepatology</i> , 2021, 75, 634-646.	1.8	51
65	Development and validation of deep learning classifiers to detect Epstein-Barr virus and microsatellite instability status in gastric cancer: a retrospective multicentre cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e654-e664.	5.9	69
66	Nerve Fibers in the Tumor Microenvironment Are Co-Localized with Lymphoid Aggregates in Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 490.	1.0	12
67	Prolonged Survival of a Patient with Advanced-Stage Combined Hepatocellular-Cholangiocarcinoma. <i>Case Reports in Gastroenterology</i> , 2021, 14, 658-667.	0.3	6
68	Sarcopenia Predicts Cancer Mortality in Male but Not in Female Patients Undergoing Surgery for Cholangiocellular Carcinoma. <i>Cancers</i> , 2021, 13, 5359.	1.7	5
69	Diabetes mellitus is associated with an increased incidence of aortic valve stenosis. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412111033819.	0.9	1
70	Prevalence of Lung Metastases among 19,321 Metastatic Colorectal Cancer Patients in Eight Countries of Europe and Asia. <i>Current Oncology</i> , 2021, 28, 5035-5040.	0.9	3
71	Comparison of Different Systemic Therapeutic Regimes in Resectable Soft-Tissue Sarcoma—Results of a Network Meta-Analysis. <i>Cancers</i> , 2021, 13, 5631.	1.7	4
72	Liver Fibrosis—From Mechanisms of Injury to Modulation of Disease. <i>Frontiers in Medicine</i> , 2021, 8, 814496.	1.2	9

#	ARTICLE	IF	CITATIONS
73	Encapsidation of Staufen-2 Enhances Infectivity of HIV-1. <i>Viruses</i> , 2021, 13, 2459.	1.5	4
74	TIPS and splenorenal shunt for complications of portal hypertension in chronic hepatosplenic schistosomiasisâ€“A case series and review of the literature. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0010065.	1.3	7
75	Myeloid cells in liver and bone marrow acquire a functionally distinct inflammatory phenotype during obesity-related steatohepatitis. <i>Gut</i> , 2020, 69, 551-563.	6.1	142
76	Differential Gene Expression in Circulating CD14+ Monocytes Indicates the Prognosis of Critically Ill Patients with Sepsis. <i>Journal of Clinical Medicine</i> , 2020, 9, 127.	1.0	18
77	Evaluation of NAFLD and fibrosis in obese patients â€“ a comparison of histological and clinical scoring systems. <i>BMC Gastroenterology</i> , 2020, 20, 254.	0.8	25
78	Pan-cancer image-based detection of clinically actionable genetic alterations. <i>Nature Cancer</i> , 2020, 1, 789-799.	5.7	343
79	Midregional Proadrenomedullin (MRproADM) Serum Levels in Critically Ill Patients Are Associated with Short-Term and Overall Mortality during a Two-Year Follow-Up. <i>Mediators of Inflammation</i> , 2020, 2020, 1-10.	1.4	5
80	Circulating levels of microRNA193a-5p predict outcome in early stage hepatocellular carcinoma. <i>PLoS ONE</i> , 2020, 15, e0239386.	1.1	11
81	Skeletal Muscle Composition Predicts Outcome in Critically Ill Patients. , 2020, 2, e0171.		34
82	Leakage and Stenosis of the Hepaticojejunostomy Following Surgery for Perihilar Cholangiocarcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 1392.	1.0	10
83	Perception of the 2020 SARS-CoV-2 pandemic among medical professionals in Germany: results from a nationwide online survey. <i>Emerging Microbes and Infections</i> , 2020, 9, 1590-1599.	3.0	48
84	Clinical-Grade Detection of Microsatellite Instability in Colorectal Tumors by Deep Learning. <i>Gastroenterology</i> , 2020, 159, 1406-1416.e11.	0.6	209
85	A20 Promotes Ripoptosome Formation and TNF-Induced Apoptosis via cIAPs Regulation and NIK Stabilization in Keratinocytes. <i>Cells</i> , 2020, 9, 351.	1.8	16
86	Circulating levels of soluble urokinase plasminogen activator receptor predict outcome after resection of biliary tract cancer. <i>JHEP Reports</i> , 2020, 2, 100080.	2.6	17
87	The Medium-Chain Fatty Acid Receptor GPR84 Mediates Myeloid Cell Infiltration Promoting Steatohepatitis and Fibrosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1140.	1.0	49
88	Life is fragile: FMRP controls cell death in liver disease. <i>Gut</i> , 2020, 69, 2-3.	6.1	2
89	Circulating levels of soluble urokinase plasminogen activator receptor (suPAR) to predict outcome after resection of biliary tract cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, 572-572.	0.8	0
90	An NF-kappaB- and IKK-Independent Function of NEMO Prevents Hepatocarcinogenesis by Suppressing Compensatory Liver Regeneration. <i>Cancers</i> , 2019, 11, 999.	1.7	13

#	ARTICLE	IF	CITATIONS
91	Infliximab therapy together with tyrosine kinase inhibition targets leukemic stem cells in chronic myeloid leukemia. <i>BMC Cancer</i> , 2019, 19, 658.	1.1	12
92	A Combined Score of Circulating miRNAs Allows Outcome Prediction in Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1644.	1.0	6
93	Sarcopenia Is a Negative Prognostic Factor in Patients Undergoing Transarterial Chemoembolization (TACE) for Hepatic Malignancies. <i>Cancers</i> , 2019, 11, 1503.	1.7	35
94	The Role of Adipokines as Circulating Biomarkers in Critical Illness and Sepsis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4820.	1.8	16
95	Chemoembolization with Degradable Starch Microspheres for Treatment of Patients with Primary or Recurrent Unresectable, Locally Advanced Intrahepatic Cholangiocarcinoma: A Pilot Study. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 1709-1717.	0.9	13
96	The CCR2+ Macrophage Subset Promotes Pathogenic Angiogenesis for Tumor Vascularization in Fibrotic Livers. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 371-390.	2.3	71
97	Serum levels of miR-29, miR-122, miR-155 and miR-192 are elevated in patients with cholangiocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0210944.	1.1	43
98	Predicting survival from colorectal cancer histology slides using deep learning: A retrospective multicenter study. <i>PLoS Medicine</i> , 2019, 16, e1002730.	3.9	563
99	Deep learning can predict microsatellite instability directly from histology in gastrointestinal cancer. <i>Nature Medicine</i> , 2019, 25, 1054-1056.	15.2	773
100	Neutrophils are a main source of circulating suPAR predicting outcome in critical illness. <i>Journal of Intensive Care</i> , 2019, 7, 26.	1.3	39
101	Perilipin 5 and Lipocalin 2 Expression in Hepatocellular Carcinoma. <i>Cancers</i> , 2019, 11, 385.	1.7	25
102	miR-155 Predicts Long-Term Mortality in Critically Ill Patients Younger than 65 Years. <i>Mediators of Inflammation</i> , 2019, 2019, 1-8.	1.4	12
103	Noninvasive Evaluation of Liver Function in Morbidly Obese Patients. <i>Gastroenterology Research and Practice</i> , 2019, 2019, 1-7.	0.7	12
104	Diagnostic and prognostic biomarkers in cholangiocarcinoma. <i>Liver International</i> , 2019, 39, 108-122.	1.9	89
105	Liver fibrosis affects the targeting properties of drug delivery systems to macrophage subsets in vivo. <i>Biomaterials</i> , 2019, 206, 49-60.	5.7	22
106	Characterization of HCC Mouse Models: Towards an Etiology-Oriented Subtyping Approach. <i>Molecular Cancer Research</i> , 2019, 17, 1493-1502.	1.5	23
107	CXCR6 Inhibits Hepatocarcinogenesis by Promoting Natural Killer T- and CD4+ T-Cell-Dependent Control of Senescence. <i>Gastroenterology</i> , 2019, 156, 1877-1889.e4.	0.6	83
108	Elevated serum levels of bone sialoprotein (BSP) predict long-term mortality in patients with pancreatic adenocarcinoma. <i>Scientific Reports</i> , 2019, 9, 1489.	1.6	5

#	ARTICLE	IF	CITATIONS
109	High baseline soluble urokinase plasminogen activator receptor (suPAR) serum levels indicate adverse outcome after resection of pancreatic adenocarcinoma. <i>Carcinogenesis</i> , 2019, 40, 947-955.	1.3	19
110	Excellent Response to Anti-PD-1 Therapy in a Patient with Hepatocellular Carcinoma Intolerant to Sorafenib. <i>Visceral Medicine</i> , 2019, 35, 43-46.	0.5	6
111	Serum Levels of Kisspeptin Are Elevated in Patients with Pancreatic Cancer. <i>Disease Markers</i> , 2019, 2019, 1-8.	0.6	7
112	Serum Levels of miR-143 Predict Survival in Critically Ill Patients. <i>Disease Markers</i> , 2019, 2019, 1-10.	0.6	10
113	CXCR6 protects from inflammation and fibrosis in NEMOLPC-KO mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 391-402.	1.8	14
114	Soluble urokinase plasminogen activator receptor (suPAR) as a novel biomarker in patients undergoing resection of pancreatic adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 248-248.	0.8	0
115	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018, 25, 486-541.	5.0	4,036
116	Reply to: "Osteopontin a promising prognostic biomarker for cholangiocarcinoma?" <i>Journal of Hepatology</i> , 2018, 68, 206-207.	1.8	0
117	Therapeutic inhibition of inflammatory monocyte recruitment reduces steatohepatitis and liver fibrosis. <i>Hepatology</i> , 2018, 67, 1270-1283.	3.6	388
118	Circulating Levels of Osteopontin Predict Patients' Outcome after Resection of Colorectal Liver Metastases. <i>Journal of Clinical Medicine</i> , 2018, 7, 390.	1.0	12
119	microRNA 193a-5p Regulates Levels of Nucleolar- and Spindle-Associated Protein 1 to Suppress Hepatocarcinogenesis. <i>Gastroenterology</i> , 2018, 155, 1951-1966.e26.	0.6	86
120	Apoptosis and necroptosis in the liver: a matter of life and death. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 738-752.	8.2	364
121	Serum levels of kisspeptin are elevated in critically ill patients. <i>PLoS ONE</i> , 2018, 13, e0206064.	1.1	8
122	Necroptosis microenvironment directs lineage commitment in liver cancer. <i>Nature</i> , 2018, 562, 69-75.	13.7	283
123	A General Overview on Non-coding RNA-Based Diagnostic and Therapeutic Approaches for Liver Diseases. <i>Frontiers in Pharmacology</i> , 2018, 9, 805.	1.6	20
124	Circulating Biomarkers for Cholangiocarcinoma. <i>Digestive Diseases</i> , 2018, 36, 281-288.	0.8	18
125	Elevated Serum Levels of Mixed Lineage Kinase Domain-Like Protein Predict Survival of Patients during Intensive Care Unit Treatment. <i>Disease Markers</i> , 2018, 2018, 1-8.	0.6	16
126	High-Throughput Screening of Combinatorial Immunotherapies with Patient-Specific <i>In Silico</i> Models of Metastatic Colorectal Cancer. <i>Cancer Research</i> , 2018, 78, 5155-5163.	0.4	35

#	ARTICLE	IF	CITATIONS
127	Differential Roles of Tumor Necrosis Factor Ligand Superfamily Members as Biomarkers in Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2018, 7, 175.	1.0	5
128	Elevated serum levels of bone sialoprotein during ICU treatment predict long-term mortality in critically ill patients. <i>Scientific Reports</i> , 2018, 8, 9750.	1.6	3
129	The Role of miRNAs in the Pathophysiology of Liver Diseases and Toxicity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 261.	1.8	96
130	IL-6 and IL-8 Serum Levels Predict Tumor Response and Overall Survival after TACE for Primary and Secondary Hepatic Malignancies. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1766.	1.8	38
131	Inactivation of caspase 8 in liver parenchymal cells confers protection against murine obstructive cholestasis. <i>Journal of Hepatology</i> , 2018, 69, 1326-1334.	1.8	20
132	Serum levels of soluble urokinase plasminogen activator receptor (suPAR) predict outcome after resection of colorectal liver metastases. <i>Oncotarget</i> , 2018, 9, 27027-27038.	0.8	19
133	The multikinase inhibitor regorafenib decreases angiogenesis and improves portal hypertension. <i>Oncotarget</i> , 2018, 9, 36220-36237.	0.8	20
134	Soluble urokinase plasminogen activator receptor (suPAR) as a novel serum biomarker for patients undergoing resection of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2018, 36, 309-309.	0.8	0
135	Soluble urokinase plasminogen activator receptor (suPAR) as a serum biomarker for patients undergoing resection of pancreatic adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, e16203-e16203.	0.8	0
136	Selection of the highly replicative and partially multidrug resistant rtS78T HBV polymerase mutation during TDF-ETV combination therapy. <i>Journal of Hepatology</i> , 2017, 67, 246-254.	1.8	52
137	The enigma of RIPK1 in the liver: More than just a kinase. <i>Molecular and Cellular Oncology</i> , 2017, 4, e1304191.	0.3	10
138	Current and future biomarkers for pancreatic adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831769223.	0.8	62
139	Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. <i>Cancer Cell</i> , 2017, 31, 771-789.e6.	7.7	140
140	RIPK1 Suppresses a TRAF2-Dependent Pathway to Liver Cancer. <i>Cancer Cell</i> , 2017, 31, 94-109.	7.7	115
141	A Dual Role of Caspase-8 in Triggering and Sensing Proliferation-Associated DNA Damage, a Key Determinant of Liver Cancer Development. <i>Cancer Cell</i> , 2017, 32, 342-359.e10.	7.7	122
142	CEA but not CA19-9 is an independent prognostic factor in patients undergoing resection of cholangiocarcinoma. <i>Scientific Reports</i> , 2017, 7, 16975.	1.6	65
143	miR-1224 inhibits cell proliferation in acute liver failure by targeting the antiapoptotic gene Nfib. <i>Journal of Hepatology</i> , 2017, 67, 966-978.	1.8	64
144	miR-223 represents a biomarker in acute and chronic liver injury. <i>Clinical Science</i> , 2017, 131, 1971-1987.	1.8	35

#	ARTICLE	IF	CITATIONS
145	Elevated levels of circulating osteopontin are associated with a poor survival after resection of cholangiocarcinoma. <i>Journal of Hepatology</i> , 2017, 67, 749-757.	1.8	64
146	A liver nodule in a patient transplanted for primary sclerosing cholangitis: an interdisciplinary diagnostic approach. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, 56-62.	0.2	3
147	Differential impact of the dual CCR2/CCR5 inhibitor cenicriviroc on migration of monocyte and lymphocyte subsets in acute liver injury. <i>PLoS ONE</i> , 2017, 12, e0184694.	1.1	49
148	Elevated Omentin Serum Levels Predict Long-Term Survival in Critically Ill Patients. <i>Disease Markers</i> , 2016, 2016, 1-9.	0.6	12
149	Circulating MicroRNAs as Biomarkers for Sepsis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 78.	1.8	212
150	Chemokine (Câ€C motif) receptor 2â€“positive monocytes aggravate the early phase of acetaminophenâ€“induced acute liver injury. <i>Hepatology</i> , 2016, 64, 1667-1682.	3.6	271
151	miR-122 expression is not regulated during activation of hepatic stellate cells. <i>Journal of Hepatology</i> , 2016, 65, 865-867.	1.8	4
152	Receptor interacting protein kinase 1 (RIPK1) in hepatocytes does not mediate murine acetaminophen toxicity. <i>Hepatology</i> , 2016, 64, 306-308.	3.6	26
153	The transition from inflammation to cancer in the liver. <i>Clinical Liver Disease</i> , 2016, 8, 89-93.	1.0	25
154	Serum levels of S100A6 are unaltered in patients with resectable cholangiocarcinoma. <i>Clinical and Translational Medicine</i> , 2016, 5, 39.	1.7	14
155	Direct Reprogramming of Hepatic Myofibroblasts into Hepatocytes Inâ€Vivo Attenuates Liver Fibrosis. <i>Cell Stem Cell</i> , 2016, 18, 797-808.	5.2	181
156	Down-regulation of <i>miR-192-5p</i> protects from oxidative stress-induced acute liver injury. <i>Clinical Science</i> , 2016, 130, 1197-1207.	1.8	59
157	Î² kinaseÎ±/Î² control biliary homeostasis and hepatocarcinogenesis in mice by phosphorylating the cellâ€“death mediator receptorâ€“interacting protein kinase 1. <i>Hepatology</i> , 2016, 64, 1217-1231.	3.6	54
158	Negative regulation of NF-Î²B p65 activity by serine 536 phosphorylation. <i>Science Signaling</i> , 2016, 9, ra85.	1.6	96
159	The necroptosis-inducing kinase RIPK3 dampens adipose tissue inflammation and glucose intolerance. <i>Nature Communications</i> , 2016, 7, 11869.	5.8	68
160	Histidineâ€“rich glycoprotein promotes macrophage activation and inflammation in chronic liver disease. <i>Hepatology</i> , 2016, 63, 1310-1324.	3.6	77
161	Combined Activities of JNK1 and JNK2 in Hepatocytes Protect Against Toxic Liver Injury. <i>Gastroenterology</i> , 2016, 150, 968-981.	0.6	82
162	Serum Levels of TNF Receptor Ligands Are Dysregulated in Sepsis and Predict Mortality in Critically Ill Patients. <i>PLoS ONE</i> , 2016, 11, e0153765.	1.1	15

#	ARTICLE	IF	CITATIONS
163	Necroptosis in Nonalcoholic Steatohepatitis. Cellular and Molecular Gastroenterology and Hepatology, 2015, 1, 264-265.	2.3	25
164	Autologous Peripheral Blood Mononuclear Cells as Treatment in Refractory Acute Respiratory Distress Syndrome. Respiration, 2015, 90, 481-492.	1.2	12
165	<sc>miR</sc>â€³0c and <sc>miR</sc>â€²193 are a part of the <sc>TGF</sc>â€²â€²-dependent regulatory network controlling extracellular matrix genes in liver fibrosis. Journal of Digestive Diseases, 2015, 16, 513-524.	0.7	57
166	Persistently elevated osteopontin serum levels predict mortality in critically ill patients. Critical Care, 2015, 19, 271.	2.5	40
167	Circulating MicroRNA-223 Serum Levels Do Not Predict Sepsis or Survival in Patients with Critical Illness. Disease Markers, 2015, 2015, 1-10.	0.6	34
168	Biliary Mucosal Barrier and Microbiome. Visceral Medicine, 2015, 31, 156-161.	0.5	53
169	Functional Liver Recovery After Bariatric Surgeryâ€”a Prospective Cohort Study with the LIMax Test. Obesity Surgery, 2015, 25, 2047-2053.	1.1	24
170	Liver inflammation abrogates immunological tolerance induced by Kupffer cells. Hepatology, 2015, 62, 279-291.	3.6	304
171	Cyclic adenosine monophosphateâ€”responsive element modulator alpha overexpression impairs function of hepatic myeloidâ€”derived suppressor cells and aggravates immuneâ€”mediated hepatitis in mice. Hepatology, 2015, 61, 990-1002.	3.6	31
172	Elevated miRâ€²22 serum levels are an independent marker of liver injury in inflammatory diseases. Liver International, 2015, 35, 1172-1184.	1.9	98
173	Fluorescent cell-traceable dexamethasone-loaded liposomes for the treatment of inflammatory liver diseases. Biomaterials, 2015, 37, 367-382.	5.7	115
174	The role of miRNAs in the regulation of inflammatory processes during hepatofibrogenesis. Hepatobiliary Surgery and Nutrition, 2015, 4, 24-33.	0.7	45
175	A Novel TNF-Alpha Antibody Based Therapeutic Approach to Target Leukemic Stem Cells in Bcr-Abl Disease. Blood, 2015, 126, 15-15.	0.6	0
176	Characterization of Stem-Like Cells in Mucoepidermoid Tracheal Paediatric Tumor. PLoS ONE, 2014, 9, e107712.	1.1	2
177	Chemokine receptor CCR6-dependent accumulation of $\hat{I}^3\hat{T}$ T cells in injured liver restricts hepatic inflammation and fibrosis. Hepatology, 2014, 59, 630-642.	3.6	180
178	Circulating microRNAs as markers of liver inflammation, fibrosis and cancer. Journal of Hepatology, 2014, 61, 1434-1437.	1.8	99
179	Pharmacological inhibition of the chemokine C-C motif chemokine ligand 2 (monocyte) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Ly-6C⁺ macrophage infiltration in mice. Hepatology, 2014, 59, 1060-1072.	3.6	216
180	A positive feedback loop between <sc>RIP</sc>3 and <sc>JNK</sc> controls nonâ€”alcoholic steatohepatitis. EMBO Molecular Medicine, 2014, 6, 1062-1074.	3.3	253

#	ARTICLE	IF	CITATIONS
181	RIP3, a kinase promoting necroptotic cell death, mediates adverse remodelling after myocardial infarction. <i>Cardiovascular Research</i> , 2014, 103, 206-216.	1.8	257
182	Levels of Circulating miR-133a Are Elevated in Sepsis and Predict Mortality in Critically Ill Patients. <i>Critical Care Medicine</i> , 2014, 42, 1096-1104.	0.4	111
183	The role of the gut microbiome in the development and progression of liver cirrhosis and hepatocellular carcinoma. <i>Gut Microbes</i> , 2014, 5, 441-445.	4.3	66
184	Cell Death and Cell Death Responses in Liver Disease: Mechanisms and Clinical Relevance. <i>Gastroenterology</i> , 2014, 147, 765-783.e4.	0.6	587
185	CCL2-dependent infiltrating macrophages promote angiogenesis in progressive liver fibrosis. <i>Gut</i> , 2014, 63, 1960-1971.	6.1	247
186	Administration of proton pump inhibitors in critically ill medical patients is associated with increased risk of developing <i>Clostridium difficile</i> -associated diarrhea. <i>Journal of Critical Care</i> , 2014, 29, 696.e11-696.e15.	1.0	84
187	Pharmacological Inhibition of the Chemokine CXCL16 Diminishes Liver Macrophage Infiltration and Steatohepatitis in Chronic Hepatic Injury. <i>PLoS ONE</i> , 2014, 9, e112327.	1.1	63
188	Genotyping upper gastrointestinal cancer in daily clinical care.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15004-e15004.	0.8	0
189	Elevated asymmetric dimethylarginine levels predict short- and long-term mortality risk in critically ill patients. <i>Journal of Critical Care</i> , 2013, 28, 947-953.	1.0	43
190	A new type of microglia gene targeting shows TAK1 to be pivotal in CNS autoimmune inflammation. <i>Nature Neuroscience</i> , 2013, 16, 1618-1626.	7.1	574
191	Experimental liver fibrosis research: update on animal models, legal issues and translational aspects. <i>Fibrogenesis and Tissue Repair</i> , 2013, 6, 19.	3.4	256
192	RIP3 Inhibits Inflammatory Hepatocarcinogenesis but Promotes Cholestasis by Controlling Caspase-8- and JNK-Dependent Compensatory Cell Proliferation. <i>Cell Reports</i> , 2013, 4, 776-790.	2.9	124
193	Serum concentrations of A Proliferation-Inducing Ligand (APRIL) are elevated in sepsis and predict mortality in critically ill patients. <i>Journal of Critical Care</i> , 2013, 28, 882.e1-882.e11.	1.0	10
194	The role of miRNAs in animal models of liver fibrosis. <i>Drug Discovery Today: Disease Models</i> , 2013, 10, e121-e126.	1.2	1
195	miR-133a mediates TGF- β 2-dependent derepression of collagen synthesis in hepatic stellate cells during liver fibrosis. <i>Journal of Hepatology</i> , 2013, 58, 736-742.	1.8	110
196	U6 is unsuitable for normalization of serum miRNA levels in patients with sepsis or liver fibrosis. <i>Experimental and Molecular Medicine</i> , 2013, 45, e42-e42.	3.2	139
197	miR-199a-5p Is Upregulated during Fibrogenic Response to Tissue Injury and Mediates TGF β -Induced Lung Fibroblast Activation by Targeting Caveolin-1. <i>PLoS Genetics</i> , 2013, 9, e1003291.	1.5	210
198	Regulation and Prognostic Relevance of Symmetric Dimethylarginine Serum Concentrations in Critical Illness and Sepsis. <i>Mediators of Inflammation</i> , 2013, 2013, 1-8.	1.4	28

#	ARTICLE	IF	CITATIONS
199	Chemokine Receptor CXCR6-Dependent Hepatic NK T Cell Accumulation Promotes Inflammation and Liver Fibrosis. <i>Journal of Immunology</i> , 2013, 190, 5226-5236.	0.4	219
200	Frequency and Phenotype of Human Circulating and Intrahepatic Natural Killer Cell Subsets Is Differentially Regulated according to Stage of Chronic Liver Disease. <i>Digestion</i> , 2013, 88, 1-16.	1.2	9
201	Circulating MicroRNA-150 Serum Levels Predict Survival in Patients with Critical Illness and Sepsis. <i>PLoS ONE</i> , 2013, 8, e54612.	1.1	138
202	Study on the association of helicobacter species with viral hepatitis-induced hepatocellular carcinoma. <i>Gut Microbes</i> , 2012, 3, 228-233.	4.3	29
203	Adaptive immunity suppresses formation and progression of diethylnitrosamine-induced liver cancer. <i>Gut</i> , 2012, 61, 1733-1743.	6.1	159
204	TNF-Dependent Signaling Pathways in Liver Cancer: Promising Targets for Therapeutic Strategies?. <i>Digestive Diseases</i> , 2012, 30, 500-507.	0.8	16
205	Pharmacological inhibition of the chemokine CCL2 (MCP-1) diminishes liver macrophage infiltration and steatohepatitis in chronic hepatic injury. <i>Gut</i> , 2012, 61, 416-426.	6.1	485
206	A novel player in inflammation and cancer: The deubiquitinase CYLD controls HCC development. <i>Journal of Hepatology</i> , 2012, 57, 937-939.	1.8	16
207	Micro-RNA Profiling in Human Serum Reveals Compartment-Specific Roles of miR-571 and miR-652 in Liver Cirrhosis. <i>PLoS ONE</i> , 2012, 7, e32999.	1.1	92
208	Hepatic activation of IKK/NF κ B signaling induces liver fibrosis via macrophage-mediated chronic inflammation. <i>Hepatology</i> , 2012, 56, 1117-1128.	3.6	120
209	Hepatic macrophage migration and differentiation critical for liver fibrosis is mediated by the chemokine receptor C-C motif chemokine receptor 8 in mice. <i>Hepatology</i> , 2012, 55, 898-909.	3.6	144
210	Safe Use of FOLFOX in Two Patients With Metastatic Colorectal Carcinoma and Severe Hepatic Dysfunction. <i>Clinical Colorectal Cancer</i> , 2011, 10, E6-E9.	1.0	8
211	Interleukin-8 Is Activated in Patients with Chronic Liver Diseases and Associated with Hepatic Macrophage Accumulation in Human Liver Fibrosis. <i>PLoS ONE</i> , 2011, 6, e21381.	1.1	222
212	Mesenchymal Stem Cells Restore Lung Function by Recruiting Resident and Nonresident Proteins. <i>Cell Transplantation</i> , 2011, 20, 1561-1574.	1.2	32
213	NF- κ B in the liver—linking injury, fibrosis and hepatocellular carcinoma. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2011, 8, 108-118.	8.2	1,049
214	Micro-RNA profiling reveals a role for miR-29 in human and murine liver fibrosis. <i>Hepatology</i> , 2011, 53, 209-218.	3.6	696
215	MicroRNA-199a/b-3p: A new star in the liver microcosmos. <i>Hepatology</i> , 2011, 54, 729-731.	3.6	7
216	TAK1 Suppresses a NEMO-Dependent but NF- κ B-Independent Pathway to Liver Cancer. <i>Cancer Cell</i> , 2010, 17, 481-496.	7.7	207

#	ARTICLE	IF	CITATIONS
217	MicroRNA-151 and its hosting gene <i>FAK</i> (focal adhesion kinase) regulate tumor cell migration and spreading of hepatocellular carcinoma. <i>Hepatology</i> , 2010, 52, 1162-1164.	3.6	60
218	The fractalkine receptor CX3CR1 protects against liver fibrosis by controlling differentiation and survival of infiltrating hepatic monocytes. <i>Hepatology</i> , 2010, 52, 1769-1782.	3.6	203
219	Functional Contribution of Elevated Circulating and Hepatic Non-Classical CD14+CD16+ Monocytes to Inflammation and Human Liver Fibrosis. <i>PLoS ONE</i> , 2010, 5, e11049.	1.1	279
220	Differential Impact of Immune Escape Mutations G145R and P120T on the Replication of Lamivudine-Resistant Hepatitis B Virus e Antigen-Positive and -Negative Strains. <i>Journal of Virology</i> , 2010, 84, 1026-1033.	1.5	40
221	NF- κ B. , 2010, , 201-214.		1
222	Mouse models of hepatocarcinogenesis: What can we learn for the prevention of human hepatocellular carcinoma?. <i>Oncotarget</i> , 2010, 1, 373-378.	0.8	43
223	Mouse models of hepatocarcinogenesis: what can we learn for the prevention of human hepatocellular carcinoma?. <i>Oncotarget</i> , 2010, 1, 373-8.	0.8	28
224	The rtA194T polymerase mutation impacts viral replication and susceptibility to tenofovir in hepatitis B e antigen-positive and hepatitis B e antigen-negative hepatitis B virus strains. <i>Hepatology</i> , 2009, 49, 1158-1165.	3.6	118
225	Hepatic recruitment of the inflammatory Gr1 ⁺ monocyte subset upon liver injury promotes hepatic fibrosis. <i>Hepatology</i> , 2009, 50, 261-274.	3.6	664
226	Inflammatory Pathways in Liver Homeostasis and Liver Injury. <i>Clinical Reviews in Allergy and Immunology</i> , 2009, 36, 4-12.	2.9	348
227	Prevalence, viral replication efficiency and antiviral drug susceptibility of rtQ215 polymerase mutations within the hepatitis B virus genome. <i>Journal of Hepatology</i> , 2009, 51, 647-654.	1.8	23
228	p38 γ MAPK inhibits JNK activation and collaborates with I κ B kinase 2 to prevent endotoxin-induced liver failure. <i>EMBO Reports</i> , 2008, 9, 1048-1054.	2.0	91
229	A molecular link between inflammation and fibrogenesis: The bacterial microflora influences hepatic fibrosis via toll-like receptor 4-dependent modification of transforming growth factor- β signaling in hepatic stellate cells. <i>Hepatology</i> , 2008, 47, 1089-1091.	3.6	13
230	IKK1 and IKK2 cooperate to maintain bile duct integrity in the liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 9733-9738.	3.3	83
231	Hepatic NF- κ B essential modulator deficiency prevents obesity-induced insulin resistance but synergizes with high-fat feeding in tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1297-1302.	3.3	101
232	Acute hepatitis B virus infection by genotype F despite successful vaccination in an immune-competent German patient. <i>Journal of Clinical Virology</i> , 2007, 38, 353-357.	1.6	55
233	Deletion of NEMO/IKK γ in Liver Parenchymal Cells Causes Steatohepatitis and Hepatocellular Carcinoma. <i>Cancer Cell</i> , 2007, 11, 119-132.	7.7	566
234	Bone Morphogenetic Protein 7 is Elevated in Patients with Chronic Liver Disease and Exerts Fibrogenic Effects on Human Hepatic Stellate Cells. <i>Digestive Diseases and Sciences</i> , 2007, 52, 3404-3415.	1.1	60

#	ARTICLE	IF	CITATIONS
235	Clinical and prognostic role of plasma coagulation factor XIII activity for bleeding disorders and 6-year survival in patients with chronic liver disease. <i>Liver International</i> , 2006, 26, 173-181.	1.9	33
236	Intracellular survival pathways in the liver. <i>Liver International</i> , 2006, 26, 1163-1174.	1.9	90
237	The Proline-Histidine-Rich CDK2/CDK4 Interaction Region of C/EBP β Is Dispensable for C/EBP β -Mediated Growth Regulation In Vivo. <i>Molecular and Cellular Biology</i> , 2006, 26, 1028-1037.	1.1	21
238	Targeted ablation of IKK2 improves skeletal muscle strength, maintains mass, and promotes regeneration. <i>Journal of Clinical Investigation</i> , 2006, 116, 2945-2954.	3.9	271
239	High adiponectin in chronic liver disease and cholestasis suggests biliary route of adiponectin excretion in vivo. <i>Journal of Hepatology</i> , 2005, 42, 666-673.	1.8	111
240	Deletion of IKK2 in hepatocytes does not sensitize these cells to TNF-induced apoptosis but protects from ischemia/reperfusion injury. <i>Journal of Clinical Investigation</i> , 2005, 115, 849-859.	3.9	165
241	Basal Core Promoter and Precore Mutations in the Hepatitis B Virus Genome Enhance Replication Efficacy of Lamivudine-Resistant Mutants. <i>Journal of Virology</i> , 2004, 78, 8524-8535.	1.5	116
242	C/EBP β isoforms LIP and LAP modulate progression of the cell cycle in the regenerating mouse liver. <i>Hepatology</i> , 2004, 40, 356-365.	3.6	61
243	Regulation of plasma erythropoietin in chronic liver disease. <i>World Journal of Gastroenterology</i> , 2004, 10, 2922.	1.4	5
244	p18(INK4c) collaborates with other CDK-inhibitory proteins in the regenerating liver. <i>Hepatology</i> , 2003, 37, 833-841.	3.6	29
245	Plasma P-selectin levels are elevated in patients with chronic liver disease. <i>Blood Coagulation and Fibrinolysis</i> , 2003, 14, 319-325.	0.5	18
246	Losing balance: cytokine signaling and cell death in the context of hepatocyte injury and hepatic failure. <i>European Cytokine Network</i> , 2002, 13, 377-83.	1.1	27
247	A new player in the team: SOCS-3 socks it to cytokine signaling in the regenerating liver. <i>Hepatology</i> , 2001, 34, 1254-1256.	3.6	6