Himanshu A Gupte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5406101/publications.pdf

Version: 2024-02-01

22 138 6 10 g-index

22 22 22 22 224

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	How Do Adolescents Assess and Rank the Risk of Areca Nut Use? Findings from a Study in Mumbai, India. Asian Pacific Journal of Cancer Prevention, 2022, 23, 537-544.	1.2	5
2	Factors Influencing Implementation of a Workplace Tobacco Cessation Intervention in India: A Qualitative Exploration. Workplace Health and Safety, 2021, 69, 56-67.	1.4	1
3	A Qualitative Study of Perceptions and Practices Related to Areca Nut Use Among Adolescents in Mumbai, India. Nicotine and Tobacco Research, 2021, 23, 1793-1800.	2.6	12
4	LifeFirst: Impact of a school-based tobacco and supari cessation intervention among adolescent students in Mumbai, India. Population Medicine, 2021, 3, 1-9.	0.8	5
5	Tobacco Use and Subsequent Cessation Among Hospitalized Patients in Mumbai, India: A Longitudinal Study. Nicotine and Tobacco Research, 2020, 22, 363-370.	2.6	3
6	Short-term nutrition and growth indicators in 6-month- to 6-year-old children are improved following implementation of a multidisciplinary community-based programme in a chronic conflict setting. Public Health Nutrition, 2020, 23, 134-145.	2.2	5
7	Why do Adolescents Initiate and Continue Using Tobacco and Areca Nut?: A Qualitative Study Tracing Pathways of Use Among School-Going Adolescents in Mumbai, India. Nicotine and Tobacco Research, 2020, 22, 2022-2031.	2.6	10
8	Does adding a psychosocial cessation intervention to an existing life-skills and tobacco-prevention program influence the use of tobacco and supari among secondary school students?: Findings from a quasi-experimental trial in Mumbai, India. Tobacco Prevention and Cessation, 2019, 5, 45.	0.4	6
9	Change in TB diagnostic profile after introduction of GeneXpert MTB/RIF assay in National TB Program of Armenia, 2013-2017. Journal of Infection in Developing Countries, 2019, 13, 022S-027S.	1.2	3
10	Integration of tobacco cessation and tuberculosis management by NGOs in urban India: a mixed-methods study. Public Health Action, 2018, 8, 50-58.	1.2	10
11	Perspectives on areca nut with some global implications: Symposium report. Translational Research in Oral Oncology, 2018, 3, 2057178X1881406.	3.3	14
12	"They don't like us….― Barriers to antiretroviral and opioid substitution therapy among homeless HIV positive people who inject drugs in Delhi: A mixed method study. PLoS ONE, 2018, 13, e0203262.	2.5	20
13	Integrating screening for non-communicable diseases and their risk factors in routine tuberculosis care in Delhi, India: A mixed-methods study. PLoS ONE, 2018, 13, e0202256.	2.5	16
14	Tobacco use and interest in quitting among patients hospitalized in Mumbai, India. Tobacco Induced Diseases, 2018, 16, .	0.6	0
15	Tobacco and areca nut cessation programme for adolescent school students in Mumbai, India. Tobacco Induced Diseases, 2018, 16, .	0.6	0
16	Introducing tobacco free workplace policy in workplaces in India - challenges and learning. Tobacco Induced Diseases, 2018, 16, .	0.6	0
17	Testing the efficacy of a school-based tobacco and supari cessation intervention in Mumbai, India. Tobacco Induced Diseases, 2018, 16, .	0.6	0
18	Moving towards a tobacco free workplace at a cement manufacturing plant in Chandrapur, Maharashtra. Tobacco Induced Diseases, 2018, 16, .	0.6	0

#	Article	IF	CITATIONS
19	Perceptions of permanent and contractual employees about a tobacco free workplace policy among four workplaces in Maharashtra, India. Tobacco Induced Diseases, 2018, 16, .	0.6	O
20	Do incentivised community workers in informal settlements influence maternal and infant health in urban India?. Public Health Action, 2017, 7, 61-66.	1.2	3
21	Factors Associated with Tobacco Use in Students Attending Local Government Schools in Mumbai, India. Asian Pacific Journal of Cancer Prevention, 2016, 17, 5075-5080.	1.2	7
22	What 'outliers' tell us about missed opportunities for tuberculosis control: a cross-sectional study of patients in Mumbai, India. BMC Public Health, 2010, 10, 263.	2.9	18