

Stefan Bergman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5408175/publications.pdf>

Version: 2024-02-01

71
papers

4,103
citations

448610

19
h-index

139680

61
g-index

72
all docs

72
docs citations

72
times ranked

7127
citing authors

#	ARTICLE	IF	CITATIONS
1	Junior doctors' experiences of the medical internship: a qualitative study. <i>International Journal of Medical Education</i> , 2022, 13, 66-73.	0.6	9
2	Musculoskeletal pain and its association with health status, maturity, and sports performance in adolescent sport school students: a 2-year follow-up. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, 43.	0.7	3
3	Pain and pain management in children and adolescents receiving hospital care: a cross-sectional study from Sweden. <i>BMC Pediatrics</i> , 2022, 22, 252.	0.7	8
4	Cohort profile: the Halland osteoarthritis (HALLOA) cohort – from knee pain to osteoarthritis: a longitudinal observational study in Sweden. <i>BMJ Open</i> , 2022, 12, e057086.	0.8	7
5	Chronic Pain and Assessment of Pain Sensitivity in Patients With Axial Spondyloarthritis: Results From the SPARTAKUS Cohort. <i>Journal of Rheumatology</i> , 2021, 48, 1672-1679.	1.0	17
6	Pressure pain thresholds in individuals with knee pain: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 516.	0.8	8
7	Evidence-based practice in primary healthcare from the managerial point of view – a national survey. <i>BMC Health Services Research</i> , 2021, 21, 1014.	0.9	5
8	Pain in rheumatoid arthritis: a seven-year follow-up study of pain distribution and factors associated with transition from and to chronic widespread pain. <i>Scandinavian Journal of Rheumatology</i> , 2021, , 1-10.	0.6	1
9	Comparison of chronic widespread pain prevalence with different criteria in two cohorts of rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2021, 41, 1023.	1.0	1
10	Benefits of using the Brief Pain Inventory in patients with cancer pain: an intervention study conducted in Swedish hospitals. <i>Supportive Care in Cancer</i> , 2020, 28, 3721-3729.	1.0	10
11	Increased chronic pain in patients with ulcerative colitis is mostly associated to increased disease activity. A cross-sectional case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1193-1199.	0.6	2
12	Prevention of sickness absence through early identification and rehabilitation of at-risk patients with musculoskeletal pain (PREVSAM): a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 790.	0.8	2
13	Eight-year outcome after invasive treatment of infrainguinal intermittent claudication: A population-based analysis from the Swedish vascular register (Swedvasc). <i>SAGE Open Medicine</i> , 2020, 8, 205031212092678.	0.7	4
14	Quality and availability of information in primary healthcare: the patient perspective. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 33-41.	0.6	10
15	The impact of chronic widespread pain on health status and long-term health predictors: a general population cohort study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 36.	0.8	16
16	OP0336-HPR – RISK FACTORS FOR PERSISTENCE AND DEVELOPMENT OF FREQUENT MUSCULOSKELETAL PAIN IN ADOLESCENT ATHLETES. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 206.2-206.	0.5	0
17	THU0481 – THE PREVALENCE OF CHRONIC MUSCULOSKELETAL PAIN IN PATIENTS WITH ULCERATIVE COLITIS IN COMPARISON TO CONTROLS FROM THE GENERAL POPULATION: A CROSS-SECTIONAL STUDY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 478.2-478.	0.5	0
18	Association between health care utilization and musculoskeletal pain. A 21-year follow-up of a population cohort. <i>Scandinavian Journal of Pain</i> , 2020, 20, 533-543.	0.5	6

#	ARTICLE	IF	CITATIONS
19	Risk factors for development and persistence of chronic widespread pain in spondyloarthritis: a population-based two-year follow-up study. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 460-468.	0.6	18
20	<p>A Swedish register-based, long-term inception cohort study of patients with rheumatoid arthritis â€“ results of clinical relevance</p>. <i>Open Access Rheumatology: Research and Reviews</i> , 2019, Volume 11, 207-217.	0.8	19
21	Discussions of lifestyle habits as an integral part of care management: a cross-sectional cohort study in patients with established rheumatoid arthritis in Sweden. <i>Rheumatology Advances in Practice</i> , 2019, 3, rkz039.	0.3	11
22	Metabolic Risk Factors Associated with Visceral and Subcutaneous Adipose Tissue in a Sexâ€“specific Manner in Sevenâ€“Yearâ€“Olds. <i>Obesity</i> , 2019, 27, 982-988.	1.5	4
23	AB1391-HPRâ€“...PASSIVE COPING STRATEGIES BUT NOT PHYSICAL FUNCTION ARE ASSOCIATED WITH WORSE MENTAL HEALTH, IN WOMEN WITH CHRONIC WIDESPREAD PAINâ€“ A MIXED METHOD STUDY. , 2019, . .		0
24	<p>Chronic Pain And Health-Related Quality Of Life In Women With Autism And/Or ADHD: A Prospective Longitudinal Study</p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 2925-2932.	0.8	61
25	Worse health status, sleeping problems, and anxiety in 16-year-old students are associated with chronic musculoskeletal pain at three-year follow-up. <i>BMC Public Health</i> , 2019, 19, 1565.	1.2	12
26	Chronic widespread pain and its associations with quality of life and function at a 20- year follow-up of individuals with chronic knee pain at inclusion. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 592.	0.8	13
27	Longitudinal birth cohort study found that a significant proportion of children had abnormal metabolic profiles and insulin resistance at 6Â“years of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 486-492.	0.7	10
28	Body mass index classification misses to identify children with an elevated waist-to-height ratio at 5 years of age. <i>Pediatric Research</i> , 2019, 85, 30-35.	1.1	6
29	Primary Stenting of the Superficial Femoral Artery in Patients with Intermittent Claudication Has Durable Effects on Health-Related Quality of Life at 24 Months: Results of a Randomized Controlled Trial. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 872-881.	0.9	13
30	Variation in pain related to systemic lupus erythematosus (SLE): a 7-year follow-up study. <i>Clinical Rheumatology</i> , 2018, 37, 1825-1834.	1.0	17
31	The educational needs of patients with undifferentiated spondyloarthritis: Validation of the ENAT questionnaire and needs assessment. <i>Musculoskeletal Care</i> , 2018, 16, 313-317.	0.6	4
32	Prevalence of chronic widespread pain in a population-based cohort of patients with spondyloarthritis â€“ a cross-sectional study. <i>BMC Rheumatology</i> , 2018, 2, 11.	0.6	13
33	Parents with overweight children two and five years of age did not perceive them as weighing too much. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1060-1064.	0.7	10
34	Prognostic factors for change in self-reported anxiety and depression in spondyloarthritis patients: data from the population-based SpAScania cohort from southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2018, 47, 185-193.	0.6	8
35	Serum nâ€“6 and nâ€“9 Fatty Acids Correlate With Serum IGFâ€“1 and Growth Up to 4 Months of Age in Healthy Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018, 66, 141-146.	0.9	9
36	Musculoskeletal pain and its association with maturity and sports performance in 14-year-old sport school students. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000395.	1.4	8

#	ARTICLE	IF	CITATIONS
37	Sleep problems and fatigue as predictors for the onset of chronic widespread pain over a 5- and 18-year perspective. BMC Musculoskeletal Disorders, 2018, 19, 390.	0.8	36
38	AB1069â€¦Chronic widespread pain, sleep problems and pressure pain thresholds in a population sample. , 2018, , .		0
39	EULAR recommendations for the health professionalâ€™s approach to pain management in inflammatory arthritis and osteoarthritis. Annals of the Rheumatic Diseases, 2018, 77, annrheumdis-2017-212662.	0.5	173
40	AB1399-HPRâ€¦Concurrent validity and stability of subgroup assignment to three levels of pain condition severity in patients with musculoskeletal pain. , 2018, , .		0
41	FRIO076â€¦Chronic widespread pain in patients with rheumatoid arthritis: a seven year follow-up of pain distribution and factors for improvement. , 2018, , .		0
42	Spinal Mobility in Axial Spondyloarthritis: A Crossâ€¦Sectional Clinical Study. Musculoskeletal Care, 2017, 15, 36-48.	0.6	5
43	A 10-year follow-up of tailored behavioural treatment and exercise-based physiotherapy for persistent musculoskeletal pain. Clinical Rehabilitation, 2017, 31, 186-196.	1.0	10
44	Arthritis management in primary care â€” A study of physiotherapists' current practice, educational needs and adherence to national guidelines. Musculoskeletal Care, 2017, 15, 333-340.	0.6	10
45	Primary Stenting of the Superficial Femoral Artery in Intermittent Claudication Improves Health Related Quality of Life, ABI and Walking Distance: 12 Month Results of a Controlled Randomised Multicentre Trial. European Journal of Vascular and Endovascular Surgery, 2017, 53, 686-694.	0.8	14
46	Pain and pain management in hospitalized patients before and after an intervention. Scandinavian Journal of Pain, 2017, 15, 22-29.	0.5	22
47	Quality of life in patients with established rheumatoid arthritis: A phenomenographic study. SAGE Open Medicine, 2017, 5, 205031211771364.	0.7	50
48	Health status, physical activity, and orthorexia nervosa: A comparison between exercise science students and business students. Appetite, 2017, 109, 137-143.	1.8	89
49	Patients With Intermittent Claudication and Chronic Widespread Pain Improves in Health-Related Quality of Life After Invasive but Not After Noninvasive Treatment. Clinical Medicine Insights: Cardiology, 2017, 11, 117954681774752.	0.6	1
50	SAT0731-HPRâ€¦Symptoms of pain, fatigue and self-efficacy in young patients with spondyloarthritis â€” a comparison between women and men. , 2017, , .		0
51	FRIO436â€¦Chronic pain in patients with established axial spondyloarthritis and assessment of pain sensitivity by computerized pneumatic cuff pressure algometry: results from the spartakus cohort. , 2017, , .		0
52	What makes parents act and react? Parental views and considerations relating to â€”child healthâ€™™ during infancy. Journal of Child Health Care, 2017, 21, 415-423.	0.7	6
53	Overweight at four years of age in a Swedish birth cohort: influence of neighbourhood-level purchasing power. BMC Public Health, 2016, 16, 546.	1.2	13
54	The influence of lifestyle habits on quality of life in patients with established rheumatoid arthritisâ€”A constant balancing between ideality and reality. International Journal of Qualitative Studies on Health and Well-being, 2016, 11, 30534.	0.6	29

#	ARTICLE	IF	CITATIONS
55	All Cause Chronic Widespread Pain is Common in Patients with Symptomatic Peripheral Arterial Disease and is Associated with Reduced Health Related Quality of Life. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 52, 205-210.	0.8	18
56	Back pain and health status in patients with clinically diagnosed ankylosing spondylitis, psoriatic arthritis and other spondyloarthritis: a cross-sectional population-based study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 106.	0.8	21
57	Dynamics and Stabilization of the Human Gut Microbiome during the First Year of Life. <i>Cell Host and Microbe</i> , 2015, 17, 690-703.	5.1	2,276
58	THU0628-HPR–Lifestyle Habits Relates to Quality of Life in Patient with Longstanding Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1318.3-1318.	0.5	0
59	Invasive Treatment for Infrainguinal Claudication Has Satisfactory 1 Year Outcome in Three out of Four Patients: A Population-based Analysis from Swedvasc. <i>European Journal of Vascular and Endovascular Surgery</i> , 2014, 47, 615-620.	0.8	19
60	Alcohol consumption is associated with lower self-reported disease activity and better health-related quality of life in female rheumatoid arthritis patients in Sweden: data from BARFOT, a multicenter study on early RA. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 218.	0.8	36
61	Chronic Widespread Pain in Patients with Rheumatoid Arthritis and the Relation Between Pain and Disease Activity Measures over the First 5 Years. <i>Journal of Rheumatology</i> , 2013, 40, 1977-1985.	1.0	86
62	The Effect of Socioeconomic Class and Immigrant Status on Disease Activity in Rheumatoid Arthritis: Data from BARFOT, a Multi-Centre Study of Early RA. <i>Open Rheumatology Journal</i> , 2013, 7, 105-111.	0.1	8
63	Differences in physical activity patterns in patients with spondylarthritis. <i>Arthritis Care and Research</i> , 2012, 64, 1886-1894.	1.5	55
64	Smoking at onset of rheumatoid arthritis (RA) and its effect on disease activity and functional status: experiences from BARFOT, a long-term observational study on early RA. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 249-255.	0.6	42
65	Chronic musculoskeletal pain predicted hospitalisation due to serious medical conditions in a 10 year follow up study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 127.	0.8	17
66	Cytological and clinical observations in XXY/XX/XY/XO mosaicism. <i>Hereditas</i> , 2009, 61, 276-278.	0.5	7
67	Health predicting factors in a general population over an eight-year period in subjects with and without chronic musculoskeletal pain. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 98.	1.0	29
68	Psychosocial aspects of chronic widespread pain and fibromyalgia. <i>Disability and Rehabilitation</i> , 2005, 27, 675-683.	0.9	97
69	Health status as measured by SF-36 reflects changes and predicts outcome in chronic musculoskeletal pain: a 3-year follow up study in the general population. <i>Pain</i> , 2004, 108, 115-123.	2.0	132
70	Chronic widespread pain: a three year followup of pain distribution and risk factors. <i>Journal of Rheumatology</i> , 2002, 29, 818-25.	1.0	123
71	Chronic musculoskeletal pain, prevalence rates, and sociodemographic associations in a Swedish population study. <i>Journal of Rheumatology</i> , 2001, 28, 1369-77.	1.0	334