Isabelle Borget

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5408705/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Patient Preference Between Cabazitaxel and Docetaxel for First-line Chemotherapy in Metastatic Castration-resistant Prostate Cancer: The CABADOC Trial. European Urology, 2022, 81, 234-240.	1.9	12
2	Global thyroid estimates in 2020. Lancet Diabetes and Endocrinology,the, 2022, 10, 235-236.	11.4	5
3	RADTHYR: an open-label, single-arm, prospective multicenter phase II trial of Radium-223 for the treatment of bone metastases from radioactive iodine refractory differentiated thyroid cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 3238-3249.	6.4	11
4	Imaging: towards a global solution to overcome the cancer pandemic. Lancet Oncology, The, 2021, 22, 430-432.	10.7	0
5	Impact of COVID-19 on healthcare organisation and cancer outcomes. European Journal of Cancer, 2021, 153, 123-132.	2.8	25
6	Prognosis of Malignant Pheochromocytoma and Paraganglioma (MAPP-Prono Study): A European Network for the Study of Adrenal Tumors Retrospective Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 2367-2374.	3.6	103
7	Quality of life and cost of strategies of two chemotherapy lines in metastatic colorectal cancer: results of the FFCD 2000-05 trial. Expert Review of Pharmacoeconomics and Outcomes Research, 2019, 19, 601-608.	1.4	1
8	Final results from the randomized CABADOC trial: Patient preference between cabazitaxel and docetaxel for first-line chemotherapy in metastatic castrate-resistant prostate cancer (mCRPC) Journal of Clinical Oncology, 2019, 37, 5017-5017.	1.6	2
9	Lenvatinib for the Treatment of Radioiodine-Refractory Thyroid Cancer in Real-Life Practice. Thyroid, 2018, 28, 72-78.	4.5	89
10	Outcome after ablation in patients with low-risk thyroid cancer (ESTIMABL1): 5-year follow-up results of a randomised, phase 3, equivalence trial. Lancet Diabetes and Endocrinology,the, 2018, 6, 618-626.	11.4	115
11	Olanzapine as antiemetic drug in oncology: a retrospective study in non-responders to standard antiemetic therapy. International Journal of Clinical Pharmacy, 2018, 40, 1265-1271.	2.1	5
12	Radioactive iodine ablation in low-risk thyroid cancer – Authors' reply. Lancet Diabetes and Endocrinology,the, 2018, 6, 686-687.	11.4	3
13	Circulating Tumor Cells with Aberrant <i>ALK</i> Copy Number Predict Progression-Free Survival during Crizotinib Treatment in <i>ALK</i> -Rearranged Non–Small Cell Lung Cancer Patients. Cancer Research, 2017, 77, 2222-2230.	0.9	64
14	The intensity of 18FDG uptake does not predict tumor growth in patients with metastatic differentiated thyroid cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 638-646.	6.4	16
15	Prognostic role of a comprehensive geriatric assessment on the management of elderly patients with advanced non-small cell lung cancer (NSCLC): a pooled analysis of two prospective phase II trials by the GFPC Group. Journal of Thoracic Disease, 2017, 9, 3747-3754.	1.4	12
16	The challenge of rapid diagnosis in oncology: Diagnostic accuracy and cost analysis of a large-scale one-stop breast clinic. European Journal of Cancer, 2016, 66, 131-137.	2.8	33
17	<i>ALK</i> -amplified circulating tumor cells as a surrogate marker for crizotinib benefit in <i>ALK</i> -rearranged non-small cell lung cancer patients Journal of Clinical Oncology, 2016, 34, 11515-11515.	1.6	0
18	Dosimetric Effects of the Interfraction Variations during Whole Breast Radiotherapy: A Prospective Study. Frontiers in Oncology, 2015, 5, 199.	2.8	5

#	Article	IF	CITATIONS
19	Quality of Life and Cost-Effectiveness Assessment of Radioiodine Ablation Strategies in Patients With Thyroid Cancer: Results From the Randomized Phase III ESTIMABL Trial. Journal of Clinical Oncology, 2015, 33, 2885-2892.	1.6	63