

Mei-shu Lai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/540943/mei-shu-lai-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198
papers

7,767
citations

42
h-index

80
g-index

199
ext. papers

8,802
ext. citations

5.4
avg, IF

5.85
L-index

#	Paper	IF	Citations
198	Cardiovascular Risk Associated with Methotrexate versus Retinoids in Patients with Psoriasis: A Nationwide Taiwanese Cohort Study. <i>Clinical Epidemiology</i> , 2021 , 13, 693-705	5.9	1
197	Second-Generation National Health Insurance Reform. <i>World Scientific Series in Global Healthcare Economics and Public Policy</i> , 2020 , 31-44	0.2	
196	Exploration of microbiota targets for major depressive disorder and mood related traits. <i>Journal of Psychiatric Research</i> , 2019 , 111, 74-82	5.2	53
195	High TSH Level within Normal Range Is Associated with Obesity, Dyslipidemia, Hypertension, Inflammation, Hypercoagulability, and the Metabolic Syndrome: A Novel Cardiometabolic Marker. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	26
194	Long-term statin adherence in patients after hospital discharge for new onset of atherosclerotic cardiovascular disease: a population-based study of real world prescriptions in Taiwan. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 62	2.3	14
193	Distinctive incidence patterns of follicular lymphoma in Taiwan: Implications of ethnic differences. <i>Cancer Medicine</i> , 2019 , 8, 1899-1907	4.8	5
192	Statin adherence and persistence on secondary prevention of cardiovascular disease in Taiwan. <i>Heart Asia</i> , 2019 , 11, e011176	1.9	3
191	Risk of Infective Endocarditis After Invasive Dental Treatments: Case-Only Study. <i>Circulation</i> , 2018 , 138, 356-363	16.7	13
190	Is quality of registry treatment data related to registrar experience and workload? A study of Taiwan cancer registry data. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 1093-1100	3.2	5
189	Single and dual antiplatelet therapy in elderly patients of medically managed myocardial infarction. <i>BMC Geriatrics</i> , 2018 , 18, 86	4.1	1
188	Commensurate incidence and outcomes of liver enzyme elevation between anti-tumor necrosis factor users with or without prior hepatitis B virus infections. <i>PLoS ONE</i> , 2018 , 13, e0196210	3.7	4
187	Prognostic factors in epithelial ovarian cancer: A population-based study. <i>PLoS ONE</i> , 2018 , 13, e0194993	3.7	39
186	All-Cause and Cause-Specific Mortality in Patients with Psoriasis in Taiwan: A Nationwide Population-Based Study. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1468-1473	4.3	28
185	National Policies Fostering Hospice Care Increased Hospice Utilization and Reduced the Invasiveness of End-of-Life Care for Cancer Patients. <i>Oncologist</i> , 2017 , 22, 843-849	5.7	12
184	Evidence of potential bias in a comparison of β blockers and calcium channel blockers in patients with chronic obstructive pulmonary disease and acute coronary syndrome: results of a multinational study. <i>BMJ Open</i> , 2017 , 7, e012997	3	5
183	Long-term Surveillance Following Intralesional Steroid Injection for Benign Vocal Fold Lesions. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017 , 143, 589-594	3.9	23
182	Are hospital cancer caseloads related to the validity of staging data reported? A lesson from National Cancer Registry in Taiwan. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 18-24	2.8	2

181	Discretionary decisions and disparities in receiving drug-eluting stents under a universal healthcare system: A population-based study. <i>PLoS ONE</i> , 2017 , 12, e0179127	3.7	4
180	Assessing risk of liver enzyme elevation in patients with immune-mediated diseases and different hepatitis B virus serostatus receiving anti-TNF agents: a nested case-control study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 214	5.7	3
179	Screening frequency and histologic type influence the efficacy of cervical cancer screening: A nationwide cohort study. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 442-448	1.6	10
178	Adult mortality of diseases and injuries attributable to selected metabolic, lifestyle, environmental, and infectious risk factors in Taiwan: a comparative risk assessment. <i>Population Health Metrics</i> , 2017 , 15, 17	3	14
177	Prescription Patterns of Sorafenib and Outcomes of Patients with Advanced Hepatocellular Carcinoma: A National Population Study. <i>Anticancer Research</i> , 2017 , 37, 2593-2599	2.3	14
176	Irinotecan and Oxaliplatin Might Provide Equal Benefit as Adjuvant Chemotherapy for Patients with Resectable Synchronous Colon Cancer and Liver-confined Metastases: A Nationwide Database Study. <i>Anticancer Research</i> , 2017 , 37, 7095-7104	2.3	4
175	Comparison of irinotecan and oxaliplatin as adjuvant chemotherapy for patients with resectable synchronous colon cancer plus liver-confined metastases: A retrospective nationwide database study.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 624-624	2.2	
174	Key opioid prescription concerns in cancer patients: A nationwide study. <i>Acta Anaesthesiologica Taiwanica</i> , 2016 , 54, 51-6		7
173	No increased risk of hospitalization for heart failure for patients treated with dipeptidyl peptidase-4 inhibitors in Taiwan. <i>International Journal of Cardiology</i> , 2016 , 220, 14-20	3.2	15
172	Inhaled nitric oxide and the risk of renal dysfunction in patients with acute respiratory distress syndrome: a propensity-matched cohort study. <i>Critical Care</i> , 2016 , 20, 389	10.8	22
171	A nationwide population-based cross-sectional comparison of hematological malignancies incidences between Taiwan and the United States of America. <i>Annals of Hematology</i> , 2016 , 95, 165-167	3	10
170	Incidence and survival of adult cancer patients in Taiwan, 2002-2012. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 1076-1088	3.2	159
169	Analysis of sentinel node biopsy combined with other diagnostic tools in staging cN0 head and neck cancer: A diagnostic meta-analysis. <i>Head and Neck</i> , 2016 , 38, 628-34	4.2	31
168	Participating physician preferences regarding a pay-for-performance incentive design: a discrete choice experiment. <i>International Journal for Quality in Health Care</i> , 2016 , 28, 40-6	1.9	9
167	Effect of national policy changes on hospice utilization and the invasiveness of end-of-life care in cancer patients.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 10008-10008	2.2	1
166	Cytotoxic Chemotherapy as First-Line Therapy for Advanced Non-Small-Cell Lung Cancer in Taiwan: Daily Practice. <i>Journal of Cancer</i> , 2016 , 7, 1515-23	4.5	5
165	Risks of hypertension associated with cyclosporine, nonsteroidal anti-inflammatory drugs, and systemic glucocorticoids in patients with psoriasis: a nationwide population-based nested case-control study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 133-40	2.6	20
164	Therapeutic inertia and intensified treatment in diabetes mellitus prescription patterns: A nationwide population-based study in Taiwan. <i>Journal of International Medical Research</i> , 2016 , 44, 1263-1271	1.4	1

163	Stent revascularization versus bypass surgery for peripheral artery disease in type 2 diabetic patients - an instrumental variable analysis. <i>Scientific Reports</i> , 2016 , 6, 37177	4.9	7
162	Primary tumor site is a useful predictor of cetuximab efficacy in the third-line or salvage treatment of KRAS wild-type (exon 2 non-mutant) metastatic colorectal cancer: a nationwide cohort study. <i>BMC Cancer</i> , 2016 , 16, 327	4.8	32
161	Survival Analysis After Extracorporeal Membrane Oxygenation in Critically Ill Adults: A Nationwide Cohort Study. <i>Circulation</i> , 2016 , 133, 2423-33	16.7	62
160	Risk of ischemic stroke during the initiation period of β -blocker therapy among older men. <i>Cmaj</i> , 2016 , 188, 255-260	3.5	8
159	Use of cardioselective β -blockers and overall death and cardiovascular outcomes in patients with COPD: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 1265-1273 ^{2.8}		3
158	Comparative Cardiovascular and Cerebrovascular Safety of Inhaled Long-Acting Bronchodilators in Patients with Chronic Obstructive Pulmonary Disease: A Population-Based Cohort Study. <i>Pharmacotherapy</i> , 2016 , 36, 26-37	5.8	17
157	Predictive performance of universal termination of resuscitation rules in an Asian community: are they accurate enough?. <i>Emergency Medicine Journal</i> , 2015 , 32, 318-23	1.5	28
156	Effectiveness and safety of extracranial carotid stent placement: a nationwide self-controlled case-series study. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 274-81	3.2	5
155	Inhaled nitric oxide therapy and risk of renal dysfunction: a systematic review and meta-analysis of randomized trials. <i>Critical Care</i> , 2015 , 19, 137	10.8	45
154	Statin Use Is Associated With Improved Prognosis of Colorectal Cancer in Taiwan. <i>Clinical Colorectal Cancer</i> , 2015 , 14, 177-184.e4	3.8	27
153	Different Angiotensin-converting enzyme inhibitors and the associations with overall and cause-specific mortalities in patients with hypertension. <i>American Journal of Hypertension</i> , 2015 , 28, 823-30 ^{2.3}		8
152	Risk of Intracranial Hemorrhage From Statin Use in Asians: A Nationwide Cohort Study. <i>Circulation</i> , 2015 , 131, 2070-8	16.7	27
151	Young patients with colorectal cancer have increased risk of second primary cancers. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 1029-35	2.8	8
150	The Prognostic Impact of Type 2 Diabetes Mellitus on Early Cervical Cancer in Asia. <i>Oncologist</i> , 2015 , 20, 1051-7	5.7	9
149	Risks of cardiac arrhythmia and mortality among patients using new-generation macrolides, fluoroquinolones, and β -lactam/ β -lactamase inhibitors: a Taiwanese nationwide study. <i>Clinical Infectious Diseases</i> , 2015 , 60, 566-77	11.6	62
148	Class effect of beta-blockers in survivors of ST-elevation myocardial infarction: A nationwide cohort study using an insurance claims database. <i>Scientific Reports</i> , 2015 , 5, 13692	4.9	6
147	Significant reduction in end-stage liver diseases burden through the national viral hepatitis therapy program in Taiwan. <i>Hepatology</i> , 2015 , 61, 1154-62	11.2	70
146	A model measuring therapeutic inertia and the associated factors among diabetes patients: A nationwide population-based study in Taiwan. <i>Journal of Clinical Pharmacology</i> , 2015 , 55, 17-24	2.9	14

145	Risk of hip/femur fractures during the initiation period of β -adrenoceptor blocker therapy among elderly males: a self-controlled case series study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 1208-18	3.8	11
144	Comparing individual angiotensin-converting enzyme inhibitors with losartan in the risk of hospitalization for pneumonia and related mortality: a nationwide cohort study. <i>Journal of Hypertension</i> , 2015 , 33, 634-42; discussion 642-3	1.9	5
143	Bronchodilators use in patients with COPD. <i>International Journal of COPD</i> , 2015 , 10, 1769-79	3	6
142	Clinical outcomes in low risk coronary artery disease patients treated with different limus-based drug-eluting stents--a nationwide retrospective cohort study using insurance claims database. <i>PLoS ONE</i> , 2015 , 10, e0122860	3.7	5
141	Quality assessment and improvement of nationwide cancer registration system in Taiwan: a review. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 291-6	2.8	147
140	Comprehensive Outcome Researches of Intralesional Steroid Injection on Benign Vocal Fold Lesions. <i>Journal of Voice</i> , 2015 , 29, 578-87	1.9	35
139	Complications and mortality in patients with schizophrenia and diabetes: population-based cohort study. <i>British Journal of Psychiatry</i> , 2015 , 207, 450-7	5.4	15
138	Knowledge of the new Tobacco Hazards Prevention Act is associated with smokers' behavior of seeking help in smoking cessation in Taiwan. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP212-22	2	3
137	Effects of atorvastatin and rosuvastatin on renal function in patients with type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2015 , 115, 619-24	3	5
136	Comparative effectiveness of first-line platinum-based chemotherapy regimens for advanced lung squamous cell carcinoma. <i>Clinical Lung Cancer</i> , 2015 , 16, 137-43	4.9	8
135	Epidemiologic features of Kawasaki disease in acute stages in Taiwan, 1997-2010: effect of different case definitions in claims data analysis. <i>Journal of the Chinese Medical Association</i> , 2015 , 78, 121-6	2.8	30
134	Incidence of cancer in children aged 0-14 years in Taiwan, 1996-2010. <i>Cancer Epidemiology</i> , 2015 , 39, 21-8	2.8	33
133	Cardiovascular risk associated with acarbose versus metformin as the first-line treatment in patients with type 2 diabetes: a nationwide cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1121-9	5.6	34
132	Increased risk of diabetes mellitus in relation to the severity of psoriasis, concomitant medication, and comorbidity: a nationwide population-based cohort study. <i>Journal of the American Academy of Dermatology</i> , 2014 , 70, 691-698	4.5	39
131	Method-specific performance of vancomycin MIC susceptibility tests in predicting mortality of patients with methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 211-8	5.1	22
130	Continuation of statin therapy and a decreased risk of atrial fibrillation/flutter in patients with and without chronic kidney disease. <i>Atherosclerosis</i> , 2014 , 232, 224-30	3.1	102
129	Incidence of lymphoplasmacytic lymphoma/Waldenström's macroglobulinaemia in Japan and Taiwan population-based cancer registries, 1996-2003. <i>International Journal of Cancer</i> , 2014 , 134, 174-80	7.5	20
128	Long-acting insulin analogues and diabetic retinopathy: a retrospective cohort study. <i>Clinical Therapeutics</i> , 2014 , 36, 1255-68	3.5	1

127	Different angiotensin receptor blockers and incidence of diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2014 , 13, 91	8.7	16
126	Infection, antibiotic therapy and risk of colorectal cancer: a nationwide nested case-control study in patients with Type 2 diabetes mellitus. <i>International Journal of Cancer</i> , 2014 , 135, 956-67	7.5	44
125	Predicting high vancomycin minimum inhibitory concentration isolate infection among patients with community-onset methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>Journal of Infection</i> , 2014 , 69, 259-65	18.9	5
124	Examining the association between statins and lung cancer incidence in patients with type 2 diabetes mellitus. <i>Journal of the Formosan Medical Association</i> , 2014 , 113, 940-8	3.2	4
123	Bystander-initiated CPR in an Asian metropolitan: does the socioeconomic status matter?. <i>Resuscitation</i> , 2014 , 85, 53-8	4	44
122	Antihypertensive agents and risk of Parkinson's disease: a nationwide cohort study. <i>PLoS ONE</i> , 2014 , 9, e98961	3.7	63
121	Concordance between patient self-reports and claims data on clinical diagnoses, medication use, and health system utilization in Taiwan. <i>PLoS ONE</i> , 2014 , 9, e112257	3.7	167
120	Treatment of patients with dual hepatitis C and B by peginterferon and ribavirin reduced risk of hepatocellular carcinoma and mortality. <i>Gut</i> , 2014 , 63, 506-14	19.2	38
119	Effect of radiofrequency catheter ablation for atrial fibrillation on morbidity and mortality: a nationwide cohort study and propensity score analysis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 76-82	6.4	39
118	Distinct clinicopathological features and prognosis of emerging young-female breast cancer in an East Asian country: a nationwide cancer registry-based study. <i>Oncologist</i> , 2014 , 19, 583-91	5.7	29
117	Type 2 diabetes mellitus is associated with increased mortality in Chinese patients receiving curative surgery for colon cancer. <i>Oncologist</i> , 2014 , 19, 951-8	5.7	19
116	Use of inhaled corticosteroids in patients with COPD and the risk of TB and influenza: A systematic review and meta-analysis of randomized controlled trials. a systematic review and meta-analysis of randomized controlled trials. <i>Chest</i> , 2014 , 145, 1286-1297	5.3	61
115	Comparison of benign lesion regression following vocal fold steroid injection and vocal hygiene education. <i>Laryngoscope</i> , 2014 , 124, 510-5	3.6	23
114	Examining the association of olmesartan and other angiotensin receptor blockers with overall and cause-specific mortality. <i>Hypertension</i> , 2014 , 63, 968-76	8.5	6
113	No increased venous thromboembolism risk in Asian breast cancer patients receiving adjuvant tamoxifen. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 135-42	4.4	8
112	Sex- and age-specific prevalence and incidence rates of sight-threatening diabetic retinopathy in Taiwan. <i>JAMA Ophthalmology</i> , 2014 , 132, 922-8	3.9	26
111	Impacts of drug reimbursement reductions on utilization and expenditures of oral antidiabetic medications in Taiwan: an interrupted time series study. <i>Health Policy</i> , 2014 , 116, 196-205	3.2	16
110	Diabetes and risk of tuberculosis relapse: nationwide nested case-control study. <i>PLoS ONE</i> , 2014 , 9, e92623	3.7	21

109	Association of adjuvant antiviral therapy with risk of cancer progression and deaths in patients with hepatitis-B-virus-related hepatocellular carcinoma following curative treatment: a nationwide cohort study. <i>PLoS ONE</i> , 2014 , 9, e102051	3.7	12
108	Long-term antidepressant use and the risk of type 2 diabetes mellitus: a population-based, nested case-control study in Taiwan. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 31-8; quiz 38	4.6	40
107	Histamine-2 receptor antagonists and risk of lung cancer in diabetic patients: an exploratory analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 632-40	2.6	4
106	Statin use and cataract surgery: a nationwide retrospective cohort study in elderly ethnic Chinese patients. <i>Drug Safety</i> , 2013 , 36, 1017-24	5.1	31
105	The influence of socio-economic status and multimorbidity patterns on healthcare costs: a six-year follow-up under a universal healthcare system. <i>International Journal for Equity in Health</i> , 2013 , 12, 69	4.6	42
104	Oseltamivir use and outcomes during the 2009 influenza A H1N1 pandemic in Taiwan. <i>BMC Public Health</i> , 2013 , 13, 646	4.1	4
103	Thirty-year outcomes of the national hepatitis B immunization program in Taiwan. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 974-6	27.4	156
102	Development and validation of a pharmacy-based comorbidity measure in a population-based automated health care database. <i>Pharmacotherapy</i> , 2013 , 33, 126-36	5.8	23
101	Statins of high versus low cholesterol-lowering efficacy and the development of severe renal failure. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 583-92	2.6	18
100	Risk of severe dysglycemia among diabetic patients receiving levofloxacin, ciprofloxacin, or moxifloxacin in Taiwan. <i>Clinical Infectious Diseases</i> , 2013 , 57, 971-80	11.6	67
99	Reply: To PMID 22135104. <i>Hepatology</i> , 2013 , 58, 837	11.2	
98	Intralesional steroid injection for benign vocal fold disorders: a systematic review and meta-analysis. <i>Laryngoscope</i> , 2013 , 123, 197-203	3.6	46
97	Persistence of antidepressant treatment for depressive disorder in Taiwan. <i>General Hospital Psychiatry</i> , 2013 , 35, 279-85	5.6	26
96	Comparison of gefitinib and erlotinib efficacies as third-line therapy for advanced non-small-cell lung cancer. <i>European Journal of Cancer</i> , 2013 , 49, 106-14	7.5	19
95	Microalbuminuria screening for detecting chronic kidney disease in the general population: a systematic review. <i>Renal Failure</i> , 2013 , 35, 607-14	2.9	10
94	Comparative safety of inhaled medications in patients with chronic obstructive pulmonary disease: systematic review and mixed treatment comparison meta-analysis of randomised controlled trials. <i>Thorax</i> , 2013 , 68, 48-56	7.3	106
93	Changing epidemiology of community-onset <i>Staphylococcus aureus</i> bacteremia over nine years in an emergency department in Taiwan. <i>Journal of Infection</i> , 2013 , 66, 187-9	18.9	3
92	Re-examining the significance of surgical volume to breast cancer survival and recurrence versus process quality of care in Taiwan. <i>Health Services Research</i> , 2013 , 48, 26-46	3.4	13

91	Application of the analytic hierarchy process in the performance measurement of colorectal cancer care for the design of a pay-for-performance program in Taiwan. <i>International Journal for Quality in Health Care</i> , 2013 , 25, 81-91	1.9	12
90	Discontinuation of statin therapy associates with Parkinson disease: a population-based study. <i>Neurology</i> , 2013 , 81, 410-6	6.5	91
89	Effects of selective serotonin reuptake inhibitors versus tricyclic antidepressants on cerebrovascular events: a nationwide population-based cohort study. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 782-9	1.7	25
88	Transnasal endoscopic steroid injection: a practical and effective alternative treatment for benign vocal fold disorders. <i>Laryngoscope</i> , 2013 , 123, 1464-8	3.6	27
87	Hospital volume of percutaneous radiofrequency ablation is closely associated with treatment outcomes for patients with hepatocellular carcinoma. <i>Cancer</i> , 2013 , 119, 1210-6	6.4	11
86	Pneumonia risk and use of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers. <i>Journal of Epidemiology</i> , 2013 , 23, 344-50	3.4	16
85	National antiviral treatment program and the incidence of hepatocellular carcinoma and associated mortality in Taiwan: a preliminary report. <i>Medical Care</i> , 2013 , 51, 908-13	3.1	12
84	Office-based potassium titanyl phosphate laser-assisted endoscopic vocal polypectomy. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 610-6	3.9	24
83	Trends in incidence and survival outcome of epithelial ovarian cancer: 30-year national population-based registry in Taiwan. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 342-51	4	74
82	The impact of second primary malignancies on head and neck cancer survivors: a nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e62116	3.7	24
81	Improving but inferior survival in patients with chronic lymphocytic leukemia in taiwan: a population-based study, 1990-2004. <i>PLoS ONE</i> , 2013 , 8, e62930	3.7	15
80	Effectiveness of bisphosphonate analogues and functional electrical stimulation on attenuating post-injury osteoporosis in spinal cord injury patients- a systematic review and meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e81124	3.7	45
79	Comparative effectiveness of intravenous immunoglobulin for children with Kawasaki disease: a nationwide cohort study. <i>PLoS ONE</i> , 2013 , 8, e63399	3.7	15
78	Radiofrequency ablation is superior to ethanol injection in early-stage hepatocellular carcinoma irrespective of tumor size. <i>PLoS ONE</i> , 2013 , 8, e80276	3.7	22
77	Association of diabetes mellitus with increased mortality in patients receiving curative surgery for colon cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 399-399	2.2	2
76	Application of propensity score model to examine the prognostic significance of lymph node number as a care quality indicator. <i>Surgical Oncology</i> , 2012 , 21, e75-85	2.5	9
75	A physician order category-based clinical guideline comparison system. <i>Journal of Medical Systems</i> , 2012 , 36, 3741-53	5.1	
74	A systematic review of retention of adult advanced life support knowledge and skills in healthcare providers. <i>Resuscitation</i> , 2012 , 83, 1055-60	4	174

73	A randomized trial of compression first or analyze first strategies in patients with out-of-hospital cardiac arrest: results from an Asian community. <i>Resuscitation</i> , 2012 , 83, 806-12	4	25
72	Non-steroidal anti-inflammatory drugs use and risk of upper gastrointestinal adverse events in cirrhotic patients. <i>Liver International</i> , 2012 , 32, 859-66	7.9	30
71	Detection of cervical lymph node metastasis in head and neck cancer patients with clinically NO neck-a meta-analysis comparing different imaging modalities. <i>BMC Cancer</i> , 2012 , 12, 236	4.8	139
70	The risk of developing non-melanoma skin cancer, lymphoma and melanoma in patients with psoriasis in Taiwan: a 10-year, population-based cohort study. <i>International Journal of Dermatology</i> , 2012 , 51, 1454-60	1.7	30
69	Field performance of clinical case definitions for influenza screening during the 2009 pandemic. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 1796-803	2.9	12
68	National health insurance and the way leading to better diabetes care in Taiwan. Is there a role of comprehensive analyses of the claims data?. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 587-82	3.2	10
67	Risk of new acute myocardial infarction hospitalization associated with use of oral and parenteral non-steroidal anti-inflammation drugs (NSAIDs): a case-crossover study of Taiwan's National Health Insurance claims database and review of current evidence. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 4	2.3	39
66	Risk groups defined by Recursive Partitioning Analysis of patients with colorectal adenocarcinoma treated with colorectal resection. <i>BMC Medical Research Methodology</i> , 2012 , 12, 2	4.7	15
65	Utilization of antidepressants in Taiwan: a nationwide population-based survey from 2000 to 2009. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 980-8	2.6	35
64	Association of thiazolidinediones with liver cancer and colorectal cancer in type 2 diabetes mellitus. <i>Hepatology</i> , 2012 , 55, 1462-72	11.2	137
63	The emerging epidemic of estrogen-related cancers in young women in a developing Asian country. <i>International Journal of Cancer</i> , 2012 , 130, 2629-37	7.5	37
62	A data-mining framework for transnational healthcare system. <i>Journal of Medical Systems</i> , 2012 , 36, 2565-75	5.7	15
61	Evaluation of lymph nodes in patients with colon cancer undergoing colon resection: a population-based study. <i>World Journal of Surgery</i> , 2012 , 36, 1906-14	3.3	13
60	Treatment outcome of additional dextran to corticosteroid therapy on sudden deafness: propensity score-matched cohort analysis. <i>Otolaryngology - Head and Neck Surgery</i> , 2012 , 147, 1125-30	5.5	6
59	Survival following surgery with or without adjuvant chemotherapy for stage I-IIIa non-small cell lung cancer: an east asian population-based study. <i>Oncologist</i> , 2012 , 17, 1294-302	5.7	10
58	The impact of diabetes mellitus on prognosis of early breast cancer in Asia. <i>Oncologist</i> , 2012 , 17, 485-91	5.7	35
57	Exploring and comparing the characteristics of nonlatent and latent composite scores: implications for pay-for-performance incentive design. <i>Medical Decision Making</i> , 2012 , 32, 132-44	2.5	10
56	Antidepressant use and the risk of upper gastrointestinal bleeding in psychiatric patients: a nationwide cohort study in Taiwan. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 518-24	1.7	15

55	The unintended consequences of pay-for-performance. <i>Health Affairs</i> , 2012 , 31, 1127; author reply 1128-7		1
54	Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) staphylococcal cassette chromosome mec genotype effects outcomes of patients with healthcare-associated MRSA bacteremia independently of vancomycin minimum inhibitory concentration. <i>Clinical Infectious Diseases</i> , 2012 , 55, 1329-37	11.6	29
53	Oral insulin secretagogues, insulin, and cancer risk in type 2 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1170-5	5.6	92
52	Diabetes mellitus is associated with increased mortality in patients receiving curative therapy for hepatocellular carcinoma. <i>Oncologist</i> , 2012 , 17, 856-62	5.7	29
51	Occult <i>Staphylococcus aureus</i> bacteremia in adult emergency department patients: rare but important. <i>Clinical Infectious Diseases</i> , 2012 , 54, 1536-44	11.6	7
50	Survival of patients with small cell lung carcinoma in Taiwan. <i>Oncology</i> , 2012 , 82, 19-24	3.6	21
49	Angiotensin-converting enzyme inhibitor/angiotensin II receptor blockers and pneumonia risk among stroke patients. <i>Journal of Hypertension</i> , 2012 , 30, 2223-9	1.9	20
48	Nationwide surveillance in uterine cancer: survival analysis and the importance of birth cohort: 30-year population-based registry in Taiwan. <i>PLoS ONE</i> , 2012 , 7, e51372	3.7	40
47	Genetic variability in serotonin receptor and transporter genes may influence risk for tardive dyskinesia in chronic schizophrenia. <i>Psychiatry Research</i> , 2011 , 188, 175-6	9.9	13
46	Predicting healthcare utilization using a pharmacy-based metric with the WHO's Anatomic Therapeutic Chemical algorithm. <i>Medical Care</i> , 2011 , 49, 1031-9	3.1	47
45	The unintended consequence of diabetes mellitus pay-for-performance (P4P) program in Taiwan: are patients with more comorbidities or more severe conditions likely to be excluded from the P4P program?. <i>Health Services Research</i> , 2011 , 46, 47-60	3.4	63
44	Statins and intracerebral hemorrhage: collaborative systematic review and meta-analysis. <i>Circulation</i> , 2011 , 124, 2233-42	16.7	117
43	Risk of hospitalization for upper gastrointestinal adverse events associated with nonsteroidal anti-inflammatory drugs: a nationwide case-crossover study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 763-71	2.6	32
42	Angiotensin receptor blockade and risk of cancer in type 2 diabetes mellitus: a nationwide case-control study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3001-7	2.2	68
41	Effect of the Pay-for-Performance Program for Breast Cancer Care in Taiwan. <i>Journal of Oncology Practice</i> , 2011 , 7, e8s-e15s	3.1	9
40	Reply to X. Yang et al. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4466-4466	2.2	
39	Non-steroidal anti-inflammatory drugs and risk of lower gastrointestinal adverse events: a nationwide study in Taiwan. <i>Gut</i> , 2011 , 60, 1372-8	19.2	28
38	Cancer risk associated with insulin glargine among adult type 2 diabetes patients--a nationwide cohort study. <i>PLoS ONE</i> , 2011 , 6, e21368	3.7	43

37	Effect of the pay-for-performance program for breast cancer care in Taiwan. <i>American Journal of Managed Care</i> , 2011 , 17, e203-11	2.1	5
36	Using discrete choice experiment to elicit doctors' preferences for the report card design of diabetes care in Taiwan - a pilot study. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 14-20	2.5	10
35	Increased risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nationwide case-crossover study. <i>Stroke</i> , 2010 , 41, 1884-90	6.7	71
34	Incidence of and risk factors for community-associated methicillin-resistant <i>Staphylococcus aureus</i> acquired infection or colonization in intensive-care-unit patients. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 4439-44	9.7	20
33	Cancer trends in Taiwan. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40, 897-904	2.8	159
32	Impact of traditional hospital strain of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) and community strain of MRSA on mortality in patients with community-onset <i>S. aureus</i> bacteremia. <i>Medicine (United States)</i> , 2010 , 89, 285-294	1.8	24
31	Risk factors for mortality of nosocomial methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) bloodstream infection: with investigation of the potential role of community-associated MRSA strains. <i>Journal of Infection</i> , 2010 , 61, 449-57	18.9	30
30	Comparison of Rx-defined morbidity groups and diagnosis-based risk adjusters for predicting healthcare costs in Taiwan. <i>BMC Health Services Research</i> , 2010 , 10, 126	2.9	17
29	Is quality of colorectal cancer care good enough? Core measures development and its application for comparing hospitals in Taiwan. <i>BMC Health Services Research</i> , 2010 , 10, 27	2.9	19
28	A randomized controlled trial of risperidone and olanzapine for schizophrenic patients with neuroleptic-induced tardive dyskinesia. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1226-33	4.6	38
27	A pay-for-performance program for diabetes care in Taiwan: a preliminary assessment. <i>American Journal of Managed Care</i> , 2010 , 16, 65-9	2.1	66
26	Prevalence of and risk factors for colonization by methicillin-resistant <i>Staphylococcus aureus</i> among adults in community settings in Taiwan. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 2957-63	9.7	70
25	Economic, social, and psychological factors associated with health-related quality of life of chronic hemodialysis patients in northern Taiwan: a multicenter study. <i>Artificial Organs</i> , 2009 , 33, 61-8	2.6	44
24	Proposal for a cooperative study on population-based cancer survival in selected registries in East Asia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009 , 10, 1191-8	1.7	8
23	Willingness to pay to sustain and expand National Health Insurance services in Taiwan. <i>BMC Health Services Research</i> , 2008 , 8, 261	2.9	10
22	Estimation of mean sojourn time for lung cancer by chest X-ray screening with a Bayesian approach. <i>Lung Cancer</i> , 2008 , 62, 215-20	5.9	8
21	Quality of care for lung cancer in Taiwan: a pattern of care based on core measures in the Taiwan Cancer Database registry. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 635-43	3.2	11
20	Arsenic and diabetes and hypertension in human populations: a review. <i>Toxicology and Applied Pharmacology</i> , 2007 , 222, 298-304	4.6	129

19	Diabetes reporting as a cause of death: results from the Translating Research Into Action for Diabetes (TRIAD) study: response to McEwen et al. <i>Diabetes Care</i> , 2007 , 30, e46	14.6	
18	Type 2 diabetes and hepatocellular carcinoma: A cohort study in high prevalence area of hepatitis virus infection. <i>Hepatology</i> , 2006 , 43, 1295-302	11.2	157
17	Trends in the pattern of care for lung cancer and their correlation with new clinical evidence: experiences in a university-affiliated medical center. <i>American Journal of Medical Quality</i> , 2006 , 21, 408-14 ¹	14.1	8
16	Best evidence topic report. Smectite for acute diarrhoea in children. <i>Emergency Medicine Journal</i> , 2006 , 23, 65-6	1.5	7
15	Congruence of knowledge, experiences, and preferences for disclosure of diagnosis and prognosis between terminally-ill cancer patients and their family caregivers in Taiwan. <i>Cancer Investigation</i> , 2006 , 24, 360-6	2.1	84
14	Effects of physician specialty on use of antidiabetes drugs, process and outcomes of diabetes care in a medical center. <i>Journal of the Formosan Medical Association</i> , 2006 , 105, 821-31	3.2	6
13	Professional accountability for diabetes care in Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2006 , 71, 192-201	7.4	15
12	Discrepancy in the preferences of place of death between terminally ill cancer patients and their primary family caregivers in Taiwan. <i>Social Science and Medicine</i> , 2005 , 61, 1560-6	5.1	65
11	Concordance of preferences for end-of-life care between terminally ill cancer patients and their family caregivers in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2005 , 30, 510-8	4.8	87
10	Accuracy of diabetes diagnosis in health insurance claims data in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2005 , 104, 157-63	3.2	335
9	Progression rates of colorectal cancer by Dukes ^R stage in a high-risk group: analysis of selective colorectal cancer screening. <i>Cancer Journal (Sudbury, Mass)</i> , 2004 , 10, 160-9	2.2	17
8	Outpatient drug expenditures and prescription policies for diseases with high cost to the National Health Insurance system in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2004 , 103, 280-5	3.2	6
7	Direct costs-of-illness of patients with diabetes mellitus in Taiwan. <i>Diabetes Research and Clinical Practice</i> , 2001 , 54 Suppl 1, S43-6	7.4	48
6	An initial assessment of the feasibility and effectiveness of implementing diabetes shared care system in Taiwan--some experiences from I-Lan County. <i>Diabetes Research and Clinical Practice</i> , 2001 , 54 Suppl 1, S67-73	7.4	31
5	Evaluation of a selective screening for colorectal carcinoma. <i>Cancer</i> , 1999 , 86, 1116-1128	6.4	42
4	Antibiotic usage in primary care units in Taiwan. <i>International Journal of Antimicrobial Agents</i> , 1999 , 11, 23-30	14.3	35
3	Efficacy of breast-cancer screening for female relatives of breast-cancer-index cases: Taiwan multicentre cancer screening (TAMCAS). <i>International Journal of Cancer</i> , 1998 , 78, 21-6	7.5	26
2	Universal hepatitis B vaccination in Taiwan and the incidence of hepatocellular carcinoma in children. Taiwan Childhood Hepatoma Study Group. <i>New England Journal of Medicine</i> , 1997 , 336, 1855-9	59.2	1411

- 1 Establishment of a work-related diseases surveillance system in Taiwan, Republic of China.
Preventive Medicine, **1996**, 25, 725-9 4-3 7