

Laurie J Goodyear

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5410443/publications.pdf>

Version: 2024-02-01

76
papers

8,600
citations

57758

44
h-index

79698

73
g-index

78
all docs

78
docs citations

78
times ranked

11900
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal Exercise-Induced SOD3 Reverses the Deleterious Effects of Maternal High-Fat Diet on Offspring Metabolism Through Stabilization of H3K4me3 and Protection Against WDR82 Carbonylation. <i>Diabetes</i> , 2022, 71, 1170-1181.	0.6	11
2	Grandmaternal exercise improves metabolic health of second-generation offspring. <i>Molecular Metabolism</i> , 2022, 60, 101490.	6.5	3
3	Individuals with Acute Spinal Cord Injury Display Impaired Biomarkers of Cardiometabolic Health. <i>FASEB Journal</i> , 2022, 36, .	0.5	0
4	Brown adipose tissue-derived Mar2 contributes to cold-induced resolution of inflammation. <i>Nature Metabolism</i> , 2022, 4, 775-790.	11.9	47
5	Maternal Exercise and Paternal Exercise Induce Distinct Metabolite Signatures in Offspring Tissues. <i>Diabetes</i> , 2022, 71, 2094-2105.	0.6	5
6	Exercise Training Promotes Sex-Specific Adaptations in Mouse Inguinal White Adipose Tissue. <i>Diabetes</i> , 2021, 70, 1250-1264.	0.6	19
7	Placental superoxide dismutase 3 mediates benefits of maternal exercise on offspring health. <i>Cell Metabolism</i> , 2021, 33, 939-956.e8.	16.2	49
8	The MicroRNA miR-696 is regulated by SNARK and reduces mitochondrial activity in mouse skeletal muscle through Pgc1 α inhibition. <i>Molecular Metabolism</i> , 2021, 51, 101226.	6.5	12
9	Exercise intensity regulates cytokine and klotho responses in men. <i>Nutrition and Diabetes</i> , 2021, 11, 5.	3.2	28
10	PHD3 Loss Promotes Exercise Capacity and Fat Oxidation in Skeletal Muscle. <i>Cell Metabolism</i> , 2020, 32, 215-228.e7.	16.2	22
11	Muscle-Specific Insulin Receptor Overexpression Protects Mice From Diet-Induced Glucose Intolerance but Leads to Postreceptor Insulin Resistance. <i>Diabetes</i> , 2020, 69, 2294-2309.	0.6	11
12	Effects of maternal and paternal exercise on offspring metabolism. <i>Nature Metabolism</i> , 2020, 2, 858-872.	11.9	59
13	Exercise training reverses cancer-induced oxidative stress and decrease in muscle COPS2/TRIP15/ALIEN. <i>Molecular Metabolism</i> , 2020, 39, 101012.	6.5	25
14	FGF6 and FGF9 regulate UCP1 expression independent of brown adipogenesis. <i>Nature Communications</i> , 2020, 11, 1421.	12.8	67
15	Exercise-induced 3 β -sialyllactose in breast milk is a critical mediator to improve metabolic health and cardiac function in mouse offspring. <i>Nature Metabolism</i> , 2020, 2, 678-687.	11.9	46
16	Maternal and paternal exercise regulate offspring metabolic health and beta cell phenotype. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000890.	2.8	31
17	Reduced sucrose nonfermenting AMPK-related kinase (SNARK) activity aggravates cancer-induced skeletal muscle wasting. <i>Biomedicine and Pharmacotherapy</i> , 2019, 117, 109197.	5.6	4
18	12-Lipoxygenase Regulates Cold Adaptation and Glucose Metabolism by Producing the Omega-3 Lipid 12-HEPE from Brown Fat. <i>Cell Metabolism</i> , 2019, 30, 768-783.e7.	16.2	132

#	ARTICLE	IF	CITATIONS
19	Loss of FoxOs in muscle reveals sex-based differences in insulin sensitivity but mitigates diet-induced obesity. <i>Molecular Metabolism</i> , 2019, 30, 203-220.	6.5	17
20	Exercise Training Induces Depot-Specific Adaptations to White and Brown Adipose Tissue. <i>IScience</i> , 2019, 11, 425-439.	4.1	91
21	TGF- β 2 is an exercise-induced adipokine that regulates glucose and fatty acid metabolism. <i>Nature Metabolism</i> , 2019, 1, 291-303.	11.9	128
22	Sucrose nonfermenting AMPK-related kinase (SNARK) regulates exercise-stimulated and ischemia-stimulated glucose transport in the heart. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 685-696.	2.6	4
23	12,13-diHOME: An Exercise-Induced Lipokine that Increases Skeletal Muscle Fatty Acid Uptake. <i>Cell Metabolism</i> , 2018, 27, 1111-1120.e3.	16.2	215
24	Muscle-Adipose Tissue Cross Talk. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018, 8, a029801.	6.2	80
25	Paternal Exercise Improves Glucose Metabolism in Adult Offspring. <i>Diabetes</i> , 2018, 67, 2530-2540.	0.6	78
26	L-Alanine activates hepatic AMP-activated protein kinase and modulates systemic glucose metabolism. <i>Molecular Metabolism</i> , 2018, 17, 61-70.	6.5	33
27	Postexercise improvement in glucose uptake occurs concomitant with greater β -AMPK activation and AS160 phosphorylation in rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 315, E859-E871.	3.5	18
28	Voluntary wheel running promotes resilience to chronic social defeat stress in mice: a role for nucleus accumbens β -FosB. <i>Neuropsychopharmacology</i> , 2018, 43, 1934-1942.	5.4	36
29	Lipidomic Adaptations in White and Brown Adipose Tissue in Response to Exercise Demonstrate Molecular Species-Specific Remodeling. <i>Cell Reports</i> , 2017, 18, 1558-1572.	6.4	68
30	Maternal Exercise Improves Glucose Tolerance in Female Offspring. <i>Diabetes</i> , 2017, 66, 2124-2136.	0.6	89
31	Decreased insulin-stimulated brown adipose tissue glucose uptake after short-term exercise training in healthy middle-aged men. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1379-1388.	4.4	46
32	The cold-induced lipokine 12,13-diHOME promotes fatty acid transport into brown adipose tissue. <i>Nature Medicine</i> , 2017, 23, 631-637.	30.7	309
33	Tribbles 3 regulates protein turnover in mouse skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2017, 493, 1236-1242.	2.1	8
34	Ampk phosphorylation of Ulk1 is required for targeting of mitochondria to lysosomes in exercise-induced mitophagy. <i>Nature Communications</i> , 2017, 8, 548.	12.8	333
35	Validity Assessment of 5 Day Repeated Forced-Swim Stress to Model Human Depression in Young-Adult C57BL/6J and BALB/c Mice. <i>ENeuro</i> , 2016, 3, ENEURO.0201-16.2016.	1.9	36
36	Loss of BMP receptor type 1A in murine adipose tissue attenuates age-related onset of insulin resistance. <i>Diabetologia</i> , 2016, 59, 1769-1777.	6.3	16

#	ARTICLE	IF	CITATIONS
37	Relationship of brown adipose tissue perfusion and function: a study through \hat{I}^{22} -adrenoreceptor stimulation. <i>Journal of Applied Physiology</i> , 2016, 120, 825-832.	2.5	16
38	Exercise regulation of adipose tissue. <i>Adipocyte</i> , 2016, 5, 153-162.	2.8	106
39	Tribbles 3 inhibits brown adipocyte differentiation and function by suppressing insulin signaling. <i>Biochemical and Biophysical Research Communications</i> , 2016, 470, 783-791.	2.1	7
40	Contraction stimulates muscle glucose uptake independent of atypical PKC. <i>Physiological Reports</i> , 2015, 3, e12565.	1.7	4
41	Micro <i>RNA</i> $\hat{\epsilon}455$ regulates brown adipogenesis via a novel <i>HIF</i> 1 $\hat{\alpha}$ <i>AMPK</i> $\hat{\epsilon}$ <i>PGC</i> 1 $\hat{\pm}$ signaling network. <i>EMBO Reports</i> , 2015, 16, 1378-1393.	4.5	123
42	Moderate voluntary exercise attenuates the metabolic syndrome in melanocortin-4 receptor-deficient rats showing central dopaminergic dysregulation. <i>Molecular Metabolism</i> , 2015, 4, 692-705.	6.5	18
43	Differential Role of Insulin/IGF-1 Receptor Signaling in Muscle Growth and Glucose Homeostasis. <i>Cell Reports</i> , 2015, 11, 1220-1235.	6.4	117
44	Exercise Effects on White Adipose Tissue: Being and Metabolic Adaptations. <i>Diabetes</i> , 2015, 64, 2361-2368.	0.6	268
45	A Novel Role for Subcutaneous Adipose Tissue in Exercise-Induced Improvements in Glucose Homeostasis. <i>Diabetes</i> , 2015, 64, 2002-2014.	0.6	248
46	Clonal analyses and gene profiling identify genetic biomarkers of the thermogenic potential of human brown and white preadipocytes. <i>Nature Medicine</i> , 2015, 21, 760-768.	30.7	240
47	Exercise and Regulation of Carbohydrate Metabolism. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 135, 17-37.	1.7	105
48	Tbx15 controls skeletal muscle fibre-type determination and muscle metabolism. <i>Nature Communications</i> , 2015, 6, 8054.	12.8	76
49	Exercise Before and During Pregnancy Prevents the Deleterious Effects of Maternal High-Fat Feeding on Metabolic Health of Male Offspring. <i>Diabetes</i> , 2015, 64, 427-433.	0.6	119
50	The AMPK-related kinase SNARK regulates muscle mass and myocyte survival. <i>Journal of Clinical Investigation</i> , 2015, 126, 560-570.	8.2	23
51	Exercise and type 2 diabetes: molecular mechanisms regulating glucose uptake in skeletal muscle. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2014, 38, 308-314.	1.6	227
52	Diminished skeletal muscle microRNA expression with aging is associated with attenuated muscle plasticity and inhibition of IGF $\hat{1}$ signaling. <i>FASEB Journal</i> , 2014, 28, 4133-4147.	0.5	122
53	Overexpression of TRB3 in muscle alters muscle fiber type and improves exercise capacity in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 306, R925-R933.	1.8	26
54	Resistance to Aerobic Exercise Training Causes Metabolic Dysfunction and Reveals Novel Exercise-Regulated Signaling Networks. <i>Diabetes</i> , 2013, 62, 2717-2727.	0.6	68

#	ARTICLE	IF	CITATIONS
55	Increased Mitochondrial Activity in BMP7-Treated Brown Adipocytes, Due to Increased CPT1- and CD36-Mediated Fatty Acid Uptake. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 243-257.	5.4	85
56	Brown adipose tissue regulates glucose homeostasis and insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2013, 123, 215-223.	8.2	964
57	The therapeutic potential of brown adipose tissue. <i>Hepatobiliary Surgery and Nutrition</i> , 2013, 2, 286-7.	1.5	9
58	A Novel Role for Adipose Tissue in Exercise-Induced Improvements in Glucose Homeostasis. <i>FASEB Journal</i> , 2012, 26, 1142.15.	0.5	0
59	Myo1c Regulates Glucose Uptake in Mouse Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2011, 286, 4133-4140.	3.4	50
60	Sucrose nonfermenting AMPK-related kinase (SNARK) mediates contraction-stimulated glucose transport in mouse skeletal muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15541-15546.	7.1	82
61	Effects of exercise training on subcutaneous and visceral adipose tissue in normal- and high-fat diet-fed rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E495-E504.	3.5	183
62	Diet and exercise signals regulate SIRT3 and activate AMPK and PGC-1 α in skeletal muscle. <i>Aging</i> , 2009, 1, 771-783.	3.1	428
63	Genetic model for the chronic activation of skeletal muscle AMP-activated protein kinase leads to glycogen accumulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E802-E811.	3.5	62
64	AS160 Regulates Insulin- and Contraction-stimulated Glucose Uptake in Mouse Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2006, 281, 31478-31485.	3.4	232
65	Skeletal Muscle-Selective Knockout of LKB1 Increases Insulin Sensitivity, Improves Glucose Homeostasis, and Decreases TRB3. <i>Molecular and Cellular Biology</i> , 2006, 26, 8217-8227.	2.3	185
66	AS160 Regulates Insulin- and Contraction-stimulated Glucose Uptake in Mouse Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2006, 281, 31478-31485.	3.4	66
67	β -Cell Secretory Dysfunction in the Pathogenesis of Low Birth Weight-Associated Diabetes. <i>Diabetes</i> , 2005, 54, 702-711.	0.6	110
68	AMP-activated Protein Kinase α 2 Activity Is Not Essential for Contraction- and Hyperosmolarity-induced Glucose Transport in Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2005, 280, 39033-39041.	3.4	162
69	Functional role of AMP-activated protein kinase in the heart during exercise. <i>FEBS Letters</i> , 2005, 579, 2045-2050.	2.8	60
70	p38 β MAPK regulation of glucose transporter expression and glucose uptake in L6 myotubes and mouse skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 286, R342-R349.	1.8	82
71	Targeted disruption of the glucose transporter 4 selectively in muscle causes insulin resistance and glucose intolerance. <i>Nature Medicine</i> , 2000, 6, 924-928.	30.7	624
72	Marathon running transiently increases c-Jun NH 2-terminal kinase and p38 β activities in human skeletal muscle. <i>Journal of Physiology</i> , 2000, 526, 663-669.	2.9	93

#	ARTICLE	IF	CITATIONS
73	Skeletal muscle contractile activity in vitro stimulates mitogen-activated protein kinase signaling. American Journal of Physiology - Cell Physiology, 1999, 277, C701-C707.	4.6	69
74	Eccentric exercise markedly increases c-Jun NH ₂ -terminal kinase activity in human skeletal muscle. Journal of Applied Physiology, 1999, 87, 1668-1673.	2.5	85
75	Effects of Streptozocin-Induced Diabetes and Islet Cell Transplantation on Insulin Signaling in Rat Skeletal Muscle. Endocrinology, 1999, 140, 106-111.	2.8	4
76	Exercise, Glucose Transport, and Insulin Sensitivity. Annual Review of Medicine, 1998, 49, 235-261.	12.2	874