

Jussi Meriluoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5410919/jussi-meriluoto-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219
papers

7,341
citations

50
h-index

77
g-index

226
ext. papers

8,161
ext. citations

4.4
avg, IF

5.8
L-index

#	Paper	IF	Citations
219	Cyanobacterial Potential for Restoration of Loess Surfaces through Artificially Induced Biocrusts. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 66	2.6	3
218	Does the Kis-Balaton Water Protection System (KBWPS) Effectively Safeguard Lake Balaton from Toxic Cyanobacterial Blooms?. <i>Microorganisms</i> , 2021 , 9,	4.9	2
217	Challenges of using blooms of <i>Microcystis</i> spp. in animal feeds: A comprehensive review of nutritional, toxicological and microbial health evaluation. <i>Science of the Total Environment</i> , 2021 , 764, 142319	10.2	26
216	Cyanobacteria, cyanotoxins, and their histopathological effects on fish tissues in Fehérvári-tó reservoir, Hungary. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 554	3.1	0
215	In Vitro Toxicological Screening of Stable and Senescing Cultures of <i>C. limicola</i> , <i>C. limicola</i> , and <i>C. limicola</i> . <i>Toxins</i> , 2020 , 12,	4.9	4
214	Elimination of cyanobacteria and microcystins in irrigation water-effects of hydrogen peroxide treatment. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 8638-8652	5.1	16
213	Protected Freshwater Ecosystem with Incessant Cyanobacterial Blooming Awaiting a Resolution. <i>Water (Switzerland)</i> , 2020 , 12, 129	3	5
212	Potential of cyanobacterial secondary metabolites as biomarkers for paleoclimate reconstruction. <i>Catena</i> , 2020 , 185, 104283	5.8	2
211	Cyanobacteria and loess underestimation interaction. <i>Plant and Soil</i> , 2019 , 439, 293-308	4.2	10
210	Global geographical and historical overview of cyanotoxin distribution and cyanobacterial poisonings. <i>Archives of Toxicology</i> , 2019 , 93, 2429-2481	5.8	103
209	The Effect of a Combined Hydrogen Peroxide-MiR Treatment on the Phytoplankton Community and Microcystin Concentrations in a Mesocosm Experiment in Lake Ludoš. <i>Toxins</i> , 2019 , 11,	4.9	9
208	Cyanobacterial effects in Lake Ludoš (Serbia) - Is preservation of a degraded aquatic ecosystem justified?. <i>Science of the Total Environment</i> , 2018 , 635, 1047-1062	10.2	13
207	Cyanobacteria and microcystins in Koka reservoir (Ethiopia). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 26861-26873	5.1	20
206	The structure and toxicity of winter cyanobacterial bloom in a eutrophic lake of the temperate zone. <i>Ecotoxicology</i> , 2018 , 27, 752-760	2.9	13
205	Screening of cyanobacterial cultures originating from different environments for cyanotoxicity and cyanotoxins. <i>Toxicon</i> , 2018 , 154, 1-6	2.8	9
204	Effects of <i>Daphnia</i> exudates and sodium octyl sulphates on filament morphology and cell wall thickness of <i>Aphanizomenon gracile</i> (Nostocales), <i>Cylindrospermopsis raciborskii</i> (Nostocales) and <i>Planktothrix agardhii</i> (Oscillatoriales). <i>European Journal of Phycology</i> , 2018 , 53, 280-289	2.2	11
203	Cyanobacterial diversity and toxicity of biocrusts from the Caspian Lowland loess deposits, North Iran. <i>Quaternary International</i> , 2017 , 429, 74-85	2	16

202	Microcystin accumulation and potential effects on antioxidant capacity of leaves and fruits of <i>Capsicum annuum</i> . <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017 , 80, 145-154	37
201	Appendix 1: Cyanobacterial Species and Recent Synonyms 2017 , 487-500	
200	Appendix 2: Cyanobacteria Associated With the Production of Cyanotoxins 2017 , 501-525	15
199	Appendix 3: Tables of Microcystins and Nodularins 2017 , 526-537	32
198	The Italian System for Cyanobacterial Risk Management in Drinking Water Chains 2017 , 100-106	
197	Microcystins and Nodularins 2017 , 107-126	14
196	Cylindrospermopsin and Congeners 2017 , 127-137	6
195	Anatoxin-a, Homoanatoxin-a, and Natural Analogues 2017 , 138-147	3
194	Saxitoxin and Analogues 2017 , 148-154	3
193	Anatoxin-a(S) 2017 , 155-159	1
192	EN-Methylamino-L-Alanine and (S)-2,4-Diaminobutyric Acid 2017 , 160-164	1
191	Lipopolysaccharide Endotoxins 2017 , 165-172	1
190	Cyanobacterial Retinoids 2017 , 173-178	1
189	Other Cyanobacterial Bioactive Substances 2017 , 179-195	1
188	Ecology of Cyanobacteria 2017 , 9-18	1
187	Taste and Odour Compounds Produced by Cyanobacteria 2017 , 196-201	1
186	Determination of Cyanotoxins by High-Performance Liquid Chromatography with Photodiode Array 2017 , 203-211	3
185	Determination of Cyanotoxins by High-Performance Liquid Chromatography with Fluorescence Derivatization 2017 , 212-217	

184	Liquid ChromatographyMass Spectrometry 2017 , 218-257	
183	Capillary Electrophoresis of Cyanobacterial Toxins 2017 , 258-262	
182	Immunoassays and Other Antibody Applications 2017 , 263-266	
181	Protein Phosphatase Inhibition Assays 2017 , 267-271	1
180	Bioassay Use in the Field of Toxic Cyanobacteria 2017 , 272-279	1
179	Molecular Tools for the Detection of Toxigenic Cyanobacteria in Natural Ecosystems 2017 , 280-283	2
178	Method Validation Guidelines for the Analysis of Cyanotoxins 2017 , 285-291	
177	Picocyanobacteria 2017 , 19-27	14
176	Interpretation, Significance, and Reporting of Results 2017 , 292-297	1
175	Lessons from the Ulfte Case 2017 , 298-308	6
174	Selection of Analytical Methodology for Cyanotoxin Analysis 2017 , 309-312	
173	Cyanobacterial Samples 2017 , 313-330	3
172	Chlorophyll a Extraction and Determination 2017 , 331-334	0
171	Phycocyanin Extraction and Determination 2017 , 335-338	1
170	Analysis of Picocyanobacteria Abundance in Epifluorescence Microscopy 2017 , 339-342	3
169	Estimation of Cyanobacteria Biomass by Marker Pigment Analysis 2017 , 343-349	2
168	Extraction of Cyanotoxins from Cyanobacterial Biomass 2017 , 350-353	
167	Solid-Phase Extraction of Microcystins and Nodularin from Drinking Water 2017 , 354-357	2

166	Expansion of Alien and Invasive Cyanobacteria 2017 , 28-39	7
165	Extraction of Microcystins from Animal Tissues 2017 , 358-361	1
164	Analysis of Microcystins by Online Solid Phase Extraction Liquid Chromatography Tandem Mass Spectrometry 2017 , 362-371	1
163	Determination of Microcystins and Nodularin in Filtered and Drinking Water by LC-MS/MS 2017 , 372-378	2
162	Analysis of Microcystins and Nodularin by Ultra High-Performance Liquid Chromatography Tandem Mass Spectrometry 2017 , 379-384	
161	Analysis of Microcystins in Animal Tissues Using LC-MS/MS 2017 , 385-389	
160	Quantitative Screening of Microcystins and Nodularin in Water Samples with Commercially Available ELISA Kits 2017 , 390-392	
159	Quantitative Screening of Microcystins and Nodularin in Water Samples with Commercially Available PPIA Kits 2017 , 393-395	
158	Solid-Phase Extraction of Cylindrospermopsin from Filtered and Drinking Water 2017 , 396-398	
157	Determination of Cylindrospermopsin in Filtered and Drinking Water by LC-MS/MS 2017 , 399-404	
156	Solid-Phase Extraction of Anatoxin-a from Filtered and Drinking Water 2017 , 405-407	
155	Health and Safety During Sampling and in the Laboratory 2017 , 41-45	
154	Determination of Anatoxin-a in Filtered and Drinking Water by LC-MS/MS 2017 , 408-412	1
153	Analysis of Anatoxin-a and Cylindrospermopsin by Ultra High-Performance Liquid Chromatography Tandem Mass Spectrometry 2017 , 413-417	
152	Extraction and Chemical Analysis of Saxitoxin and Analogues in Water 2017 , 418-431	1
151	Extraction of BMAA from Cyanobacteria 2017 , 432-434	
150	Analysis of β N-Methylamino-L-Alanine by UHPLC-MS/MS 2017 , 435-438	
149	Extraction and LC-MS/MS Analysis of Underivatized BMAA 2017 , 439-446	2

148	Extraction, Purification, and Testing of LPS from Cyanobacterial Samples 2017 , 447-451			1
147	Extraction and Chemical Analysis of Planktopeptin and Anabaenopeptins 2017 , 452-461			
146	Thamnocephalus Test 2017 , 462-468			
145	Determination of Geosmin and 2-Methylisoborneol in Water by HS-SPME-GC/MS 2017 , 469-474			0
144	Basic Guide to Detection and Monitoring of Potentially Toxic Cyanobacteria 2017 , 46-69			6
143	Rapid Analysis of Geosmin and 2-Methylisoborneol from Aqueous Samples Using Solid-Phase Extraction and GC-MS 2017 , 475-480			1
142	Basic Validation Protocol for the Analysis of Cyanotoxins in Environmental Samples 2017 , 481-485			1
141	Case Studies of Environmental Sampling, Detection, and Monitoring of Potentially Toxic Cyanobacteria 2017 , 70-83			1
140	New Tools for the Monitoring of Cyanobacteria in Freshwater Ecosystems 2017 , 84-88			2
139	Remote Sensing of Cyanobacterial Blooms in Inland, Coastal, and Ocean Waters 2017 , 89-99			4
138	Toxicology of microcystins with reference to cases of human intoxications and epidemiological investigations of exposures to cyanobacteria and cyanotoxins. <i>Archives of Toxicology</i> , 2017 , 91, 621-650	5.8		137
137	First report of cyanobacterial paralytic shellfish toxin biosynthesis genes and paralytic shellfish toxin production in Polish freshwater lakes. <i>Advances in Oceanography and Limnology</i> , 2017 , 8,		1.3	11
136	Melanisation of <i>Aspergillus terreus</i> -Is Butyrolactone I Involved in the Regulation of Both DOPA and DHN Types of Pigments in Submerged Culture?. <i>Microorganisms</i> , 2017 , 5,		4.9	7
135	Toxic cyanobacteria and cyanotoxins in European waters [Recent progress achieved through the CYANOCOST Action and challenges for further research. <i>Advances in Oceanography and Limnology</i> , 2017 , 8,		1.3	39
134	Non-competitive ELISA with broad specificity for microcystins and nodularins. <i>Advances in Oceanography and Limnology</i> , 2017 , 8,		1.3	9
133	Assessment of cyanoprokaryote blooms and of cyanotoxins in Bulgaria in a 15-years period (2000-2015). <i>Advances in Oceanography and Limnology</i> , 2017 , 8,		1.3	13
132	The biodegradation of microcystins in temperate freshwater bodies with previous cyanobacterial history. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 145, 420-430		7	26
131	Transcriptomic Complexity of <i>Aspergillus terreus</i> Velvet Gene Family under the Influence of Butyrolactone I. <i>Microorganisms</i> , 2017 , 5,		4.9	13

130	Oxygen produced by cyanobacteria in simulated Archaean conditions partly oxidizes ferrous iron but mostly escapes-conclusions about early evolution. <i>Photosynthesis Research</i> , 2016 , 130, 103-111	3.7	4
129	Quantity of the dinoflagellate sxtA4 gene and cell density correlates with paralytic shellfish toxin production in <i>Alexandrium ostenfeldii</i> blooms. <i>Harmful Algae</i> , 2016 , 52, 1-10	5.3	19
128	Loess and life out of Earth?. <i>Quaternary International</i> , 2016 , 399, 208-217	2	5
127	Characterization of Enzymatic Activity of MlrB and MlrC Proteins Involved in Bacterial Degradation of Cyanotoxins Microcystins. <i>Toxins</i> , 2016 , 8,	4.9	25
126	Morphologic, Phylogenetic and Chemical Characterization of a Brackish Colonial Picocyanobacterium (Coelosphaeriaceae) with Bioactive Properties. <i>Toxins</i> , 2016 , 8, 108	4.9	5
125	A Collaborative Evaluation of LC-MS/MS Based Methods for BMAA Analysis: Soluble Bound BMAA Found to Be an Important Fraction. <i>Marine Drugs</i> , 2016 , 14,	6	39
124	Massive fish mortality and <i>Cylindrospermopsis raciborskii</i> bloom in Aleksandrovac Lake. <i>Ecotoxicology</i> , 2016 , 25, 1353-63	2.9	22
123	Cyanobacteria and cyanotoxins in fishponds and their effects on fish tissue. <i>Harmful Algae</i> , 2016 , 55, 66-76	5.3	61
122	Broad-Spectrum Noncompetitive Immunocomplex Immunoassay for Cyanobacterial Peptide Hepatotoxins (Microcystins and Nodularins). <i>Analytical Chemistry</i> , 2016 , 88, 10080-10087	7.8	31
121	Bioaccumulation of hepatotoxins - a considerable risk in the Latvian environment. <i>Environmental Pollution</i> , 2015 , 196, 313-20	9.3	17
120	Detection of cyanobacterial sxt genes and paralytic shellfish toxins in freshwater lakes and brackish waters on Ånd Islands, Finland. <i>Harmful Algae</i> , 2015 , 46, 1-10	5.3	24
119	Toxicopathology induced by microcystins and nodularin: a histopathological review. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2015 , 33, 125-67	4.5	23
118	Structures and Activity of New Anabaenopeptins Produced by Baltic Sea Cyanobacteria. <i>Marine Drugs</i> , 2015 , 14, 8	6	48
117	Rapid quantification of mcyB copy numbers on dry chemistry PCR chips and predictability of microcystin concentrations in freshwater environments. <i>Harmful Algae</i> , 2014 , 39, 280-286	5.3	12
116	Butyrolactone I Quantification from Lovastatin Producing <i>Aspergillus terreus</i> Using Tandem Mass Spectrometry-Evidence of Signalling Functions. <i>Microorganisms</i> , 2014 , 2, 111-27	4.9	14
115	Epidemiology of cancers in Serbia and possible connection with cyanobacterial blooms. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2014 , 32, 319-37	4.5	29
114	First report of cylindrospermopsin production by two cyanobacteria (<i>Dolichospermum mendotae</i> and <i>Chrysochloris ovalisporum</i>) in Lake Iznik, Turkey. <i>Toxins</i> , 2014 , 6, 3173-86	4.9	24
113	Microbial degradation of microcystins. <i>Chemical Research in Toxicology</i> , 2013 , 26, 841-52	4	94

112	Aphanizomenon gracile (Nostocales), a cylindrospermopsin-producing cyanobacterium in Polish lakes. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 5243-64	5.1	61
111	Quantitative PCR detection and improved sample preparation of microcystin-producing Anabaena, Microcystis and Planktothrix. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 87, 49-56	7	24
110	Characterization of microcystin-LR removal process in the presence of probiotic bacteria. <i>Toxicon</i> , 2012 , 59, 171-81	2.8	30
109	Heterologous expression and characterisation of microcystinase. <i>Toxicon</i> , 2012 , 59, 578-86	2.8	42
108	Glycosylphosphatidylinositol (GPI)-anchoring of mamba toxins enables cell-restricted receptor silencing. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 417, 93-7	3.4	1
107	Removal of cholera toxin from aqueous solution by probiotic bacteria. <i>Pharmaceuticals</i> , 2012 , 5, 665-73	5.2	10
106	Diversity of peptides produced by Nodularia spumigena from various geographical regions. <i>Marine Drugs</i> , 2012 , 11, 1-19	6	47
105	Comparative cellular toxicity of hydrophilic and hydrophobic microcystins on Caco-2 cells. <i>Toxins</i> , 2012 , 4, 1008-23	4.9	66
104	Cyanotoxin production in seven Ethiopian Rift Valley lakes. <i>Inland Waters</i> , 2011 , 1, 81-91	2.4	38
103	Adrenoceptor activity of muscarinic toxins identified from mamba venoms. <i>British Journal of Pharmacology</i> , 2011 , 164, 538-50	8.6	17
102	Fast separation of microcystins and nodularins on narrow-bore reversed-phase columns coupled to a conventional HPLC system. <i>Toxicon</i> , 2010 , 55, 954-64	2.8	37
101	Detection of free and covalently bound microcystins in animal tissues by liquid chromatography-tandem mass spectrometry. <i>Environmental Pollution</i> , 2010 , 158, 948-52	9.3	65
100	Accumulation of free and covalently bound microcystins in tissues of Lymnaea stagnalis (Gastropoda) following toxic cyanobacteria or dissolved microcystin-LR exposure. <i>Environmental Pollution</i> , 2010 , 158, 674-80	9.3	47
99	LC-ESI-Q-TOF-MS for faster and accurate determination of microcystins and nodularins in serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2433-41	3.2	9
98	Interaction of probiotics and pathogens--benefits to human health?. <i>Current Opinion in Biotechnology</i> , 2010 , 21, 157-67	11.4	98
97	Rapid LC-MS detection of cyanobacterial hepatotoxins microcystins and nodularins--comparison of columns. <i>Analytica Chimica Acta</i> , 2009 , 653, 234-41	6.6	42
96	Separation of microcystins and nodularins by ultra performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3822-30	3.2	18
95	Accumulation and effects of nodularin from a single and repeated oral doses of cyanobacterium Nodularia spumigena on flounder (Platichthys flesus L.). <i>Archives of Environmental Contamination and Toxicology</i> , 2009 , 57, 164-73	3.2	23

94	Production and sedimentation of peptide toxins nodularin-R and microcystin-LR in the northern Baltic Sea. <i>Environmental Pollution</i> , 2009 , 157, 1301-9	9.3	37
93	First report of the cyanobacterial toxin cylindrospermopsin in the shallow, eutrophic lakes of western Poland. <i>Chemosphere</i> , 2009 , 74, 669-75	8.4	61
92	Effect of glucose in removal of microcystin-LR by viable commercial probiotic strains and strains isolated from dadih fermented milk. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3714-20	5.7	23
91	Nucleotide excision repair impairment by nodularin in CHO cell lines due to ERCC1/XPF inactivation. <i>Toxicology Letters</i> , 2008 , 179, 101-7	4.4	17
90	Nodularin in feathers and liver of eiders (<i>Somateria mollissima</i>) caught from the western Gulf of Finland in June-September 2005. <i>Harmful Algae</i> , 2008 , 7, 99-105	5.3	20
89	Specific strains of probiotic bacteria are efficient in removal of several different cyanobacterial toxins from solution. <i>Toxicon</i> , 2008 , 52, 214-20	2.8	38
88	Oxidation of MC-LR and -RR with chlorine and potassium permanganate: toxicity of the reaction products. <i>Water Research</i> , 2008 , 42, 1744-52	12.5	64
87	Effect of glucose and incubation temperature on metabolically active <i>Lactobacillus plantarum</i> from dadih in removing microcystin-LR. <i>Food and Chemical Toxicology</i> , 2008 , 46, 502-7	4.7	33
86	Oxidation of microcystin-LR with chlorine and permanganate during drinking water treatment 2008 , 57, 371-380		21
85	Cyanobacterial hepatotoxins, microcystins and nodularins, in fresh and brackish waters of the Pomeranian Province, northern Poland. <i>Oceanological and Hydrobiological Studies</i> , 2008 , 37, 3-21	0.8	20
84	Exposure of mallards (<i>Anas platyrhynchos</i>) to the hepatotoxic cyanobacterium <i>Nodularia spumigena</i> . <i>Toxicological and Environmental Chemistry</i> , 2008 , 90, 437-444	1.4	0
83	Combining strains of lactic acid bacteria may reduce their toxin and heavy metal removal efficiency from aqueous solution. <i>Letters in Applied Microbiology</i> , 2008 , 46, 160-5	2.9	98
82	Adhesion and aggregation properties of probiotic and pathogen strains. <i>European Food Research and Technology</i> , 2008 , 226, 1065-1073	3.4	290
81	Cyanotoxins: sampling, sample processing and toxin uptake. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 619, 483-99	3.6	42
80	Selective oxidation of key functional groups in cyanotoxins during drinking water ozonation. <i>Environmental Science & Technology</i> , 2007 , 41, 4397-404	10.3	131
79	Potential probiotic characteristics of <i>Lactobacillus</i> and <i>Enterococcus</i> strains isolated from traditional dadih fermented milk against pathogen intestinal colonization. <i>Journal of Food Protection</i> , 2007 , 70, 700-5	2.5	37
78	Indigenous dadih lactic acid bacteria: cell-surface properties and interactions with pathogens. <i>Journal of Food Science</i> , 2007 , 72, M89-93	3.4	73
77	Role of commercial probiotic strains against human pathogen adhesion to intestinal mucus. <i>Letters in Applied Microbiology</i> , 2007 , 45, 454-60	2.9	195

76	Removal of microcystin-LR by strains of metabolically active probiotic bacteria. <i>FEMS Microbiology Letters</i> , 2007 , 270, 27-33	2.9	48
75	Oxidation of microcystins by permanganate: reaction kinetics and implications for water treatment. <i>Water Research</i> , 2007 , 41, 102-10	12.5	139
74	Effects of microcystins on broccoli and mustard, and analysis of accumulated toxin by liquid chromatography-mass spectrometry. <i>Toxicon</i> , 2007 , 49, 865-74	2.8	69
73	Transfer of nodularin to three-spined stickleback (<i>Gasterosteus aculeatus</i> L.), herring (<i>Clupea harengus</i> L.), and salmon (<i>Salmo salar</i> L.) in the northern Baltic Sea. <i>Ecotoxicology and Environmental Safety</i> , 2007 , 66, 421-5	7	31
72	Accumulation and depuration of cyanobacterial toxin nodularin and biomarker responses in the mussel <i>Mytilus edulis</i> . <i>Chemosphere</i> , 2007 , 68, 1210-7	8.4	52
71	In vitro analysis of probiotic strain combinations to inhibit pathogen adhesion to human intestinal mucus. <i>Food Research International</i> , 2007 , 40, 629-636	7	77
70	Measurement of aggregation properties between probiotics and pathogens: in vitro evaluation of different methods. <i>Journal of Microbiological Methods</i> , 2007 , 71, 71-4	2.8	79
69	Development of new probiotics by strain combinations: is it possible to improve the adhesion to intestinal mucus?. <i>Journal of Dairy Science</i> , 2007 , 90, 2710-6	4	55
68	Nodularin-induced genotoxicity following oxidative DNA damage and aneuploidy in HepG2 cells. <i>Toxicology Letters</i> , 2006 , 164, 239-48	4.4	33
67	Legal and security requirements for the air transportation of cyanotoxins and toxigenic cyanobacterial cells for legitimate research and analytical purposes. <i>Toxicology Letters</i> , 2006 , 163, 85-90	4.4	10
66	Oxidation of the cyanobacterial hepatotoxin microcystin-LR by chlorine dioxide: influence of natural organic matter. <i>Environmental Science & Technology</i> , 2006 , 40, 1504-10	10.3	45
65	The degradation of the cyanobacterial hepatotoxin nodularin (NOD) by UV radiation. <i>Chemosphere</i> , 2006 , 65, 1388-95	8.4	23
64	Production of antibodies against microcystin-RR for the assessment of purified microcystins and cyanobacterial environmental samples. <i>Toxicon</i> , 2006 , 48, 295-306	2.8	32
63	Characterization of nodularin variants in <i>Nodularia spumigena</i> from the Baltic Sea using liquid chromatography/mass spectrometry/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 2023-32	2.2	56
62	First observation of cylindrospermopsin in <i>Anabaena lapponica</i> isolated from the boreal environment (Finland). <i>Environmental Toxicology</i> , 2006 , 21, 552-60	4.2	135
61	Analysis of nodularin-R in eider (<i>Somateria mollissima</i>), roach (<i>Rutilus rutilus</i> L.), and flounder (<i>Platichthys flesus</i> L.) liver and muscle samples from the western Gulf of Finland, northern Baltic Sea. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 2834-9	3.8	32
60	Heterogeneity of nodularin bioaccumulation in northern Baltic Sea flounders in 2002. <i>Chemosphere</i> , 2005 , 59, 1091-7	8.4	27
59	Kinetics of reactions between chlorine and the cyanobacterial toxins microcystins. <i>Water Research</i> , 2005 , 39, 1628-38	12.5	119

58	Elimination of microcystins by water treatment processes-examples from Sulejow Reservoir, Poland. <i>Water Research</i> , 2005 , 39, 2394-406	12.5	75
57	Removal of the cyanobacterial toxin microcystin-LR by human probiotics. <i>Toxicon</i> , 2005 , 46, 111-4	2.8	33
56	First observation of microcystin-LR in pelagic cyanobacterial blooms in the northern Baltic Sea. <i>Harmful Algae</i> , 2005 , 4, 163-166	5.3	43
55	Distribution of Hepatotoxic Cyanobacterial Blooms in Belgium and Luxembourg. <i>Hydrobiologia</i> , 2005 , 551, 99-117	2.4	58
54	Trophic transfer of cyanobacterial toxins from zooplankton to planktivores: consequences for pike larvae and mysid shrimps. <i>Environmental Toxicology</i> , 2005 , 20, 354-62	4.2	38
53	Quantitative LC-ESI-MS analyses of microcystins and nodularin-R in animal tissue--matrix effects and method validation. <i>Environmental Toxicology</i> , 2005 , 20, 381-9	4.2	52
52	Eiders (<i>Somateria mollissima</i>) obtain nodularin, a cyanobacterial hepatotoxin, in Baltic Sea food web. <i>Environmental Toxicology and Chemistry</i> , 2004 , 23, 1256-60	3.8	32
51	Comparison of product ion spectra obtained by liquid chromatography/triple-quadrupole mass spectrometry for library search. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 1039-46	2.2	59
50	Oxidation of the cyanobacterial hepatotoxin microcystin-LR by chlorine dioxide: reaction kinetics, characterization, and toxicity of reaction products. <i>Environmental Science & Technology</i> , 2004 , 38, 6025-31	10.3	79
49	Characterization and Diversity of Cyano- bacterial Hepatotoxins (Microcystins) in Blooms from Polish Freshwaters Identified by Liquid Chromatography-Electrospray Ionisation Mass Spectrometry. <i>Chromatographia</i> , 2004 , 59,	2.1	31
48	Assimilation and depuration of microcystin-LR by the zebra mussel, <i>Dreissena polymorpha</i> . <i>Aquatic Toxicology</i> , 2004 , 69, 385-96	5.1	97
47	Microcystin occurrence in lakes in land, SW Finland. <i>Hydrobiologia</i> , 2003 , 505, 129-138	2.4	19
46	Identification of ATP-synthase as a novel intracellular target for microcystin-LR. <i>Chemico-Biological Interactions</i> , 2003 , 142, 223-37	5	84
45	Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography-electrospray ionisation mass spectrometry. <i>Journal of Chromatography A</i> , 2003 , 1020, 105-19	4.5	166
44	Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 784, 243-53	3.2	48
43	Uptake and accumulation of dissolved, radiolabeled nodularin in Baltic Sea zooplankton. <i>Environmental Toxicology</i> , 2003 , 18, 52-60	4.2	35
42	Mass spectrometric detection and quantification of nodularin-R in flounder livers. <i>Environmental Toxicology</i> , 2003 , 18, 284-8	4.2	16
41	Synthesis and organotropism of 3H-dihydro derivatives of the cyanobacterial peptide hepatotoxin nodularin. <i>Toxicon</i> , 2003 , 41, 153-62	2.8	12

40	Interaction between microcystins of different hydrophobicities and lipid monolayers. <i>Toxicon</i> , 2003 , 41, 349-55	2.8	51
39	Chromatographic and spectral behaviour and detection of hepatotoxic nodularin in fish, clam, mussel and mouse tissues using HPLC analysis. <i>Chromatographia</i> , 2002 , 55, 157-162	2.1	15
38	Effects of dissolved cyanobacterial toxins on the survival and egg hatching of estuarine calanoid copepods. <i>Marine Biology</i> , 2002 , 140, 577-583	2.5	52
37	Rapid separation of microcystins and nodularin using a monolithic silica C18 column. <i>Journal of Chromatography A</i> , 2002 , 947, 237-45	4.5	47
36	Screening for cyanobacterial hepatotoxins in herring and salmon from the Baltic Sea. <i>Aquatic Ecosystem Health and Management</i> , 2002 , 5, 451-456	1.4	26
35	The toxicities of a polyunsaturated fatty acid and a microcystin to <i>Daphnia magna</i> . <i>Environmental Toxicology</i> , 2001 , 16, 444-8	4.2	28
34	Detection of nodularin in flounders and cod from the Baltic Sea. <i>Environmental Toxicology</i> , 2001 , 16, 121-6	4.2	59
33	Time-dependent accumulation of cyanobacterial hepatotoxins in flounders (<i>Platichthys flesus</i>) and mussels (<i>Mytilus edulis</i>) from the northern Baltic Sea. <i>Environmental Toxicology</i> , 2001 , 16, 330-6	4.2	85
32	Pink snapper (<i>Pagrus auratus</i>) as a bioindicator of aquatic. Environmental health in Western Australia. <i>Environmental Toxicology</i> , 2001 , 16, 449-54	4.2	6
31	High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C18 and amide C16 sorbents. <i>Journal of Chromatography A</i> , 2001 , 909, 225-36	4.5	54
30	Effects of ship traffic on archipelago waters off the Långnäs harbour in Åland, SW Finland. <i>Hydrobiologia</i> , 2001 , 444, 217-225	2.4	14
29	Production and specificity of mono and polyclonal antibodies against microcystins conjugated through N-methyldehydroalanine. <i>Toxicon</i> , 2001 , 39, 477-83	2.8	25
28	A time-resolved fluoroimmunoassay for the detection of microcystins, cyanobacterial peptide hepatotoxins. <i>Toxicon</i> , 2001 , 39, 831-6	2.8	20
27	Chapter 11B Toxins of freshwater cyanobacteria (blue-green algae). <i>Handbook of Analytical Separations</i> , 2000 , 359-390	0.7	1
26	The first observation of okadaic acid in flounder in the Baltic Sea. <i>Sarsia</i> , 2000 , 85, 471-475		14
25	Isolation and detection of microcystins and nodularins, cyanobacterial peptide hepatotoxins. <i>Methods in Molecular Biology</i> , 2000 , 145, 65-87	1.4	17
24	Toxic algae and fish mortality in a brackish-water lake in Åland, SW Finland. <i>Hydrobiologia</i> , 1999 , 397, 109-120	2.4	60
23	Electrochemical detection of microcystins, cyanobacterial peptide hepatotoxins, following high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1998 , 810, 226-30	4.5	38

22	Microcystin uptake inhibits growth and protein phosphatase activity in mustard (<i>Sinapis alba</i> L.) seedlings. <i>Toxicon</i> , 1998 , 36, 1921-6	2.8	77
21	Chromatography of microcystins. <i>Analytica Chimica Acta</i> , 1997 , 352, 277-298	6.6	139
20	Conformational studies of microcystin-LR using NMR spectroscopy and molecular dynamics calculations. <i>Biochemistry</i> , 1996 , 35, 3197-205	3.2	43
19	Choosing analytical strategy for microcystins. <i>Phycologia</i> , 1996 , 35, 125-132	2.7	12
18	Ecological effects of hepatotoxic cyanobacteria. <i>Environmental Toxicology and Water Quality</i> , 1992 , 7, 87-93		7
17	Recurrent Depth Maxima of the Hepatotoxic Cyanobacterium <i>Oscillatoria agardhii</i> . <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1991 , 48, 1629-1634	2.4	40
16	Computer modelling of the 3-dimensional structures of the cyanobacterial hepatotoxins microcystin-LR and nodularin. <i>Toxicon</i> , 1991 , 29, 901-6	2.8	34
15	Retention mechanisms and selectivity in internal-surface reversed-phase liquid chromatography. Studies with cyanobacterial peptide toxins. <i>Chromatographia</i> , 1990 , 30, 301-308	2.1	14
14	Internal surface reversed-phase high-performance liquid chromatographic separation of the cyanobacterial peptide toxins microcystin-LA, -LR, -YR, -RR and nodularin. <i>Journal of Chromatography A</i> , 1990 , 509, 390-5	4.5	52
13	Synthesis, organotropism and hepatocellular uptake of two tritium-labeled epimers of dihydromicrocystin-LR, a cyanobacterial peptide toxin analog. <i>Toxicon</i> , 1990 , 28, 1439-46	2.8	69
12	Structure of a hepatotoxic pentapeptide from the cyanobacterium <i>Nodularia spumigena</i> . <i>Toxicon</i> , 1990 , 28, 535-40	2.8	34
11	Hepatocellular uptake of 3H-dihydromicrocystin-LR, a cyclic peptide toxin. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990 , 1025, 60-6	3.8	161
10	Hepatocyte deformation induced by cyanobacterial toxins reflects inhibition of protein phosphatases. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 173, 1347-53	3.4	297
9	Accumulation of a peptide toxin from the cyanobacterium <i>Oscillatoria agardhii</i> in the freshwater mussel <i>Anadonta cygnea</i> . <i>Hydrobiologia</i> , 1989 , 183, 211-216	2.4	99
8	Toxic cyanobacteria and water quality problems—Examples from a eutrophic lake on Åland, South West Finland. <i>Water Research</i> , 1989 , 23, 481-486	12.5	71
7	Structure and toxicity of a peptide hepatotoxin from the cyanobacterium <i>Oscillatoria agardhii</i> . <i>Toxicon</i> , 1989 , 27, 1021-34	2.8	137
6	Rapid microfilament reorganization induced in isolated rat hepatocytes by microcystin-LR, a cyclic peptide toxin. <i>Experimental Cell Research</i> , 1989 , 185, 86-100	4.2	131
5	Cellular effects of cyanobacterial peptide toxins. <i>Toxicity Assessment</i> , 1988 , 3, 511-518		10

4	Rapid analysis of peptide toxins in cyanobacteria. <i>Journal of Chromatography A</i> , 1988 , 438, 93-9	4.5	84
3	A comparison of toxins isolated from the cyanobacteria <i>Oscillatoria agardhii</i> and <i>Microcystis aeruginosa</i> . <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1988 , 89, 207-10		8
2	Preliminary characterization of a toxin isolated from the cyanobacterium <i>Nodularia spumigena</i> . <i>Toxicon</i> , 1988 , 26, 161-6	2.8	84
1	Plankton hitch-hikers on naturalists' instruments as silent intruders of aquatic ecosystems: current risks and possible prevention. <i>NeoBiota</i> , 73, 193-219	4.2	0