

IvÃ¡n C BalÃ¡n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5411606/publications.pdf>

Version: 2024-02-01

57
papers

852
citations

516561

16
h-index

580701

25
g-index

58
all docs

58
docs citations

58
times ranked

1116
citing authors

#	ARTICLE	IF	CITATIONS
1	Text Messaging and Disaster Preparedness Aids Engagement, Re-Engagement, Retention, and Communication Among Puerto Rican Participants in a Human Immunodeficiency Virus (HIV) Self-Testing Study After Hurricanes Irma and Maria. <i>Disaster Medicine and Public Health Preparedness</i> , 2023, 17, 1-8.	0.7	12
2	Acceptability and Use of a Dual HIV/Syphilis Rapid Test and Accompanying Smartphone App to Facilitate Self- and Partner-Testing Among Cisgender Men and Transgender Women Who Have Sex with Men. <i>AIDS and Behavior</i> , 2022, 26, 35-46.	1.4	13
3	“The role of case management in HIV treatment adherence: HPTN 078” <i>AIDS and Behavior</i> , 2022, 26, 3119-3130.	1.4	2
4	Negotiating Use of a Blood-Based, Dual HIV and Syphilis Test with Potential Sexual Partners Among a Sample of Cisgender Men and Transgender Women Who Have Sex with Men in New York City. <i>Archives of Sexual Behavior</i> , 2022, 51, 2015-2025.	1.2	1
5	Women’s experience receiving drug feedback and adherence counseling in MTN-025/HOPE - an HIV Prevention open-label trial of the Dapivirine Vaginal Ring. <i>AIDS and Behavior</i> , 2022, , .	1.4	1
6	How Stigma Toward Anal Sexuality Promotes Concealment and Impedes Health-Seeking Behavior in the U.S. Among Cisgender Men Who Have Sex with Men. <i>Archives of Sexual Behavior</i> , 2021, 50, 1651-1663.	1.2	25
7	Sharing Objective Measures of Adherence to a Vaginal Microbicide Promotes Candor About Actual Use and Bolsters Motivation to Prevent HIV. <i>AIDS and Behavior</i> , 2021, 25, 721-731.	1.4	4
8	Client-Centered Adherence Counseling with Adherence Measurement Feedback to Support Use of the Dapivirine Ring in MTN-025 (The HOPE Study). <i>AIDS and Behavior</i> , 2021, 25, 447-458.	1.4	14
9	Safety, uptake, and use of a dapivirine vaginal ring for HIV-1 prevention in African women (HOPE): an open-label, extension study. <i>Lancet HIV</i> , 2021, 8, e87-e95.	2.1	70
10	Attitudes and Perceptions About Disclosing HIV and Syphilis Results Using Smarttest, a Smartphone App Dedicated to Self- and Partner Testing. <i>AIDS Education and Prevention</i> , 2021, 33, 234-248.	0.6	3
11	Inconsistent Counselor Fidelity in Delivering an Evidence-Based Adherence Intervention During a PrEP Trial. <i>AIDS and Behavior</i> , 2021, , 1.	1.4	0
12	Experiences of Transgender Women Who Used a Dual HIV/Syphilis Rapid Self-test to Screen Themselves and Potential Sexual Partners (the SMARTtest Study). <i>AIDS and Behavior</i> , 2021, , 1.	1.4	2
13	Infrequent STI Testing in New York City Among High Risk Sexual and Gender Minority Individuals Interested In Self- and Partner-Testing. <i>AIDS and Behavior</i> , 2021, , 1.	1.4	3
14	SMARTtest: A Smartphone App to Facilitate HIV and Syphilis Self- and Partner-Testing, Interpretation of Results, and Linkage to Care. <i>AIDS and Behavior</i> , 2020, 24, 1560-1573.	1.4	33
15	Use of Rapid HIV Self-Test to Screen Potential Sexual Partners: Results of the ISUM Study. <i>AIDS and Behavior</i> , 2020, 24, 1929-1941.	1.4	19
16	Use of HIV Self-Testing Kits to Screen Clients Among Transgender Female Sex Workers in New York and Puerto Rico. <i>AIDS and Behavior</i> , 2020, 24, 506-515.	1.4	19
17	“Talking About it Publicly Made Me Feel Both Curious and Embarrassed” Acceptability, Feasibility, and Appropriateness of a Stigma-Mitigation Training to Increase Health Worker Comfort Discussing Anal Sexuality in HIV Services. <i>AIDS and Behavior</i> , 2020, 24, 1951-1965.	1.4	10
18	Implementation of a fidelity monitoring process to assess delivery of an evidence-based adherence counseling intervention in a multi-site biomedical HIV prevention study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 1082-1091.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Counselorsâ€™ acceptability of adherence counseling session recording, fidelity monitoring, and feedback in a multi-site HIV prevention study in four African countries. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 19-28.	0.6	3
20	Broaching the Topic of HIV Self-testing with Potential Sexual Partners Among Men and Transgender Women Who Have Sex with Men in New York and Puerto Rico. <i>AIDS and Behavior</i> , 2020, 24, 3033-3043.	1.4	14
21	Using an HIV Self-test Kit to Test a Partner: Attitudes and Preferences Among High-Risk Populations. <i>AIDS and Behavior</i> , 2020, 24, 3232-3243.	1.4	12
22	Transgender Womenâ€™s Experiences Using a Home HIV-Testing Kit for Partner-Testing. <i>AIDS and Behavior</i> , 2020, 24, 2732-2741.	1.4	18
23	Then We Looked at His Results: Men Who Have Sex With Men from New York City and Puerto Rico Report Their Sexual Partnerâ€™s Reactions to Receiving Reactive HIV Self-Test Results. <i>AIDS and Behavior</i> , 2020, 24, 2597-2605.	1.4	8
24	Few Aggressive or Violent Incidents are Associated with the Use of HIV Self-tests to Screen Sexual Partners Among Key Populations. <i>AIDS and Behavior</i> , 2020, 24, 2220-2226.	1.4	13
25	Substance Use and Testing Sexual Partners Using HIV Self-tests. <i>AIDS and Behavior</i> , 2020, 24, 2856-2862.	1.4	1
26	Culturally-Based Challenges to and Recommendations for Delivering Adherence Counseling in a Multicultural Biomedical HIV Prevention Trial in Four African Countries. <i>AIDS Education and Prevention</i> , 2020, 32, 512-527.	0.6	1
27	Methods, system errors, and demographic differences in participant errors using daily text message-based short message service computer-assisted self-interview (SMS-CASI) to measure sexual risk behavior in a RCT of HIV self-test use. <i>MHealth</i> , 2019, 5, 17-17.	0.9	7
28	Integrating user behavior with engineering design of point-of-care diagnostic devices: theoretical framework and empirical findings. <i>Lab on A Chip</i> , 2019, 19, 2241-2255.	3.1	21
29	Low sexually transmissible infection knowledge, risk perception and concern about infection among men who have sex with men and transgender women at high risk of infection. <i>Sexual Health</i> , 2019, 16, 580.	0.4	15
30	Trajectory of use over time of an oral tablet and a rectal gel for HIV prevention among transgender women and men who have sex with men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 379-387.	0.6	9
31	Factors Supporting and Hindering Adherence to Rectal Microbicide Gel Use with Receptive Anal Intercourse in a Phase 2 Trial. <i>AIDS and Behavior</i> , 2018, 22, 388-401.	1.4	7
32	Brief Participant-Centered Convergence Interviews Integrate Self-Reports, Product Returns, and Pharmacokinetic Results to Improve Adherence Measurement in MTN-017. <i>AIDS and Behavior</i> , 2018, 22, 986-995.	1.4	9
33	Are participants concerned about privacy and security when using short message service to report product adherence in a rectal microbicide trial?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018, 25, 393-400.	2.2	11
34	High Substance Use and HIV Risk Behavior Among Young Argentine Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2018, 22, 1373-1382.	1.4	11
35	Mixed-Method Evaluation of Social Media-Based Tools and Traditional Strategies to Recruit High-Risk and Hard-to-Reach Populations into an HIV Prevention Intervention Study. <i>AIDS and Behavior</i> , 2018, 22, 347-357.	1.4	52
36	HIV Risk Reduction by Avoiding Sex With Partners Unwilling to Undergo HIV Testing Is Not Coercion. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, e38-e38.	0.9	0

#	ARTICLE	IF	CITATIONS
37	Motivational Interviewing. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	4
38	Preference of Oral Tenofovir Disoproxil Fumarate/Emtricitabine Versus Rectal Tenofovir Reduced-Glycerin 1% Gel Regimens for HIV Prevention Among Cisgender Men and Transgender Women Who Engage in Receptive Anal Intercourse with Men. <i>AIDS and Behavior</i> , 2017, 21, 3336-3345.	1.4	16
39	High acceptability of rapid HIV self-testing among a diverse sample of MSM from Buenos Aires, Argentina. <i>PLoS ONE</i> , 2017, 12, e0180361.	1.1	16
40	High levels of adherence to a rectal microbicide gel and to oral Pre-Exposure Prophylaxis (PrEP) achieved in MTN-017 among men who have sex with men (MSM) and transgender women. <i>PLoS ONE</i> , 2017, 12, e0181607.	1.1	25
41	Integrating Motivational Interviewing and Brief Behavioral Activation Therapy: Theoretical and Practical Considerations. <i>Cognitive and Behavioral Practice</i> , 2016, 23, 205-220.	0.9	18
42	HIV testing practices among men who have sex with men in Buenos Aires, Argentina. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, 33-41.	0.6	12
43	Childhood sexual experiences with an older partner among men who have sex with men in Buenos Aires, Argentina. <i>Child Abuse and Neglect</i> , 2014, 38, 271-279.	1.3	9
44	The Impact of Rapid HIV Home Test Use with Sexual Partners on Subsequent Sexual Behavior Among Men Who have Sex with Men. <i>AIDS and Behavior</i> , 2014, 18, 254-262.	1.4	44
45	Venues, Patrons, and Alcohol Use Dynamics: The Creation of a High Risk Sexual Environment. <i>AIDS and Behavior</i> , 2014, 18, 2097-2109.	1.4	10
46	Relationship between psychiatric disorders and sexually transmitted diseases in a nationally representative sample. <i>Journal of Psychosomatic Research</i> , 2014, 76, 322-328.	1.2	37
47	High Prevalence of Substance Use Among Men Who have Sex with Men in Buenos Aires, Argentina: Implications for HIV Risk Behavior. <i>AIDS and Behavior</i> , 2013, 17, 1296-1304.	1.4	13
48	Are HIV-Negative Men Who Have Sex with Men and Who Bareback Concerned About HIV Infection? Implications for HIV Risk Reduction Interventions. <i>Archives of Sexual Behavior</i> , 2013, 42, 279-289.	1.2	24
49	Impact of Motivational Pharmacotherapy on Treatment Retention Among Depressed Latinos. <i>Psychiatry (New York)</i> , 2013, 76, 210-222.	0.3	33
50	Low frequency of male circumcision and unwillingness to be circumcised among MSM in Buenos Aires, Argentina: association with sexually transmitted infections. <i>Journal of the International AIDS Society</i> , 2013, 16, 18500.	1.2	11
51	Motivational Pharmacotherapy: Combining Motivational Interviewing and Antidepressant Therapy to Improve Treatment Adherence. <i>Psychiatry (New York)</i> , 2013, 76, 203-209.	0.3	23
52	HIV Status Disclosure Among Infected Men Who Have Sex With Men (MSM) in Buenos Aires, Argentina. <i>AIDS Education and Prevention</i> , 2013, 25, 457-467.	0.6	7
53	HIV and Other Sexually Transmitted Infections among Men Who Have Sex with Men Recruited by RDS in Buenos Aires, Argentina: High HIV and HPV Infection. <i>PLoS ONE</i> , 2012, 7, e39834.	1.1	43
54	Presentación del estudio "Links" de hombres que tienen sexo con hombres en Buenos Aires, Argentina. <i>Actualizaciones En SIDA</i> , 2011, 19, 21-25.	0.0	2

#	ARTICLE	IF	CITATIONS
55	Aceptabilidad del diagnóstico rápido casero para HIV entre hombres gay y otros hombres que tienen sexo con hombres (G&HSH) de la Ciudad de Buenos Aires. Actualizaciones En SIDA, 2011, 19, 26-32.	0.0	3
56	Prevención del VIH/Sida en los circuitos de levante HSH: una asignatura pendiente. Sexualidad, Salud Y Sociedad: Revista Latinoamericana, 2010, , 41-62.	0.1	4
57	Intentional Condomless Anal Intercourse Among Latino MSM Who Meet Sexual Partners on the Internet. AIDS Education and Prevention, 2009, 21, 14-24.	0.6	49