Dmitry V Evtuguin

List of Publications by Citations

Source: https://exaly.com/author-pdf/5412932/dmitry-v-evtuguin-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

194 papers

5,052 citations

40 h-index 59 g-index

198 ext. papers

5,681 ext. citations

4./
avg, IF

5.72 L-index

#	Paper	IF	Citations
194	Thermophysical Characterization of Ionic Liquids Able To Dissolve Biomass. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 4813-4822	2.8	254
193	Comprehensive study on the chemical structure of dioxane lignin from plantation Eucalyptus globulus wood. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 4252-61	5.7	183
192	Characterization of an acetylated heteroxylan from Eucalyptus globulus Labill. <i>Carbohydrate Research</i> , 2003 , 338, 597-604	2.9	169
191	Enzymatic saccharification of biologically pre-treated wheat straw with white-rot fungi. <i>Bioresource Technology</i> , 2010 , 101, 6045-50	11	126
190	Alternatives for lignocellulosic pulp delignification using polyoxometalates and oxygen: a review. <i>Green Chemistry</i> , 2007 , 9, 717	10	106
189	Chemical composition of grape stalks of Vitis vinifera L. from red grape pomaces. <i>Industrial Crops and Products</i> , 2012 , 35, 178-184	5.9	98
188	Synthesis and characterisation of cellulose/silica hybrids obtained by heteropoly acid catalysed solgel process. <i>Materials Science and Engineering C</i> , 2007 , 27, 172-179	8.3	90
187	(2-O-alpha-D-galactopyranosyl-4-O-methyl-alpha-D-glucurono)-D-xylan from Eucalyptus globulus Labill. <i>Carbohydrate Research</i> , 1999 , 320, 93-9	2.9	88
186	Chemical characterisation of bark and of alkaline bark extracts from maritime pine grown in Portugal. <i>Industrial Crops and Products</i> , 2002 , 16, 23-32	5.9	80
185	Sulfonated graphene oxide as effective catalyst for conversion of 5-(hydroxymethyl)-2-furfural into biofuels. <i>ChemSusChem</i> , 2014 , 7, 804-12	8.3	75
184	Effect of Structural Features of Wood Biopolymers on Hardwood Pulping and Bleaching Performance. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 9777-9784	3.9	75
183	Structural characterization of the lignin from the nodes and internodes of Arundo donax reed. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 817-24	5.7	73
182	Chemical composition of different morphological parts from D warf Cavendish D banana plant and their potential as a non-wood renewable source of natural products. <i>Industrial Crops and Products</i> , 2007 , 26, 163-172	5.9	68
181	Structure of hardwood glucuronoxylans: modifications and impact on pulp retention during wood kraft pulping. <i>Carbohydrate Polymers</i> , 2005 , 60, 489-497	10.3	68
180	Polyurethanes based on oxygen-organosolv lignin. <i>European Polymer Journal</i> , 1998 , 34, 1163-1169	5.2	65
179	Enzymatic saccharification and bioethanol production from Cynara cardunculus pretreated by steam explosion. <i>Bioresource Technology</i> , 2015 , 186, 309-315	11	63
178	Isolation and characterization of acetylated glucuronoarabinoxylan from sugarcane bagasse and straw. <i>Carbohydrate Polymers</i> , 2017 , 156, 223-234	10.3	61

(2009-2010)

177	Second-generation bioethanol from eucalypt sulphite spent liquor. <i>Bioresource Technology</i> , 2010 , 101, 2755-61	11	61	
176	Chemical Composition of Spent Liquors from Acidic Magnesium B ased Sulphite Pulping of Eucalyptus globulus. <i>Journal of Wood Chemistry and Technology</i> , 2009 , 29, 322-336	2	60	
175	Chemical composition and structural features of the macromolecular components of Hibiscus cannabinus grown in Portugal. <i>Industrial Crops and Products</i> , 1996 , 5, 189-196	5.9	57	
174	Application of Electrospray Ionization Mass Spectrometry to the Elucidation of the Primary Structure of Lignin. <i>Macromolecular Bioscience</i> , 2003 , 3, 339-343	5.5	56	
173	Oxidative delignification in the presence of molybdovanadophosphate heteropolyanions: mechanism and kinetic studies. <i>Applied Catalysis A: General</i> , 1998 , 167, 123-139	5.1	55	
172	Oxygen bleaching of kraft pulp with polyoxometalates and laccase applying a novel multi-stage process. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2005 , 33, 57-64		55	
171	Towards comprehensive utilization of winemaking residues: Characterization of grape skins from red grape pomaces of variety Touriga Nacional. <i>Industrial Crops and Products</i> , 2013 , 43, 25-32	5.9	54	
170	Variations in chemical composition and structure of macromolecular components in different morphological regions and maturity stages of Arundo donax. <i>Industrial Crops and Products</i> , 1997 , 6, 51-5	5 § ·9	54	
169	Isolation and structural characterization of polysaccharides dissolved in Eucalyptus globulus kraft black liquors. <i>Carbohydrate Polymers</i> , 2005 , 60, 77-85	10.3	53	
168	Kinetics of Eucalypt Lignosulfonate Oxidation to Aromatic Aldehydes by Oxygen in Alkaline Medium. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 291-298	3.9	52	
167	BEHAVIOR OF EUCALYPTUS GLOBULUS LIGNIN DURING KRAFT PULPING. II. ANALYSIS BY NMR, ESI/MS, AND GPC. <i>Journal of Wood Chemistry and Technology</i> , 2002 , 22, 109-125	2	49	
166	VOC emissions from residential combustion of Southern and mid-European woods. <i>Atmospheric Environment</i> , 2014 , 83, 90-98	5.3	48	
165	Structural characterization of stalk lignin from banana plant. Industrial Crops and Products, 2009, 29, 86-	-95 9	45	
164	Structure of Lignosulphonates from Acidic Magnesium-Based Sulphite Pulping of Eucalyptus globulus. <i>Journal of Wood Chemistry and Technology</i> , 2009 , 29, 337-357	2	45	
163	Lignin aerobic oxidation promoted by molybdovanadophosphate polyanion [PMo7V5O40]8[Study on the oxidative cleavage of EO-4 aryl ether structures using model compounds. <i>Journal of Molecular Catalysis A</i> , 2000 , 154, 217-224		45	
162	Structural characterization of the acetylated heteroxylan from the natural hybrid Paulownia elongata/Paulownia fortunei. <i>Carbohydrate Research</i> , 2008 , 343, 256-66	2.9	44	
161	Integrated utilization of grape skins from white grape pomaces. <i>Industrial Crops and Products</i> , 2013 , 49, 286-291	5.9	43	
160	Preparation and properties of cellulose/silica hybrid composites. <i>Polymer Composites</i> , 2009 , 30, 1275-12	2832	42	

159	Effect of oxygen, ozone and hydrogen peroxide bleaching stages on the contents and composition of extractives of Eucalyptus globulus kraft pulps. <i>Bioresource Technology</i> , 2006 , 97, 420-8	11	42
158	Novel bioemulsifier produced by a Paenibacillus strain isolated from crude oil. <i>Microbial Cell Factories</i> , 2015 , 14, 14	6.4	41
157	Sequential microwave superheated water extraction of mannans from spent coffee grounds. <i>Carbohydrate Polymers</i> , 2014 , 103, 333-8	10.3	41
156	Advances in ethanol production from hardwood spent sulphite liquors. <i>Process Biochemistry</i> , 2013 , 48, 272-282	4.8	40
155	Structural characterization of polysaccharides isolated from grape stalks of Vitis vinifera L. <i>Carbohydrate Research</i> , 2012 , 356, 252-9	2.9	40
154	Recent Advances in the Production and Applications of Ellagic Acid and Its Derivatives. A Review. <i>Molecules</i> , 2020 , 25,	4.8	38
153	Lignin-based polyurethane doped with carbon nanotubes for sensor applications. <i>Polymer International</i> , 2012 , 61, 788-794	3.3	38
152	A novel approach for the oxidative catalysis employing polyoxometalatelaccase system: application to the oxygen bleaching of kraft pulp. <i>Catalysis Communications</i> , 2004 , 5, 485-489	3.2	38
151	Effect of Glucuronoxylan on the Hornification of Eucalyptus globulus Bleached Pulps. <i>Macromolecular Symposia</i> , 2005 , 232, 121-128	0.8	36
150	Polyoxometalate/laccase-mediated oxidative polymerization of catechol for textile dyeing. <i>Applied Microbiology and Biotechnology</i> , 2011 , 89, 981-7	5.7	35
149	Oxygen bleaching of kraft pulp catalysed by Mn(III)-substituted polyoxometalates. <i>Applied Catalysis A: General</i> , 2003 , 239, 157-168	5.1	35
148	Chemical composition and structural features of the macromolecular components of plantation Acacia mangium wood. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 7856-62	5.7	34
147	Cellulose degradation in the reaction system O2/heteropolyanions of series [PMo(12日)VnO40](3+n)[] Carbohydrate Polymers, 2000 , 43, 23-32	10.3	34
146	Structural Characterization of the Bark and Core Lignins from Kenaf (Hibiscus cannabinus). <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 3100-3108	5.7	34
145	Electrospray Ionization Mass Spectrometry as a Tool for Lignins Molecular Weight and Structural Characterisation. <i>Holzforschung</i> , 1999 , 53, 525-528	2	34
144	Comparative study on hydrolysis and bioethanol production from cardoon and rockrose pretreated by dilute acid hydrolysis. <i>Industrial Crops and Products</i> , 2018 , 111, 633-641	5.9	34
143	Evaluation of Ligno Boost of for its application in cured epoxy resins. <i>Industrial Crops and Products</i> , 2018 , 112, 225-235	5.9	32
142	Effect of high pressure treatment on structure and properties of cellulose in eucalypt pulps. <i>Cellulose</i> , 2010 , 17, 1193-1202	5.5	32

(2015-2019)

141	Structural analysis and potential immunostimulatory activity of Nannochloropsis oculata polysaccharides. <i>Carbohydrate Polymers</i> , 2019 , 222, 114962	10.3	31
140	Biological treatment of eucalypt spent sulphite liquors: a way to boost the production of second generation bioethanol. <i>Bioresource Technology</i> , 2012 , 103, 131-5	11	31
139	Structural characterization of lignin from leaf sheaths of "dwarf cavendish" banana plant. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 2598-605	5.7	31
138	Polyoxometalate-Catalyzed Oxygen Delignification of Kraft Pulp: A Pilot-Plant Experience. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 7754-7761	3.9	31
137	BEHAVIOR OF EUCALYPTUS GLOBULUS LIGNIN DURING KRAFT PULPING. I. ANALYSIS BY CHEMICAL DEGRADATION METHODS. <i>Journal of Wood Chemistry and Technology</i> , 2002 , 22, 93-108	2	31
136	Photodegradation of 2-mercaptobenzothiazole and 1,2,3-benzotriazole corrosion inhibitors in aqueous solutions and organic solvents. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 25152-60	3.6	30
135	Electrochemical impedance study of the lignin-derived conducting polymer. <i>Electrochimica Acta</i> , 2012 , 76, 69-76	6.7	30
134	High pressure treatment as a tool for engineering of enzymatic reactions in cellulosic fibres. <i>Bioresource Technology</i> , 2012 , 107, 530-4	11	29
133	Lipophilic extractives from different morphological parts of banana plant D warf Cavendish <i>Industrial Crops and Products</i> , 2006 , 23, 201-211	5.9	29
132	Lignin Degradation in Oxygen Delignification Catalysed by [PMo7V5O40]8- Polyanion. Part II. Study on Lignin Monomeric Model Compounds. <i>Holzforschung</i> , 2000 , 54, 511-518	2	29
131	Evaluating the hazardous impact of ionic liquids - Challenges and opportunities. <i>Journal of Hazardous Materials</i> , 2021 , 412, 125215	12.8	29
130	Structural characterization of lignin from grape stalks (Vitis vinifera L.). <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5420-8	5.7	28
129	Characterisation of enzymatically oxidised lignosulfonates and their application on lignocellulosic fabrics. <i>Polymer International</i> , 2009 , 58, 863-868	3.3	28
128	Degradation of biphenyl lignin model compounds by laccase of Trametes versicolor in the presence of 1-hydroxybenzotriazole and heteropolyanion [SiW11VO40]5\(\textit{Journal of Molecular Catalysis B:}\) Enzymatic, 2003 , 22, 13-20		28
127	Lignin Degradation in Oxygen Delignification Catalysed by [PMo7V5O40]8- Polyanion. Part I. Study on Wood Lignin. <i>Holzforschung</i> , 2000 , 54, 381-389	2	28
126	2D-NMR (HSQC) difference spectra between specifically 13C-enriched and unenriched protolignin of Ginkgo biloba obtained in the solution state of whole cell wall material. <i>Holzforschung</i> , 2009 , 63,	2	27
125	Electrospray tandem mass spectrometry of underivatised acetylated xylo-oligosaccharides. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 3589-99	2.2	27
124	Bioethanol production from steam explosion pretreated and alkali extracted Cistus ladanifer (rockrose). <i>Biochemical Engineering Journal</i> , 2015 , 104, 98-105	4.2	26

123	High-Resolution Lipidomics of the Early Life Stages of the Red Seaweed Porphyra dioica. <i>Molecules</i> , 2018 , 23,	4.8	26
122	Determination of 5-hydroxymethylfurfural in honey, using headspace-solid-phase microextraction coupled with a polyoxometalate-coated piezoelectric quartz crystal. <i>Food Chemistry</i> , 2017 , 220, 420-420	6 ^{8.5}	26
121	Design of siliceous lignins [Novel organic/inorganic hybrid sorbent materials. <i>Scripta Materialia</i> , 2009 , 60, 687-690	5.6	26
120	New polyoxometalatelaccase integrated system for kraft pulp delignification. <i>Biochemical Engineering Journal</i> , 2007 , 33, 141-147	4.2	26
119	Hydration of cellulose/silica hybrids assessed by sorption isotherms. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 4047-55	3.4	25
118	Acetylated heteroxylan from Agave sisalana and its behavior in alkaline pulping and TCF/ECF bleaching. <i>Carbohydrate Polymers</i> , 2010 , 81, 517-523	10.3	25
117	Transition metal substituted polyoxometalates supported on amine-functionalized silica. <i>Transition Metal Chemistry</i> , 2007 , 32, 1061-1067	2.1	25
116	The hydrophobic polysaccharides of apple pomace. <i>Carbohydrate Polymers</i> , 2019 , 223, 115132	10.3	24
115	Dimeric calcium complexes of arabinan-rich pectic polysaccharides from Olea europaea L. cell walls. <i>Carbohydrate Polymers</i> , 2006 , 65, 535-543	10.3	24
114	Steryl glucosides from banana plant Musa acuminata Colla var cavendish. <i>Industrial Crops and Products</i> , 2005 , 22, 187-192	5.9	24
113	Xylan and xylan derivativesTheir performance in bio-based films and effect of glycerol addition. <i>Industrial Crops and Products</i> , 2016 , 94, 682-689	5.9	24
112	Functionalized xylans in the production of xylan-coated paper laminates. <i>Reactive and Functional Polymers</i> , 2017 , 117, 89-96	4.6	23
111	Potentiometric chemical sensors from lignin-poly(propylene oxide) copolymers doped by carbon nanotubes. <i>Analyst, The</i> , 2013 , 138, 501-8	5	23
110	Differentiation of isomeric pentose disaccharides by electrospray ionization tandem mass spectrometry and discriminant analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 2897-90-	4 ^{2.2}	23
109	New polyoxometalate-functionalized cellulosic fibre/silica hybrids for environmental applications. <i>RSC Advances</i> , 2012 , 2, 831-839	3.7	22
108	Influence of galactomannans with different molecular weights on the gelation of whey proteins at neutral pH. <i>Biomacromolecules</i> , 2005 , 6, 3291-9	6.9	22
107	Influence of molecular weight on in vitro immunostimulatory properties of instant coffee. <i>Food Chemistry</i> , 2014 , 161, 60-6	8.5	21
106	StructureBurface Property Relationships of Kraft Papers: Implication on Impregnation with PhenolBormaldehyde Resin. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 2883-2890	3.9	21

(2011-2013)

105	Polyoxometalate (POM)-aided modification of lignin from wheat straw biorefinery. <i>Holzforschung</i> , 2013 , 67, 539-547	2	20
104	Transition metal substituted polyoxotungstates for the oxygen delignification of kraft pulp. <i>Applied Catalysis A: General</i> , 2005 , 295, 134-141	5.1	20
103	Polyoxometalates as mediators in the laccase catalyzed delignification. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2001 , 16, 131-140		20
102	Oxidation of mannosyl oligosaccharides by hydroxyl radicals as assessed by electrospray mass spectrometry. <i>Carbohydrate Research</i> , 2011 , 346, 2603-11	2.9	19
101	High pressure pre-treatments promote higher rate and degree of enzymatic hydrolysis of cellulose. <i>Green Chemistry</i> , 2011 , 13, 2764	10	19
100	Structural differentiation of uronosyl substitution patterns in acidic heteroxylans by electrospray tandem mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2004 , 15, 43-7	3.5	19
99	Catalytic oxidation of formaldehyde by ruthenium multisubstituted tungstosilicic polyoxometalate supported on cellulose/silica hybrid. <i>Applied Catalysis A: General</i> , 2016 , 509, 8-16	5.1	18
98	Studies on the redox turnover of polyoxometalates using potentiometric chemical sensors. <i>New Journal of Chemistry</i> , 2012 , 36, 1036	3.6	18
97	Synthesis and characterisation of novel ruthenium multi-substituted polyoxometalates: ∭SiW9O37Ru4(H2O)3Cl3]7□ <i>Polyhedron</i> , 2010 , 29, 3066-3073	2.7	18
96	Oxidation of phenols employing polyoxometalates as biomimetic models of the activity of phenoloxidase enzymes. <i>New Journal of Chemistry</i> , 2007 , 31, 1461	3.6	18
95	Structural features of spent coffee grounds water-soluble polysaccharides: Towards tailor-made microwave assisted extractions. <i>Carbohydrate Polymers</i> , 2019 , 214, 53-61	10.3	17
94	Characterization of concrete surface in relation to graffiti protection coatings. <i>Construction and Building Materials</i> , 2016 , 102, 435-444	6.7	17
93	Chemical composition of oleo-gum-resin from Ferula gummosa. <i>Industrial Crops and Products</i> , 2011 , 33, 549-553	5.9	17
92	Bulk and surface composition of ECF bleached hardwood kraft pulp fibres. <i>Nordic Pulp and Paper Research Journal</i> , 2004 , 19, 513-520	1.1	17
91	A new formaldehyde optical sensor: Detecting milk adulteration. <i>Food Chemistry</i> , 2020 , 318, 126461	8.5	16
90	Chemicals Generated During Oxygen-Organosolv Pulping of Wood. <i>Journal of Wood Chemistry and Technology</i> , 1994 , 14, 383-402	2	16
89	Study on the residual lignin in Eucalyptus globulus sulphite pulp. <i>Holzforschung</i> , 2015 , 69, 513-522	2	15
88	The final bleaching of eucalypt kraft pulps with hydrogen peroxide: relationship with industrial ECF bleaching history and cellulose degradation. <i>Journal of Chemical Technology and Biotechnology</i> , 2011 , 86, 381-390	3.5	15

87	The assessment of chromophores in bleached cellulosic pulps employing UV-Raman spectroscopy. <i>Carbohydrate Research</i> , 2010 , 345, 1442-51	2.9	15
86	The detection of muconic acid type structures in oxidized lignins by13C NMR spectroscopy. <i>Wood Science and Technology</i> , 1997 , 31, 423-431	2.5	15
85	The effects of transition metal sulfates on cellulose crystallinity during accelerated ageing of silver fir wood. <i>Cellulose</i> , 2019 , 26, 2625-2638	5.5	14
84	Delignification of eucalypt kraft pulp with manganese-substituted polyoxometalate assisted by fungal versatile peroxidase. <i>Bioresource Technology</i> , 2010 , 101, 5935-40	11	14
83	Condensation Reactions of Lignin During Oxygen Delignification Under Acidic Conditions. <i>Journal of Wood Chemistry and Technology</i> , 1997 , 17, 41-55	2	14
82	Lignin Modification Supported by DFT-Based Theoretical Study as a Way to Produce Competitive Natural Antioxidants. <i>Molecules</i> , 2019 , 24,	4.8	13
81	Multisensor system for determination of polyoxometalates containing vanadium at its different oxidation states. <i>Talanta</i> , 2007 , 72, 497-505	6.2	13
80	Lignans from a hybrid Paulownia wood. <i>Biochemical Systematics and Ecology</i> , 2005 , 33, 1298-1302	1.4	13
79	Effect of urea on cellulose degradation under conditions of alkaline pulping. <i>Cellulose</i> , 2012 , 19, 2195-2	2 1 0 4	12
78	Fractionation of sulphite spent liquor for biochemical processing using ion exchange resins. <i>Journal of Biotechnology</i> , 2012 , 162, 415-21	3.7	11
77	Lignin reactions in oxygen delignification catalysed by Mn(II)-substituted molybdovanadophosphate polyanion. <i>Holzforschung</i> , 2004 , 58, 640-649	2	10
76	Surface treatment of eucalyptus wood for improved HDPE composites properties. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48619	2.9	10
75	Structural changes in lignin of thermally treated eucalyptus wood. <i>Journal of Wood Chemistry and Technology</i> , 2020 , 40, 258-268	2	9
74	Neutral and acidic products derived from hydroxyl radical-induced oxidation of arabinotriose assessed by electrospray ionisation mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 280-90	2.2	9
73	Modified kraft lignin for bioremediation applications. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 298-307	2.3	9
7 ²	Detection of muconic acid type structures in oxidised lignins using 2D NMR spectroscopy 10th EWLP, Stockholm, Sweden, August 25½8, 2008. <i>Holzforschung</i> , 2009 , 63,	2	9
71	Characterization of non-cellulosic glucans in Eucalyptus globulus Labill. wood and kraft pulp. <i>Holzforschung</i> , 2007 , 61, 478-482	2	9
70	Fluorinated polyhedral oligomeric silsesquioxane nanoparticles to boost the dirt repellence of high pressure laminates. <i>Chemical Engineering Journal</i> , 2016 , 301, 362-370	14.7	9

(2021-2018)

69	Extractive Profiles in the Production of Sulfite Dissolving Pulp from Eucalyptus Globulus WOOD. Journal of Wood Chemistry and Technology, 2018 , 38, 397-408	2	9
68	Nonenzymatic Transglycosylation Reactions Induced by Roasting: New Insights from Models Mimicking Coffee Bean Regions with Distinct Polysaccharide Composition. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1831-40	5.7	8
67	POLYOXOMETALATE-CATALYZED OXYGEN DELIGNIFICATION PROCESS: KINETIC STUDIES, DELIGNIFICATION SEQUENCES AND REUSE OF HPA-5-MnII AQUEOUS SOLUTION. <i>Chemical Engineering Communications</i> , 2009 , 196, 801-811	2.2	8
66	Xylan accessibility of bleached eucalypt pulp in alkaline solutions. <i>Holzforschung</i> , 2020 , 74, 141-148	2	8
65	Nanocomposite Polymeric Materials Based on Eucalyptus Lignoboost Kraft Lignin for Liquid Sensing Applications. <i>Materials</i> , 2020 , 13,	3.5	8
64	Modification of acid hydrolysis lignin for value-added applications by micronization followed by hydrothermal alkaline treatment. <i>Holzforschung</i> , 2015 , 69, 761-768	2	7
63	Environmental advantages through producing energy from grape stalk pellets instead of wood pellets and other sources. <i>International Journal of Environmental Studies</i> , 2018 , 75, 812-826	1.8	7
62	Sulphite Pulping 2016 , 225-244		7
61	UV-resonance Raman micro-spectroscopy to assess residual chromophores in cellulosic pulps. <i>Journal of Raman Spectroscopy</i> , 2011 , 42, 1039-1045	2.3	7
60	Distinction and identification of lignins based on their volatile headspace composition. <i>Talanta</i> , 2008 , 75, 594-7	6.2	7
59	Easily Degradable Chlorinated Compounds Derived from Glucuronoxylan in Filtrates from Chlorine Dioxide Bleaching of Eucalyptus globulus Kraft Pulp. <i>Holzforschung</i> , 2003 , 57, 81-87	2	7
58	Structural features of macromolecular components of cork from Quercus suber L <i>Holzforschung</i> , 2020 , 74, 625-633	2	6
57	Effect of cellulose structure on reactivity of eucalyptus acid sulphite dissolving pulp. <i>Cellulose</i> , 2020 , 27, 4763-4772	5.5	6
56	Factors Affecting the Dimensional Stability of Decorative Papers under Moistening. <i>BioResources</i> , 2015 , 11,	1.3	6
55	Effect of Pulping Conditions on the ECF Bleachability of Eucalyptus globulus Kraft Pulps. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 6200-6206	3.9	6
54	High Pressure Laminates with Antimicrobial Properties. <i>Materials</i> , 2016 , 9,	3.5	6
53	High pressure-promoted xylanase treatment to enhance papermaking properties of recycled pulp. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 9885-9893	5.7	6
52	Production of rayon fibres from cellulosic pulps: State of the art and current developments. <i>Carbohydrate Polymers</i> , 2021 , 273, 118466	10.3	6

51	Contribution of non-enzymatic transglycosylation reactions to the honey oligosaccharides origin and diversity. <i>Pure and Applied Chemistry</i> , 2019 , 91, 1231-1242	2.1	5
50	Laccase-catalyzed oxidative modification of lignosulfonates from acidic sulfite pulping of eucalyptus wood. <i>Holzforschung</i> , 2020 , 74, 589-596	2	5
49	Characterization data of pulp fibres performance in tissue papers applications. <i>Data in Brief</i> , 2020 , 29, 105253	1.2	5
48	Quantifying acetaldehyde in cider using a Mn(III)-substituted polyoxotungstate coated acoustic wave sensor. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 2608-2613	8.5	5
47	Enzymatic treatment applied as a final stage in E. globulus kraft pulp bleaching. <i>Journal of Chemical Technology and Biotechnology</i> , 2016 , 91, 547-554	3.5	5
46	Sequential batch reactor for eucalypt kraft pulp effluent treatment with Trametes versicolor. Journal of Chemical Technology and Biotechnology, 2008 , 83, 1602-1608	3.5	5
45	Effect of different catalysts on the oxyalkylation of eucalyptus Lignoboost kraft lignin. <i>Holzforschung</i> , 2020 , 74, 567-576	2	5
44	Hardwood kraft pulp structural features affecting refinability. <i>Holzforschung</i> , 2017 , 71, 619-624	2	4
43	Ultra-high pressure modified cellulosic fibres with antimicrobial properties. <i>Carbohydrate Polymers</i> , 2017 , 175, 303-310	10.3	4
42	Contribution of xylan to the brightness development and stability in the final ECF bleaching of eucalypt (Eucalyptus globulus Labill.) kraft pulp. <i>Holzforschung</i> , 2013 , 67, 497-503	2	4
41	Cellulose-Silica Hybrid Materials Obtained by Heteropolyacid Catalyzed Sol-Gel Synthesis. <i>ACS Symposium Series</i> , 2007 , 121-136	0.4	4
40	Synthesis of Coniferins 13C-Enriched at Position 4 or 5 of the Guaiacyl Ring. <i>Holzforschung</i> , 2003 , 57, 485-488	2	4
39	Lignin Degradation Reactions in Aerobic Delignification Catalyzed by Heteropolyanion [PMo7V5O40]8 ACS Symposium Series, 2001 , 327-341	0.4	4
38	Relationship between Surface Properties and Fiber Network Parameters of Eucalyptus Kraft Pulps and Their Absorption Capacity. <i>Surfaces</i> , 2020 , 3, 265-281	2.9	4
37	Surface properties of cork in relation to reactive washing. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 624, 126762	5.1	4
36	Cellulose Structural Changes during Mild Torrefaction of Wood. <i>Polymers</i> , 2020 , 12,	4.5	3
35	Discriminating the brightness stability of cellulosic pulp in relation to the final bleaching stage. <i>Carbohydrate Polymers</i> , 2012 , 88, 726-733	10.3	3
34	Impact of extended-impregnation cooking on the xylan structure in Eucalyptus urograndis kraft pulps. <i>Nordic Pulp and Paper Research Journal</i> , 2013 , 28, 498-505	1.1	3

(2021-2001)

33	Catalytic Oxidative Delignification with Keggin-Type Molybdovanadophosphate Heteropolyanions. <i>ACS Symposium Series</i> , 2001 , 342-355	0.4	3
32	Polyoxometalates as promoters of laccase-assisted reactions. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2000 , 9, 293-295		3
31	Conversion of paper and xylan into laser-induced graphene for environmentally friendly sensors. <i>Diamond and Related Materials</i> , 2022 , 123, 108855	3.5	3
30	Reductive degradation of residual chromophores in kraft pulp with sodium dithionite. <i>Tappi Journal</i> , 2012 , 11, 59-67	0.5	3
29	The detection of muconic acid type structures in oxidized lignins by 13 C NMR spectroscopy. <i>Wood Science and Technology</i> , 1997 , 31, 423-431	2.5	3
28	Purification of pulp mill condensates by an adsorptive process on activated carbon. <i>Holzforschung</i> , 2019 , 73, 589-597	2	3
27	Grape pectic polysaccharides stabilization of anthocyanins red colour: Mechanistic insights. <i>Carbohydrate Polymers</i> , 2021 , 255, 117432	10.3	3
26	Polyamide 6/modified pine bark particle composites for additive manufacturing. <i>Journal of Materials Science</i> ,1	4.3	3
25	Structural Elucidation of Suberin from the Bark of Cultivated Willow (sp.). <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10848-10855	5.7	3
24	Preserve Your Books through the Smell. ACS Sensors, 2019 , 4, 2915-2921	9.2	2
23	Synthesis of Lignosulfonate-Based Dispersants for Application in Concrete Formulations. <i>Materials</i> , 2021 , 14,	3.5	2
22	Migration of Tannins and Pectic Polysaccharides from Natural Cork Stoppers to the Hydroalcoholic Solution. <i>Journal of Agricultural and Food Chemistry</i> , 2020 ,	5.7	2
21	Influence of Chemical Treatment on Chemical Changes of Fir Wood. <i>Key Engineering Materials</i> , 2016 , 688, 38-43	0.4	2
20	Structural Features of Cork Dioxane Lignin from L. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 8555-8564	5.7	2
19	Cationization of Kraft LignoBoost Lignin: Preparation, Properties, and Potential Applications <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 3503-3515	3.9	2
18	Chemical Composition and Lignin Structural Features of Banana Plant Leaf Sheath and Rachis171-188		1
17	Potential of bleached eucalyptus kraft pulp for applications in nonwoven fibrous fabrics. <i>Journal of Engineered Fibers and Fabrics</i> , 2020 , 15, 155892502098014	0.9	1

15	Isolation and identification of an arabinogalactan extracted from pistachio external hull: Assessment of immunostimulatory activity. <i>Food Chemistry</i> , 2022 , 373, 131416	8.5	1
14	The role of copper ions in hydrogen peroxide bleaching: Their origin, removal, and effect on pulp quality. <i>Tappi Journal</i> , 2012 , 11, 37-46	0.5	1
13	Effect of cooking and bleaching conditions on the properties of eucalyptus kraft fluff pulps. <i>Cellulose</i> , 2021 , 28, 4411-4426	5.5	1
12	Eficiñcia do tratamento combinado de impregnaß e termorretificaß nas propriedades da madeira de pinus. <i>Revista Materia</i> , 2018 , 23,	0.8	1
11	New poly(lactic acid) composites produced from coffee beverage wastes. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51434	2.9	1
10	Characterization of levan produced by a Paenibacillus sp. isolated from Brazilian crude oil. <i>International Journal of Biological Macromolecules</i> , 2021 , 186, 788-799	7.9	1
9	Lignosulfonate-Based Conducting Flexible Polymeric Membranes for Liquid Sensing Applications. <i>Materials</i> , 2021 , 14,	3.5	1
8	Enzymatic Fibre Modification During Production of Dissolving Wood Pulp for Regenerated Cellulosic Materials. <i>Frontiers in Plant Science</i> , 2021 , 12, 717776	6.2	1
7	Polyoxometalate Functionalized Sensors: A Review Frontiers in Chemistry, 2022, 10, 840657	5	1
6	Eco Valorization of Eucalyptus globulus Bark and Branches through Liquefaction. <i>Applied Sciences</i> (Switzerland), 2022 , 12, 3775	2.6	1
5	Cinnamomum burmannii decoction: A thickening and flavouring ingredient. <i>LWT - Food Science and Technology</i> , 2022 , 153, 112428	5.4	О
4	Changes in sulfite liquor composition while re-profiling mill from paper-grade to dissolving pulp production. <i>Journal of Wood Chemistry and Technology</i> , 2022 , 42, 193-203	2	O
3	The 15th European Workshop on Lignocellulosics and Pulp (EWLP) in Aveiro, Portugal (June 26 0 9, 2018). <i>Holzforschung</i> , 2020 , 74, 95	2	
2	Arsenic Removal via Cellulose-Based Organic/Inorganic Hybrid Materials from Drinking Water. <i>Materials Science Forum</i> , 2012 , 730-732, 563-568	0.4	
1	Improving the Industrial Practice of Reactive Washing of Cork Stoppers Using a Fractional Factorial Design ACS Omega, 2022, 7, 10901-10909	3.9	