
Yasutaka Kobayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5413294/publications.pdf Version: 2024-02-01



VASIITAKA KOBAVASHI

#	Article	IF	CITATIONS
1	Temporal Changes in Electromyographic Activity and Gait Ability during Extended Walking in Individuals Post-Stroke: A Pilot Study. Healthcare (Switzerland), 2021, 9, 444.	2.0	6
2	Kinematic and Electrophysiological Characteristics of Pedal Operation by Elderly Drivers during Emergency Braking. Healthcare (Switzerland), 2021, 9, 852.	2.0	5
3	Pedaling improves gait ability of hemiparetic patients with stiff-knee gait: fall prevention during gait. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 105035.	1.6	7
4	Case Study on Focal Retrograde Amnesia due to Limbic Encephalitis. World Journal of Neuroscience, 2020, 10, 91-100.	0.1	1
5	Factors Influencing Gait Velocity Improvement Following Botulinum Toxin Injection for Spasticity of the Plantar Flexors in Patients with Stroke. Progress in Rehabilitation Medicine, 2020, 5, n/a.	0.9	1
6	How effective is physical therapy for gait muscle activity in hemiparetic patients who receive botulinum toxin injections?. European Journal of Physical and Rehabilitation Medicine, 2019, 55, 8-18.	2.2	17
7	Effect of Repetitive Transcranial Magnetic Stimulation on the Right Superior Temporal Gyrus for Severe Aphasia Caused by Damage to the Left Inferior Frontal Gyrus. Case Reports in Neurology, 2019, 11, 189-198.	0.7	5
8	Association between Ankle Joint Function and Muscle Activity during Gait in Patients with Spastic Hemiplegia. Rigakuryoho Kagaku, 2019, 34, 37-40.	0.1	0
9	Effectiveness of Combining Physical Therapy and Botulinum Toxin Injection to Improve the Walking Ability of a Post-stroke Hemiplegic Patient: A Case Report. Rigakuryoho Kagaku, 2019, 34, 535-539.	0.1	0
10	Factors affecting premature plantarflexor muscle activity during hemiparetic gait. Journal of Electromyography and Kinesiology, 2018, 39, 99-103.	1.7	6
11	A Case of Traumatic Brain Injury Presenting with Musical Hallucinations. Case Reports in Neurology, 2018, 10, 7-11.	0.7	2
12	A Case of Nonalcoholic Marchiafava-Bignami Disease with Left-Right Differential Agraphia of Chinese Characters. Case Reports in Neurology, 2018, 10, 232-241.	0.7	3
13	Contribution of muscle activity at different gait phases for improving walking performance in chronic stroke patients with hemiparesis. Journal of Physical Therapy Science, 2018, 30, 1381-1385.	0.6	7
14	Impairments in the Comprehension of Indoor Object/Body Part Words and Family Relationships in a Patient with Aphasia due to Cerebral Infarction of the Left Parietal and Temporal Lobes. Case Reports in Neurology, 2018, 10, 181-192.	0.7	1
15	Optimal Parts of the Body to Attach Accelerometer-incorporated Activity Meters for Hemiplegic Gait Evaluation. Rigakuryoho Kagaku, 2018, 33, 353-356.	0.1	0
16	Clinical Investigation of Patients with Brain Damage and Incidental Occurrence of Simultanagnosia. Brain Disorders & Therapy, 2018, 07, .	0.1	1
17	A Case of Anoxic Brain Injury Presenting with Agraphia of kanji in the Foreground. Case Reports in Neurology, 2017, 9, 36-43.	0.7	0
18	Consideration of Cerebral Cortex Activity Due to Difference in Backward Walking Speed. Rigakuryoho Kagaku, 2017, 32, 817-822.	0.1	1

#	Article	IF	CITATIONS
19	Physical Factors Affecting the Improvements of Gait Ability after Botulinum Treatment and Physical Therapy for Stroke Patients. Rigakuryoho Kagaku, 2016, 31, 841-845.	0.1	Ο
20	Predictors of track test performance in drivers with stroke. Turkish Neurosurgery, 2016, 27, 530-536.	0.2	5
21	Changes in Standing and Gait Parameters of Hemiparetic Stroke Patients after BoNT-A Injection. Rigakuryoho Kagaku, 2015, 30, 439-443.	0.1	1
22	First Sporadic Cases of Non-pneumonic Legionellosis, Pontiac Fever in Japan Internal Medicine, 1998, 37, 1068-1071.	0.7	2