

Hon-Kan Yip

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5413452/publications.pdf>

Version: 2024-02-01

285
papers

8,337
citations

61687

45
h-index

87275

74
g-index

300
all docs

300
docs citations

300
times ranked

10731
citing authors

#	ARTICLE	IF	CITATIONS
1	Valsartan- and melatonin-supported adipose-derived mesenchymal stem cells preserve renal function in chronic kidney disease rat through upregulation of prion protein participated in promoting PI3K-Akt-mTOR signaling and cell proliferation. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112551.	2.5	16
2	Extracorporeal Shock Wave Therapy Salvages Critical Limb Ischemia in B6 Mice through Upregulating Cell Proliferation Signaling and Angiogenesis. <i>Biomedicines</i> , 2022, 10, 117.	1.4	7
3	Cellular Prion Protein Is Essential for Myocardial Regeneration but Not the Recovery of Left Ventricular Function from Apical Ballooning. <i>Biomedicines</i> , 2022, 10, 167.	1.4	4
4	Combined levosimendan and Sacubitril/Valsartan markedly protected the heart and kidney against cardiorenal syndrome in rat. <i>Biomedicine and Pharmacotherapy</i> , 2022, 148, 112745.	2.5	2
5	Decreased Ankyrin Expression Is Associated with Repressed eNOS Signaling, Cell Proliferation, and Osteogenic Differentiation in Osteonecrosis of the Femoral Head. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 2-12.	1.4	5
6	Accuracy and precision of 31P-MRS assessment for evaluating the effect of melatonin-pretreated mitochondria transferring on liver fibrosis of rats. <i>Melatonin Research</i> , 2022, 5, 18-33.	0.7	0
7	Intrarenal arterial administration of human umbilical cord-derived mesenchymal stem cells effectively preserved the residual renal function of diabetic kidney disease in rat. <i>Stem Cell Research and Therapy</i> , 2022, 13, 186.	2.4	9
8	Dose-dependent benefits of iron-magnetic nanoparticle-coated human umbilical-derived mesenchymal stem cell treatment in rat intracranial hemorrhage model. <i>Stem Cell Research and Therapy</i> , 2022, 13, .	2.4	1
9	Melatonin and hyperbaric oxygen therapies suppress colorectal carcinogenesis through pleiotropic effects and multifaceted mechanisms. <i>International Journal of Biological Sciences</i> , 2021, 17, 3728-3744.	2.6	13
10	Dipeptidyl peptidase 4 promotes peritoneal fibrosis and its inhibitions prevent failure of peritoneal dialysis. <i>Communications Biology</i> , 2021, 4, 144.	2.0	11
11	Impact of One Versus Two Consecutive Doses of Endothelial Cells (EPCs) and EPCs-Derived Condition Medium on Protecting Myocardium from Acute Ischemia-Reperfusion Injury in Rat. <i>Cell Transplantation</i> , 2021, 30, 096368972110070.	1.2	4
12	CHD4 as an important mediator in regulating the malignant behaviors of colorectal cancer. <i>International Journal of Biological Sciences</i> , 2021, 17, 1660-1670.	2.6	10
13	Synergic effect of combined cyclosporin and melatonin protects the brain against acute ischemic reperfusion injury. <i>Biomedicine and Pharmacotherapy</i> , 2021, 136, 111266.	2.5	2
14	Investigation of echocardiographic characteristics and predictors for persistent defects of patent foramen ovale or patent ductus arteriosus in Chinese newborns. <i>Biomedical Journal</i> , 2021, 44, 209-216.	1.4	5
15	Combined tacrolimus and melatonin effectively protected kidney against acute ischemia-reperfusion injury. <i>FASEB Journal</i> , 2021, 35, e21661.	0.2	7
16	Quality and quantity culture effectively restores functional and proliferative capacities of endothelial progenitor cell in end-stage renal disease patients. <i>Stem Cell Research</i> , 2021, 53, 102264.	0.3	2
17	Umbilical cord-derived MSC and hyperbaric oxygen therapy effectively protected the brain in rat after acute intracerebral haemorrhage. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 5640-5654.	1.6	10
18	Double overexpression of miR-19a and miR-20a in induced pluripotent stem cell-derived mesenchymal stem cells effectively preserves the left ventricular function in dilated cardiomyopathic rat. <i>Stem Cell Research and Therapy</i> , 2021, 12, 371.	2.4	4

#	ARTICLE	IF	CITATIONS
19	Overexpression of miRâ€19a and miRâ€20a in iPSâ€MSCs preserves renal function of chronic kidney disease with acute ischaemiaâ€reperfusion injury in rat. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 7675-7689.	1.6	7
20	Combined melatonin-adipose derived mesenchymal stem cells therapy effectively protected the testis from testicular torsion-induced ischemia-reperfusion injury. <i>Stem Cell Research and Therapy</i> , 2021, 12, 370.	2.4	8
21	Melatonin rescues cerebral ischemic events through upregulated tunneling nanotube-mediated mitochondrial transfer and downregulated mitochondrial oxidative stress in rat brain. <i>Biomedicine and Pharmacotherapy</i> , 2021, 139, 111593.	2.5	22
22	Extracorporeal Shock Wave Enhanced Exogenous Mitochondria into Adipose-Derived Mesenchymal Stem Cells and Further Preserved Heart Function in Rat Dilated Cardiomyopathy. <i>Biomedicines</i> , 2021, 9, 1362.	1.4	2
23	Early treatment with combination of SS31 and entresto effectively preserved the heart function in doxorubicin-induced dilated cardiomyopathic rat. <i>Biomedicine and Pharmacotherapy</i> , 2021, 141, 111886.	2.5	5
24	Combined high energy of extracorporeal shock wave and 5-FU effectively suppressed the proliferation and growth of tongue squamous cell carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2021, 142, 112036.	2.5	2
25	Entresto protected the cardiomyocytes and preserved heart function in cardiorenal syndrome rat fed with high-protein diet through regulating the oxidative stress and Mfn2-mediated mitochondrial functional integrity. <i>Biomedicine and Pharmacotherapy</i> , 2021, 144, 112244.	2.5	15
26	Extracorporeal Shock Wave Therapy Protected the Functional and Architectural Integrity of Rodent Urinary Bladder against Ketamine-Induced Damage. <i>Biomedicines</i> , 2021, 9, 1391.	1.4	3
27	Additional benefit of induced pluripotent stem cell-derived mesenchymal stem cell therapy on sepsis syndrome-associated acute kidney injury in rat treated with antibiotic. <i>Stem Cell Research and Therapy</i> , 2021, 12, 526.	2.4	1
28	Intra-Coronary Administration of Tacrolimus Improves Myocardial Perfusion and Left Ventricular Function in Patients with ST-Segment Elevation Myocardial Infarction (COAT-STEMI) Undergoing Primary Percutaneous Coronary Intervention. <i>Acta Cardiologica Sinica</i> , 2021, 37, 239-253.	0.1	0
29	Renal Damages in Deoxycorticosterone Acetateâ€Salt Hypertensive Rats: Assessment with Diffusion Tensor Imaging and T2-mapping. <i>Molecular Imaging and Biology</i> , 2020, 22, 94-104.	1.3	4
30	Impact of FAK Expression on the Cytotoxic Effects of CIK Therapy in Triple-Negative Breast Cancer. <i>Cancers</i> , 2020, 12, 94.	1.7	22
31	Xenogeneic and Allogeneic Mesenchymal Stem Cells Effectively Protect the Lung Against Ischemia-reperfusion Injury Through Downregulating the Inflammatory, Oxidative Stress, and Autophagic Signaling Pathways in Rat. <i>Cell Transplantation</i> , 2020, 29, 096368972095414.	1.2	18
32	Reduced effects of cardiac extracorporeal shock wave therapy on angiogenesis and myocardial function recovery in patients with end-stage coronary artery and renal diseases. <i>Biomedical Journal</i> , 2020, , .	1.4	1
33	The authors reply. <i>Critical Care Medicine</i> , 2020, 48, e988-e988.	0.4	0
34	Human Umbilical Cordâ€Derived Mesenchymal Stem Cell Therapy Effectively Protected the Brain Architecture and Neurological Function in Rat After Acute Traumatic Brain Injury. <i>Cell Transplantation</i> , 2020, 29, 096368972092931.	1.2	10
35	Dipeptidyl Peptidase-4 deficiency effectively protects the brain and neurological function in rodent after acute Hemorrhagic Stroke. <i>International Journal of Biological Sciences</i> , 2020, 16, 3116-3132.	2.6	4
36	Baseline factors identified for the prediction of good responders in patients with end-stage diffuse coronary artery disease undergoing intracoronary CD34+ cell therapy. <i>Stem Cell Research and Therapy</i> , 2020, 11, 324.	2.4	2

#	ARTICLE	IF	CITATIONS
37	Jagged2 progressively increased expression from Stage I to III of Bladder Cancer and Melatonin-mediated downregulation of Notch/Jagged2 suppresses the Bladder Tumorigenesis via inhibiting PI3K/AKT/mTOR/MMPs signaling. International Journal of Biological Sciences, 2020, 16, 2648-2662.	2.6	17
38	Hepatic ³¹ P-magnetic resonance spectroscopy identified the impact of melatonin-pretreated mitochondria in acute liver ischaemia-reperfusion injury. Journal of Cellular and Molecular Medicine, 2020, 24, 10088-10099.	1.6	13
39	Melatonin against acute ischaemic stroke dependently via suppressing both inflammatory and oxidative stress downstream signalings. Journal of Cellular and Molecular Medicine, 2020, 24, 10402-10419.	1.6	15
40	Circulatory Rejuvenated EPCs Derived from PAOD Patients Treated by CD34+ Cells and Hyperbaric Oxygen Therapy Salvaged the Nude Mouse Limb against Critical Ischemia. International Journal of Molecular Sciences, 2020, 21, 7887.	1.8	5
41	Losing Regulation of the Extracellular Matrix is Strongly Predictive of Unfavorable Prognostic Outcome after Acute Myocardial Infarction. International Journal of Molecular Sciences, 2020, 21, 6219.	1.8	7
42	Human Umbilical Cord-Derived Mesenchymal Stem Cells for Acute Respiratory Distress Syndrome. Critical Care Medicine, 2020, 48, e391-e399.	0.4	67
43	MicroRNA-214 modulates the senescence of vascular smooth muscle cells in carotid artery stenosis. Molecular Medicine, 2020, 26, 46.	1.9	16
44	Intra-carotid arterial transfusion of circulatory-derived autologous endothelial progenitor cells in rodent after ischemic stroke—evaluating the impact of therapeutic time points on prognostic outcomes. Stem Cell Research and Therapy, 2020, 11, 219.	2.4	7
45	Resyl sulfate causes mitochondrial hyperfusion in H9C2 cardiomyoblasts. Journal of Cellular and Molecular Medicine, 2020, 24, 8379-8390.	1.6	6
46	Intravenous administration of MSC-SPIONs mobilized into CKD parenchyma and effectively preserved residual renal function in CKD rat. Journal of Cellular and Molecular Medicine, 2020, 24, 3593-3610.	1.6	27
47	Soluble ST2 is a Useful Biomarker for Grading Cerebral Cardiac Syndrome in Patients after Acute Ischemic Stroke. Journal of Clinical Medicine, 2020, 9, 489.	1.0	4
48	Safety and efficacy of intrarenal arterial autologous CD34+ cell transfusion in patients with chronic kidney disease: A randomized, open-label, controlled phase II clinical trial. Stem Cells Translational Medicine, 2020, 9, 827-838.	1.6	19
49	Intracoronary Injection of Autologous CD34+ Cells Improves One-Year Left Ventricular Systolic Function in Patients with Diffuse Coronary Artery Disease and Preserved Cardiac Performance—A Randomized, Open-Label, Controlled Phase II Clinical Trial. Journal of Clinical Medicine, 2020, 9, 1043.	1.0	5
50	Protective effect of combined therapy with hyperbaric oxygen and autologous adipose-derived mesenchymal stem cells on renal function in rodent after acute ischemia-reperfusion injury. American Journal of Translational Research (discontinued), 2020, 12, 3272-3287.	0.0	4
51	The combination of G9a histone methyltransferase inhibitors with erythropoietin protects heart against damage from acute myocardial infarction. American Journal of Translational Research (discontinued), 2020, 12, 3255-3271.	0.0	2
52	Early intramyocardial implantation of exogenous mitochondria effectively preserved left ventricular function in doxorubicin-induced dilated cardiomyopathy rat. American Journal of Translational Research (discontinued), 2020, 12, 4612-4627.	0.0	3
53	Uremic toxic substances are essential elements for enhancing carotid artery stenosis after balloon-induced endothelial denudation: worsening role of the adventitial layer. American Journal of Translational Research (discontinued), 2020, 12, 7144-7159.	0.0	1
54	Level and Value of T Cell-derived Circulating Microparticles in Liver Cirrhosis Patients. In Vivo, 2019, 33, 2265-2272.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Preactivated and disaggregated shape-changed platelets protect kidney against from ischemia-reperfusion injury in rat through attenuating inflammation reaction. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 2155-2168.	1.3	8
56	Combined Therapy With Hyperbaric Oxygen and Melatonin Effectively Reduce Brain Infarct Volume and Preserve Neurological Function After Acute Ischemic Infarct in Rat. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 949-960.	0.9	18
57	Direct implantations of erythropoietin and autologous EPCs in critical limb ischemia (CLI) area restored CLI area blood flow and rescued remote AMI-induced LV dysfunction. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109296.	2.5	4
58	Cerebro- and renoprotective activities through platelet-derived biomaterials against cerebrorenal syndrome in rat model. <i>Biomaterials</i> , 2019, 214, 119227.	5.7	10
59	The therapeutic impact of entresto on protecting against cardiorenal syndrome-associated renal damage in rats on high protein diet. <i>Biomedicine and Pharmacotherapy</i> , 2019, 116, 108954.	2.5	29
60	Short-interval exposure to ambient fine particulate matter (PM2.5) exacerbates the susceptibility of pulmonary damage in setting of lung ischemia-reperfusion injury in rodent: Pharmacomodulation of melatonin. <i>Biomedicine and Pharmacotherapy</i> , 2019, 113, 108737.	2.5	19
61	Stem Cell-Derived Exosomes Prevent Aging-Induced Cardiac Dysfunction through a Novel Exosome/lncRNA MALAT1/NF- κ B/TNF- α Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-14.	1.9	81
62	The Correlation between Severity of Neurological Impairment and Left Ventricular Function in Patients after Acute Ischemic Stroke. <i>Journal of Clinical Medicine</i> , 2019, 8, 190.	1.0	18
63	Risk of Venous Thromboembolic Events in Patients with Osteonecrosis of the Femoral Head Undergoing Primary Hip Arthroplasty. <i>Journal of Clinical Medicine</i> , 2019, 8, 2158.	1.0	2
64	Extracorporeal shock wave-assisted adipose-derived fresh stromal vascular fraction restores the blood flow of critical limb ischemia in rat. <i>Vascular Pharmacology</i> , 2019, 113, 57-69.	1.0	6
65	Early administration of empagliflozin preserved heart function in cardiorenal syndrome in rat. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 658-670.	2.5	43
66	Combined Adipose-Derived Mesenchymal Stem Cells and Low-Energy Extracorporeal Shock Wave Therapy Protect the Brain From Brain Death-Induced Injury in Rat. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 65-77.	0.9	8
67	FAK is Required for Tumor Metastasis-Related Fluid Microenvironment in Triple-Negative Breast Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 38.	1.0	25
68	Sitagliptin and shock wave-supported peripheral blood derived endothelial progenitor cell therapy effectively preserves residual renal function in chronic kidney disease in rat—role of dipeptidyl peptidase 4 inhibition. <i>Biomedicine and Pharmacotherapy</i> , 2019, 111, 1088-1102.	2.5	12
69	Long-term Therapeutic Effects of Extracorporeal Shock Wave-Assisted Melatonin Therapy on Mononeuropathic Pain in Rats. <i>Neurochemical Research</i> , 2019, 44, 796-810.	1.6	13
70	Melatonin-mediated downregulation of ZNF746 suppresses bladder tumorigenesis mainly through inhibiting the AKT-MMP-9 signaling pathway. <i>Journal of Pineal Research</i> , 2019, 66, e12536.	3.4	41
71	Therapeutic effects of adipose derived fresh stromal vascular fraction-containing stem cells versus cultured adipose derived mesenchymal stem cells on rescuing heart function in rat after acute myocardial infarction. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 67-86.	0.0	8
72	Endothelial progenitor cells, rosuvastatin and valsartan have a comparable effect on repair of balloon-denudated carotid artery injury. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 1282-1298.	0.0	3

#	ARTICLE	IF	CITATIONS
73	Hyperbaric oxygen facilitates the effect of endothelial progenitor cell therapy on improving outcome of rat critical limb ischemia. American Journal of Translational Research (discontinued), 2019, 11, 1948-1964.	0.0	14
74	Synergistic effect of combined melatonin and adipose-derived mesenchymal stem cell (ADMSC)-derived exosomes on amelioration of dextran sulfate sodium (DSS)-induced acute colitis. American Journal of Translational Research (discontinued), 2019, 11, 2706-2724.	0.0	11
75	Adipose-derived mesenchymal stem cell-derived exosomes markedly protected the brain against sepsis syndrome induced injury in rat. American Journal of Translational Research (discontinued), 2019, 11, 3955-3971.	0.0	26
76	Human induced pluripotent stem cell-derived mesenchymal stem cell therapy effectively reduced brain infarct volume and preserved neurological function in rat after acute intracranial hemorrhage. American Journal of Translational Research (discontinued), 2019, 11, 6232-6248.	0.0	9
77	Early administration of cold water and adipose derived mesenchymal stem cell derived exosome effectively protects the heart from ischemia-reperfusion injury. American Journal of Translational Research (discontinued), 2019, 11, 5375-5389.	0.0	9
78	The Five-Year Clinical and Angiographic Follow-Up Outcomes of Intracoronary Transfusion of Circulation-Derived CD34+ Cells for Patients With End-Stage Diffuse Coronary Artery Disease Unsuitable for Coronary Intervention—Phase I Clinical Trial. Critical Care Medicine, 2018, 46, e411-e418.	0.4	26
79	Daily melatonin protects the endothelial lineage and functional integrity against the aging process, oxidative stress, and toxic environment and restores blood flow in critical limb ischemia area in mice. Journal of Pineal Research, 2018, 65, e12489.	3.4	68
80	MicroRNA-mediated interacting circuits predict hypoxia and inhibited osteogenesis of stem cells, and dysregulated angiogenesis are involved in osteonecrosis of the femoral head. International Orthopaedics, 2018, 42, 1605-1614.	0.9	20
81	Apparent Diffusion Coefficient is a Useful Biomarker for Monitoring Adipose-Derived Mesenchymal Stem Cell Therapy of Renal Ischemic-Reperfusion Injury. Molecular Imaging and Biology, 2018, 20, 750-760.	1.3	3
82	Nationwide study on the risk of unprovoked venous thromboembolism in non-traumatic osteonecrosis of femoral head. International Orthopaedics, 2018, 42, 1469-1478.	0.9	8
83	Cardiovascular and Cerebrovascular Events Are Associated With Nontraumatic Osteonecrosis of the Femoral Head. Clinical Orthopaedics and Related Research, 2018, 476, 865-874.	0.7	16
84	Associations with the In-Hospital Survival Following Extracorporeal Membrane Oxygenation in Adult Acute Fulminant Myocarditis. Journal of Clinical Medicine, 2018, 7, 452.	1.0	22
85	Extracorporeal Shock Wave-Supported Adipose-Derived Fresh Stromal Vascular Fraction Preserved Left Ventricular (LV) Function and Inhibited LV Remodeling in Acute Myocardial Infarction in Rat. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-22.	1.9	10
86	Shock Wave Therapy Enhances Mitochondrial Delivery into Target Cells and Protects against Acute Respiratory Distress Syndrome. Mediators of Inflammation, 2018, 2018, 1-16.	1.4	6
87	Hyperbaric Oxygen Therapy Enhanced Circulating Levels of Endothelial Progenitor Cells and Angiogenesis Biomarkers, Blood Flow, in Ischemic Areas in Patients with Peripheral Arterial Occlusive Disease. Journal of Clinical Medicine, 2018, 7, 548.	1.0	27
88	Extracorporeal shockwave against inflammation mediated by GPR120 receptor in cyclophosphamide-induced rat cystitis model. Molecular Medicine, 2018, 24, 60.	1.9	9
89	Combined Therapy with SS31 and Mitochondria Mitigates Myocardial Ischemia-Reperfusion Injury in Rats. International Journal of Molecular Sciences, 2018, 19, 2782.	1.8	42
90	Correlation between Therapeutic Efficacy of CD34+ Cell Treatment and Directed In Vivo Angiogenesis in Patients with End-Stage Diffuse Coronary Artery Disease. Stem Cells International, 2018, 2018, 1-8.	1.2	1

#	ARTICLE	IF	CITATIONS
91	Combined Therapy with Extracorporeal Shock Wave and Adipose-Derived Mesenchymal Stem Cells Remarkably Improved Acute Ischemia-Reperfusion Injury of Quadriceps Muscle. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-14.	1.9	19
92	Melatonin attenuated brain death tissue extract-induced cardiac damage by suppressing DAMP signaling. <i>Oncotarget</i> , 2018, 9, 3531-3548.	0.8	18
93	Extracorporeal shock wave markedly alleviates radiation-induced chronic cystitis in rat. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 1036-1052.	0.0	6
94	Adipose-derived mesenchymal stem cell-derived exosomes alleviate overwhelming systemic inflammatory reaction and organ damage and improve outcome in rat sepsis syndrome. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 1053-1070.	0.0	41
95	Entresto therapy effectively protects heart and lung against transverse aortic constriction induced cardiopulmonary syndrome injury in rat. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 2290-2305.	0.0	6
96	Intra-carotid arterial transfusion of autologous circulatory derived CD34+ cells for old ischemic stroke patients - a phase I clinical trial to evaluate safety and tolerability. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 2975-2989.	0.0	6
97	Role of double knockdown of tPA and MMP-9 on regulating the left ventricular function and remodeling followed by transverse aortic constriction-induced hypertrophic cardiomyopathy in mice. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 2781-2795.	0.0	3
98	Inducible pluripotent stem cell-derived mesenchymal stem cell therapy effectively protected kidney from acute ischemia-reperfusion injury. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 3053-3067.	0.0	20
99	Effect of improved door-to-balloon time on clinical outcomes in patients with ST segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2017, 240, 66-71.	0.8	11
100	Severe bilateral ischemic-reperfusion renal injury: hyperacute and acute changes in apparent diffusion coefficient, T1, and T2 mapping with immunohistochemical correlations. <i>Scientific Reports</i> , 2017, 7, 1725.	1.6	23
101	Risks of Factor V rs6020 or Methylenetetrahydrofolate Reductase rs12121543 Polymorphism with Hyperhomocysteinemia in the Development of Osteonecrosis of the Femoral Head. <i>The Journal of Hip Surgery</i> , 2017, 01, 061-066.	0.1	5
102	No correlation between body mass index and 30-day prognostic outcome in Asians with acute ST-elevation myocardial infarction undergoing primary coronary intervention. <i>Biomedical Journal</i> , 2017, 40, 169-177.	1.4	5
103	Higher neutrophil counts and neutrophil-to-lymphocyte ratio predict prognostic outcomes in patients after non-atrial fibrillation-caused ischemic stroke. <i>Biomedical Journal</i> , 2017, 40, 154-162.	1.4	46
104	Melatonin enhances survival and preserves functional integrity of stem cells: A review. <i>Journal of Pineal Research</i> , 2017, 62, e12372.	3.4	33
105	The therapeutic effect of rosuvastatin and propylthiouracil on ameliorating high-cholesterol diet-induced rabbit aortic atherosclerosis and stiffness. <i>International Journal of Cardiology</i> , 2017, 227, 938-949.	0.8	11
106	Risk of aortic aneurysm and dissection in patients with autosomal-dominant polycystic kidney disease: a nationwide population-based cohort study. <i>Oncotarget</i> , 2017, 8, 57594-57604.	0.8	30
107	Xenogeneic human umbilical cord-derived mesenchymal stem cells reduce mortality in rats with acute respiratory distress syndrome complicated by sepsis. <i>Oncotarget</i> , 2017, 8, 45626-45642.	0.8	40
108	Investigated the safety of intra-renal arterial transfusion of autologous CD34+ cells and time courses of creatinine levels, endothelial dysfunction biomarkers and micro-RNAs in chronic kidney disease patients-phase I clinical trial. <i>Oncotarget</i> , 2017, 8, 17750-17762.	0.8	31

#	ARTICLE	IF	CITATIONS
109	Extracorporeal shock wave treatment attenuated left ventricular dysfunction and remodeling in mini-pig with cardiorenal syndrome. <i>Oncotarget</i> , 2017, 8, 54747-54763.	0.8	11
110	Circulating microparticles are prognostic biomarkers in advanced non-small cell lung cancer patients. <i>Oncotarget</i> , 2017, 8, 75952-75967.	0.8	22
111	DPP-4 enzyme deficiency protects kidney from acute ischemia-reperfusion injury: role for remote intermittent bowel ischemia-reperfusion preconditioning. <i>Oncotarget</i> , 2017, 8, 54821-54837.	0.8	20
112	Effective protection against acute respiratory distress syndrome/sepsis injury by combined adipose-derived mesenchymal stem cells and preactivated disaggregated platelets. <i>Oncotarget</i> , 2017, 8, 82415-82429.	0.8	15
113	Therapeutic effects of adipose-derived mesenchymal stem cells against brain death-induced remote organ damage and post-heart transplant acute rejection. <i>Oncotarget</i> , 2017, 8, 108692-108711.	0.8	21
114	Combination therapy of exendin-4 and allogenic adipose-derived mesenchymal stem cell preserved renal function in a chronic kidney disease and sepsis syndrome setting in rats. <i>Oncotarget</i> , 2017, 8, 100002-100020.	0.8	10
115	Combined therapy with melatonin and exendin-4 effectively attenuated the deterioration of renal function in rat cardiorenal syndrome. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 214-229.	0.0	9
116	Melatonin treatment enhances therapeutic effects of exosomes against acute liver ischemia-reperfusion injury. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1543-1560.	0.0	30
117	The mTOR-FAK mechanotransduction signaling axis for focal adhesion maturation and cell proliferation. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1603-1617.	0.0	23
118	EPO-cyclosporine combination therapy reduced brain infarct area in rat after acute ischemic stroke: role of innate immune-inflammatory response, micro-RNAs and MAPK family signaling pathway. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1651-1666.	0.0	12
119	Medial tibial subchondral bone is the key target for extracorporeal shockwave therapy in early osteoarthritis of the knee. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 1720-1731.	0.0	4
120	Impact of impaired cardiac function on the progression of chronic kidney disease---role of pharmacomodulation of valsartan. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 2548-2566.	0.0	4
121	Exendin-4-assisted adipose derived mesenchymal stem cell therapy protects renal function against co-existing acute kidney ischemia-reperfusion injury and severe sepsis syndrome in rat. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 3167-3183.	0.0	14
122	Therapeutic effect of rosuvastatin and propylthiouracil on ameliorating high-cholesterol diet-induced fatty liver disease, fibrosis and inflammation in rabbit. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 3827-3841.	0.0	3
123	Combination therapy with extracorporeal shock wave and melatonin markedly attenuated neuropathic pain in rat. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 4593-4606.	0.0	15
124	Thirty-Day and One-Year Clinical Outcomes of Bioresorbable Vascular Scaffold Implantation: A Single-Center Experience. <i>Acta Cardiologica Sinica</i> , 2017, 33, 614-623.	0.1	6
125	Exendin-4 protects kidney from acute ischemia-reperfusion injury through upregulation of NRF2 signaling. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 4756-4771.	0.0	4
126	Extracorporeal shock wave therapy effectively protects brain against chronic cerebral hypo-perfusion-induced neuropathological changes. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 5074-5093.	0.0	4

#	ARTICLE	IF	CITATIONS
127	SS31 therapy effectively protects the heart against transverse aortic constriction-induced hypertrophic cardiomyopathy damage. <i>American Journal of Translational Research</i> (discontinued), 2017, 9, 5220-5237.	0.0	9
128	Assessment of doxorubicin-induced mouse testicular damage by the novel second-harmonic generation microscopy. <i>American Journal of Translational Research</i> (discontinued), 2017, 9, 5275-5288.	0.0	10
129	Shock Wave Therapy Enhances Angiogenesis through VEGFR2 Activation and Recycling. <i>Molecular Medicine</i> , 2016, 22, 850-862.	1.9	24
130	tPA-MMP-9 Axis Plays a Pivotal Role in Mobilization of Endothelial Progenitor Cells from Bone Marrow to Circulation and Ischemic Region for Angiogenesis. <i>Stem Cells International</i> , 2016, 2016, 1-23.	1.2	16
131	Intravenous administration of xenogenic adipose-derived mesenchymal stem cells (ADMSC) and ADMSC-derived exosomes markedly reduced brain infarct volume and preserved neurological function in rat after acute ischemic stroke. <i>Oncotarget</i> , 2016, 7, 74537-74556.	0.8	191
132	Melatonin pretreatment enhances the therapeutic effects of exogenous mitochondria against hepatic ischemia-reperfusion injury in rats through suppression of mitochondrial permeability transition. <i>Journal of Pineal Research</i> , 2016, 61, 52-68.	3.4	70
133	Preactivated and Disaggregated Shape-Changed Platelets Protected Against Acute Respiratory Distress Syndrome Complicated by Sepsis Through Inflammation Suppression. <i>Shock</i> , 2016, 46, 575-586.	1.0	18
134	One-year outcomes following drug-eluting balloon use for coronary ostial restenosis. <i>IJC Heart and Vasculature</i> , 2016, 10, 25-28.	0.6	3
135	Enhanced protection against renal ischemia-reperfusion injury with combined melatonin and exendin-4 in a rodent model. <i>Experimental Biology and Medicine</i> , 2016, 241, 1588-1602.	1.1	17
136	The impacts of prolonged emergency department length of stay on clinical outcomes of patients with ST-segment elevation myocardial infarction after reperfusion. <i>Internal and Emergency Medicine</i> , 2016, 11, 107-114.	1.0	7
137	Tissue plasminogen activator deficiency preserves neurological function and protects against murine acute ischemic stroke. <i>International Journal of Cardiology</i> , 2016, 205, 133-141.	0.8	8
138	Comparison of a Sheathless Transradial Access With Looping Technique and Transbrachial Access for Carotid Artery Stenting. <i>Journal of Endovascular Therapy</i> , 2016, 23, 516-520.	0.8	14
139	Carotid stenting and endarterectomy. <i>International Journal of Cardiology</i> , 2016, 214, 166-174.	0.8	14
140	Administration of antioxidant peptide SS-31 attenuates transverse aortic constriction-induced pulmonary arterial hypertension in mice. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 589-603.	2.8	36
141	Time courses and value of circulating microparticles in patients with operable stage non-small cell lung cancer undergoing surgical intervention. <i>Tumor Biology</i> , 2016, 37, 11873-11882.	0.8	4
142	Combination of adipose-derived mesenchymal stem cells (ADMSC) and ADMSC-derived exosomes for protecting kidney from acute ischemia-reperfusion injury. <i>International Journal of Cardiology</i> , 2016, 216, 173-185.	0.8	188
143	Associations with 30-day survival following extracorporeal membrane oxygenation in patients with acute ST segment elevation myocardial infarction and profound cardiogenic shock. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016, 45, 532-537.	0.8	26
144	Dosage effects of extracorporeal shockwave therapy in early hip necrosis. <i>International Journal of Surgery</i> , 2016, 35, 179-186.	1.1	20

#	ARTICLE	IF	CITATIONS
145	The cardioprotective effect of melatonin and exendin-4 treatment in a rat model of cardiorenal syndrome. <i>Journal of Pineal Research</i> , 2016, 61, 438-456.	3.4	78
146	Short-term and long-term prognostic outcomes of patients with ST-segment elevation myocardial infarction complicated by profound cardiogenic shock undergoing early extracorporeal membrane oxygenator-assisted primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2016, 223, 412-417.	0.8	43
147	Combined Therapy With Adipose-Derived Mesenchymal Stem Cells and Ciprofloxacin Against Acute Urogenital Organ Damage in Rat Sepsis Syndrome Induced by Intrapelvic Injection of Cecal Bacteria. <i>Stem Cells Translational Medicine</i> , 2016, 5, 782-792.	1.6	33
148	Comparison of Clinical Results Following the Use of Drug-Eluting Balloons for a Bare-Metal Stent and Drug-Eluting Stent Instent Restenosis. <i>Journal of Interventional Cardiology</i> , 2016, 29, 469-479.	0.5	6
149	Is Extracorporeal Membrane Oxygenator a New Weapon to Improve Prognosis in Patients With Profound Cardiogenic Shock Undergoing Primary Percutaneous Coronary Intervention?. <i>Circulation Journal</i> , 2016, 80, 572-578.	0.7	14
150	AG490 suppresses EPO-mediated activation of JAK2-STAT but enhances blood flow recovery in rats with critical limb ischemia. <i>Journal of Inflammation</i> , 2016, 13, 18.	1.5	10
151	One-year cardiovascular outcomes of drug-eluting stent versus bare-metal stent implanted in diabetic patients with acute coronary syndrome. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 239-247.	0.6	2
152	Exendin-4 therapy still offered an additional benefit on reducing transverse aortic constriction-induced cardiac hypertrophy-caused myocardial damage in DPP-4 deficient rats. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 778-98.	0.0	6
153	Human lung cancer-derived microparticles enhanced angiogenesis and growth of hepatoma cells in rodent lung parenchyma. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 1302-18.	0.0	0
154	Circulating microparticles enhanced rat vascular wall remodeling following endothelial denudation. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 4511-4522.	0.0	4
155	Effect of early administration of lower dose versus high dose of fresh mitochondria on reducing monocrotaline-induced pulmonary artery hypertension in rat. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 5151-5168.	0.0	9
156	Comparison of different strategies for acute ST-segment elevation myocardial infarction with high thrombus burden in clinical practice: Symptom-free outcome at one year. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 487-493.	0.8	7
157	Sitagliptin attenuated brain damage and cognitive impairment in mice with chronic cerebral hypo-perfusion through suppressing oxidative stress and inflammatory reaction. <i>Journal of Hypertension</i> , 2015, 33, 1001-1013.	0.3	53
158	Intracoronary Transfusion of Circulation-Derived CD34+ Cells Improves Left Ventricular Function in Patients With End-Stage Diffuse Coronary Artery Disease Unsuitable for Coronary Intervention*. <i>Critical Care Medicine</i> , 2015, 43, 2117-2132.	0.4	60
159	Combined melatonin and exendin-4 therapy preserves renal ultrastructural integrity after ischemia-reperfusion injury in the male rat. <i>Journal of Pineal Research</i> , 2015, 59, 434-447.	3.4	42
160	Protective effect of melatonin-supported adipose-derived mesenchymal stem cells against small bowel ischemia-reperfusion injury in rat. <i>Journal of Pineal Research</i> , 2015, 59, 206-220.	3.4	74
161	Levels of Circulating Microparticles in Patients with Chronic Cardiorenal Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 247-256.	0.9	19
162	Systemic combined melatonin-mitochondria treatment improves acute respiratory distress syndrome in the rat. <i>Journal of Pineal Research</i> , 2015, 58, 137-150.	3.4	81

#	ARTICLE	IF	CITATIONS
163	Transradial percutaneous coronary intervention for chronic total occlusion of coronary artery disease using sheathless standard guiding catheters. <i>IJC Heart and Vasculature</i> , 2015, 6, 35-41.	0.6	5
164	Combined therapy with shock wave and autologous bone marrow-derived mesenchymal stem cells alleviates left ventricular dysfunction and remodeling through inhibiting inflammatory stimuli, oxidative stress & enhancing angiogenesis in a swine myocardial infarction model. <i>International Journal of Cardiology</i> , 2015, 193, 69-83.	0.8	46
165	Sitagliptin protects rat kidneys from acute ischemia-reperfusion injury via upregulation of GLP-1 and GLP-1 receptors. <i>Acta Pharmacologica Sinica</i> , 2015, 36, 119-130.	2.8	49
166	Administered circulating microparticles derived from lung cancer patients markedly improved angiogenesis, blood flow and ischemic recovery in rat critical limb ischemia. <i>Journal of Translational Medicine</i> , 2015, 13, 59.	1.8	20
167	Erythropoietin improves long-term neurological outcome in acute ischemic stroke patients: a randomized, prospective, placebo-controlled clinical trial. <i>Critical Care</i> , 2015, 19, 49.	2.5	44
168	Intra-carotid arterial administration of autologous peripheral blood-derived endothelial progenitor cells improves acute ischemic stroke neurological outcomes in rats. <i>International Journal of Cardiology</i> , 2015, 201, 668-683.	0.8	39
169	Early Administration of Carvedilol Protected against Doxorubicin-Induced Cardiomyopathy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 355, 516-527.	1.3	37
170	Mixed serum-deprived and normal adipose-derived mesenchymal stem cells against acute lung ischemia-reperfusion injury in rats. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 209-31.	0.0	16
171	Exendin-4 protected against critical limb ischemia in obese mice. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 445-59.	0.0	11
172	Adipose-derived mesenchymal stem cells embedded in platelet-rich fibrin scaffolds promote angiogenesis, preserve heart function, and reduce left ventricular remodeling in rat acute myocardial infarction. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 781-803.	0.0	37
173	Peripheral blood-derived endothelial progenitor cell therapy prevented deterioration of chronic kidney disease in rats. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 804-24.	0.0	19
174	Extracorporeal shock wave effectively attenuates brain infarct volume and improves neurological function in rat after acute ischemic stroke. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 976-94.	0.0	20
175	Extracorporeal shock wave therapy effectively prevented diabetic neuropathy. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 2543-60.	0.0	20
176	Early Administration of Intracoronary Nitroprusside Compared with Thrombus Aspiration in Myocardial Perfusion for Acute Myocardial Infarction: A 3-Year Clinical Follow-Up Study. <i>Acta Cardiologica Sinica</i> , 2015, 31, 373-80.	0.1	1
177	Abstract 9851: Benefit of Antioxidant Peptide SS-31 Treatment in Attenuating Transverse Aortic Constriction-Induced Pulmonary Arterial Hypertension in Mice. <i>Circulation</i> , 2015, 132, .	1.6	0
178	Safety and Feasibility of Coronary Stenting in Unprotected Left Main Coronary Artery Disease in the Real World Clinical Practice—A Single Center Experience. <i>PLoS ONE</i> , 2014, 9, e109281.	1.1	12
179	Inhibition of dipeptidyl peptidase-IV enzyme activity protects against myocardial ischemia-reperfusion injury in rats. <i>Journal of Translational Medicine</i> , 2014, 12, 357.	1.8	33
180	The Prognostic Values of Leukocyte Rho Kinase Activity in Acute Ischemic Stroke. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	10

#	ARTICLE	IF	CITATIONS
181	Circulating Endothelial-Derived Activated Microparticle: A Useful Biomarker for Predicting One-Year Mortality in Patients with Advanced Non-Small Cell Lung Cancer. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	37
182	Melatonin treatment further improves adipose-derived mesenchymal stem cell therapy for acute interstitial cystitis in rat. <i>Journal of Pineal Research</i> , 2014, 57, 248-261.	3.4	66
183	Levels and values of lipoprotein-associated phospholipase A2, galectin-3, RhoA/ROCK, and endothelial progenitor cells in critical limb ischemia: pharmacotherapeutic role of cilostazol and clopidogrel combination therapy. <i>Journal of Translational Medicine</i> , 2014, 12, 101.	1.8	18
184	Minimizing Door-to-Balloon Time Is Not the Most Critical Factor in Improving Clinical Outcome of ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention*. <i>Critical Care Medicine</i> , 2014, 42, 1788-1796.	0.4	22
185	Reducing TRPC1 Expression through Liposome-Mediated siRNA Delivery Markedly Attenuates Hypoxia-Induced Pulmonary Arterial Hypertension in a Murine Model. <i>Stem Cells International</i> , 2014, 2014, 1-19.	1.2	22
186	Therapeutic Potential of Tacrolimus on Acute Myocardial Infarction in Minipigs: Analysis with Serial Cardiac Magnetic Resonance and Changes at Histological and Protein Levels. <i>BioMed Research International</i> , 2014, 2014, 1-13.	0.9	1
187	Direct implantation versus platelet-rich fibrin-embedded adipose-derived mesenchymal stem cells in treating rat acute myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 173, 410-423.	0.8	53
188	Additional benefit of combined therapy with melatonin and apoptotic adipose-derived mesenchymal stem cell against sepsis-induced kidney injury. <i>Journal of Pineal Research</i> , 2014, 57, 16-32.	3.4	127
189	Retention of endothelial progenitor cells in bone marrow in a murine model of endogenous tissue plasminogen activator (tPA) deficiency in response to critical limb ischemia. <i>International Journal of Cardiology</i> , 2014, 170, 394-405.	0.8	17
190	Predictors of contrast-induced nephropathy in chronic total occlusion percutaneous coronary intervention. <i>EuroIntervention</i> , 2014, 9, 1173-1180.	1.4	31
191	Levels of Circulating Neopterin in Patients with Severe Carotid Artery Stenosis Undergoing Carotid Stenting. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 129-139.	0.9	3
192	Melatonin augments apoptotic adipose-derived mesenchymal stem cell treatment against sepsis-induced acute lung injury. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 439-58.	0.0	27
193	Extracorporeal shock wave therapy ameliorates cyclophosphamide-induced rat acute interstitial cystitis through inhibiting inflammation and oxidative stress-in vitro and in vivo experiment studies. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 631-48.	0.0	36
194	Drug-Eluting Stents versus Bare-Metal Stents in Taiwanese Patients with Acute Coronary Syndrome: An Outcome Report of a Multicenter Registry. <i>Acta Cardiologica Sinica</i> , 2014, 30, 553-64.	0.1	16
195	Cyclosporine-assisted adipose-derived mesenchymal stem cell therapy to mitigate acute kidney ischemia-reperfusion injury. <i>Stem Cell Research and Therapy</i> , 2013, 4, 62.	2.4	33
196	Paradoxical impairment of angiogenesis, endothelial function and circulating number of endothelial progenitor cells in DPP4-deficient rat after critical limb ischemia. <i>Stem Cell Research and Therapy</i> , 2013, 4, 31.	2.4	19
197	Apoptotic adipose-derived mesenchymal stem cell therapy protects against lung and kidney injury in sepsis syndrome caused by cecal ligation puncture in rats. <i>Stem Cell Research and Therapy</i> , 2013, 4, 155.	2.4	65
198	Sitagliptin therapy enhances the number of circulating angiogenic cells and angiogenesis evaluations in vitro and in the rat critical limb ischemia model. <i>Cytotherapy</i> , 2013, 15, 1148-1163.	0.3	27

#	ARTICLE	IF	CITATIONS
199	Sildenafil improves long-term effect of endothelial progenitor cell-based treatment for monocrotaline-induced rat pulmonary arterial hypertension. <i>Cytotherapy</i> , 2013, 15, 209-223.	0.3	25
200	Innate immune response after acute myocardial infarction and pharmacomodulatory action of tacrolimus in reducing infarct size and preserving myocardial integrity. <i>Journal of Biomedical Science</i> , 2013, 20, 82.	2.6	25
201	Value and level of circulating endothelial progenitor cells, angiogenesis factors and mononuclear cell apoptosis in patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 83-91.	0.7	37
202	Simvastatin attenuates the additive effects of TNF- α and IL-18 on the connexin 43 up-regulation and over-proliferation of cultured aortic smooth muscle cells. <i>Cytokine</i> , 2013, 62, 341-351.	1.4	26
203	Melatonin treatment improves adipose-derived mesenchymal stem cell therapy for acute lung ischemia-reperfusion injury. <i>Journal of Pineal Research</i> , 2013, 54, 207-221.	3.4	126
204	Tissue plasminogen activator enhances mobilization of endothelial progenitor cells and angiogenesis in murine limb ischemia. <i>International Journal of Cardiology</i> , 2013, 168, 226-236.	0.8	23
205	Levels of Circulating Microparticles in Lung Cancer Patients and Possible Prognostic Value. <i>Disease Markers</i> , 2013, 35, 301-310.	0.6	48
206	Exendin-4 and sitagliptin protect kidney from ischemia-reperfusion injury through suppressing oxidative stress and inflammatory reaction. <i>Journal of Translational Medicine</i> , 2013, 11, 270.	1.8	89
207	Effect of Tacrolimus on Myocardial Infarction Is Associated with Inflammation, ROS, MAP Kinase and Akt Pathways in Mini-Pigs. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 9-22.	0.9	36
208	Estimated Glomerular Filtration Rate as a Useful Predictor of Mortality in Patients With Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of the Medical Sciences</i> , 2013, 345, 104-111.	0.4	14
209	Systemic administration of autologous adipose-derived mesenchymal stem cells alleviates hepatic ischemia-reperfusion injury in rats. <i>Critical Care Medicine</i> , 2012, 40, 1279-1290.	0.4	67
210	Benefit of combined extracorporeal shock wave and bone marrow-derived endothelial progenitor cells in protection against critical limb ischemia in rats*. <i>Critical Care Medicine</i> , 2012, 40, 169-177.	0.4	58
211	Serum level and prognostic value of neopterin in patients after ischemic stroke. <i>Clinical Biochemistry</i> , 2012, 45, 1596-1601.	0.8	26
212	Levels and values of circulating endothelial progenitor cells, soluble angiogenic factors, and mononuclear cell apoptosis in liver cirrhosis patients. <i>Journal of Biomedical Science</i> , 2012, 19, 66.	2.6	19
213	Intra-coronary administration of tacrolimus markedly attenuates infarct size and preserves heart function in porcine myocardial infarction. <i>Journal of Inflammation</i> , 2012, 9, 21.	1.5	14
214	Obesity suppresses circulating level and function of endothelial progenitor cells and heart function. <i>Journal of Translational Medicine</i> , 2012, 10, 137.	1.8	47
215	Effect of obesity reduction on preservation of heart function and attenuation of left ventricular remodeling, oxidative stress and inflammation in obese mice. <i>Journal of Translational Medicine</i> , 2012, 10, 145.	1.8	50
216	Continuing Exposure to Low-Dose Nonylphenol Aggravates Adenine-Induced Chronic Renal Dysfunction and Role of Rosuvastatin Therapy. <i>Journal of Translational Medicine</i> , 2012, 10, 147.	1.8	14

#	ARTICLE	IF	CITATIONS
217	Impact of apoptotic adipose-derived mesenchymal stem cells on attenuating organ damage and reducing mortality in Rat sepsis syndrome induced by cecal puncture and ligation. <i>Journal of Translational Medicine</i> , 2012, 10, 244.	1.8	101
218	Impact of obesity control on circulating level of endothelial progenitor cells and angiogenesis in response to ischemic stimulation. <i>Journal of Translational Medicine</i> , 2012, 10, 86.	1.8	24
219	Enhanced protection against pulmonary hypertension with sildenafil and endothelial progenitor cell in rats. <i>International Journal of Cardiology</i> , 2012, 162, 45-58.	0.8	30
220	Link between Lipoprotein-Associated Phospholipase A ₂ ; Gene Expression of Peripheral-Blood Mononuclear Cells and Prognostic Outcome after Acute Ischemic Stroke. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 523-531.	0.9	21
221	Chronic exposure to environmental contaminant nonylphenol exacerbates adenine-induced chronic renal insufficiency: Role of signaling pathways and therapeutic impact of rosuvastatin. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 46, 455-467.	1.9	10
222	Comparison of acute versus convalescent stage high-sensitivity C-Reactive protein level in predicting clinical outcome after acute ischemic stroke and impact of erythropoietin. <i>Journal of Translational Medicine</i> , 2012, 10, 6.	1.8	19
223	Effect of erythropoietin therapy on clinical outcome in patients after acute ischemic stroke: a debatable issue. <i>Critical Care</i> , 2011, 15, 425.	2.5	1
224	Intra-coronary administration of cyclosporine limits infarct size, attenuates remodeling and preserves left ventricular function in porcine acute anterior infarction. <i>International Journal of Cardiology</i> , 2011, 147, 79-87.	0.8	36
225	Autologous bone marrow cell implantation attenuates left ventricular remodeling and improves heart function in porcine myocardial infarction: An echocardiographic, six-month angiographic, and molecular cellular study. <i>International Journal of Cardiology</i> , 2011, 150, 156-168.	0.8	40
226	Autologous Transplantation of Adipose-Derived Mesenchymal Stem Cells Markedly Reduced Acute Ischemia-Reperfusion Lung Injury in a Rodent Model. <i>Journal of Translational Medicine</i> , 2011, 9, 118.	1.8	127
227	Effect of erythropoietin on level of circulating endothelial progenitor cells and outcome in patients after acute ischemic stroke. <i>Critical Care</i> , 2011, 15, R40.	2.5	87
228	Comparison of Prognostic Outcome Between Left Circumflex Artery-Related and Right Coronary Artery-Related Acute Inferior Wall Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Clinical Cardiology</i> , 2011, 34, 249-253.	0.7	21
229	Myocardium-derived conditioned medium improves left ventricular function in rodent acute myocardial infarction. <i>Journal of Translational Medicine</i> , 2011, 9, 11.	1.8	8
230	Combination of cyclosporine and erythropoietin improves brain infarct size and neurological function in rats after ischemic stroke. <i>Journal of Translational Medicine</i> , 2011, 9, 141.	1.8	34
231	Adipose-Derived Mesenchymal Stem Cell Protects Kidneys against Ischemia-Reperfusion Injury through Suppressing Oxidative Stress and Inflammatory Reaction. <i>Journal of Translational Medicine</i> , 2011, 9, 51.	1.8	270
232	Extracorporeal Shock Wave Therapy Reverses Ischemia-Related Left Ventricular Dysfunction and Remodeling: Molecular-Cellular and Functional Assessment. <i>PLoS ONE</i> , 2011, 6, e24342.	1.1	76
233	Early extracorporeal membrane oxygenator-assisted primary percutaneous coronary intervention improved 30-day clinical outcomes in patients with ST-segment elevation myocardial infarction complicated with profound cardiogenic shock. <i>Critical Care Medicine</i> , 2010, 38, 1810-1817.	0.4	344
234	Erythropoietin Markedly Attenuates Brain Infarct Size and Improves Neurological Function in the Rat. <i>Journal of Investigative Medicine</i> , 2010, 58, 893-904.	0.7	9

#	ARTICLE	IF	CITATIONS
235	Prognostic Value of Circulating Dead Monocytes in Patients with Acute ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Cardiology</i> , 2010, 117, 131-139.	0.6	6
236	Les cellules mœdullaires traitœes par onde de choc amœliorent la fonction ventriculaire gauche aprœs infarctus du myocarde chez le lapin. <i>Annales De Chirurgie Vasculaire</i> , 2010, 24, 882-895.	0.0	0
237	Abord artœriel transradial et transbrachial pour artœriographie et stenting carotidien simultanœs avec une technique de cathœter en boucle et dœengagement rœtrograde. <i>Annales De Chirurgie Vasculaire</i> , 2010, 24, 732-741.	0.0	0
238	Adipose-derived mesenchymal stem cells markedly attenuate brain infarct size and improve neurological function in rats. <i>Journal of Translational Medicine</i> , 2010, 8, 63.	1.8	192
239	Link between Interleukin-10 Level and Outcome after Ischemic Stroke. <i>NeuroImmunoModulation</i> , 2010, 17, 223-228.	0.9	32
240	Shock Wave Therapy Effectively Attenuates Inflammation in Rat Carotid Artery following Endothelial Denudation by Balloon Catheter. <i>Cardiology</i> , 2010, 115, 130-144.	0.6	29
241	Early Combined Treatment with Cilostazol and Bone Marrow-Derived Endothelial Progenitor Cells Markedly Attenuates Pulmonary Arterial Hypertension in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 718-726.	1.3	59
242	Bone marrowœderived mononuclear cell therapy alleviates left ventricular remodeling and improves heart function in rat-dilated cardiomyopathy*. <i>Critical Care Medicine</i> , 2009, 37, 1197-1205.	0.4	63
243	Impact of Hyperglycemic Control on Left Ventricular Myocardium A Molecular and Cellular Basic Study in a Diabetic Rat Model. <i>International Heart Journal</i> , 2009, 50, 191-206.	0.5	10
244	Level and Value of Circulating Endothelial Progenitor Cells in Patients After Acute Ischemic Stroke. <i>Stroke</i> , 2008, 39, 69-74.	1.0	206
245	Autologous Bone Marrow-Derived Mononuclear Cell Therapy Prevents the Damage of Viable Myocardium and Improves Rat Heart Function Following Acute Anterior Myocardial Infarction. <i>Circulation Journal</i> , 2008, 72, 1336-1345.	0.7	58
246	Shock Wave Therapy Applied to Rat Bone Marrow-Derived Mononuclear Cells Enhances Formation of Cells Stained Positive for CD31 and Vascular Endothelial Growth Factor. <i>Circulation Journal</i> , 2008, 72, 150-156.	0.7	56
247	Autologous transplantation of bone marrowœderived endothelial progenitor cells attenuates monocrotaline-induced pulmonary arterial hypertension in rats. <i>Critical Care Medicine</i> , 2008, 36, 873-880.	0.4	59
248	Cytotoxic T Lymphocyte Antigen 4 Gene Polymorphism Associated With ST-Segment Elevation Acute Myocardial Infarction. <i>Circulation Journal</i> , 2007, 71, 1213-1218.	0.7	14
249	Level and Value of Interleukin-18 After Acute Ischemic Stroke. <i>Circulation Journal</i> , 2007, 71, 1691-1696.	0.7	49
250	Feasibility and Safety of Transradial Stenting for Unprotected Left Main Coronary Artery Stenoses. <i>Circulation Journal</i> , 2007, 71, 855-861.	0.7	37
251	Strong suppression of high-sensitivity C-reactive protein level and its mediated pro-atherosclerotic effects with simvastatin: In vivo and in vitro studies. <i>International Journal of Cardiology</i> , 2007, 121, 253-260.	0.8	11
252	Losartan Preserves Integrity of Cardiac Gap Junctions and PGC-1 .ALPHA. Gene Expression and Prevents Cellular Apoptosis in Remote Area of Left Ventricular Myocardium Following Acute Myocardial Infarction. <i>International Heart Journal</i> , 2007, 48, 533-546.	0.5	44

#	ARTICLE	IF	CITATIONS
253	Impact of Diabetes on Cardiomyocyte Apoptosis and Connexin43 Gap Junction Integrity Role of Pharmacological Modulation. <i>International Heart Journal</i> , 2007, 48, 233-245.	0.5	24
254	Downregulation of Peroxisome Proliferator Activated Receptor Gamma Co-Activator 1α in Diabetic Rats. <i>International Heart Journal</i> , 2006, 47, 901-910.	0.5	14
255	Platelet Activation in Patients With Chronic Nonvalvular Atrial Fibrillation. <i>International Heart Journal</i> , 2006, 47, 371-379.	0.5	21
256	Platelet Activity is a Biomarker of Cardiac Necrosis and Predictive of Untoward Clinical Outcomes in Patients With Acute Myocardial Infarction Undergoing Primary Coronary Stenting. <i>Circulation Journal</i> , 2006, 70, 31-36.	0.7	29
257	Time Course and Prognostic Value of Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients After Ischemic Stroke. <i>Circulation Journal</i> , 2006, 70, 447-452.	0.7	44
258	Strong Correlation Between Serum Levels of Inflammatory Mediators and Their Distribution in Infarct-Related Coronary Artery. <i>Circulation Journal</i> , 2006, 70, 838-845.	0.7	26
259	Impact of Clopidogrel on Suppression of Circulating Levels of Soluble CD40 Ligand in Patients With Unstable Angina Undergoing Coronary Stenting. <i>American Journal of Cardiology</i> , 2006, 97, 192-194.	0.7	32
260	Feasibility and safety of transbrachial approach for patients with severe carotid artery stenosis undergoing stenting. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 967-971.	0.7	46
261	Re-Elevation of High-Sensitivity C-Reactive Protein but not the von Willebrand Factor After Withdrawing Atorvastatin Therapy in Patients With Unstable Angina Undergoing Coronary Artery Stenting A Kinetic Study. <i>International Heart Journal</i> , 2006, 47, 501-509.	0.5	4
262	Serial Changes in Platelet Activation in Patients With Unstable Angina Following Coronary Stenting Evaluation of the Effect of Clopidogrel Loading Dose in Inhibiting Platelet Activation. <i>Circulation Journal</i> , 2005, 69, 1208-1211.	0.7	16
263	Serum Concentrations of High-Sensitivity C-Reactive Protein Predict Progressively Obstructive Lesions Rather Than Late Restenosis in Patients With Unstable Angina Undergoing Coronary Artery Stenting. <i>Circulation Journal</i> , 2005, 69, 1202-1207.	0.7	18
264	Serial Changes in Circulating Concentrations of Soluble CD40 Ligand and C-Reactive Protein in Patients With Unstable Angina Undergoing Coronary Stenting Role of Inflammatory Mediators in Predicting Late Restenosis. <i>Circulation Journal</i> , 2005, 69, 890-895.	0.7	31
265	Feasibility and safety of transradial artery approach for selective cerebral angiography. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 66, 21-26.	0.7	38
266	Levels and Values of Inflammatory Markers in Patients With Angina Pectoris. <i>International Heart Journal</i> , 2005, 46, 571-581.	0.5	24
267	Link between Platelet Activity and Outcomes after an Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2005, 20, 120-128.	0.8	53
268	Level of High-Sensitivity C-Reactive Protein Is Predictive of 30-Day Outcomes in Patients With Acute Myocardial Infarction Undergoing Primary Coronary Intervention. <i>Chest</i> , 2005, 127, 803-808.	0.4	59
269	Prognostic Value of Circulating Levels of Endothelin-1 in Patients After Acute Myocardial Infarction Undergoing Primary Coronary Angioplasty. <i>Chest</i> , 2005, 127, 1491-1497.	0.4	67
270	Effects and Safety of Intracoronary Thrombectomy Using Transradial Application of the PercuSurge Distal Balloon Protection System in Patients with Early or Recent Myocardial Infarction. <i>Cardiology</i> , 2004, 102, 206-214.	0.6	8

#	ARTICLE	IF	CITATIONS
271	Serial Changes in Platelet Activation in Patients After Ischemic Stroke. <i>Stroke</i> , 2004, 35, 1683-1687.	1.0	72
272	Transradial application of percutaneous guardwire device during primary percutaneous intervention of infarct-related artery with high-burden thrombus formation. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 61, 503-511.	0.7	12
273	Delayed Post-Myocardial Infarction Invasive Measures, Helpful or Harmful?. <i>Chest</i> , 2004, 126, 38-46.	0.4	11
274	Levels and Values of Serum High-Sensitivity C-Reactive Protein Within 6 Hours After the Onset of Acute Myocardial Infarction. <i>Chest</i> , 2004, 126, 1417-1422.	0.4	51
275	The Potential Impact of Primary Percutaneous Coronary Intervention on Ventricular Septal Rupture Complicating Acute Myocardial Infarction. <i>Chest</i> , 2004, 125, 1622-1628.	0.4	73
276	Effect of the PercuSurge GuardWire device on the integrity of microvasculature and clinical outcomes during primary transradial coronary intervention in acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003, 92, 1331-1335.	0.7	105
277	Acute Myocardial Infarction With Simultaneous ST-Segment Elevation in the Precordial and Inferior Leads. <i>Chest</i> , 2003, 123, 1170-1180.	0.4	18
278	Cardiac Rupture Complicating Acute Myocardial Infarction in the Direct Percutaneous Coronary Intervention Reperfusion Era*. <i>Chest</i> , 2003, 124, 565-571.	0.4	111
279	Impact of Tirofiban on Angiographic Morphologic Features of High-Burden Thrombus Formation During Direct Percutaneous Coronary Intervention and Short-term Outcomes. <i>Chest</i> , 2003, 124, 962-968.	0.4	30
280	The Feasibility and Safety of Early Discharge for Low Risk Patients with Acute Myocardial Infarction after Successful Direct Percutaneous Coronary Intervention.. <i>International Heart Journal</i> , 2003, 44, 41-49.	0.6	12
281	Angiographic Morphologic Features of Infarct-Related Arteries and Timely Reperfusion in Acute Myocardial Infarction. <i>Chest</i> , 2002, 122, 1322-1332.	0.4	271
282	Clinical Features and Outcome of Patients with Direct Percutaneous Coronary Intervention for Acute Myocardial Infarction Resulting from Left Circumflex Artery Occlusion. <i>Chest</i> , 2002, 122, 2068-2074.	0.4	21
283	Clinical Features and Outcome of Coronary Artery Aneurysm in Patients with Acute Myocardial Infarction Undergoing a Primary Percutaneous Coronary Intervention. <i>Cardiology</i> , 2002, 98, 132-140.	0.6	65
284	Comparison of Primary Angioplasty and Conservative Treatment on Short- and Long-term Outcome in Octogenarian or Older Patients with Acute Myocardial Infarction.. <i>International Heart Journal</i> , 2002, 43, 463-474.	0.6	25
285	A Safe and Effective Regimen without Heparin Therapy after Successful Primary Coronary Stenting in Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2000, 41, 697-711.	0.6	9