

Bernard Cribier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5414041/publications.pdf>

Version: 2024-02-01

80
papers

3,331
citations

159358

30
h-index

155451

55
g-index

83
all docs

83
docs citations

83
times ranked

2587
citing authors

#	ARTICLE	IF	CITATIONS
1	Staphylococcal scalded skin syndrome in adults. <i>Journal of the American Academy of Dermatology</i> , 1994, 30, 319-324.	0.6	214
2	Treatment of Lichen Planus. <i>Archives of Dermatology</i> , 1998, 134, 1521-30.	1.7	190
3	Erythema nodosum and associated diseases. A study of 129 cases. <i>International Journal of Dermatology</i> , 1998, 37, 667-672.	0.5	176
4	The Immunopathobiology of Syphilis: The Manifestations and Course of Syphilis Are Determined by the Level of Delayed-Type Hypersensitivity. <i>American Journal of Dermatopathology</i> , 2011, 33, 433-460.	0.3	142
5	Scleromyxedema: A multicenter study of characteristics, comorbidities, course, and therapy in 30 patients. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 66-72.	0.6	139
6	Differentiating Squamous Cell Carcinoma from Keratoacanthoma Using Histopathological Criteria. <i>Dermatology</i> , 1999, 199, 208-212.	0.9	134
7	A histologic and immunohistochemical study of chilblains. <i>Journal of the American Academy of Dermatology</i> , 2001, 45, 924-929.	0.6	128
8	Granuloma faciale: A clinicopathologic study of 66 patients. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1002-1009.	0.6	128
9	Lichen planus and hepatitis C virus infection: An epidemiologic study. <i>Journal of the American Academy of Dermatology</i> , 1994, 31, 1070-1072.	0.6	125
10	Nail Changes in Patients Infected With Human Immunodeficiency Virus. <i>Archives of Dermatology</i> , 1998, 134, 1216-20.	1.7	103
11	Reliability of the Histopathologic Diagnosis of Malignant Melanoma in Childhood. <i>Archives of Dermatology</i> , 2002, 138, 625.	1.7	83
12	Complete Spontaneous Regression of Merkel Cell Carcinoma: A Review of the 10 Reported Cases. <i>Dermatologic Surgery</i> , 2000, 26, 853-856.	0.4	81
13	Comparison of histopathologicâ€‘clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: Multicenter study of 46 cases. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 217-223.	0.6	72
14	Characterization of a Novel Human Type II Epithelial Keratin K1b, Specifically Expressed in Eccrine Sweat Glands. <i>Journal of Investigative Dermatology</i> , 2005, 125, 428-444.	0.3	64
15	Could Jessnerâ€™s Lymphocytic Infiltrate of the Skin Be a Dermal Variant of Lupus Erythematosus? An Analysis of 210 Cases. <i>Dermatology</i> , 2006, 213, 15-22.	0.9	63
16	Tumor of the follicular infundibulum: A clinicopathologic study. <i>Journal of the American Academy of Dermatology</i> , 1995, 33, 979-984.	0.6	60
17	Molluscum Contagiosum: Histologic Patterns and Associated Lesions. <i>American Journal of Dermatopathology</i> , 2001, 23, 99-103.	0.3	60
18	Epithelial Sheath Neuroma: A New Entity. <i>American Journal of Surgical Pathology</i> , 2000, 24, 190-196.	2.1	59

#	ARTICLE	IF	CITATIONS
19	A Randomized-Controlled Trial of Oral Low-Dose Isotretinoin for Difficult-To-Treat Papulopustular Rosacea. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1124-1129.	0.3	57
20	Stromelysin 3 expression: A useful marker for the differential diagnosis dermatofibroma versus dermatofibrosarcoma protuberans. <i>Journal of the American Academy of Dermatology</i> , 2002, 46, 408-413.	0.6	56
21	Safety, Efficacy, and Dosage of 1% Pimecrolimus Cream for the Treatment of Atopic Dermatitis in Daily Practice. <i>American Journal of Clinical Dermatology</i> , 2006, 7, 121-131.	3.3	52
22	Epidermodysplasia verruciformis-associated and genital-mucosal high-risk human papillomavirus DNA are prevalent in nevus sebaceus of Jadassohn. <i>Journal of the American Academy of Dermatology</i> , 2008, 59, 279-294.	0.6	51
23	Histopathologic characteristics of scleromyxedema: A study of a series of 34 cases. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1194-1200.	0.6	50
24	From Hidroacanthoma Simplex to Poroid Hidradenoma: Clinicopathologic and Immunohistochemic Study of Poroid Neoplasms and Reappraisal of Their Histogenesis. <i>American Journal of Dermatopathology</i> , 2010, 32, 459-468.	0.3	48
25	Novel and Recurrent Germline and Somatic Mutations in a Cohort of 67 Patients From 48 Families With Brooke-Spiegler Syndrome Including the Phenotypic Variant of Multiple Familial Trichoepitheliomas and Correlation With the Histopathologic Findings in 379 Biopsy Specimens. <i>American Journal of Dermatopathology</i> , 2013, 35, 34-44.	0.3	47
26	Brooke-Spiegler Syndrome: Report of 10 Patients From 8 Families With Novel Germline Mutations. <i>Diagnostic Molecular Pathology</i> , 2010, 19, 83-91.	2.1	46
27	Skin tumors with matrical differentiation: lessons from hair keratins, beta-catenin and PHLDA1 expression. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 427-436.	0.7	41
28	Production of cytokines in patients infected by hepatitis C virus. , 1998, 55, 89-91.		37
29	Urticaria and Hepatitis. <i>Clinical Reviews in Allergy and Immunology</i> , 2006, 30, 025-030.	2.9	37
30	Anakinra for Difficult-to-Treat Neutrophilic Panniculitis: IL-1 Blockade as a Promising Treatment Option for Neutrophil-Mediated Inflammatory Skin Disease. <i>Dermatology</i> , 2010, 220, 264-267.	0.9	34
31	Polyomavirus-Positive Merkel Cell Carcinoma Derived from a Trichoblastoma Suggests an Epithelial Origin of this Merkel Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2020, 140, 976-985.	0.3	32
32	Expression of Stromelysin 3 in Keratoacanthoma and Squamous Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 1999, 21, 146-150.	0.3	32
33	The Severity of Histopathological Changes of Leukocytoclastic Vasculitis Is Not Predictive of Extracutaneous Involvement. <i>American Journal of Dermatopathology</i> , 1999, 21, 532.	0.3	30
34	PHLDA1, a Follicular Stem Cell Marker, Differentiates Clear-Cell/Granular-Cell Trichoblastoma and Clear-Cell/Granular Cell Basal Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2014, 36, 643-650.	0.3	29
35	Are there distinct clinical and pathological features distinguishing idiopathic from drug-induced subacute cutaneous lupus erythematosus? A European retrospective multicenter study. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 403-411.	0.6	29
36	Epidemiology of Merkel cell carcinoma. A population-based study from 1985 to 2013, in northeastern of France. <i>International Journal of Cancer</i> , 2019, 144, 741-745.	2.3	29

#	ARTICLE	IF	CITATIONS
37	Histopathological study of six types of adverse cutaneous drug reactions using granulysin expression. <i>International Journal of Dermatology</i> , 2016, 55, 1225-1233.	0.5	27
38	Expanding the clinicopathological spectrum of late cutaneous Lyme borreliosis (acrodermatitis) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 (PCR)-documented cases. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 685-692.	0.6	27
39	Clinicopathologic analysis of atypical hand, foot, and mouth disease in adult patients. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 722-729.	0.6	27
40	Malignant eccrine spiradenoma: a new case report. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 478-481.	0.7	26
41	Inflammatory vitiligo-like macules that simulate hypopigmented mycosis fungoides. <i>European Journal of Dermatology</i> , 2003, 13, 410-2.	0.3	26
42	On the Regulation of Hair Keratin Expression: Lessons from Studies in Pilomatricomas. <i>Journal of Investigative Dermatology</i> , 2004, 122, 1078-1083.	0.3	24
43	Neural hyperplasia in chondrodermatitis nodularis chronica heliis. <i>Journal of the American Academy of Dermatology</i> , 2006, 55, 844-848.	0.6	23
44	Basaloid tumors in nevus sebaceus revisited: the follicular stem cell marker <scp>PHLDA1</scp> (<scp>TDAG51</scp>) indicates that most are basal cell carcinomas and not trichoblastomas. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 455-462.	0.7	23
45	Primary cutaneous cribriform carcinoma: a rare apocrine tumour. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 577-580.	0.7	22
46	Composite tumors associating trichoblastoma and benign epidermal/follicular neoplasm: another proof of the follicular nature of inverted follicular keratosis. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 1057-1063.	0.7	20
47	History: Frederic Woringer (1903-1964) and Woringer-Kolopp Disease. <i>American Journal of Dermatopathology</i> , 2005, 27, 534-545.	0.3	18
48	Medical history of the representation of rosacea in the 19th century. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, S2-S14.	0.6	18
49	Blaschko-linear manifestations of polygenic inflammatory diseases: analysis of 17 cases. <i>European Journal of Dermatology</i> , 2013, 23, 671-676.	0.3	17
50	Heterogeneity of PD-L1 expression and CD8 tumor-infiltrating lymphocytes among subtypes of cutaneous adnexal carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 951-960.	2.0	17
51	Porphyria Cutanea Tarda, Hepatitis C, Uroporphyrinogen Decarboxylase and Mutations of HFE Gene. <i>Dermatology</i> , 2009, 218, 15-21.	0.9	16
52	Intralymphatic CD30+ Tâ€œcell proliferation during DRESS: a mimic of intravascular lymphoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1036-1040.	0.7	15
53	Locally Aggressive Trichoblastic Tumours (Low-grade Trichoblastic Carcinomas): Clinicopathological Analysis and Follow-up. <i>Acta Dermato-Venereologica</i> , 2018, 98, 126-127.	0.6	15
54	Plasma cell-directed therapies in monoclonal gammopathy-associated scleromyxedema. <i>Blood</i> , 2020, 135, 1101-1110.	0.6	15

#	ARTICLE	IF	CITATIONS
55	Calcifications Associated With Basal Cell Carcinoma: Prevalence, Characteristics, and Correlations. American Journal of Dermatopathology, 2010, 32, 557-564.	0.3	14
56	Primary Cutaneous Neuroendocrine Carcinoma Within a Cystic Trichoblastoma: A Nonfortuitous Association?. American Journal of Dermatopathology, 2011, 33, 383-387.	0.3	14
57	Lymph node location of a clear cell hidradenoma: report of a patient and review of literature. Journal of Cutaneous Pathology, 2016, 43, 702-706.	0.7	14
58	Acute generalized exanthematous pustulosis caused by an iodinated contrast radiocontrast medium for computed tomography arthrography of the knee. Contact Dermatitis, 2017, 76, 371-373.	0.8	14
59	Cutaneous manifestations in patients with coronavirus disease 2019: clinical and histological findings. Human Pathology, 2021, 107, 39-45.	1.1	13
60	<p>A Split-Face Study Assessing the Clinical Benefit, Tolerability and Subject Satisfaction of a Dermocosmetic in Subjects with Rosacea Associated with Erythema and Sensitive Skin</p>. Clinical, Cosmetic and Investigational Dermatology, 2020, Volume 13, 751-758.	0.8	11
61	Sweet Syndrome Presenting as Resistant Conjunctivitis. Cornea, 2008, 27, 1189-1190.	0.9	10
62	Combined Trichoblastoma and Melanocytic Nevus. American Journal of Dermatopathology, 2013, 35, 284-286.	0.3	10
63	Keratoacanthomas and Squamous Cell Carcinomas on Tattoos: A Review of 42 Cases. Dermatology, 2021, 237, 309-312.	0.9	10
64	Symplastic Trichodiscoma: A Spindle-Cell Predominant Variant of Trichodiscoma With Pseudosarcomatous/Ancient Features. American Journal of Dermatopathology, 2011, 33, e81-e83.	0.3	9
65	Rhinophyma is associated with alcohol intake. Journal of the American Academy of Dermatology, 2019, 81, 249-250.	0.6	9
66	Clinical Images: Toe dactylitis revealing late Lyme borreliosis. Arthritis and Rheumatism, 2012, 64, 1293-1293.	6.7	8
67	Primary Cutis Verticis Gyrata. Journal of Computer Assisted Tomography, 1993, 17, 663.	0.5	7
68	Development and Evaluation of a Rosacea Screening Instrument (Rosascreen). Journal of Cutaneous Medicine and Surgery, 2016, 20, 317-322.	0.6	7
69	Retinoic-acid receptor beta expression in melanocytes. European Journal of Dermatology, 2004, 14, 19-23.	0.3	7
70	Melanoma Arising From a Long-Standing Pigmented Trichoblastoma. American Journal of Dermatopathology, 2014, 36, e146-e151.	0.3	6
71	A Unique Presentation of Eccrine Hamartoma: Eccrine Nevus With Abnormal Eccrine Structures and Angiomyxoid Stroma. American Journal of Dermatopathology, 2009, 31, 682-684.	0.3	5
72	Anti-pseudo-PCNA type 1 (anti-SG2NA) pattern: Track down Cancer, not SLE. Joint Bone Spine, 2016, 83, 330-334.	0.8	5

#	ARTICLE	IF	CITATIONS
73	Adenopathy and extensive skin patch overlying a plasmacytoma (AESOP): Two morphologic variants can be outlined. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 1286-1287.	0.6	4
74	Isomorphic and symmetric adult-onset generalized morphea are associated with distinctive clinical features: A retrospective multicenter study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1701-1703.	0.6	4
75	A unique group of scabies mite pseudoproteases promotes cutaneous blood coagulation and delays plasmin-induced fibrinolysis. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0008997.	1.3	4
76	Facial Erythematous Papules in a Young Woman. <i>JAMA Dermatology</i> , 2016, 152, 1377.	2.0	3
77	Primary cutaneous ganglioneuroma: anatomico-clinical study of 4 cases with focus on Merkel cells. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 403-411.	0.7	2
78	Les calcinoses cutanées. <i>Revue Du Rhumatisme Monographies</i> , 2011, 78, 178-186.	0.0	1
79	Pautrier Microabscess. <i>American Journal of Dermatopathology</i> , 2021, Publish Ahead of Print, 848-849.	0.3	1
80	Anticorps anti-pseudo-PCNA de type 1 (anti-SG2NA): cherchez un cancer, pas le lupus. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2017, 84, 226-230.	0.0	0