## **Bernard Cribier**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5414041/publications.pdf

Version: 2024-02-01

80 papers

3,331 citations

30 h-index 55 g-index

83 all docs 83 docs citations

83 times ranked 2587 citing authors

#	Article	IF	CITATIONS
1	Adenopathy and extensive skin patch overlying a plasmacytoma (AESOP): Two morphologic variants can be outlined. Journal of the American Academy of Dermatology, 2021, 85, 1286-1287.	0.6	4
2	Keratoacanthomas and Squamous Cell Carcinomas on Tattoos: A Review of 42 Cases. Dermatology, 2021, 237, 309-312.	0.9	10
3	Isomorphic and symmetric adult-onset generalized morphea are associated with distinctive clinical features: A retrospective multicenter study. Journal of the American Academy of Dermatology, 2021, 84, 1701-1703.	0.6	4
4	Cutaneous manifestations in patients with coronavirus disease 2019: clinical and histological findings. Human Pathology, 2021, 107, 39-45.	1.1	13
5	A unique group of scabies mite pseudoproteases promotes cutaneous blood coagulation and delays plasmin-induced fibrinolysis. PLoS Neglected Tropical Diseases, 2021, 15, e0008997.	1.3	4
6	Pautrier Microabscess. American Journal of Dermatopathology, 2021, Publish Ahead of Print, 848-849.	0.3	1
7	Polyomavirus-Positive Merkel Cell Carcinoma Derived from a Trichoblastoma Suggests an Epithelial Origin of this Merkel Cell Carcinoma. Journal of Investigative Dermatology, 2020, 140, 976-985.	0.3	32
8	<p>A Split-Face Study Assessing the Clinical Benefit, Tolerability and Subject Satisfaction of a Dermocosmetic in Subjects with Rosacea Associated with Erythema and Sensitive Skin</p> . Clinical, Cosmetic and Investigational Dermatology, 2020, Volume 13, 751-758.	0.8	11
9	Plasma cell-directed therapies in monoclonal gammopathy-associated scleromyxedema. Blood, 2020, 135, 1101-1110.	0.6	15
10	Are there distinct clinical and pathological features distinguishing idiopathic from drug-induced subacute cutaneous lupus erythematosus? A European retrospective multicenter study. Journal of the American Academy of Dermatology, 2019, 81, 403-411.	0.6	29
11	Rhinophyma is associated with alcohol intake. Journal of the American Academy of Dermatology, 2019, 81, 249-250.	0.6	9
12	Heterogeneity of PD-L1 expression and CD8 tumor-infiltrating lymphocytes among subtypes of cutaneous adnexal carcinomas. Cancer Immunology, Immunotherapy, 2019, 68, 951-960.	2.0	17
13	Epidemiology of Merkel cell carcinoma. A populationâ€based study from 1985 to 2013, in northeastern of France. International Journal of Cancer, 2019, 144, 741-745.	2.3	29
14	Primary cutaneous ganglioneuroma: anatomico linical study of 4 cases with focus on Merkel cells. Journal of Cutaneous Pathology, 2018, 45, 403-411.	0.7	2
15	Locally Aggressive Trichoblastic Tumours (Low-grade Trichoblastic Carcinomas): Clinicopathological Analysis and Follow-up. Acta Dermato-Venereologica, 2018, 98, 126-127.	0.6	15
16	Acute generalized exanthematous pustulosis caused by an iodinated contrast radiocontrast medium for computed tomography arthrography of the knee. Contact Dermatitis, 2017, 76, 371-373.	0.8	14
17	Anticorps anti-pseudo-PCNA de type 1 (anti-SG2NA)Â: cherchez un cancer, pas le lupus. Revue Du Rhumatisme (Edition Francaise), 2017, 84, 226-230.	0.0	O
18	Clinicopathologic analysis of atypical hand, foot, and mouth disease in adult patients. Journal of the American Academy of Dermatology, 2017, 76, 722-729.	0.6	27

#	Article	IF	Citations
19	Lymph node location of a clear cell hidradenoma: report of a patient and review of literature. Journal of Cutaneous Pathology, 2016, 43, 702-706.	0.7	14
20	Development and Evaluation of a Rosacea Screening Instrument (Rosascreen). Journal of Cutaneous Medicine and Surgery, 2016, 20, 317-322.	0.6	7
21	Facial Erythematous Papules in a Young Woman. JAMA Dermatology, 2016, 152, 1377.	2.0	3
22	Histopathological study of six types of adverse cutaneous drug reactions using granulysin expression. International Journal of Dermatology, 2016, 55, 1225-1233.	0.5	27
23	Intralymphatic CD30+ Tâ€cell proliferation during DRESS: a mimic of intravascular lymphoma. Journal of Cutaneous Pathology, 2016, 43, 1036-1040.	0.7	15
24	Expanding the clinicopathological spectrum of late cutaneous Lyme borreliosis (acrodermatitis) Tj ETQq0 0 0 rgB (PCR)-documented cases. Journal of the American Academy of Dermatology, 2016, 74, 685-692.	T /Overloc 0.6	ck 10 Tf 50 5 27
25	Histopathologic characteristics of scleromyxedema: AÂstudy of a series of 34 cases. Journal of the American Academy of Dermatology, 2016, 74, 1194-1200.	0.6	50
26	A Randomized-Controlled Trial of Oral Low-Dose Isotretinoin for Difficult-To-Treat Papulopustular Rosacea. Journal of Investigative Dermatology, 2016, 136, 1124-1129.	0.3	57
27	Anti-pseudo-PCNA type 1 (anti-SG2NA) pattern: Track down Cancer, not SLE. Joint Bone Spine, 2016, 83, 330-334.	0.8	5
28	PHLDA1, a Follicular Stem Cell Marker, Differentiates Clear-Cell/Granular-Cell Trichoblastoma and Clear-Cell/Granular Cell Basal Cell Carcinoma. American Journal of Dermatopathology, 2014, 36, 643-650.	0.3	29
29	Melanoma Arising From a Long-Standing Pigmented Trichoblastoma. American Journal of Dermatopathology, 2014, 36, e146-e151.	0.3	6
30	Skin tumors with matrical differentiation: lessons from hair keratins, betaâ€catenin and <scp>PHLDA</scp> â€1 expression. Journal of Cutaneous Pathology, 2014, 41, 427-436.	0.7	41
31	Scleromyxedema: A multicenter study of characteristics, comorbidities, course, and therapy in 30 patients. Journal of the American Academy of Dermatology, 2013, 69, 66-72.	0.6	139
32	Medical history of the representation of rosacea in the 19th century. Journal of the American Academy of Dermatology, 2013, 69, S2-S14.	0.6	18
33	Basaloid tumors in nevus sebaceus revisited: the follicular stem cell marker <scp>PHLDA1</scp> ( <scp>TDAG51</scp> ) indicates that most are basal cell carcinomas and not trichoblastomas. Journal of Cutaneous Pathology, 2013, 40, 455-462.	0.7	23
34	Combined Trichoblastoma and Melanocytic Nevus. American Journal of Dermatopathology, 2013, 35, 284-286.	0.3	10
35	Novel and Recurrent Germline and Somatic Mutations in a Cohort of 67 Patients From 48 Families With Brooke–Spiegler Syndrome Including the Phenotypic Variant of Multiple Familial Trichoepitheliomas and Correlation With the Histopathologic Findings in 379 Biopsy Specimens.  American Journal of Dermatopathology, 2013, 35, 34-44.	0.3	47
36	Blaschko-linear manifestations of polygenic inflammatory diseases: analysis of 17 cases. European Journal of Dermatology, 2013, 23, 671-676.	0.3	17

#	Article	IF	Citations
37	Clinical Images: Toe dactylitis revealing late Lyme borreliosis. Arthritis and Rheumatism, 2012, 64, 1293-1293.	6.7	8
38	Primary Cutaneous Neuroendocrine Carcinoma Within a Cystic Trichoblastoma: A Nonfortuitous Association?. American Journal of Dermatopathology, 2011, 33, 383-387.	0.3	14
39	The Immunopathobiology of Syphilis: The Manifestations and Course of Syphilis Are Determined by the Level of Delayed-Type Hypersensitivity. American Journal of Dermatopathology, 2011, 33, 433-460.	0.3	142
40	Symplastic Trichodiscoma: A Spindle-Cell Predominant Variant of Trichodiscoma With Pseudosarcomatous/Ancient Features. American Journal of Dermatopathology, 2011, 33, e81-e83.	0.3	9
41	Les calcinoses cutanées. Revue Du Rhumatisme Monographies, 2011, 78, 178-186.	0.0	1
42	Calcifications Associated With Basal Cell Carcinoma: Prevalence, Characteristics, and Correlations. American Journal of Dermatopathology, 2010, 32, 557-564.	0.3	14
43	From Hidroacanthoma Simplex to Poroid Hidradenoma: Clinicopathologic and Immunohistochemic Study of Poroid Neoplasms and Reappraisal of Their Histogenesis. American Journal of Dermatopathology, 2010, 32, 459-468.	0.3	48
44	Malignant eccrine spiradenoma: a new case report. Journal of Cutaneous Pathology, 2010, 37, 478-481.	0.7	26
45	Composite tumors associating trichoblastoma and benign epidermal/follicular neoplasm: another proof of the follicular nature of inverted follicular keratosis. Journal of Cutaneous Pathology, 2010, 37, 1057-1063.	0.7	20
46	Brooke-Spiegler Syndrome: Report of 10 Patients From 8 Families With Novel Germline Mutations. Diagnostic Molecular Pathology, 2010, 19, 83-91.	2.1	46
47	Anakinra for Difficult-to-Treat Neutrophilic Panniculitis: IL-1 Blockade as a Promising Treatment Option for Neutrophil-Mediated Inflammatory Skin Disease. Dermatology, 2010, 220, 264-267.	0.9	34
48	Porphyria Cutanea Tarda, Hepatitis C, Uroporphyrinogen Decarboxylase and Mutations of HFE Gene. Dermatology, 2009, 218, 15-21.	0.9	16
49	A Unique Presentation of Eccrine Hamartoma: Eccrine Nevus With Abnormal Eccrine Structures and Angiomyxoid Stroma. American Journal of Dermatopathology, 2009, 31, 682-684.	0.3	5
50	Comparison of histopathologic–clinical characteristics of Jessner's lymphocytic infiltration of the skin and lupus erythematosus tumidus: Multicenter study of 46 cases. Journal of the American Academy of Dermatology, 2008, 58, 217-223.	0.6	72
51	Epidermodysplasia verruciformis–associated and genital-mucosal high-risk human papillomavirus DNA are prevalent in nevus sebaceus of Jadassohn. Journal of the American Academy of Dermatology, 2008, 59, 279-294.	0.6	51
52	Sweet Syndrome Presenting as Resistant Conjunctivitis. Cornea, 2008, 27, 1189-1190.	0.9	10
53	Could Jessner's Lymphocytic Infiltrate of the Skin Be a Dermal Variant of Lupus Erythematosus? An Analysis of 210 Cases. Dermatology, 2006, 213, 15-22.	0.9	63
54	Safety, Efficacy, and Dosage of 1% Pimecrolimus Cream for the Treatment of Atopic Dermatitis in Daily Practice. American Journal of Clinical Dermatology, 2006, 7, 121-131.	3.3	52

#	Article	IF	Citations
55	Neural hyperplasia in chondrodermatitis nodularis chronica helicis. Journal of the American Academy of Dermatology, 2006, 55, 844-848.	0.6	23
56	Urticaria and Hepatitis. Clinical Reviews in Allergy and Immunology, 2006, 30, 025-030.	2.9	37
57	History: Frederic Woringer (1903-1964) and Woringer-Kolopp Disease. American Journal of Dermatopathology, 2005, 27, 534-545.	0.3	18
58	Characterization of a Novel Human Type II Epithelial Keratin K1b, Specifically Expressed in Eccrine Sweat Glands. Journal of Investigative Dermatology, 2005, 125, 428-444.	0.3	64
59	Primary cutaneous cribriform carcinoma: a rare apocrine tumour. Journal of Cutaneous Pathology, 2005, 32, 577-580.	0.7	22
60	Granuloma faciale: A clinicopathologic study of 66 patients. Journal of the American Academy of Dermatology, 2005, 53, 1002-1009.	0.6	128
61	On the Regulation of Hair Keratin Expression: Lessons from Studies in Pilomatricomas. Journal of Investigative Dermatology, 2004, 122, 1078-1083.	0.3	24
62	Retinoic-acid receptor beta expression in melanocytes. European Journal of Dermatology, 2004, 14, 19-23.	0.3	7
63	Inflammatory vitiligo-like macules that simulate hypopigmented mycosis fungoides. European Journal of Dermatology, 2003, 13, 410-2.	0.3	26
64	Reliability of the Histopathologic Diagnosis of Malignant Melanoma in Childhood. Archives of Dermatology, 2002, 138, 625.	1.7	83
65	Stromelysin 3 expression: A useful marker for the differential diagnosis dermatofibroma versus dermatofibrosarcoma protuberans. Journal of the American Academy of Dermatology, 2002, 46, 408-413.	0.6	56
66	A histologic and immunohistochemical study of chilblains. Journal of the American Academy of Dermatology, 2001, 45, 924-929.	0.6	128
67	Molluscum Contagiosum: Histologic Patterns and Associated Lesions. American Journal of Dermatopathology, 2001, 23, 99-103.	0.3	60
68	Epithelial Sheath Neuroma: A New Entity. American Journal of Surgical Pathology, 2000, 24, 190-196.	2.1	59
69	Complete Spontaneous Regression of Merkel Cell Carcinoma: A Review of the 10 Reported Cases. Dermatologic Surgery, 2000, 26, 853-856.	0.4	81
70	Differentiating Squamous Cell Carcinoma from Keratoacanthoma Using Histopathological Criteria. Dermatology, 1999, 199, 208-212.	0.9	134
71	Expression of Stromelysin 3 in Keratoacanthoma and Squamous Cell Carcinoma. American Journal of Dermatopathology, 1999, 21, 146-150.	0.3	32
72	The Severity of Histopathological Changes of Leukocytoclastic Vasculitis Is Not Predictive of Extracutaneous Involvement. American Journal of Dermatopathology, 1999, 21, 532.	0.3	30

#	Article	IF	CITATIONS
73	Production of cytokines in patients infected by hepatitis C virus., 1998, 55, 89-91.		37
74	Erythema nodosum and associated diseases. A study of 129 cases. International Journal of Dermatology, 1998, 37, 667-672.	0.5	176
75	Treatment of Lichen Planus. Archives of Dermatology, 1998, 134, 1521-30.	1.7	190
76	Nail Changes in Patients Infected With Human Immunodeficiency Virus. Archives of Dermatology, 1998, 134, 1216-20.	1.7	103
77	Tumor of the follicular infundibulum: A clinicopathologic study. Journal of the American Academy of Dermatology, 1995, 33, 979-984.	0.6	60
78	Lichen planus and hepatitis C virus infection: An epidemiologic study. Journal of the American Academy of Dermatology, 1994, 31, 1070-1072.	0.6	125
79	Staphylococcal scalded skin syndrome in adults. Journal of the American Academy of Dermatology, 1994, 30, 319-324.	0.6	214
80	Primary Cutis Verticis Gyrata. Journal of Computer Assisted Tomography, 1993, 17, 663.	0.5	7