

Mojtaba Mohammadi Najafabadi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/541548/publications.pdf>

Version: 2024-02-01

250
papers

10,647
citations

34105
52
h-index

43889
91
g-index

258
all docs

258
docs citations

258
times ranked

8704
citing authors

#	ARTICLE	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton+proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 153.	3.9	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 290.	3.9	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
13	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
14	Search for lepton-flavor-violating ALPs at a future muon collider and utilization of polarization-induced effects. <i>Nuclear Physics B</i> , 2022, 980, 115827.	2.5	7
15	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	2
16	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	4
17	Observation of $B \rightarrow D^* \psi(2S)$ decays. <i>European Physical Journal C</i> , 2022, 82, .	3.9	1
18	Prospects for Probing Axionlike Particles at a Future Hadron Collider through Top Quark Production. <i>Universe</i> , 2022, 8, 301.	2.5	1

#	ARTICLE	IF	CITATIONS
19	Search for the lepton flavor violating decay $\tilde{l}_\alpha \rightarrow \tilde{l}_\beta \gamma$ in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
20	Search for dark matter produced in association with a leptonically decaying Z' boson in proton-proton collisions at $\sqrt{s}=13$,ext {TeV} . European Physical Journal C, 2021, 81, 13.	3.9	33
21	Search for top squark pair production using dilepton final states in $\text{ext}\{\text{p}\}\text{ext}\{\text{p}\}$ collision data collected at $\sqrt{s}=13$,ext {TeV} . European Physical Journal C, 2021, 81, 3.	3.9	33
22	Measurements of p_T distributions and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 200.	3.9	24
23	Development and validation of HERWIG \hat{A} tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
24	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 378.	3.9	40
25	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 488.	3.9	35
26	Searching for lepton flavor violating interactions at future electron-positron colliders. Physical Review D, 2021, 104, .	4.7	4
27	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
28	MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 629.	3.9	18
29	Search for a heavy vector resonance decaying to a Z' boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 688.	3.9	9
30	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 723.	3.9	19
31	Measurements of angular distance and momentum ratio distributions in three-jet and $\text{ext}\{Z\}\text{ext}\{Z\}$ + two-jet final states in $\text{ext}\{\text{p}\}\text{ext}\{\text{p}\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
32	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$,hbox {TeV} in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
33	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13$,ext {TeV} . European Physical Journal C, 2021, 81, 970.	3.9	18
34	The Large Hadron-Electron Collider at the HL-LHC. Journal of Physics G: Nuclear and Particle Physics, 2021, 48, 110501.	3.6	89
35	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
36	Signs of new physics in top quark pair production associated with a neutrino pair at the LHC. Physical Review D, 2020, 101, .	4.7	2

#	ARTICLE	IF	CITATIONS
37	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020, 15, P10017-P10017.	1.2	84
38	New collider searches for axionlike particles coupling to gluons. <i>Physical Review D</i> , 2020, 102, .	4.7	11
39	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	21
40	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	20
41	Search for direct pair production of supersymmetric partners to the τ^{\pm} lepton in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 189.	3.9	22
42	Constraining the top quark effective field theory using the top quark pair production in association with a jet at future lepton colliders. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 806, 135469.	4.1	2
43	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.02 TeV . <i>European Physical Journal C</i> , 2020, 80, 534.	3.9	14
44	Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 43.	3.9	11
45	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 75.	3.9	78
46	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 3.	3.9	70
47	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020, 80, 4.	3.9	198
48	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\ell^+ \ell^-$, and $e^+ e^-$, in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	15
49	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
50	A multi-dimensional search for new heavy resonances decaying to boosted W boson pairs in the dijet final state at 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 237.	3.9	31
51	Loop induced singlet scalar production through the vector like top quark at future lepton colliders. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2020, 47, 075004.	3.6	1
52	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	17
53	FCC-hh: The Hadron Collider. <i>European Physical Journal: Special Topics</i> , 2019, 228, 755-1107.	2.6	367
54	FCC-ee: The Lepton Collider. <i>European Physical Journal: Special Topics</i> , 2019, 228, 261-623.	2.6	424

#	ARTICLE	IF	CITATIONS
55	New probes for axionlike particles at hadron colliders. Physical Review D, 2019, 100, .	4.7	35
56	Search for the pair production of light top squarks in the $e\bar{e} \rightarrow t\bar{t}$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
57	Measurements of the $p\bar{p} \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
58	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
59	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 280.	3.9	29
60	Measurements of differential cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
61	Search for $t\bar{t}$ production in the $t\bar{t}H$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
62	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
63	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
64	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
65	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2018, 78, 242.	3.9	10
66	Measurement of the Splitting Function in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:mi>p</mml:mi>\langle mml:mi>p</mml:mi>\langle mml:math> and Pb-Pb Collisions at \sqrt{s} = 2.76 TeV. European Physical Journal C, 2018, 78, 242.$	7.8	70
67	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{NN} = 5.02$ TeV. Physical Review Letters, 2018, 120, 142302.	4.7	8
68	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{NN} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	7.8	38
69	Suppression of Excited States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. Physical Review Letters, 2018, 120, 142302.	4.7	36
70	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b} \rightarrow Z\gamma$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	3.9	27
71	Measurements of the $t\bar{t} \rightarrow Z\gamma$ production cross section and the $Z\gamma \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
72	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16

#	ARTICLE	IF	CITATIONS
73	Measurement of the inclusive $\mathrm{t}\overline{\mathrm{t}}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	5
74	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	0
75	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	57
76	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	63
77	Measurement of differential cross sections in the kinematic angular variable i^* for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
78	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
79	Measurement of normalized differential $\mathrm{t}\overline{\mathrm{t}}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
80	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
81	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
82	Search for $\mathrm{t}\overline{\mathrm{t}}\mathrm{H}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
83	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	11
84	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	19
85	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	43
86	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
87	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
88	Measurement of the top quark mass with lepton+jets final states using $\mathrm{pp} \rightarrow \mathrm{t}\overline{\mathrm{t}} + \mathrm{jets}$ collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 891.	3.9	34
89	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	57
90	Constraining top quark flavor violation and dipole moments through three and four top quark productions at the LHC. <i>Physical Review D</i> , 2018, 98, .	4.7	16

#	ARTICLE	IF	CITATIONS
91	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	82
92	Search for Z^3 resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
93	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14
94	Search for third-generation scalar leptoquarks decaying to a top quark and a $t\bar{t}$, lepton at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 707.	3.9	46
95	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 965.	3.9	39
96	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2q$ final states at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	8
97	Study of Higgs effective couplings at electron-proton colliders. <i>Physical Review D</i> , 2018, 97, .	4.7	13
98	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{1/4}$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
99	Search for new physics in dijet angular distributions using proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018, 78, 789.	3.9	40
100	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 1.	3.9	9
101	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	25
102	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
103	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
104	Measurement of the $Z/\gamma \rightarrow au au$ cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of Z . <i>European Physical Journal C</i> , 2018, 78, 708.	3.9	10
105	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	42
106	Search for dark matter produced in association with a Higgs boson decaying to $t\bar{t}$ or $t\bar{t} + l\bar{l}$ at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
107	Search for additional neutral MSSM Higgs bosons in the $t\bar{t}$, $b\bar{b}$, final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	73
108	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	11

#	ARTICLE	IF	CITATIONS
109	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
110	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\overline{u}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
111	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
112	Search for beyond the standard model Higgs bosons decaying into a $b\overline{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
113	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02TeV . European Physical Journal C, 2018, 78, 509.	3.9	83
114	Search for lepton flavour violating decays of the Higgs boson to $\ell^+\ell^-$, and e^+e^- , in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
115	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying ℓ , leptons at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
116	Observation of Higgs Boson Decay to Bottom Quarks. Physical Review Letters, 2018, 121, 121801.	7.8	219
117	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
118	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
119	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
120	Search for a singly produced third-generation scalar leptoquark decaying to a ℓ , lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
121	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
122	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
123	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
124	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
125	Search for Narrow Resonances in the $b\overline{b}$ -Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	7.8	36
126	Measurement of Prompt $\ell^+\ell^-$ Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s}=2.76$ TeV. Physical Review Letters, 2018, 120, 202301.	7.8	70

#	ARTICLE	IF	CITATIONS
127	Study of top quark dipole interactions in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mover} \rangle$ $\text{accent} = "true"$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mo} \text{ stretchy} = "false" \rangle \bar{A}^- \langle / \text{mml:mo} \rangle$ $\langle / \text{mml:mover} \rangle$ $\langle / \text{mml:math} \rangle$ production associated with two heavy gauge bosons at the LHC. Physical Review D, 2018, 97, .	4.7	10
128	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
129	Jet properties in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
130	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
131	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 140.	3.9	44
132	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 457.	3.9	15
133	Observation of $\langle \text{mml:math} \rangle$ $\text{display} = "inline"$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mover} \rangle$ $\text{accent} = "true"$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mo} \text{ stretchy} = "false" \rangle \bar{A}^- \langle / \text{mml:mo} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:mover} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:math} \rangle$ Production. Physical Review Letters, 2018, 120, 221801.	7.8	209
134	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13ATeV. Physical Review Letters, 2018, 120, 241801.	7.8	19
135	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 160.	7.8	160
136	Search for the $t\bar{t}$ production cross section at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 47.	7.8	47
137	Measurements of the $(\text{mathrm}{p}) \rightarrow (\text{mathrm}{Z}) \rightarrow (\text{mathrm}{l})$ production cross section and the $(\text{mathrm}{Z}) \rightarrow (\text{mathrm}{l})$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13 \text{ TeV})$. European Physical Journal C, 2018, 78, 1.	3	3
138	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 $t\bar{t}$ cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
139	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $s = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
140	Search for electroweak production of charginos in final states with two \tilde{l}_i leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
141	Measurement of prompt and nonprompt ψ/ψ' production in $p\text{-}p$ and $p\text{-}Pb$ collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53
142	A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
143	Observation of Charge-Dependent Azimuthal Correlations in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle \text{mml:mtext} \rangle \hat{\alpha}^* \langle / \text{mml:mtext} \rangle$ $\langle \text{mml:mi} \rangle Pb \langle / \text{mml:mi} \rangle$ Collisions and Its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2017, 118, 122201.	4.7	27
144	Constraining Higgs boson effective couplings at electron-positron colliders. Physical Review D, 2017, 95, .	4.7	27

#	ARTICLE	IF	CITATIONS
145	Measurement of the Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Nature Physics</i> , 2017, 13, 152301.	7.8	62
146	Search for new physics in the monophoton final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
147	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017, 77, 459.	3.9	52
148	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 467.	3.9	23
149	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2017, 119, 111802.	7.8	35
150	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_N = 5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	103
151	Constraining the monochromatic gamma-rays from dark matter annihilation by the LHC. <i>Physical Review D</i> , 2017, 96, .	4.7	3
152	Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	22
153	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017, 119, 242001.	7.8	23
154	Observation of $Y(1S)$ pair production in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	48
155	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	35
156	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
157	Measurements of the $pp \rightarrow W^{\pm} l^{\mp}$ and $pp \rightarrow Z^{\pm} l^{\mp}$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
158	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 710.	3.9	98
159	Probing Higgs boson couplings in $H + \tilde{l}^3$ production at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 773, 462-469.	4.1	20
160	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
161	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
162	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 252.	3.9	82

#	ARTICLE	IF	CITATIONS
163	Searches for pair production of third-generation squarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
164	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 354. <small>Relative location of the article in the journal: http://www.w3.org/1998/Math/MathML</small>	3.9	23
165	$\text{display= inline } <\text{mml:mi}>1 </\text{mml:mi}><\text{mml:mo stretchy="false"}>(</\text{mml:mo}><\text{mml:mn}>2</\text{mml:mn}><\text{mml:mi}>S</\text{mml:mi}><\text{mml:mo stretchy="false"}>/<\text{mml:mo}>\text{crumbmi}></\text{mml:mo}><\text{mml:math display="block">\text{Yields from } <\text{mml:math display="block">\text{ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667}$	7.8	24
166	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
167	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 845.	3.9	38
168	Measurement of electroweak-induced production of W^{\pm} with two jets in pp collisions at $s = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
169	Searches for $W\bar{b}$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
170	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
171	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
172	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
173	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
174	Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
175	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
176	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
177	Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
178	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
179	Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
180	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
181	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
182	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
183	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
184	Search for new phenomena with multiple charged leptons in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 1.	3.9	2
185	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 636.	3.9	38
186	Search for high-mass Z' resonances in $e + e^- \rightarrow Z'$ and $t\bar{t} + b\bar{b} \rightarrow Z'$ final states in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	7
187	Search for CP violation in $t\bar{t} \rightarrow t\bar{t}$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
188	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
189	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
190	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
191	Measurements of the associated production of a Z boson and b jets in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 751.	3.9	30
192	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
193	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
194	Measuring anomalous $WW \gamma \gamma \gamma \gamma$ and $t \bar{t} \gamma \gamma \gamma \gamma$ couplings using top- $\gamma \gamma \gamma \gamma$ production at the LHC. European Physical Journal C, 2016, 76, 1.	3.9	26
195	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 451.	3.9	55
196	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
197	Exploring anomalous $HZ\gamma$ couplings in γ -proton collisions at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 301-308.	4.1	15
198	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
199	Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 439.	3.9	64
200	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
201	Measurement of the $t\bar{t}\bar{\chi}^0$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
202	Measurement of the $t\bar{t}\bar{\chi}^0$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 128.	3.9	41
203	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
204	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \tilde{l}_i , leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
205	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 13.	3.9	62
206	Top quark anomalous electromagnetic couplings in photon-photon scattering at the LHC. Physical Review D, 2015, 92, .	4.7	23
207	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
208	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV . European Physical Journal C, 2015, 75, 212.	3.9	541
209	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 542.	3.9	191
210	Measurements of the $Z\bar{Z}$ production cross sections in the $2\mu\tau\tau$ channel in protonâ€“proton collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . European Physical Journal C, 2015, 75, 511.	3.9	32
211	Direct photon production as a probe of quarks chromoelectric and chromomagnetic dipole moments at the LHC. Physical Review D, 2015, 91, .	4.7	4
212	Exploring the anomalous Higgs-top couplings. Physical Review D, 2014, 90, .	4.7	38
213	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
214	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
215	Higgs production in e-e+ collisions as a probe of noncommutativity. Progress of Theoretical and Experimental Physics, 2014, 2014, 81B01-0.	6.6	5
216	Event activity dependence of Y_N production in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ pPb and $\sqrt{s} = 2.76 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56

#	ARTICLE	IF	CITATIONS
217	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	39
218	From Tevatron's top and lepton-based asymmetries to the LHC. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	11
219	Angular Correlations in Associated Production of Single Top and Higgs with and without Anomalous W t b Couplings. <i>International Journal of Theoretical Physics</i> , 2014, 53, 4326-4337.	1.2	2
220	Probing color coherence effects in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2901.	3.9	17
221	Search for the associated production of the Higgs boson with a top-quark pair. . <i>2014</i> , 2014, 1.	6	
222	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7 \text{ and } 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	320
223	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	50
224	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + \text{jets}$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	24
225			

#	ARTICLE		IF	CITATIONS
235	Top quark forward-backward asymmetry and $W \rightarrow$ -boson with general couplings. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.		4.7	7
236	Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.		4.7	83
237	The Effects of Standard Model Extensions on W-Boson Helicity Ratios in Top Quark Decay. <i>International Journal of Theoretical Physics</i> , 2012, 51, 3694-3700.		1.2	2
238	J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.		4.7	81
239	Single top quark production in t-channel at the LHC in noncommutative space-time. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 93-96.		4.1	11
240	Constraints on Randall-Sundrum model from top-antitop production at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.		4.7	0
241	Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2011, 71, 1.		3.9	135
242	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011, 71, 1.		3.9	37
243	Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.		4.7	122
244	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.		4.7	99
245	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7$ TeV and comparison with $\sqrt{s} = 0.9$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.		4.7	97
246	Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7$ TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.		4.7	158
247	Study of anomalous top quark flavor-changing neutral current interactions via the $t\bar{t}W$ channel of single-top-quark production. <i>Physical Review D</i> , 2010, 81, 014001.		4.7	12
248	Probing of $t\bar{t}W$ anomalous couplings via the $t\bar{t}W$ channel of single top production. <i>Journal of High Energy Physics</i> , 2008, 2008, 024-024.		4.7	19
249	Secondary particles spectra in the decay of a polarized top quark with anomalous tWb couplings. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2007, 34, 39-46.		3.6	17
250	Semileptonic decay of a polarized top quark in the noncommutative standard model. <i>Physical Review D</i> , 2006, 74, 014001.		4.7	29