

Hans-Ulrich Wittchen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5416396/hans-ulrich-wittchen-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

602
papers

53,971
citations

116
h-index

214
g-index

665
ext. papers

61,410
ext. citations

5.1
avg, IF

7.54
L-index

#	Paper	IF	Citations
602	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 655-79	1.2	2219
601	Reliability and validity studies of the WHO--Composite International Diagnostic Interview (CIDI): a critical review. <i>Journal of Psychiatric Research</i> , 1994 , 28, 57-84	5.2	1851
600	Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 169-84	4.3	1455
599	The World Health Organization Composite International Diagnostic Interview short-form (CIDI-SF). <i>International Journal of Methods in Psychiatric Research</i> , 1998 , 7, 171-185	4.3	1446
598	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 718-79	1.2	987
597	Size and burden of mental disorders in Europe--a critical review and appraisal of 27 studies. <i>European Neuropsychopharmacology</i> , 2005 , 15, 357-76	1.2	935
596	The economic cost of brain disorders in Europe. <i>European Journal of Neurology</i> , 2012 , 19, 155-62	6	893
595	Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). <i>Psychological Medicine</i> , 2004 , 34, 597-611	6.9	785
594	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2003 , 12, 3-21	4.3	682
593	Cross-cultural feasibility, reliability and sources of variance of the Composite International Diagnostic Interview (CIDI). The Multicentre WHO/ADAMHA Field Trials. <i>British Journal of Psychiatry</i> , 1991 , 159, 645-53, 658	5.4	654
592	Prevalence of mental disorders and psychosocial impairments in adolescents and young adults. <i>Psychological Medicine</i> , 1998 , 28, 109-26	6.9	642
591	DSM-III-R generalized anxiety disorder in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , 1994 , 51, 355-64		642
590	Traumatic events and post-traumatic stress disorder in the community: prevalence, risk factors and comorbidity. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 46-59	6.5	588
589	Comorbidity of substance use disorders with mood and anxiety disorders: results of the International Consortium in Psychiatric Epidemiology. <i>Addictive Behaviors</i> , 1998 , 23, 893-907	4.2	578
588	Cost of disorders of the brain in Europe. <i>European Journal of Neurology</i> , 2005 , 12 Suppl 1, 1-27	6	555
587	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ, The</i> , 2005 , 330, 11	5.9	543
586	Social fears and social phobia in a community sample of adolescents and young adults: prevalence, risk factors and co-morbidity. <i>Psychological Medicine</i> , 1999 , 29, 309-23	6.9	503

585	Test-retest reliability of the computerized DSM-IV version of the Munich-Composite International Diagnostic Interview (M-CIDI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 568-78	4.5	498
584	International Day for the Evaluation of Abdominal Obesity (IDEA): a study of waist circumference, cardiovascular disease, and diabetes mellitus in 168,000 primary care patients in 63 countries. <i>Circulation</i> , 2007 , 116, 1942-51	16.7	487
583	Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. <i>Archives of General Psychiatry</i> , 2007 , 64, 903-12		472
582	Generalized anxiety disorder: prevalence, burden, and cost to society. <i>Depression and Anxiety</i> , 2002 , 16, 162-71	8.4	460
581	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005 , 19, 567-96	4.6	449
580	Prevalence of suicide ideation and suicide attempts in nine countries. <i>Psychological Medicine</i> , 1999 , 29, 9-17	6.9	445
579	Sex differences in rates of depression: cross-national perspectives. <i>Journal of Affective Disorders</i> , 1993 , 29, 77-84	6.6	429
578	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: a revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014 , 28, 403-39	4.6	387
577	Depression Comorbid with Anxiety: Results from the WHO Study on Psychological Disorders in Primary Health Care. <i>British Journal of Psychiatry</i> , 1996 , 168, 38-43	5.4	379
576	Using screening tools to identify neuropathic pain. <i>Pain</i> , 2007 , 127, 199-203	8	377
575	Prevalence, incidence and stability of premenstrual dysphoric disorder in the community. <i>Psychological Medicine</i> , 2002 , 32, 119-32	6.9	377
574	Social anxiety disorder and the risk of depression: a prospective community study of adolescents and young adults. <i>Archives of General Psychiatry</i> , 2001 , 58, 251-6		371
573	Four-week prevalence of mental disorders in patients with cancer across major tumor entities. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3540-6	2.2	363
572	Parental major depression and the risk of depression and other mental disorders in offspring: a prospective-longitudinal community study. <i>Archives of General Psychiatry</i> , 2002 , 59, 365-74		351
571	Methodological studies of the Composite International Diagnostic Interview (CIDI) in the US national comorbidity survey (NCS). <i>International Journal of Methods in Psychiatric Research</i> , 1998 , 7, 33-54	4.3	338
570	Parental psychopathology, parenting styles, and the risk of social phobia in offspring: a prospective-longitudinal community study. <i>Archives of General Psychiatry</i> , 2000 , 57, 859-66		320
569	Lifetime co-morbidities between social phobia and mood disorders in the US National Comorbidity Survey. <i>Psychological Medicine</i> , 1999 , 29, 555-67	6.9	311
568	Lifetime panic-depression comorbidity in the National Comorbidity Survey. Association with symptoms, impairment, course and help-seeking. <i>British Journal of Psychiatry</i> , 2000 , 176, 229-35	5.4	308

567	Lifetime and six-month prevalence of mental disorders in the Munich Follow-Up Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992 , 241, 247-58	5.1	298
566	Incidence and risk patterns of anxiety and depressive disorders and categorization of generalized anxiety disorder. <i>Archives of General Psychiatry</i> , 2010 , 67, 47-57		293
565	Human and economic burden of generalized anxiety disorder. <i>Depression and Anxiety</i> , 2008 , 25, 72-90	8.4	292
564	The economic costs of mental disorders: Do our societies react appropriately to the burden of mental disorders?. <i>EMBO Reports</i> , 2016 , 17, 1245-9	6.5	277
563	Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: an 8-year cohort study. <i>Schizophrenia Bulletin</i> , 2011 , 37, 84-93	1.3	274
562	The predictive value of different measures of obesity for incident cardiovascular events and mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1777-85	5.6	268
561	One-year prevalence of subthreshold and threshold DSM-IV generalized anxiety disorder in a nationally representative sample. <i>Depression and Anxiety</i> , 2001 , 13, 78-88	8.4	266
560	Abuse and dependence potential for the non-benzodiazepine hypnotics zolpidem and zopiclone: a review of case reports and epidemiological data. <i>Addiction</i> , 2003 , 98, 1371-8	4.6	263
559	Primary anxiety disorders and the development of subsequent alcohol use disorders: a 4-year community study of adolescents and young adults. <i>Psychological Medicine</i> , 2003 , 33, 1211-22	6.9	263
558	Impairment in pure and comorbid generalized anxiety disorder and major depression at 12 months in two national surveys. <i>American Journal of Psychiatry</i> , 1999 , 156, 1915-23	11.9	252
557	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 304-19	4.3	249
556	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , 2006 , 188, 527-33	5.4	239
555	Lifetime panic-depression comorbidity in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , 1998 , 55, 801-8		234
554	Rates of psychiatric disorders in a clinical study group of adolescents with extreme obesity and in obese adolescents ascertained via a population based study. <i>International Journal of Obesity</i> , 2000 , 24, 1707-14	5.5	230
553	Cannabis use and cannabis use disorders and their relationship to mental disorders: a 10-year prospective-longitudinal community study in adolescents. <i>Drug and Alcohol Dependence</i> , 2007 , 88 Suppl 1, S60-70	4.9	227
552	Size and burden of social phobia in Europe. <i>European Neuropsychopharmacology</i> , 2005 , 15, 453-62	1.2	227
551	Prevalence and burden of bipolar disorders in European countries. <i>European Neuropsychopharmacology</i> , 2005 , 15, 425-34	1.2	226
550	The prevalence of treated and untreated mental disorders in five countries. <i>Health Affairs</i> , 2003 , 22, 122-33	0	226

549	What predicts incident use of cannabis and progression to abuse and dependence? A 4-year prospective examination of risk factors in a community sample of adolescents and young adults. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 49-64	4.9	215
548	Common and distinct amygdala-function perturbations in depressed vs anxious adolescents. <i>Archives of General Psychiatry</i> , 2009 , 66, 275-85		214
547	Anxiety disorders. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17024	51.1	203
546	Hypertension in overweight and obese primary care patients is highly prevalent and poorly controlled. <i>American Journal of Hypertension</i> , 2004 , 17, 904-10	2.3	203
545	Early developmental stages of psychopathology study (EDSP): objectives and design. <i>European Addiction Research</i> , 1998 , 4, 18-27	4.6	203
544	To what degree does the Composite International Diagnostic Interview (CIDI) correctly identify DSM-IV disorders? Testing validity issues in a clinical sample. <i>International Journal of Methods in Psychiatric Research</i> , 1998 , 7, 142-155	4.3	201
543	Heterogeneity of DSM-IV major depressive disorder as a consequence of subthreshold bipolarity. <i>Archives of General Psychiatry</i> , 2009 , 66, 1341-52		199
542	Cognitive impairment in 873 patients with idiopathic Parkinson's disease. Results from the German Study on Epidemiology of Parkinson's Disease with Dementia (GEPAD). <i>Journal of Neurology</i> , 2008 , 255, 255-64	5.5	199
541	Complex segregation analysis of restless legs syndrome provides evidence for an autosomal dominant mode of inheritance in early age at onset families. <i>Annals of Neurology</i> , 2002 , 52, 297-302	9.4	199
540	Accuracy of anthropometric indicators of obesity to predict cardiovascular risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 589-94	5.6	194
539	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ, The</i> , 2011 , 342, d738	5.9	193
538	The epidemiology of generalized anxiety disorder. <i>Psychiatric Clinics of North America</i> , 2001 , 24, 19-39	3.1	193
537	Recall and dating of psychiatric symptoms. Test-retest reliability of time-related symptom questions in a standardized psychiatric interview. <i>Archives of General Psychiatry</i> , 1989 , 46, 437-43		187
536	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. <i>Psychological Medicine</i> , 2007 , 37, 513-27	6.9	185
535	"Anxietas tibiaram". Depression and anxiety disorders in patients with restless legs syndrome. <i>Journal of Neurology</i> , 2005 , 252, 67-71	5.5	185
534	Structure, content and reliability of the Munich-Composite International Diagnostic Interview (M-CIDI) substance use sections. <i>European Addiction Research</i> , 1998 , 4, 28-41	4.6	184
533	Risk factors and course patterns of anxiety and depressive disorders during pregnancy and after delivery: a prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2015 , 175, 385-95	6.6	183
532	Prevalence of mental health problems among children and adolescents in Germany: results of the BELLA study within the National Health Interview and Examination Survey. <i>European Child and Adolescent Psychiatry</i> , 2008 , 17 Suppl 1, 22-33	5.5	182

531	What characteristics of primary anxiety disorders predict subsequent major depressive disorder?. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 618-26, quiz 730	4.6	182
530	Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 285-97	4.9	181
529	Physical activity and prevalence and incidence of mental disorders in adolescents and young adults. <i>Psychological Medicine</i> , 2007 , 37, 1657-66	6.9	178
528	Epidemiology of Anxiety Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2009 , 21-35	3.4	177
527	The CIDI-core substance abuse and dependence questions: cross-cultural and nosological issues. The WHO/ADAMHA Field Trial. <i>British Journal of Psychiatry</i> , 1991 , 159, 653-8	5.4	177
526	Frequency of dementia, depression, and other neuropsychiatric symptoms in 1,449 outpatients with Parkinson's disease. <i>Journal of Neurology</i> , 2010 , 257, 1073-82	5.5	174
525	Longitudinal course of posttraumatic stress disorder and posttraumatic stress disorder symptoms in a community sample of adolescents and young adults. <i>American Journal of Psychiatry</i> , 2005 , 162, 1320-7	11.9	173
524	The Early Developmental Stages of Psychopathology Study (EDSP): a methodological update. <i>European Addiction Research</i> , 2000 , 6, 170-82	4.6	172
523	Comorbidity and Boundaries of Affective Disorders with Anxiety Disorders and Substance Misuse: Results of an International Task Force. <i>British Journal of Psychiatry</i> , 1996 , 168, 58-67	5.4	168
522	Prevalence of mental disorders in elderly people: the European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , 2017 , 210, 125-131	5.4	165
521	Smoking increases the risk of panic: findings from a prospective community study. <i>Archives of General Psychiatry</i> , 2003 , 60, 692-700		164
520	Specific phobia: a review of DSM-IV specific phobia and preliminary recommendations for DSM-V. <i>Depression and Anxiety</i> , 2010 , 27, 148-67	8.4	161
519	Psychological treatment for panic disorder with agoraphobia: a randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 406-20	6.5	160
518	Anxiety disorders before birth and self-perceived distress during pregnancy: associations with maternal depression and obstetric, neonatal and early childhood outcomes. <i>Early Human Development</i> , 2010 , 86, 305-10	2.2	157
517	Increased 12-month prevalence rates of mental disorders in patients with chronic somatic diseases. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 354-60	9.4	156
516	Are social fears and DSM-IV social anxiety disorder associated with smoking and nicotine dependence in adolescents and young adults?. <i>European Psychiatry</i> , 2000 , 15, 67-74	6	156
515	Specific fears and phobias: Epidemiology and classification. <i>British Journal of Psychiatry</i> , 1998 , 173, 212-217	3.7	153
514	Rethinking the duration requirement for generalized anxiety disorder: evidence from the National Comorbidity Survey Replication. <i>Psychological Medicine</i> , 2005 , 35, 1073-82	6.9	153

513	Parental alcohol use disorders and alcohol use and disorders in offspring: a community study. <i>Psychological Medicine</i> , 2002 , 32, 63-78	6.9	153
512	Diagnosing major depression in the elderly: evidence for response bias in standardized diagnostic interviews?. <i>Journal of Psychiatric Research</i> , 1994 , 28, 147-64	5.2	152
511	The epidemiology of panic disorder and agoraphobia in Europe. <i>European Neuropsychopharmacology</i> , 2005 , 15, 435-43	1.2	150
510	The natural course of cannabis use, abuse and dependence during the first decades of life. <i>Addiction</i> , 2008 , 103, 439-49; discussion 450-1	4.6	147
509	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , 2018 , 7, 556-561	6.3	146
508	Reliability and clinical validity of UM-CIDI DSM-III-R generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , 1995 , 29, 95-110	5.2	145
507	Screening for cognitive deficits in Parkinson's disease with the Parkinson neuropsychometric dementia assessment (PANDA) instrument. <i>Parkinsonism and Related Disorders</i> , 2008 , 14, 93-101	3.6	142
506	Generalized anxiety and depression in primary care: prevalence, recognition, and management. <i>Journal of Clinical Psychiatry</i> , 2002 , 63 Suppl 8, 24-34	4.6	138
505	Neuropeptide S receptor gene -- converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 938-48	15.1	137
504	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e100409	3.7	131
503	Self-reported utilization of mental health services in the adult German population--evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 289-303	4.3	131
502	The natural course of cannabis use, abuse and dependence over four years: a longitudinal community study of adolescents and young adults. <i>Drug and Alcohol Dependence</i> , 2001 , 64, 347-61	4.9	129
501	Mental disorders in ecstasy users: a prospective-longitudinal investigation. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 195-207	4.9	128
500	DSM-IV panic attacks and panic disorder in a community sample of adolescents and young adults: how specific are panic attacks?. <i>Journal of Psychiatric Research</i> , 1998 , 32, 335-45	5.2	126
499	Depressive episodes--evidence for a causal role of primary anxiety disorders?. <i>European Psychiatry</i> , 2003 , 18, 384-93	6	126
498	Childhood separation anxiety and the risk of subsequent psychopathology: Results from a community study. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 47-56	9.4	124
497	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 1-18	4.3	123
496	Dimensional psychiatry: reward dysfunction and depressive mood across psychiatric disorders. <i>Psychopharmacology</i> , 2015 , 232, 331-41	4.7	122

495	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014 , 24, 5-50	1.2	121
494	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 62-70	5.1	119
493	Early expression of negative/disorganized symptoms predicting psychotic experiences and subsequent clinical psychosis: a 10-year study. <i>American Journal of Psychiatry</i> , 2010 , 167, 1075-82	11.9	118
492	Composite International Diagnostic Interview screening scales for DSM-IV anxiety and mood disorders. <i>Psychological Medicine</i> , 2013 , 43, 1625-37	6.9	117
491	Reliability and procedural validity of UM-CIDI DSM-III-R phobic disorders. <i>Psychological Medicine</i> , 1996 , 26, 1169-77	6.9	117
490	Suicidal ideation and suicide attempts: comorbidity with depression, anxiety disorders, and substance abuse disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994 , 244, 93-8	5.1	117
489	Effect of cognitive-behavioral therapy on neural correlates of fear conditioning in panic disorder. <i>Biological Psychiatry</i> , 2013 , 73, 93-101	7.9	116
488	Comorbidity patterns in adolescents and young adults with suicide attempts. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998 , 248, 87-95	5.1	116
487	Prevalence, incidence, and natural course of anorexia and bulimia nervosa among adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 903-18	5.5	115
486	Panic attack as a risk factor for severe psychopathology. <i>American Journal of Psychiatry</i> , 2004 , 161, 2207-14	11.9	112
485	Prevalence, recognition and management of depression in primary care in Germany: the Depression 2000 study. <i>Human Psychopharmacology</i> , 2002 , 17 Suppl 1, S1-11	2.3	111
484	MAOA gene hypomethylation in panic disorder-reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , 2016 , 6, e773	8.6	111
483	Use, abuse and dependence of ecstasy and related drugs in adolescents and young adults-a transient phenomenon? Results from a longitudinal community study. <i>Drug and Alcohol Dependence</i> , 2002 , 66, 147-59	4.9	110
482	Major affective disorder in anorexia nervosa and bulimia. A descriptive diagnostic study. <i>British Journal of Psychiatry</i> , 1987 , 151, 785-9	5.4	110
481	A comparison of two diagnostic methods. Clinical ICD diagnoses vs DSM-III and Research Diagnostic Criteria using the Diagnostic Interview Schedule (version 2). <i>Archives of General Psychiatry</i> , 1985 , 42, 677-84		110
480	Broadening the definition of generalized anxiety disorder: effects on prevalence and associations with other disorders in the National Comorbidity Survey Replication. <i>Journal of Anxiety Disorders</i> , 2007 , 21, 662-76	10.9	109
479	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
478	Critical Issues in the Evaluation of Comorbidity of Psychiatric Disorders. <i>British Journal of Psychiatry</i> , 1996 , 168, 9-16	5.4	108

477	Usefulness of measuring both body mass index and waist circumference for the estimation of visceral adiposity and related cardiometabolic risk profile (from the INSPIRE ME IAA study). <i>American Journal of Cardiology</i> , 2015 , 115, 307-15	3	106
476	Affective dysregulation and reality distortion: a 10-year prospective study of their association and clinical relevance. <i>Schizophrenia Bulletin</i> , 2011 , 37, 561-71	1.3	106
475	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
474	Clinical diagnostic criteria for premenstrual syndrome and guidelines for their quantification for research studies. <i>Gynecological Endocrinology</i> , 2007 , 23, 123-30	2.4	105
473	High prevalence and poor control of hypertension in primary care: cross-sectional study. <i>Journal of Hypertension</i> , 2004 , 22, 479-86	1.9	104
472	Lifetime Risk of Depression. <i>British Journal of Psychiatry</i> , 1994 , 165, 16-22	5.4	103
471	Neural substrates of treatment response to cognitive-behavioral therapy in panic disorder with agoraphobia. <i>American Journal of Psychiatry</i> , 2013 , 170, 1345-55	11.9	102
470	Prevalence and recognition of depressive syndromes in German primary care settings: poorly recognized and treated?. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 121-35	2.2	101
469	The natural course of DSM-IV somatoform disorders and syndromes among adolescents and young adults: a prospective-longitudinal community study. <i>European Psychiatry</i> , 2002 , 17, 321-31	6	99
468	The relationship of agoraphobia and panic in a community sample of adolescents and young adults. <i>Archives of General Psychiatry</i> , 1998 , 55, 1017-24		98
467	Panic disorder: a review of DSM-IV panic disorder and proposals for DSM-V. <i>Depression and Anxiety</i> , 2010 , 27, 93-112	8.4	97
466	Social phobia: diagnosis and epidemiology, neurobiology and pharmacology, comorbidity and treatment. <i>Journal of Affective Disorders</i> , 2000 , 60, 61-74	6.6	97
465	Gender differences in adolescents and young adults with suicidal behaviour. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 332-9	6.5	97
464	A striking pattern of cortisol non-responsiveness to psychosocial stress in patients with panic disorder with concurrent normal cortisol awakening responses. <i>Psychoneuroendocrinology</i> , 2010 , 35, 414-21	5	96
463	Should excessive worry be required for a diagnosis of generalized anxiety disorder? Results from the US National Comorbidity Survey Replication. <i>Psychological Medicine</i> , 2005 , 35, 1761-72	6.9	96
462	Pavlovian-to-instrumental transfer effects in the nucleus accumbens relate to relapse in alcohol dependence. <i>Addiction Biology</i> , 2016 , 21, 719-31	4.6	96
461	The natural course of social anxiety disorder among adolescents and young adults. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 411-25	6.5	94
460	Predicting treatment response to cognitive behavioral therapy in panic disorder with agoraphobia by integrating local neural information. <i>JAMA Psychiatry</i> , 2015 , 72, 68-74	14.5	92

459	Prevalence, 20-month incidence and outcome of unipolar depressive disorders in a community sample of adolescents. <i>Psychological Medicine</i> , 1999 , 29, 655-68	6.9	92
458	Risk factors for premenstrual dysphoric disorder in a community sample of young women: the role of traumatic events and posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1314-22	4.6	92
457	Agoraphobia: a review of the diagnostic classificatory position and criteria. <i>Depression and Anxiety</i> , 2010 , 27, 113-33	8.4	91
456	Epidemiology, patterns of comorbidity, and associated disabilities of social phobia. <i>Psychiatric Clinics of North America</i> , 2001 , 24, 617-41	3.1	91
455	Hair cortisol concentrations and cortisol stress reactivity predict PTSD symptom increase after trauma exposure during military deployment. <i>Psychoneuroendocrinology</i> , 2015 , 59, 123-33	5	90
454	Posttraumatic stress disorder and obesity: evidence for a risk association. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 1-8	6.1	90
453	Measuring abdominal obesity: effects of height on distribution of cardiometabolic risk factors risk using waist circumference and waist-to-height ratio. <i>Diabetes Care</i> , 2011 , 34, e7	14.6	89
452	Evidence for two different ICD-11 posttraumatic stress disorders in a community sample of adolescents and young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 317-28	5.1	88
451	The scanner as a stressor: evidence from subjective and neuroendocrine stress parameters in the time course of a functional magnetic resonance imaging session. <i>International Journal of Psychophysiology</i> , 2011 , 79, 118-26	2.9	87
450	The waxing and waning of mental disorders: evaluating the stability of syndromes of mental disorders in the population. <i>Comprehensive Psychiatry</i> , 2000 , 41, 122-32	7.3	87
449	Agoraphobia and panic. Prospective-longitudinal relations suggest a rethinking of diagnostic concepts. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 147-57	9.4	86
448	Patterns of cannabis use, abuse and dependence over time: incidence, progression and stability in a sample of 1228 adolescents. <i>Addiction</i> , 1999 , 94, 1663-78	4.6	85
447	Computerized ambulatory monitoring in psychiatry: a multi-site collaborative study of acceptability, compliance, and reactivity. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 48-57	4.3	84
446	Cardiovascular risk factors in primary care: methods and baseline prevalence rates--the DETECT program. <i>Current Medical Research and Opinion</i> , 2005 , 21, 619-30	2.5	83
445	Anxiety Disorders: Similarities and Differences of Comorbidity in Treated and Untreated Groups. <i>British Journal of Psychiatry</i> , 1991 , 159, 23-33	5.4	82
444	Long-term efficacy of pregabalin in generalized anxiety disorder. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 18-28	2.2	81
443	Is the use of ecstasy and hallucinogens increasing? Results from a community study. <i>European Addiction Research</i> , 1998 , 4, 75-82	4.6	81
442	Effect of ethanol on hypothalamic-pituitary-adrenal system response to psychosocial stress in sons of alcohol-dependent fathers. <i>Neuropsychopharmacology</i> , 2004 , 29, 1156-65	8.7	80

441	MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , 2014 , 19, 122-8	15.1	79
440	The use of weights to account for non-response and drop-out. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 291-9	4.5	78
439	Epidemiology of panic disorder: progress and unresolved issues. <i>Journal of Psychiatric Research</i> , 1993 , 27 Suppl 1, 47-68	5.2	78
438	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 388-99	6.5	77
437	Generalized anxiety disorder: comorbidity, comparative biology and treatment. <i>International Journal of Neuropsychopharmacology</i> , 2002 , 5, 315-25	5.8	77
436	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
435	The role of parental psychopathology and family environment for social phobia in the first three decades of life. <i>Depression and Anxiety</i> , 2009 , 26, 363-70	8.4	75
434	Diabetes in primary care: prospective associations between depression, nonadherence and glycemic control. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 172-8	9.4	74
433	Pain associated with specific anxiety and depressive disorders in a nationally representative population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 89-104	4.5	74
432	Risk factors for depression at 12-month follow-up in adult primary health care patients with major depression: an international prospective study. <i>Journal of Affective Disorders</i> , 2003 , 76, 157-69	6.6	74
431	Covariates of cannabis use progression in a representative population sample of adolescents: a prospective examination of vulnerability and risk factors. <i>Addiction</i> , 1999 , 94, 1679-94	4.6	74
430	Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 66, 143-62	9	74
429	Life events and changes in the course of depression in young adults. <i>European Psychiatry</i> , 2002 , 17, 241-53	5.3	73
428	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , 2010 , 196, 102-8	5.4	72
427	Mental disorders in primary care. <i>Dialogues in Clinical Neuroscience</i> , 2003 , 5, 115-28	5.7	71
426	DSM-IV alcohol disorders in a general population sample of adolescents and young adults. <i>Addiction</i> , 1998 , 93, 1065-77	4.6	70
425	Supplementary dimensional assessment in anxiety disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16 Suppl 1, S52-64	4.3	70
424	A European perspective on social anxiety disorder. <i>European Psychiatry</i> , 2000 , 15, 5-16	6	70

423	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , 2017 , 123, 4236-4243	6.4	69
422	Type 2 diabetes mellitus and medications for type 2 diabetes mellitus are associated with risk for and mortality from cancer in a German primary care cohort. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 1363-71	12.7	69
421	General practitioners recognizing alcohol dependence: a large cross-sectional study in 6 European countries. <i>Annals of Family Medicine</i> , 2015 , 13, 28-32	2.9	68
420	Prevalence of generalized anxiety disorder in general practice in Denmark, Finland, Norway, and Sweden. <i>Psychiatric Services</i> , 2006 , 57, 1738-44	3.3	68
419	Smoking and nicotine dependence. Results from a sample of 14- to 24-year-olds in Germany. <i>European Addiction Research</i> , 1998 , 4, 42-9	4.6	68
418	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , 2016 , 81, 24-30	4.1	67
417	Feasibility and outcome of substitution treatment of heroin-dependent patients in specialized substitution centers and primary care facilities in Germany: a naturalistic study in 2694 patients. <i>Drug and Alcohol Dependence</i> , 2008 , 95, 245-57	4.9	67
416	Sex differences in psychosis: normal or pathological?. <i>Schizophrenia Research</i> , 2003 , 62, 45-9	3.6	67
415	Maternal anxiety versus depressive disorders: specific relations to infants' crying, feeding and sleeping problems. <i>Child: Care, Health and Development</i> , 2016 , 42, 231-45	2.8	66
414	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 289-96	9.4	65
413	Twelve-months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults - Mental Health Module (DEGS1-MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 305-13	4.3	65
412	The structure of common mental disorders: a replication study in a community sample of adolescents and young adults. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 204-20	4.3	65
411	Maternal suicidality and risk of suicidality in offspring: findings from a community study. <i>American Journal of Psychiatry</i> , 2005 , 162, 1665-71	11.9	65
410	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 83-99	4.3	64
409	Association between generalized anxiety levels and pain in a community sample: evidence for diagnostic specificity. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 684-93	10.9	63
408	Recognition and management of overweight and obesity in primary care in Germany. <i>International Journal of Obesity</i> , 2004 , 28, 1299-308	5.5	63
407	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , 2004 , 38, 613-8	5.2	63
406	Psychopathological and social outcome in schizophrenia versus affective/schizoaffective psychoses and prediction of poor outcome in schizophrenia. Results from a 5-8 year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 1988 , 77, 379-89	6.5	63

405	The THINC-Integrated Tool (THINC-it) Screening Assessment for Cognitive Dysfunction: Validation in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 873-881	4.6	63
404	A dimensional approach to measuring anxiety for DSM-5. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 258-72	4.3	62
403	How specific is specific phobia? Different neural response patterns in two subtypes of specific phobia. <i>NeuroImage</i> , 2011 , 56, 363-72	7.9	62
402	Social fear and social phobia types among community youth: differential clinical features and vulnerability factors. <i>Journal of Psychiatric Research</i> , 2011 , 45, 111-20	5.2	62
401	Anxiety disorders in mothers and their children: prospective longitudinal community study. <i>British Journal of Psychiatry</i> , 2008 , 192, 308-9	5.4	62
400	DSM-IV pain disorder in the general population. An exploration of the structure and threshold of medically unexplained pain symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 187-96	5.1	62
399	Dynamics of defensive reactivity in patients with panic disorder and agoraphobia: implications for the etiology of panic disorder. <i>Biological Psychiatry</i> , 2012 , 72, 512-20	7.9	61
398	Mixed anxiety-depression in a 1 year follow-up study: shift to other diagnoses or remission?. <i>Journal of Affective Disorders</i> , 2004 , 79, 235-9	6.6	61
397	Maternal smoking and smoking in adolescents: a prospective community study of adolescents and their mothers. <i>European Addiction Research</i> , 2003 , 9, 120-30	4.6	61
396	Anxiety and depression in a community sample: the influence of comorbidity on social functioning. <i>Journal of Affective Disorders</i> , 1990 , 18, 137-44	6.6	61
395	The US National Comorbidity Survey: overview and future directions. <i>Epidemiologia E Psichiatria Sociale</i> , 1997 , 6, 4-16		60
394	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , 2006 , 36, 407-15	6.9	60
393	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , 2020 , 19, 269-293	14.4	59
392	Screening for anxiety disorders: Sensitivity and specificity of the Anxiety Screening Questionnaire (ASQ ₁₅). <i>British Journal of Psychiatry</i> , 1998 , 173, 10-17	5.4	58
391	The 'Early Developmental Stages of Psychopathology (EDSP) study': a 20-year review of methods and findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 851-66	4.5	57
390	The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. <i>Psycho-Oncology</i> , 2018 , 27, 1509-1516	3.9	57
389	Subtypes of panic attacks: a critical review of the empirical literature. <i>Depression and Anxiety</i> , 2009 , 26, 878-87	8.4	56
388	Subtypes of mild cognitive impairment in patients with Parkinson's disease: evidence from the LANDSCAPE study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 1099-105	5.5	56

387	Characterizing the association between parenting and adolescent social phobia. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 608-16	10.9	55
386	Meta-analysis argues for a female-specific role of MAOA-uVNTR in panic disorder in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 786-93	3.5	55
385	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 255-66	6.5	55
384	The interplay of familial depression liability and adverse events in predicting the first onset of depression during a 10-year follow-up. <i>Biological Psychiatry</i> , 2008 , 63, 406-14	7.9	55
383	Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , 2016 , 53, 312-22	4.1	54
382	Duloxetine treatment for relapse prevention in adults with generalized anxiety disorder: a double-blind placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2008 , 18, 673-81	1.2	53
381	Mental illness in a representative sample of homeless men in Munich, Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1996 , 246, 185-96	5.1	53
380	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , 2017 , 26, 537-543	3.9	52
379	Treating Treatment-Resistant Patients with Panic Disorder and Agoraphobia Using Psychotherapy: A Randomized Controlled Switching Trial. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 100-109	9.4	52
378	Traumatic experiences and posttraumatic stress disorder in soldiers following deployment abroad: how big is the hidden problem?. <i>Deutsches Arzteblatt International</i> , 2012 , 109, 559-68	2.5	52
377	The effects of latent variables in the development of comorbidity among common mental disorders. <i>Depression and Anxiety</i> , 2011 , 28, 29-39	8.4	51
376	Occurrence risk and structure of depression in Parkinson disease with and without dementia: results from the GEPAD Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 27-34	3.8	51
375	Associations of familial risk factors with social fears and social phobia: evidence for the continuum hypothesis in social anxiety disorder?. <i>Journal of Neural Transmission</i> , 2009 , 116, 639-48	4.3	51
374	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. <i>Psychological Medicine</i> , 2011 , 41, 2121-9	6.9	51
373	Increasing valued behaviors precedes reduction in suffering: Findings from a randomized controlled trial using ACT. <i>Behaviour Research and Therapy</i> , 2017 , 91, 64-71	5.2	50
372	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , 2010 , 40, 289-99	6.9	50
371	Prevalence of mental disorders in acromegaly: a cross-sectional study in 81 acromegalic patients. <i>Clinical Endocrinology</i> , 2009 , 71, 691-701	3.4	50
370	High cholesterol, triglycerides, and body-mass index in suicide attempters. <i>Archives of Suicide Research</i> , 2006 , 10, 1-9	2.3	50

369	Prevalence of use, abuse and dependence of illicit drugs among adolescents and young adults in a community sample. <i>European Addiction Research</i> , 1998 , 4, 58-66	4.6	50
368	Posttraumatic stress disorder: diagnostic and epidemiological perspectives. <i>CNS Spectrums</i> , 2009 , 14, 5-12	1.8	50
367	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder--Data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015 , 68, 76-82	5.2	49
366	How prevalent is smoking and nicotine dependence in primary care in Germany?. <i>Addiction</i> , 2004 , 99, 1586-98	4.6	49
365	Substance use and substance use disorders in a community sample of adolescents and young adults: incidence, age effects and patterns of use. <i>European Addiction Research</i> , 2006 , 12, 187-96	4.6	48
364	Somatoform syndromes and disorders in a representative population sample of adolescents and young adults: prevalence, comorbidity and impairments. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 194-208	6.5	48
363	The classification of functional psychoses and its implications for prognosis. <i>British Journal of Psychiatry</i> , 1989 , 154, 467-72	5.4	48
362	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 174-185	6.5	47
361	Prediction of incident diabetes mellitus by baseline IGF1 levels. <i>European Journal of Endocrinology</i> , 2011 , 164, 223-9	6.5	47
360	Risk and speed of transitions to first alcohol dependence symptoms in adolescents: a 10-year longitudinal community study in Germany. <i>Addiction</i> , 2008 , 103, 1638-47	4.6	47
359	Dependence symptoms in young cannabis users? A prospective epidemiological study. <i>Journal of Psychiatric Research</i> , 2006 , 40, 394-403	5.2	47
358	The structure of mental disorders re-examined: is it developmentally stable and robust against additions?. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 189-203	4.3	46
357	New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). <i>Archives of Women's Mental Health</i> , 2009 , 12, 281-9	5	46
356	Effectiveness of day hospital treatment for anorexia nervosa and bulimia nervosa. <i>European Eating Disorders Review</i> , 2008 , 16, 341-51	5.3	46
355	One-year mortality rates of patients receiving methadone and buprenorphine maintenance therapy: a nationally representative cohort study in 2694 patients. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 657-60	1.7	46
354	Natural course and burden of bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 145-54	5.8	46
353	Distinguishing generalized anxiety disorder from major depression: prevalence and impairment from current pure and comorbid disorders in the US and Ontario. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 99-111	4.3	46
352	Depressive neurosis. A long-term prospective and retrospective follow-up study of former inpatients. <i>Acta Psychiatrica Scandinavica</i> , 1985 , 71, 237-48	6.5	46

351	Verläufe behandelter und unbehandelter Depressionen und Angststörungen. <i>Monographien Aus Dem Gesamtgebiete Der Psychiatrie</i> , 1988 ,		46
350	CANDIS treatment program for cannabis use disorders: findings from a randomized multi-site translational trial. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 185-193	4.9	45
349	Comorbidity of Mental Disorders and Substance Use Disorders. <i>European Addiction Research</i> , 1996 , 2, 36-47	4.6	44
348	Family and high-risk studies of social anxiety disorder. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 28-37	6.5	44
347	Reliability of life event assessments: test-retest reliability and fall-off effects of the Munich Interview for the Assessment of Life Events and Conditions. <i>Journal of Affective Disorders</i> , 1989 , 16, 77-91	6.6	44
346	Altered top-down and bottom-up processing of fear conditioning in panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014 , 44, 381-94	6.9	44
345	Reduced memory and attention performance in a population-based sample of young adults with a moderate lifetime use of cannabis, ecstasy and alcohol. <i>Journal of Psychopharmacology</i> , 2009 , 23, 495-509	4.6	43
344	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 356-64	6.5	43
343	The relevance of age at first alcohol and nicotine use for initiation of cannabis use and progression to cannabis use disorders. <i>Drug and Alcohol Dependence</i> , 2012 , 123, 48-56	4.9	42
342	Methodological approaches in the assessment of interferon-alfa-induced depression in patients with chronic hepatitis C - a critical review. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 186-201	4.3	42
341	How impaired are children and adolescents by mental health problems? Results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , 2008 , 17 Suppl 1, 42-51	5.5	42
340	Why people change? The role of cognitive-control processes in the onset and cessation of substance abuse disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17 Suppl 1, S4-S15	4.3	42
339	Procedural validity of standardized symptom questions for the assessment of psychotic symptoms--a comparison of the DIS with two clinical methods. <i>Comprehensive Psychiatry</i> , 1988 , 29, 309-22	7.3	42
338	Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. <i>Molecular Psychiatry</i> , 2016 , 21, 813-22	15.1	41
337	Infant, maternal, and familial predictors and correlates of regulatory problems in early infancy: The differential role of infant temperament and maternal anxiety and depression. <i>Early Human Development</i> , 2017 , 115, 23-31	2.2	41
336	Quantitative neurobiological evidence for accelerated brain aging in alcohol dependence. <i>Translational Psychiatry</i> , 2017 , 7, 1279	8.6	41
335	People with alcohol use disorders in specialized care in eight different European countries. <i>Alcohol and Alcoholism</i> , 2015 , 50, 310-8	3.5	41
334	Long-term stability of cognitive behavioral therapy effects for panic disorder with agoraphobia: a two-year follow-up study. <i>Behaviour Research and Therapy</i> , 2013 , 51, 830-9	5.2	40

333	Impact of complications and comorbidities on treatment costs and health-related quality of life of patients with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2012 , 314, 41-7	3.2	40
332	Do parental psychopathology and unfavorable family environment predict the persistence of social phobia?. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 986-94	10.9	40
331	Seelische Gesundheit in Ost und West: Analysen auf der Grundlage des Bundesgesundheits surveys. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , 2004 , 33, 251-260	0.4	40
330	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 213-27	6.5	39
329	Psychometric properties of the dimensional anxiety scales for DSM-V in an unselected sample of German treatment seeking patients. <i>Depression and Anxiety</i> , 2012 , 29, 1014-24	8.4	39
328	The role of mental disorders in the risk and speed of transition to alcohol use disorders among community youth. <i>Psychological Medicine</i> , 2011 , 41, 1073-85	6.9	39
327	Maternal anxiety disorders predict excessive infant crying: a prospective longitudinal study. <i>Archives of Disease in Childhood</i> , 2014 , 99, 800-6	2.2	38
326	Prevalence of psychiatric disorders in an onset cohort of adults with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2003 , 19, 216-22	7.5	38
325	What is Comorbidity [Fact or Artefact?]. <i>British Journal of Psychiatry</i> , 1996 , 168, 7-8	5.4	38
324	Anxiety and depression: comorbidity, psychopathology, and social functioning. <i>Comprehensive Psychiatry</i> , 1989 , 30, 420-33	7.3	38
323	Anxious and non-anxious forms of major depression: familial, personality and symptom characteristics. <i>Psychological Medicine</i> , 2014 , 44, 1223-34	6.9	37
322	Patterns of incidence and psychiatric risk factors for traumatic events. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 143-53	4.3	37
321	Six-Year Outcome of Opioid Maintenance Treatment in Heroin-Dependent Patients: Results from a Naturalistic Study in a Nationally Representative Sample. <i>European Addiction Research</i> , 2017 , 23, 97-105	4.6	36
320	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , 2018 , 27, 1802-1809	3.9	36
319	Maternal anxiety disorders prior to conception, psychopathology during pregnancy and early infants' development: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , 2013 , 16, 549-60	5	36
318	Efficacy of a targeted cognitive-behavioral treatment program for cannabis use disorders (CANDIS). <i>European Neuropsychopharmacology</i> , 2012 , 22, 267-80	1.2	36
317	IMPACT OF SPECIFIC PHOBIA ON THE RISK OF ONSET OF MENTAL DISORDERS: A 10-YEAR PROSPECTIVE-LONGITUDINAL COMMUNITY STUDY OF ADOLESCENTS AND YOUNG ADULTS. <i>Depression and Anxiety</i> , 2016 , 33, 667-75	8.4	36
316	Parkinson's disease and dementia: a longitudinal study (DEMPARK). <i>Neuroepidemiology</i> , 2011 , 37, 168-76	5.4	35

315	Patterns of use and their relationship to DSM-IV abuse and dependence of alcohol among adolescents and young adults. <i>European Addiction Research</i> , 1998 , 4, 50-7	4.6	35
314	Toward the identification of core psychopathological processes?. <i>Archives of General Psychiatry</i> , 1999 , 56, 929-31		35
313	GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. <i>Molecular Psychiatry</i> , 2017 , 22, 1431-1439	15.1	34
312	Visceral, subcutaneous abdominal adiposity and liver fat content distribution in normal glucose tolerance, impaired fasting glucose and/or impaired glucose tolerance. <i>International Journal of Obesity</i> , 2015 , 39, 495-501	5.5	34
311	Sociodemographic, clinical, and functional long-term outcomes in adolescents and young adults with mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 6-17	6.5	34
310	Timing matters: change depends on the stage of treatment in cognitive behavioral therapy for panic disorder with agoraphobia. <i>Journal of Consulting and Clinical Psychology</i> , 2014 , 82, 141-53	6.5	34
309	Within and between session changes in subjective and neuroendocrine stress parameters during magnetic resonance imaging: A controlled scanner training study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1299-308	5	34
308	The functional -1019C/G HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , 2014 , 4, e490	8.6	34
307	The diagnosis and treatment of generalized anxiety disorder. <i>Deutsches A&#x0308;rztblatt International</i> , 2013 , 110, 300-9; quiz 310	2.5	33
306	Prevalence of low male testosterone levels in primary care in Germany: cross-sectional results from the DETECT study. <i>Clinical Endocrinology</i> , 2009 , 70, 446-54	3.4	33
305	Lifetime and 6-month prevalence of abuse and dependence of alcohol in the Munich Follow-up Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992 , 241, 273-82	5.1	33
304	Separating depressive comorbidity from panic disorder: A combined functional magnetic resonance imaging and machine learning approach. <i>Journal of Affective Disorders</i> , 2015 , 184, 182-92	6.6	31
303	Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CIDI65. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 116-29	4.3	31
302	Depression does not affect the treatment outcome of CBT for panic and agoraphobia: results from a multicenter randomized trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 161-72	9.4	31
301	Anxiety disorders: a long-term prospective and retrospective follow-up study of former inpatients suffering from an anxiety neurosis or phobia. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 76, 36-47	6.5	31
300	The Social Interview Schedule (SIS)--content, structure and reliability. <i>Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale</i> , 1985 , 20, 115-24		31
299	ATTENTIONAL BIAS TEMPORAL DYNAMICS PREDICT POSTTRAUMATIC STRESS SYMPTOMS: A PROSPECTIVE-LONGITUDINAL STUDY AMONG SOLDIERS. <i>Depression and Anxiety</i> , 2016 , 33, 630-9	8.4	31
298	Arginine vasopressin and adrenocorticotropin secretion in response to psychosocial stress is attenuated by ethanol in sons of alcohol-dependent fathers. <i>Journal of Psychiatric Research</i> , 2004 , 38, 385-93	5.2	30

297	Parental depression and depression in offspring: evidence for familial characteristics and subtypes?. <i>Journal of Psychiatric Research</i> , 2002 , 36, 237-46	5.2	30
296	A prospective-longitudinal study on the association of anxiety disorders prior to pregnancy and pregnancy- and child-related fears. <i>Journal of Anxiety Disorders</i> , 2016 , 40, 58-66	10.9	30
295	Associations of fearful spells and panic attacks with incident anxiety, depressive, and substance use disorders: a 10-year prospective-longitudinal community study of adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2014 , 55, 8-14	5.2	29
294	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , 2013 , 13, 62	4.2	29
293	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 28-40	4.3	29
292	Is moderate substance use associated with altered executive functioning in a population-based sample of young adults?. <i>Human Psychopharmacology</i> , 2009 , 24, 650-65	2.3	29
291	A typology of cannabis-related problems among individuals with repeated illegal drug use in the first three decades of life: Evidence for heterogeneity and different treatment needs. <i>Drug and Alcohol Dependence</i> , 2009 , 102, 151-7	4.9	29
290	The accuracy of prevalence estimations for suicide attempts. how reliably do adolescents and young adults report their suicide attempts?. <i>Archives of Suicide Research</i> , 2006 , 10, 253-63	2.3	29
289	Epidemiological research in mental disorders: lessons for the next decade of research--the NAPE Lecture 1999. Nordic Association for Psychiatric Epidemiology. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 2-10	6.5	29
288	Epidemiologie des Konsums, Mißbrauchs und der Abhängigkeit von legalen und illegalen Drogen bei Jugendlichen und jungen Erwachsenen: Die prospektiv-longitudinale Verlaufsstudie EDSP. <i>Sucht</i> , 2000 , 46, 18-31	0.5	29
287	The frequency of social dysfunction in a general population sample and in patients with mental disorders. A comparison using the Social Interview Schedule (SIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1988 , 23, 17-29	4.5	29
286	Therapygenetics: anterior cingulate cortex-amygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , 2015 , 122, 135-44	4.3	28
285	Recurrent brief depressive disorder reinvestigated: a community sample of adolescents and young adults. <i>Psychological Medicine</i> , 2003 , 33, 407-18	6.9	28
284	Changes in the prevalence, treatment and control of hypertension in Germany? A clinical-epidemiological study of 50.000 primary care patients. <i>PLoS ONE</i> , 2012 , 7, e52229	3.7	28
283	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , 2016 , 33, 153-61	8.4	27
282	Reduced sleep quality and depression associate with decreased quality of life in patients with pituitary adenomas. <i>European Journal of Endocrinology</i> , 2015 , 172, 733-43	6.5	27
281	Anticipating agoraphobic situations: the neural correlates of panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2014 , 44, 2385-96	6.9	27
280	Unmet needs in the diagnosis and treatment of dyslipidemia in the primary care setting in Germany. <i>Atherosclerosis</i> , 2007 , 190, 397-407	3.1	27

279	Cognitive decline in Parkinson's disease: the impact of the motor phenotype on cognition. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 171-179	5.5	27
278	Cape Town consensus on posttraumatic stress disorder. <i>CNS Spectrums</i> , 2009 , 14, 52-8	1.8	27
277	Pathways into ecstasy use: the role of prior cannabis use and ecstasy availability. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 331-41	4.9	26
276	Social phobia in the community: relationship between diagnostic threshold and prevalence. <i>European Psychiatry</i> , 2000 , 15, 25-8	6	26
275	Patterns and correlates of generalized anxiety disorder in community samples. <i>Journal of Clinical Psychiatry</i> , 2002 , 63 Suppl 8, 4-10	4.6	26
274	Optimizing exposure-based CBT for anxiety disorders via enhanced extinction: Design and methods of a multicentre randomized clinical trial. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	25
273	The diagnostic threshold of generalized anxiety disorder in the community: a developmental perspective. <i>Journal of Psychiatric Research</i> , 2011 , 45, 962-72	5.2	25
272	Circulating troponin as measured by a sensitive assay for cardiovascular risk assessment in primary prevention. <i>Clinical Chemistry</i> , 2012 , 58, 200-8	5.5	25
271	Patients' feedback after computer-assisted diagnostic interviews for mental disorders. <i>Psychotherapy Research</i> , 2006 , 16, 357-363	3.6	25
270	Obesity and risk of myocardial infarction: the INTERHEART study. <i>Lancet, The</i> , 2006 , 367, 1052	4.0	25
269	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019 , 9, 150	8.6	24
268	Diagnostic classification of specific phobia subtypes using structural MRI data: a machine-learning approach. <i>Journal of Neural Transmission</i> , 2015 , 122, 123-34	4.3	24
267	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , 2015 , 15, 77	4.2	24
266	Danger and loss events and the incidence of anxiety and depressive disorders: a prospective-longitudinal community study of adolescents and young adults. <i>Psychological Medicine</i> , 2015 , 45, 153-63	6.9	24
265	Continued needs for epidemiological studies of mental disorders in the community. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 197-206	9.4	24
264	Risk of rehospitalization of psychotic patients. A 6-year follow-up investigation using the survival approach. <i>Psychopathology</i> , 1987 , 20, 48-60	3.4	24
263	Incident mental disorders in the aftermath of traumatic events: A prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , 2018 , 227, 82-89	6.6	23
262	Neural substrates of defensive reactivity in two subtypes of specific phobia. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1668-75	4	23

261	The role of safety behaviors in exposure-based treatment for panic disorder and agoraphobia: associations to symptom severity, treatment course, and outcome. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 836-44	10.9	23
260	Prognostic value of NT-pro-BNP and hs-CRP for risk stratification in primary care: results from the population-based DETECT study. <i>Clinical Research in Cardiology</i> , 2013 , 102, 259-68	6.1	23
259	Smoking cessation in primary care - a randomized controlled trial of bupropione, nicotine replacements, CBT and a minimal intervention. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 28-39	4.3	23
258	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. <i>Blood Pressure</i> , 2004 , 13, 80-8	1.7	23
257	Epidemiology of Panic Attacks and Panic Disorders 1986 , 18-28		23
256	RGS2 ggenetic variation: association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 211-22	3.5	22
255	Depression and care-dependency in Parkinson's disease: results from a nationwide study of 1449 outpatients. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 598-601	3.6	22
254	Dissociating neural learning signals in human sign- and goal-trackers. <i>Nature Human Behaviour</i> , 2020 , 4, 201-214	12.8	22
253	The role of meaning in life in community-dwelling older adults with depression and relationship to other risk factors. <i>Aging and Mental Health</i> , 2019 , 23, 100-106	3.5	22
252	Neural correlates of instrumental responding in the context of alcohol-related cues index disorder severity and relapse risk. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 295-308	5.1	22
251	Asthma Trigger Reports Are Associated with Low Quality of Life, Exacerbations, and Emergency Treatments. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 204-11	4.7	21
250	Establishing non-inferiority in treatment trials in psychiatry: guidelines from an Expert Consensus Meeting. <i>Journal of Psychopharmacology</i> , 2008 , 22, 409-16	4.6	21
249	Effects of ethanol administration and induction of anxiety-related affective states on the acoustic startle reflex in sons of alcohol-dependent fathers. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 424-32	3.7	21
248	Comorbidity and mixed anxiety-depressive disorder: clinical curiosity or pathophysiological need?. <i>Human Psychopharmacology</i> , 2001 , 16, S21-S30	2.3	21
247	Functional disability and quality of life decrements in mental disorders: Results from the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>European Psychiatry</i> , 2015 , 30, 793-800	6	20
246	Predisposing, enabling, and need factors of service utilization in the elderly with mental health problems. <i>International Psychogeriatrics</i> , 2018 , 30, 1027-1037	3.4	20
245	Substance use and substance use disorders in recently deployed and never deployed soldiers. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 128-135	4.9	20
244	Criminal behavior in opioid-dependent patients before and during maintenance therapy: 6-year follow-up of a nationally representative cohort sample. <i>Journal of Forensic Sciences</i> , 2012 , 57, 1524-30	1.8	20

243	A 10-year prospective-longitudinal study of daily hassles and incident psychopathology among adolescents and young adults: interactions with gender, perceived coping efficacy, and negative life events. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1353-1362	4.5	20
242	Neurostructural correlates of two subtypes of specific phobia: a voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 168-75	2.9	20
241	Associations of anxiety disorders, depressive disorders and body weight with hypertension during pregnancy. <i>Archives of Women's Mental Health</i> , 2015 , 18, 473-83	5	20
240	Enhanced sympathetic arousal in response to fMRI scanning correlates with task induced activations and deactivations. <i>PLoS ONE</i> , 2013 , 8, e72576	3.7	20
239	Six-year mortality rates of patients in methadone and buprenorphine maintenance therapy: results from a nationally representative cohort study. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 678-80	1.7	20
238	Psychopathological changes and quality of life in hepatitis C virus-infected, opioid-dependent patients during maintenance therapy. <i>Addiction</i> , 2009 , 104, 630-40	4.6	20
237	The short- and long-term effect of duloxetine on painful physical symptoms in patients with generalized anxiety disorder: results from three clinical trials. <i>Journal of Anxiety Disorders</i> , 2009 , 23, 1064-71	10.9	20
236	Psychometric properties of the Retrospective Self Report of Inhibition (RSRI) in a representative German sample. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 80-8	4.3	20
235	Frequency of albuminuria in primary care: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 107-13		20
234	Test-retest reliability of self-reported age at onset of selected psychiatric diagnoses in general health care. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 117-25	6.5	20
233	Risk factors for new depressive episodes in primary health care: an international prospective 12-month follow-up study. <i>Psychological Medicine</i> , 2002 , 32, 595-607	6.9	20
232	The Relationship Between Paternal and Maternal Depression During the Perinatal Period: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 563287	5	20
231	Is trait resilience characterized by specific patterns of attentional bias to emotional stimuli and attentional control?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015 , 48, 133-9	2.6	19
230	Pretreatment Cardiac Vagal Tone Predicts Dropout from and Residual Symptoms after Exposure Therapy in Patients with Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 187-189	9.4	19
229	Predictors of changes in daily alcohol consumption in the aftermath of military deployment. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 175-82	4.9	19
228	Prevalence, incidence and determinants of PTSD and other mental disorders: design and methods of the PID-PTSD+3 study. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 98-116	4.3	19
227	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , 2011 , 131, 262-3	3.6	19
226	(Don't) panic in the scanner! How panic patients with agoraphobia experience a functional magnetic resonance imaging session. <i>European Neuropsychopharmacology</i> , 2011 , 21, 516-25	1.2	19

225	Apolipoprotein E ϵ 4 does not affect cognitive performance in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 29, 112-6	3.6	19
224	Family functioning mediates the association between parental depression and low self-esteem in adolescents. <i>Journal of Affective Disorders</i> , 2016 , 203, 184-189	6.6	18
223	Sexual Problems During Pregnancy and After Delivery Among Women With and Without Anxiety and Depressive Disorders Prior to Pregnancy: A Prospective-Longitudinal Study. <i>Journal of Sexual Medicine</i> , 2016 , 13, 95-104	1.1	18
222	Test-retest reliability and sensitivity to change of the dimensional anxiety scales for DSM-5. <i>CNS Spectrums</i> , 2014 , 19, 256-67	1.8	18
221	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1057-68	3.1	18
220	Fear processing in dental phobia during crossmodal symptom provocation: an fMRI study. <i>BioMed Research International</i> , 2014 , 2014, 196353	3	18
219	Gender differences in associations of glutamate decarboxylase 1 gene (GAD1) variants with panic disorder. <i>PLoS ONE</i> , 2012 , 7, e37651	3.7	18
218	Effects of growth hormone replacement within the KIMS survey on estimated cardiovascular risk and predictors of risk reduction in patients with growth hormone deficiency. <i>Clinical Endocrinology</i> , 2011 , 75, 825-30	3.4	18
217	Familial risk factors in social anxiety disorder: calling for a family-oriented approach for targeted prevention and early intervention. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 857-71	5.5	18
216	Use, abuse and dependence of prescription drugs in adolescents and young adults. <i>European Addiction Research</i> , 1998 , 4, 67-74	4.6	18
215	Psychische Störungen bei Patienten mit muskuloskelettalen und kardiovaskulären Erkrankungen im Vergleich zur Allgemeinbevölkerung. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2004 , 33, 33-41	0.4	18
214	Prevalence and severity of mental disorders in military personnel: a standardised comparison with civilians. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 199-208	5.1	17
213	Does low coping efficacy mediate the association between negative life events and incident psychopathology? A prospective-longitudinal community study among adolescents and young adults. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 171-80	5.1	17
212	Peripartum changes in social support among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , 2016 , 19, 943-952	5	17
211	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018 , 13, e0196574	3.7	17
210	Improved risk stratification in prevention by use of a panel of selected circulating microRNAs. <i>Scientific Reports</i> , 2017 , 7, 4511	4.9	17
209	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 399-406	5.1	17
208	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10915-39	4.6	17

207	Emerging clinical trends and perspectives on comorbid patterns of mental disorders in research. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 92-101	4.3	17
206	Associations between use of cocaine, amphetamines, or psychedelics and psychotic symptoms in a community sample. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 466-74	6.5	17
205	A new meta-structure of mental disorders: a helpful step into the future or a harmful step back to the past?. <i>Psychological Medicine</i> , 2009 , 39, 2083-9	6.9	17
204	A novel nonparametric approach for estimating cut-offs in continuous risk indicators with application to diabetes epidemiology. <i>BMC Medical Research Methodology</i> , 2009 , 9, 63	4.7	17
203	Differential familial liability of panic disorder and agoraphobia. <i>Depression and Anxiety</i> , 2008 , 25, 422-34	8.4	17
202	Clinical characteristics of major depressive disorder run in families--a community study of 933 mothers and their children. <i>Journal of Psychiatric Research</i> , 2006 , 40, 283-92	5.2	17
201	Orexin in the anxiety spectrum: association of a HCRTR1 polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , 2019 , 9, 75	8.6	16
200	The role of the mother-child relationship for anxiety disorders and depression: results from a prospective-longitudinal study in adolescents and their mothers. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 451-61	5.5	16
199	Longitudinal change instead of baseline testosterone predicts depressive symptoms. <i>Psychoneuroendocrinology</i> , 2018 , 89, 7-12	5	16
198	The socioeconomic profile of alcohol-attributable mortality in South Africa: a modelling study. <i>BMC Medicine</i> , 2018 , 16, 97	11.4	16
197	Changes of valued behaviors and functioning during an Acceptance and Commitment Therapy Intervention. <i>Journal of Contextual Behavioral Science</i> , 2017 , 6, 63-70	4.4	16
196	Epigenetic variation in the serotonin transporter gene predicts resting state functional connectivity strength within the salience-network. <i>Human Brain Mapping</i> , 2015 , 36, 4361-71	5.9	16
195	Where have they been? Service use of regular substance users with and without abuse and dependence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 470-9	4.5	16
194	The many faces of social anxiety disorder. <i>International Clinical Psychopharmacology</i> , 2000 , 15 Suppl 1, S7-12	2.2	16
193	Probing the Interoceptive Network by Listening to Heartbeats: An fMRI Study. <i>PLoS ONE</i> , 2015 , 10, e0133164	3.7	16
192	Overlooking Informal Dementia Caregivers' Burden. <i>Research in Gerontological Nursing</i> , 2016 , 9, 167-74	1.6	16
191	Prospective prediction of suicide attempts in community adolescents and young adults, using regression methods and machine learning. <i>Journal of Affective Disorders</i> , 2020 , 265, 570-578	6.6	16
190	Dimensional structure of bodily panic attack symptoms and their specific connections to panic cognitions, anxiety sensitivity and claustrophobic fears. <i>Psychological Medicine</i> , 2015 , 45, 1675-85	6.9	15

189	Running for extinction? Aerobic exercise as an augmentation of exposure therapy in panic disorder with agoraphobia. <i>Journal of Psychiatric Research</i> , 2018 , 101, 34-41	5.2	15
188	Trauma, attentional dysregulation, and the development of posttraumatic stress: An investigation of risk pathways. <i>Behaviour Research and Therapy</i> , 2018 , 102, 60-66	5.2	15
187	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016 , 245, 267-275	9.9	15
186	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016 , 16, 223	4.2	15
185	Symptom provocation in dental anxiety using cross-phobic video stimulation. <i>European Journal of Oral Sciences</i> , 2011 , 119, 61-8	2.3	15
184	Substance use, abuse and dependence in Germany. A review of selected epidemiological data. <i>European Addiction Research</i> , 1998 , 4, 8-17	4.6	15
183	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 61	3	14
182	Facing the fear--clinical and neural effects of cognitive behavioural and pharmacotherapy in panic disorder with agoraphobia. <i>European Neuropsychopharmacology</i> , 2016 , 26, 431-44	1.2	14
181	Stability, reliability, and validity of the THINC-it screening tool for cognitive impairment in depression: A psychometric exploration in healthy volunteers. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1736	4.3	14
180	The psychological perspective on mental health and mental disorder research: introduction to the ROAMER work package 5 consensus document. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 15-27	4.3	14
179	Mania, hypomania, and suicidality: findings from a prospective community study. <i>Archives of Suicide Research</i> , 2005 , 9, 267-78	2.3	14
178	International Day for the Evaluation of Abdominal obesity: rationale and design of a primary care study on the prevalence of abdominal obesity and associated factors in 63 countries. <i>Country Review Ukraine</i> , 2006 , 8, B26-B33		14
177	Are patients with pituitary adenomas at an increased risk of mental disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 60-8	6.5	14
176	Why do primary care doctors diagnose depression when diagnostic criteria are not met?. <i>International Journal of Methods in Psychiatric Research</i> , 2000 , 9, 110-120	4.3	14
175	Some problems concerning the reliability and structure of the scales in the inpatient multidimensional psychiatric scale (IMPS). <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , 1982 , 232, 395-406		14
174	Characterizing the nature of emotional-associative learning deficits in panic disorder: An fMRI study on fear conditioning, extinction training and recall. <i>European Neuropsychopharmacology</i> , 2019 , 29, 306-318	1.2	14
173	Obsessive-compulsive disorder and the risk of subsequent mental disorders: A community study of adolescents and young adults. <i>Depression and Anxiety</i> , 2018 , 35, 339-345	8.4	13
172	Decoding diagnosis and lifetime consumption in alcohol dependence from grey-matter pattern information. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 252-262	6.5	13

171	Peripartum changes in partnership quality among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , 2016 , 19, 281-90	5	13
170	Predictors and outcomes of suicidal ideation during peripartum period. <i>Journal of Affective Disorders</i> , 2019 , 257, 518-526	6.6	13
169	Ethanol administration dampens the prolactin response to psychosocial stress exposure in sons of alcohol-dependent fathers. <i>Psychoneuroendocrinology</i> , 2009 , 34, 996-1003	5	13
168	Health-related quality of life in patients with a history of myocardial infarction and stroke. <i>Cerebrovascular Diseases</i> , 2011 , 31, 68-76	3.2	13
167	Maternal personality, social support, and changes in depressive, anxiety, and stress symptoms during pregnancy and after delivery: A prospective-longitudinal study. <i>PLoS ONE</i> , 2020 , 15, e0237609	3.7	13
166	Drinking patterns and harm of unrecorded alcohol in Russia: a qualitative interview study. <i>Addiction Research and Theory</i> , 2017 , 25, 310-317	2.6	12
165	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	12
164	Acculturation and other risk factors of depressive disorders in individuals with Turkish migration backgrounds. <i>BMC Psychiatry</i> , 2017 , 17, 264	4.2	12
163	Characteristics of initial fearful spells and their associations with DSM-IV panic attacks and panic disorder in adolescents and young adults from the community. <i>Journal of Affective Disorders</i> , 2014 , 165, 95-102	6.6	12
162	Controlled and uncontrolled allergic asthma in routine respiratory specialist care - a clinical-epidemiological study in Germany. <i>Current Medical Research and Opinion</i> , 2011 , 27, 1835-47	2.5	12
161	Estimating causal effects from observational data with a model for multiple bias. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 77-87	4.3	12
160	Buprenorphine and methadone in the treatment of opioid dependence: methods and design of the COBRA study. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 14-28	4.3	12
159	The role of maternal anxiety and depressive disorders prior to and during pregnancy and perinatal psychopathological symptoms for early infant diseases and drug administration. <i>Early Human Development</i> , 2017 , 109, 7-14	2.2	11
158	Cardiovascular risk algorithms in primary care: Results from the DETECT study. <i>Scientific Reports</i> , 2019 , 9, 1101	4.9	11
157	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
156	Test-retest reliability of the computer-assisted DIA-X-5 interview for mental disorders. <i>BMC Psychiatry</i> , 2020 , 20, 280	4.2	11
155	Biological stress indicators as risk markers for increased alcohol use following traumatic experiences. <i>Addiction Biology</i> , 2018 , 23, 281-290	4.6	11
154	Neural Response Patterns During Pavlovian-to-Instrumental Transfer Predict Alcohol Relapse and Young Adult Drinking. <i>Biological Psychiatry</i> , 2019 , 86, 857-863	7.9	11

153	Support Vector Machine Analysis of Functional Magnetic Resonance Imaging of Interoception Does Not Reliably Predict Individual Outcomes of Cognitive Behavioral Therapy in Panic Disorder with Agoraphobia. <i>Frontiers in Psychiatry</i> , 2017 , 8, 99	5	11
152	Resting heart rate as a tool for risk stratification in primary care: does it provide incremental prognostic information?. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 275-84	3.9	11
151	Omalizumab versus 'usual care': results from a naturalistic longitudinal study in routine care. <i>International Archives of Allergy and Immunology</i> , 2012 , 159, 83-93	3.7	11
150	The position of anxiety disorders in structural models of mental disorders. <i>Psychiatric Clinics of North America</i> , 2009 , 32, 465-81	3.1	11
149	Experiences with psychotherapy for depression in routine care: a naturalistic patient survey in Germany. <i>Clinical Psychology and Psychotherapy</i> , 2006 , 13, 414-421	2.9	11
148	Effekte therapeutenbegleiteter versus patientengeleiteter Exposition bei Panikstörung mit Agoraphobie. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2012 , 41, 114-124	0.4	11
147	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448	3.8	11
146	Neural correlates of individual differences in anxiety sensitivity: an fMRI study using semantic priming. <i>Social Cognitive and Affective Neuroscience</i> , 2016 , 11, 1245-54	4	10
145	Mental disorders and smoking trajectories: a 10-year prospective study among adolescents and young adults in the community. <i>Drug and Alcohol Dependence</i> , 2013 , 130, 201-7	4.9	10
144	Familial hypercholesterolemia in primary care in Germany. Diabetes and cardiovascular risk evaluation: Targets and Essential Data for Commitment of Treatment (DETECT) study. <i>Atherosclerosis</i> , 2017 , 266, 24-30	3.1	10
143	Lifetime prevalence of mental disorders among first and second generation individuals with Turkish migration backgrounds in Germany. <i>BMC Psychiatry</i> , 2017 , 17, 177	4.2	10
142	The role of behavioral inhibition and parenting for an unfavorable emotional trauma response and PTSD. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 279-89	6.5	10
141	Gender-specific association of variants in the AKR1C1 gene with dimensional anxiety in patients with panic disorder: additional evidence for the importance of neurosteroids in anxiety?. <i>Depression and Anxiety</i> , 2014 , 31, 843-50	8.4	10
140	Rates of Mental Disorders Among German Soldiers Deployed to Afghanistan: Increased Risk of PTSD or of Mental Disorders In General?. <i>Journal of Depression & Anxiety</i> , 2013 , 02,	0	10
139	Verbal memory declines more in female patients with Parkinson's disease: the importance of gender-corrected normative data. <i>Psychological Medicine</i> , 2016 , 46, 2275-86	6.9	10
138	"Throwing out the baby with the bathwater"? Conceptual and methodological limitations of the HiTOP approach. <i>World Psychiatry</i> , 2018 , 17, 298-299	14.4	10
137	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017 , 17, 366	4.2	9
136	Obesity and Abdominal Fat Markers in Patients with a History of Stroke and Transient Ischemic Attacks. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1141-1147	2.8	9

135	Maternal anxiety and depressive disorders prior to, during and after pregnancy and infant interaction behaviors during the Face-to-Face Still Face Paradigm at 4 months postpartum: A prospective-longitudinal study. <i>Early Human Development</i> , 2018 , 122, 45-53	2.2	9
134	Pavlovian-To-Instrumental Transfer and Alcohol Consumption in Young Male Social Drinkers: Behavioral, Neural and Polygenic Correlates. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
133	Prevalence, Duration and Severity of Parkinson's Disease in Germany: A Combined Meta-Analysis from Literature Data and Outpatient Samples. <i>European Neurology</i> , 2017 , 78, 128-136	2.1	9
132	Improved prediction of all-cause mortality by a combination of serum total testosterone and insulin-like growth factor I in adult men. <i>Steroids</i> , 2012 , 77, 52-8	2.8	9
131	Implementierung, Akzeptanz und Informationsgehalt eines Ecological Momentary Assessment (EMA)-Ansatzes bei Patienten mit Panikstörung und Agoraphobie. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2009 , 38, 108-117	0.4	9
130	Adverse anthropometric risk profile in biochemically controlled acromegalic patients: comparison with an age- and gender-matched primary care population. <i>Pituitary</i> , 2010 , 13, 207-14	4.3	9
129	Patterns of healthcare utilization in patients with generalized anxiety disorder in general practice in Germany. <i>European Journal of Psychiatry</i> , 2009 , 23,	1	9
128	Do lifetime anxiety disorders (anxiety liability) and pregnancy-related anxiety predict complications during pregnancy and delivery?. <i>Early Human Development</i> , 2020 , 144, 105022	2.2	9
127	No association between Parkinson disease and autoantibodies against NMDA-type glutamate receptors. <i>Translational Neurodegeneration</i> , 2019 , 8, 11	10.3	8
126	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4179-4190	15.1	8
125	Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , 2017 , 7, e1227	8.6	8
124	Trajectory classes of decline in health-related quality of life in Parkinson's disease: a pilot study. <i>Value in Health</i> , 2011 , 14, 329-38	3.3	8
123	Generalized anxiety disorder as a risk factor for depression?. <i>International Journal of Methods in Psychiatric Research</i> , 2001 , 10, 52-57	4.3	8
122	Pregabalin reduces sleep disturbance in patients with generalized anxiety disorder via both direct and indirect mechanisms. <i>European Journal of Psychiatry</i> , 2010 , 24,	1	8
121	Clinical psychology and psychotherapy: A survey of the present state of professionalization in 23 countries.. <i>American Psychologist</i> , 1980 , 35, 16-25	9.5	8
120	Augmenting extinction learning with D-cycloserine reduces return of fear: a randomized, placebo-controlled fMRI study. <i>Neuropsychopharmacology</i> , 2020 , 45, 499-506	8.7	8
119	The course of panic disorder during the peripartum period and the risk for adverse child development: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , 2020 , 266, 722-730	6.6	8
118	Effect of CBT on Biased Semantic Network in Panic Disorder: A Multicenter fMRI Study Using Semantic Priming. <i>American Journal of Psychiatry</i> , 2020 , 177, 254-264	11.9	8

117	Risk factors for fearful spells, panic attacks and panic disorder in a community cohort of adolescents and young adults. <i>Journal of Affective Disorders</i> , 2016 , 193, 305-8	6.6	8
116	Stability of Recalled Parental Rearing Behavior in a Community Sample of Adolescents and Young Adults. <i>Journal of Research on Adolescence</i> , 2015 , 25, 614-621	3.2	7
115	Associations between lifetime PTSD symptoms and current substance use disorders using a five-factor model of PTSD. <i>Journal of Anxiety Disorders</i> , 2015 , 29, 93-100	10.9	7
114	Met and unmet need for interventions in community cases with anxiety disorders 2000 , 256-276		7
113	Panikattacken mit frhem und spem Beginn: Unterschiedliche pathogenetische Mechanismen?. <i>Verhaltenstherapie</i> , 1993 , 3, 296-303	0.9	7
112	Instruments for the assessment of substance use disorders. <i>Current Opinion in Psychiatry</i> , 1992 , 5, 412-419	1.9	7
111	Prvalenz und Behandlungsraten von Sttungen durch Alkoholkonsum in der primtzlichen Versorgung in Deutschland. <i>Sucht</i> , 2016 , 62, 233-243	0.5	7
110	Rauchen und Nikotinabhgigkeit in Deutschland. <i>Zeitschrift Fr Klinische Psychologie Und Psychotherapie</i> , 2008 , 37, 1-14	0.4	7
109	Perception of alcohol policies by consumers of unrecorded alcohol - an exploratory qualitative interview study with patients of alcohol treatment facilities in Russia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019 , 14, 53	3.4	7
108	A multimodal neuroimaging classifier for alcohol dependence. <i>Scientific Reports</i> , 2020 , 10, 298	4.9	6
107	Is Cannabis Use Treatment Also Indicated for Patients with Low to Moderate Polysubstance Use. <i>European Addiction Research</i> , 2018 , 24, 79-87	4.6	6
106	Association of NPSR1 gene variation and neural activity in patients with panic disorder and agoraphobia and healthy controls. <i>NeuroImage: Clinical</i> , 2019 , 24, 102029	5.3	6
105	Premenstrual symptoms are associated with psychological and physical symptoms in early pregnancy. <i>Archives of Women's Mental Health</i> , 2013 , 16, 109-15	5	6
104	Die Effekte interozeptiver Expositionsungen in der Kognitiven Verhaltenstherapie von Panikstung mit Agoraphobie. <i>Verhaltenstherapie</i> , 2015 , 25, 268-276	0.9	6
103	Does help-seeking alter the risk for incident psychopathology in adolescents and young adults with and without fearful spells or panic attacks? Findings from a 10-year prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , 2014 , 169, 221-7	6.6	6
102	Alzheimer's Disease: Differences of Transdermal versus Oral Treatment on Caregiving Time. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2012 , 2, 468-80	2.5	6
101	Women-specific mental disorders in DSM-V: are we failing again?. <i>Archives of Women's Mental Health</i> , 2010 , 13, 51-5	5	6
100	Social Phobia in an Italian region: do Italian studies show lower frequencies than community surveys conducted in other European countries?. <i>BMC Psychiatry</i> , 2004 , 4, 31	4.2	6

99	Care strategies for schizophrenic patients in a transcultural comparison. <i>Comprehensive Psychiatry</i> , 1990 , 31, 398-408	7.3	6
98	Komorbiditätsstrukturen bei Angststörungen Häufigkeit und mögliche Implikationen 1996 , 217-233		6
97	Epidemiologie und nosologischer Status der Generalisierten Angststörung. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2003 , 32, 267-275	0.4	6
96	Einsatzerlebnisse und einsatzbedingte psychische Erkrankungen deutscher Soldaten Empirische Struktur und prädiktive Wertigkeit traumatischer Stressoren. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , 2014 , 43, 180-191	0.4	6
95	Changes in psychopathological symptoms during pregnancy and after delivery: A prospective-longitudinal study in women with and without anxiety and depressive disorders prior to pregnancy. <i>Journal of Affective Disorders</i> , 2020 , 263, 480-490	6.6	6
94	The impact of depressive comorbidity on neural plasticity following cognitive-behavioral therapy in panic disorder with agoraphobia. <i>Journal of Affective Disorders</i> , 2019 , 245, 451-460	6.6	6
93	Effects of Cognitive Behavioral Therapy on Neural Processing of Agoraphobia-Specific Stimuli in Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 350-365	9.4	6
92	Assessment of alcoholic standard drinks using the Munich composite international diagnostic interview (M-CIDI): An evaluation and subsequent revision. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	5
91	Identification of heavy drinking in the 10-item AUDIT: Results from a prospective study among 18-21years old non-dependent German males. <i>Journal of Substance Abuse Treatment</i> , 2018 , 86, 94-101	4.2	5
90	Networks of phobic fear: Functional connectivity shifts in two subtypes of specific phobia. <i>Neuroscience Letters</i> , 2018 , 662, 167-172	3.3	5
89	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2019 , 14, e0224871	3.7	5
88	The best next drug in the course of generalized anxiety disorders: the "PN-GAD-algorithm". <i>International Journal of Psychiatry in Clinical Practice</i> , 2013 , 17, 78-89	2.4	5
87	Motor impairment, depression, dementia: which forms the impression of disease severity in Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1365-70	3.6	5
86	Clock drawing test: is it useful for dementia screening in patients having Parkinson disease with and without depression?. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 151-7	3.8	5
85	Calculating control variables with age at onset data to adjust for conditions prior to exposure. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 731-6	4.5	5
84	Recognition and management of anxiety syndromes. <i>British Journal of Psychiatry</i> , 1998 , 173, 1-3	5.4	5
83	Comorbidity of mood disorders diagnosis and treatment. <i>Depression</i> , 1995 , 3, 131-133		5
82	Psychotherapy services and the prevalence of mental disorders in urban and rural areas. <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , 1983 , 233, 39-57		5

81	Untersuchungskonzept für die CANDIS 1CANNabis DISorders -Studie zur Behandlung von cannabisbezogenen Störungen: Ein Beispiel translationaler Forschung. <i>Sucht</i> , 2011 , 57, 183-192	0.5	5
80	Schlafprobleme bei Soldaten und die Rolle traumatischer Ereignisse bei Auslandseinsätzen. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , 2015 , 44, 121-130	0.4	5
79	Professional psychology and private health services: Developing trends in the Federal Republic of Germany.. <i>American Psychologist</i> , 1986 , 41, 306-308	9.5	5
78	Specific traumatic events elevate the risk of a suicide attempt in a 10-year longitudinal community study on adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 179-186	5.5	5
77	Cognitive functioning in the general population: Factor structure and association with mental disorders-The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 27	4.3	5
76	The role of behavioral inhibition, perceived parental rearing, and adverse life events in adolescents and young adults with incident obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2018 , 19, 116-123	1.7	5
75	Help-Seeking Behavior and Treatment Barriers in Anxiety Disorders: Results from a Representative German Community Survey. <i>Community Mental Health Journal</i> , 2021 , 57, 1505-1517	2.1	5
74	Development and feasibility of the computerized Turkish edition of the Composite International Diagnostic Interview [DIA-X/CIDI version 2.8(TR)]. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	4
73	Psychotherapy and Mental Health as a Psychological Science Discipline. <i>Verhaltenstherapie</i> , 2015 , 25, 98-109	0.9	4
72	Stress exposure and the risk for the onset of alcohol use disorders and nicotine dependence in deployed military personnel: the role of prior internalizing disorders. <i>Addictive Behaviors</i> , 2015 , 43, 89-96	4.2	4
71	Association chain graphs: modelling etiological pathways. <i>International Journal of Methods in Psychiatric Research</i> , 2003 , 12, 77-84	4.3	4
70	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association-The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 594-603	1.3	4
69	Adjusted Troponin I for Improved Evaluation of Patients with Chest Pain. <i>Scientific Reports</i> , 2018 , 8, 8087	4.9	4
68	Chronic kidney disease in primary care in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2017 , 25, 223-230	1.4	3
67	Mental Disorders, <i>Epidemiology of</i> 2015 , 179-186		3
66	Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1138-1151	1.2	3
65	"Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT": Correction to Gloster et al. (2011).. <i>Journal of Consulting and Clinical Psychology</i> , 2011 , 79, 652-652	6.5	3
64	Abstinence orientation and treatment practice: an analysis of German settings providing opioid maintenance therapy. <i>Substance Use and Misuse</i> , 2012 , 47, 22-30	2.2	3

63	Cannabis use--do we have solutions? A reply to Macleod. <i>Addiction</i> , 2008 , 103, 1575	4.6	3
62	Epidemiology of Anxiety Disorders 2008 ,		3
61	The aetiological continuum of psychosis 2004 , 342-366		3
60	Aims, design and methods of the Smoking and Nicotine Dependence Awareness and Screening (SNICAS) study. <i>International Journal of Methods in Psychiatric Research</i> , 2003 , 12, 208-28	4.3	3
59	Vagal control of the heart decreases during increasing imminence of interoceptive threat in patients with panic disorder and agoraphobia. <i>Scientific Reports</i> , 2021 , 11, 7960	4.9	3
58	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the MAOA gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 161-170	5.1	3
57	Clinical psychology and psychotherapy: a survey of the present state of professionalization in 23 countries. <i>American Psychologist</i> , 1980 , 35, 16-25	9.5	3
56	Alkoholabhängigkeit in der primärärztlichen Versorgung: Welche Patienten werden erkannt?. <i>Suchttherapie</i> , 2017 , 18, 82-89	0.4	2
55	Prognostic value of reported chest pain for cardiovascular risk stratification in primary care. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 727-38	3.9	2
54	Re-examining the differential familial liability of agoraphobia and panic disorder. <i>Depression and Anxiety</i> , 2012 , 29, 931-8	8.4	2
53	Depression bei Morbus Parkinson: Epidemiologie und Therapie. <i>Aktuelle Neurologie</i> , 2013 , 40, 574-587		2
52	Triglycerides and stroke risk prediction: lessons from a prospective cohort study in german primary care patients. <i>Frontiers in Neurology</i> , 2010 , 1, 148	4.1	2
51	Elterliche Alkoholbelastung und die Entwicklung von Suchtproblemen bei ihren Kindern - Ergebnisse der prospektiv-longitudinalen EDSP-Studie1. <i>Suchttherapie</i> , 2001 , 2, 125-136	0.4	2
50	The Composite International Diagnostic Interview: An Instrument for Measuring Mental Health Outcome? 1996 , 179-187		2
49	Suchtforschungsverbund ASAT: Entwicklung von Zuordnungsmodellen für Interventionen bei Substanzstörungen. <i>Sucht</i> , 2002 , 48, 200-208	0.5	2
48	The modulating impact of cigarette smoking on brain structure in panic disorder: a voxel-based morphometry study. <i>Social Cognitive and Affective Neuroscience</i> , 2020 , 15, 849-859	4	2
47	Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2021 , 44, 105-120	1.2	2
46	Efficacy of temporally intensified exposure for anxiety disorders: A multicenter randomized clinical trial. <i>Depression and Anxiety</i> , 2021 , 38, 1169-1181	8.4	2

45	Effects of alcohol intoxication on self-reported drinking patterns, expectancies, motives and personality: a randomized controlled experimental study. <i>Addiction Biology</i> , 2019 , 24, 522-530	4.6	2
44	Self-reported volitional control in adolescents and young adults from a community cohort: Associations with current, past and future mental disorders. <i>Psychiatry Research</i> , 2018 , 260, 292-299	9.9	2
43	Neural adaptation of cingulate and insular activity during delayed fear extinction: A replicable pattern across assessment sites and repeated measurements. <i>NeuroImage</i> , 2021 , 237, 118157	7.9	2
42	The Social Epidemiology of Mental Disorder 2010 , 89-101		2
41	Cross-National Comparisons of Co-Morbidities between Substance Use Disorders and Mental Disorders 2006 , 447-472		2
40	Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , 2020 , 27, 102268	5.3	1
39	An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , 2020 , 127, 1527-1537	4.3	1
38	Introduction: Rethinking the Model - Refining the Method 2012 , 1-8		1
37	International Journal of Methods in Psychiatric Research goes online. <i>International Journal of Methods in Psychiatric Research</i> , 2012 , 21, 2-4	4.3	1
36	The DETECT adherence score--structure and psychometric exploration of a novel approach to measure adherence to drug and non-drug interventions in primary care. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 82-92	4.3	1
35	Estimating harmful effects of cannabis and use for policy makers shifting from one mistake to the next?. <i>Addiction</i> , 2010 , 105, 1334-5	4.6	1
34	Pregabalin in the Treatment of Generalised Anxiety Disorder. <i>CNS Drugs</i> , 2006 , 20, 694-695	6.7	1
33	Correction to the paper How association chain graphs can model pathways into disorders <i>International Journal of Methods in Psychiatric Research</i> , 2004 , 13, 54-55	4.3	1
32	Komorbiditystrukturen bei Angststörungen Häufigkeit und mögliche Implikationen 2000 , 329-345		1
31	Prävalenz und Versorgung von Diabetes mellitus und Herz-Kreislauf- Erkrankungen: DETECT Eine bundesweite Versorgungsstudie an über 55.000 Hausarztpatienten 2008 , 315-328		1
30	Komorbiditystrukturen bei Angststörungen Häufigkeit und mögliche Implikationen 2009 , 433-447		1
29	Diagnostic Reliability of Anxiety Disorders 1986 , 7-17		1
28	Mental Disorders, Gender, and Partnership in Problem Alcohol Use Risk at Age 55+. <i>Sucht</i> , 2017 , 63, 325-337		1

27	Fundamental frequency during cognitive preparation and its impact on therapy outcome for panic disorder with Agoraphobia. <i>Behaviour Research and Therapy</i> , 2020 , 135, 103728	5.2	1
26	Transfer of exposure therapy effects to a threat context not considered during treatment in patients with panic disorder and agoraphobia: Implications for potential mechanisms of change. <i>Behaviour Research and Therapy</i> , 2021 , 142, 103886	5.2	1
25	The role of gender and anxiety in the association between somatic diseases and depression: findings from three combined epidemiological studies in primary care. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 321-332	5.1	1
24	Extrapulmonary symptoms of patients with asthma treated in specialist pulmonary care. <i>Journal of Psychosomatic Research</i> , 2021 , 148, 110538	4.1	1
23	Progression of externalizing disorders into anxiety disorders: Longitudinal transitions in the first three decades of life.. <i>Journal of Anxiety Disorders</i> , 2022 , 86, 102533	10.9	0
22	Epidemiologische Beiträge zur Klinischen Psychologie 2020 , 57-112		0
21	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025711	2.6	0
20	Reply to C.e. Paiva et Al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1517	2.2	
19	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2828	2.2	
18	P.4.a.014 The role of depression in the treatment outcomes of a multicenter randomized trial of CBT for panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , 2012 , 22, S365	1.2	
17	P.4.a.016 What happens in the brain after successful vs. non-successful CBT treatment? A multicenter fMRI study on panic disorder with agoraphobia. <i>European Neuropsychopharmacology</i> , 2012 , 22, S366-S367	1.2	
16	Binary regression: total gain in positive and negative predictive values. <i>Biometrical Journal</i> , 2012 , 54, 808-23	1.5	
15	Comparative effects of pregabalin on anxiety and sleep disturbance: Results of a path analysis. <i>European Psychiatry</i> , 2011 , 26, 184-184	6	
14	Risk factors associated with the metabolic syndrome in abdominal obesity. <i>Clinical Obesity</i> , 2012 , 2, 142-96		
13	Implications of comorbidity: lessons from epidemiological studies1. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 114-125		
12	Stronger Prejudices Are Associated With Decreased Model-Based Control.. <i>Frontiers in Psychology</i> , 2021 , 12, 767022	3.4	
11	Diagnostische Klassifikation psychischer Störungen 2020 , 29-56		
10	El curso natural de los trastornos y síndromes somatomorfos del DSM-IV entre los adolescentes y los adultos jóvenes: un estudio comunitario prospectivo longitudinal. <i>European Psychiatry (Ed Española)</i> , 2003 , 10, 177-189		

- 9 Episodios depresivos: ¿hay datos para un rol causal de los trastornos de ansiedad primarios?.
European Psychiatry (Ed Española), **2004**, 11, 84-93
- 8 Diagnostische Prozesse in der Klinischen Psychologie und Psychotherapie **2020**, 519-555
- 7 Klinisch-psychologische und psychotherapeutische Verfahren: Ein Überblick **2020**, 377-395
- 6 Depressive Störungen: Major Depression und Persistierende Depressive Stimmung (Dysthymie) **2020**, 1027-1072
- 5 Kognitive Trainings **2020**, 683-694
- 4 Twelve-month prevalence of mental disorders in cancer patients across major tumor entities..
Journal of Clinical Oncology, **2015**, 33, 9552-9552 2.2
- 3 Correspondence (reply): In reply. *Deutsches Ärzteblatt International*, **2013**, 110, 610-1 2.5
- 2 Clinical and Neurofunctional Substrates of Cognitive Behavioral Therapy on Secondary Social Anxiety Disorder in Primary Panic Disorder: A Longitudinal fMRI Study. *Psychotherapy and Psychosomatics*, **2019**, 88, 48-51 9.4
- 1 Testosterone is not associated with traits of optimism or pessimism: Observational evidence from the prospective DETECT study. *PLoS ONE*, **2018**, 13, e0207870 3.7