

# Hans-Ulrich Wittchen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5416396/hans-ulrich-wittchen-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

602  
papers

53,971  
citations

116  
h-index

214  
g-index

665  
ext. papers

61,410  
ext. citations

5.1  
avg, IF

7.54  
L-index

#	Paper	IF	Citations
602	Progression of externalizing disorders into anxiety disorders: Longitudinal transitions in the first three decades of life.. <i>Journal of Anxiety Disorders</i> , <b>2022</b> , 86, 102533	10.9	0
601	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4179-4190	15.1	8
600	Stronger Prejudices Are Associated With Decreased Model-Based Control.. <i>Frontiers in Psychology</i> , <b>2021</b> , 12, 767022	3.4	
599	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association-The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 594-603	1.3	4
598	Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 44, 105-120	1.2	2
597	Vagal control of the heart decreases during increasing imminence of interoceptive threat in patients with panic disorder and agoraphobia. <i>Scientific Reports</i> , <b>2021</b> , 11, 7960	4.9	3
596	Efficacy of temporally intensified exposure for anxiety disorders: A multicenter randomized clinical trial. <i>Depression and Anxiety</i> , <b>2021</b> , 38, 1169-1181	8.4	2
595	Transfer of exposure therapy effects to a threat context not considered during treatment in patients with panic disorder and agoraphobia: Implications for potential mechanisms of change. <i>Behaviour Research and Therapy</i> , <b>2021</b> , 142, 103886	5.2	1
594	Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2021</b> , 48674211025711	2.6	0
593	Neural adaptation of cingulate and insular activity during delayed fear extinction: A replicable pattern across assessment sites and repeated measurements. <i>NeuroImage</i> , <b>2021</b> , 237, 118157	7.9	2
592	Extrapulmonary symptoms of patients with asthma treated in specialist pulmonary care. <i>Journal of Psychosomatic Research</i> , <b>2021</b> , 148, 110538	4.1	1
591	Help-Seeking Behavior and Treatment Barriers in Anxiety Disorders: Results from a Representative German Community Survey. <i>Community Mental Health Journal</i> , <b>2021</b> , 57, 1505-1517	2.1	5
590	Neural correlates of NOS1 ex1f-VNTR allelic variation in panic disorder and agoraphobia during fear conditioning and extinction in fMRI. <i>NeuroImage: Clinical</i> , <b>2020</b> , 27, 102268	5.3	1
589	An investigation of genetic variability of DNA methyltransferases DNMT3A and 3B does not provide evidence for a major role in the pathogenesis of panic disorder and dimensional anxiety phenotypes. <i>Journal of Neural Transmission</i> , <b>2020</b> , 127, 1527-1537	4.3	1
588	Test-retest reliability of the computer-assisted DIA-X-5 interview for mental disorders. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 280	4.2	11
587	Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. <i>Health and Quality of Life Outcomes</i> , <b>2020</b> , 18, 61	3	14
586	A multimodal neuroimaging classifier for alcohol dependence. <i>Scientific Reports</i> , <b>2020</b> , 10, 298	4.9	6

585	Epidemiologische Beiträge zur Klinischen Psychologie <b>2020</b> , 57-112		0
584	Diagnostische Klassifikation psychischer Störungen <b>2020</b> , 29-56		
583	Diagnostische Prozesse in der Klinischen Psychologie und Psychotherapie <b>2020</b> , 519-555		
582	Klinisch-psychologische und psychotherapeutische Verfahren: Ein Überblick <b>2020</b> , 377-395		
581	Depressive Störungen: Major Depression und Persistierende Depressive Stimmung (Dysthymie) <b>2020</b> , 1027-1072		
580	Kognitive Trainings <b>2020</b> , 683-694		
579	Dissociating neural learning signals in human sign- and goal-trackers. <i>Nature Human Behaviour</i> , <b>2020</b> , 4, 201-214	12.8	22
578	Augmenting extinction learning with D-cycloserine reduces return of fear: a randomized, placebo-controlled fMRI study. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 499-506	8.7	8
577	The course of panic disorder during the peripartum period and the risk for adverse child development: A prospective-longitudinal study. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 722-730	6.6	8
576	Prospective prediction of suicide attempts in community adolescents and young adults, using regression methods and machine learning. <i>Journal of Affective Disorders</i> , <b>2020</b> , 265, 570-578	6.6	16
575	Changes in psychopathological symptoms during pregnancy and after delivery: A prospective-longitudinal study in women with and without anxiety and depressive disorders prior to pregnancy. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 480-490	6.6	6
574	Effect of CBT on Biased Semantic Network in Panic Disorder: A Multicenter fMRI Study Using Semantic Priming. <i>American Journal of Psychiatry</i> , <b>2020</b> , 177, 254-264	11.9	8
573	Fundamental frequency during cognitive preparation and its impact on therapy outcome for panic disorder with Agoraphobia. <i>Behaviour Research and Therapy</i> , <b>2020</b> , 135, 103728	5.2	1
572	The Relationship Between Paternal and Maternal Depression During the Perinatal Period: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 563287	5	20
571	The modulating impact of cigarette smoking on brain structure in panic disorder: a voxel-based morphometry study. <i>Social Cognitive and Affective Neuroscience</i> , <b>2020</b> , 15, 849-859	4	2
570	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , <b>2020</b> , 19, 269-293	14.4	59
569	Maternal personality, social support, and changes in depressive, anxiety, and stress symptoms during pregnancy and after delivery: A prospective-longitudinal study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0237609	3.7	13
568	Specific traumatic events elevate the risk of a suicide attempt in a 10-year longitudinal community study on adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , <b>2020</b> , 29, 179-186	5.5	5

567	Do lifetime anxiety disorders (anxiety liability) and pregnancy-related anxiety predict complications during pregnancy and delivery?. <i>Early Human Development</i> , <b>2020</b> , 144, 105022	2.2	9
566	Cardiovascular risk algorithms in primary care: Results from the DETECT study. <i>Scientific Reports</i> , <b>2019</b> , 9, 1101	4.9	11
565	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 150	8.6	24
564	No association between Parkinson disease and autoantibodies against NMDA-type glutamate receptors. <i>Translational Neurodegeneration</i> , <b>2019</b> , 8, 11	10.3	8
563	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 499-510	8.4	11
562	Orexin in the anxiety spectrum: association of a HCRTR1 polymorphism with panic disorder/agoraphobia, CBT treatment response and fear-related intermediate phenotypes. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 75	8.6	16
561	Pavlovian-To-Instrumental Transfer and Alcohol Consumption in Young Male Social Drinkers: Behavioral, Neural and Polygenic Correlates. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	9
560	Neural Response Patterns During Pavlovian-to-Instrumental Transfer Predict Alcohol Relapse and Young Adult Drinking. <i>Biological Psychiatry</i> , <b>2019</b> , 86, 857-863	7.9	11
559	Predictors and outcomes of suicidal ideation during peripartum period. <i>Journal of Affective Disorders</i> , <b>2019</b> , 257, 518-526	6.6	13
558	Association of rs7688285 allelic variation coding for GLRB with fear reactivity and exposure-based therapy in patients with panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 1138-1151	1.2	3
557	Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0224871	3.7	5
556	Association of NPSR1 gene variation and neural activity in patients with panic disorder and agoraphobia and healthy controls. <i>NeuroImage: Clinical</i> , <b>2019</b> , 24, 102029	5.3	6
555	Perception of alcohol policies by consumers of unrecorded alcohol - an exploratory qualitative interview study with patients of alcohol treatment facilities in Russia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , <b>2019</b> , 14, 53	3.4	7
554	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 437-448	3.8	11
553	The impact of depressive comorbidity on neural plasticity following cognitive-behavioral therapy in panic disorder with agoraphobia. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 451-460	6.6	6
552	Clinical and Neurofunctional Substrates of Cognitive Behavioral Therapy on Secondary Social Anxiety Disorder in Primary Panic Disorder: A Longitudinal fMRI Study. <i>Psychotherapy and Psychosomatics</i> , <b>2019</b> , 88, 48-51	9.4	
551	Characterizing the nature of emotional-associative learning deficits in panic disorder: An fMRI study on fear conditioning, extinction training and recall. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 306-318	11.2	14
550	Cognitive decline in Parkinson's disease: the impact of the motor phenotype on cognition. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2019</b> , 90, 171-179	5.5	27

549	Does prior traumatization affect the treatment outcome of CBT for panic disorder? The potential role of the MAOA gene and depression symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2019</b> , 269, 161-170	5.1	3
548	The role of gender and anxiety in the association between somatic diseases and depression: findings from three combined epidemiological studies in primary care. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 28, 321-332	5.1	1
547	The role of meaning in life in community-dwelling older adults with depression and relationship to other risk factors. <i>Aging and Mental Health</i> , <b>2019</b> , 23, 100-106	3.5	22
546	Effects of alcohol intoxication on self-reported drinking patterns, expectancies, motives and personality: a randomized controlled experimental study. <i>Addiction Biology</i> , <b>2019</b> , 24, 522-530	4.6	2
545	Neural correlates of instrumental responding in the context of alcohol-related cues index disorder severity and relapse risk. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2019</b> , 269, 295-308	5.1	22
544	Running for extinction? Aerobic exercise as an augmentation of exposure therapy in panic disorder with agoraphobia. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 101, 34-41	5.2	15
543	The Generalized Anxiety Disorder Screener (GAD-7) and the anxiety module of the Hospital and Depression Scale (HADS-A) as screening tools for generalized anxiety disorder among cancer patients. <i>Psycho-Oncology</i> , <b>2018</b> , 27, 1509-1516	3.9	57
542	Obsessive-compulsive disorder and the risk of subsequent mental disorders: A community study of adolescents and young adults. <i>Depression and Anxiety</i> , <b>2018</b> , 35, 339-345	8.4	13
541	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). <i>Psycho-Oncology</i> , <b>2018</b> , 27, 1802-1809	3.9	36
540	Decoding diagnosis and lifetime consumption in alcohol dependence from grey-matter pattern information. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 252-262	6.5	13
539	Trauma, attentional dysregulation, and the development of posttraumatic stress: An investigation of risk pathways. <i>Behaviour Research and Therapy</i> , <b>2018</b> , 102, 60-66	5.2	15
538	Predisposing, enabling, and need factors of service utilization in the elderly with mental health problems. <i>International Psychogeriatrics</i> , <b>2018</b> , 30, 1027-1037	3.4	20
537	Longitudinal change instead of baseline testosterone predicts depressive symptoms. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 89, 7-12	5	16
536	Identification of heavy drinking in the 10-item AUDIT: Results from a prospective study among 18-21years old non-dependent German males. <i>Journal of Substance Abuse Treatment</i> , <b>2018</b> , 86, 94-101	4.2	5
535	Pretreatment Cardiac Vagal Tone Predicts Dropout from and Residual Symptoms after Exposure Therapy in Patients with Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 187-189	9.4	19
534	Biological stress indicators as risk markers for increased alcohol use following traumatic experiences. <i>Addiction Biology</i> , <b>2018</b> , 23, 281-290	4.6	11
533	Incident mental disorders in the aftermath of traumatic events: A prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 227, 82-89	6.6	23
532	Networks of phobic fear: Functional connectivity shifts in two subtypes of specific phobia. <i>Neuroscience Letters</i> , <b>2018</b> , 662, 167-172	3.3	5

531	Sociodemographic, clinical, and functional long-term outcomes in adolescents and young adults with mental disorders. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 6-17	6.5	34
530	Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. <i>American Journal of Geriatric Psychiatry</i> , <b>2018</b> , 26, 174-185	6.5	47
529	The socioeconomic profile of alcohol-attributable mortality in South Africa: a modelling study. <i>BMC Medicine</i> , <b>2018</b> , 16, 97	11.4	16
528	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , <b>2018</b> , 7, 556-561	6.3	146
527	Stability, reliability, and validity of the THINC-it screening tool for cognitive impairment in depression: A psychometric exploration in healthy volunteers. <i>International Journal of Methods in Psychiatric Research</i> , <b>2018</b> , 27, e1736	4.3	14
526	Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196574	3.7	17
525	Maternal anxiety and depressive disorders prior to, during and after pregnancy and infant interaction behaviors during the Face-to-Face Still Face Paradigm at 4 months postpartum: A prospective-longitudinal study. <i>Early Human Development</i> , <b>2018</b> , 122, 45-53	2.2	9
524	Is Cannabis Use Treatment Also Indicated for Patients with Low to Moderate Polysubstance Use. <i>European Addiction Research</i> , <b>2018</b> , 24, 79-87	4.6	6
523	Self-reported volitional control in adolescents and young adults from a community cohort: Associations with current, past and future mental disorders. <i>Psychiatry Research</i> , <b>2018</b> , 260, 292-299	9.9	2
522	Cognitive functioning in the general population: Factor structure and association with mental disorders-The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , <b>2018</b> , 27, e1736	4.3	5
521	The role of behavioral inhibition, perceived parental rearing, and adverse life events in adolescents and young adults with incident obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , <b>2018</b> , 19, 116-123	1.7	5
520	Testosterone is not associated with traits of optimism or pessimism: Observational evidence from the prospective DETECT study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0207870	3.7	
519	Effects of Cognitive Behavioral Therapy on Neural Processing of Agoraphobia-Specific Stimuli in Panic Disorder and Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 350-365	9.4	6
518	"Throwing out the baby with the bathwater"? Conceptual and methodological limitations of the HiTOP approach. <i>World Psychiatry</i> , <b>2018</b> , 17, 298-299	14.4	10
517	Adjusted Troponin I for Improved Evaluation of Patients with Chest Pain. <i>Scientific Reports</i> , <b>2018</b> , 8, 80874.9	4.9	4
516	Utilization of professional psychological care in a large German sample of cancer patients. <i>Psycho-Oncology</i> , <b>2017</b> , 26, 537-543	3.9	52
515	Drinking patterns and harm of unrecorded alcohol in Russia: a qualitative interview study. <i>Addiction Research and Theory</i> , <b>2017</b> , 25, 310-317	2.6	12
514	Increasing valued behaviors precedes reduction in suffering: Findings from a randomized controlled trial using ACT. <i>Behaviour Research and Therapy</i> , <b>2017</b> , 91, 64-71	5.2	50

513	Chronic kidney disease in primary care in Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , <b>2017</b> , 25, 223-230	1.4	3
512	GLRB allelic variation associated with agoraphobic cognitions, increased startle response and fear network activation: a potential neurogenetic pathway to panic disorder. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 1431-1439	15.1	34
511	Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	12
510	The role of maternal anxiety and depressive disorders prior to and during pregnancy and perinatal psychopathological symptoms for early infant diseases and drug administration. <i>Early Human Development</i> , <b>2017</b> , 109, 7-14	2.2	11
509	Assessment of alcoholic standard drinks using the Munich composite international diagnostic interview (M-CIDI): An evaluation and subsequent revision. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	5
508	Anxiety disorders. <i>Nature Reviews Disease Primers</i> , <b>2017</b> , 3, 17024	51.1	203
507	Optimizing exposure-based CBT for anxiety disorders via enhanced extinction: Design and methods of a multicentre randomized clinical trial. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	25
506	Six-Year Outcome of Opioid Maintenance Treatment in Heroin-Dependent Patients: Results from a Naturalistic Study in a Nationally Representative Sample. <i>European Addiction Research</i> , <b>2017</b> , 23, 97-105	4.6	36
505	Prevalence and severity of mental disorders in military personnel: a standardised comparison with civilians. <i>Epidemiology and Psychiatric Sciences</i> , <b>2017</b> , 26, 199-208	5.1	17
504	Prevalence of mental disorders in elderly people: the European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 125-131	5.4	165
503	Acculturation and other risk factors of depressive disorders in individuals with Turkish migration backgrounds. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 264	4.2	12
502	Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 366	4.2	9
501	Familial hypercholesterolemia in primary care in Germany. Diabetes and cardiovascular risk evaluation: Targets and Essential Data for Commitment of Treatment (DETECT) study. <i>Atherosclerosis</i> , <b>2017</b> , 266, 24-30	3.1	10
500	A 10-year prospective-longitudinal study of daily hassles and incident psychopathology among adolescents and young adults: interactions with gender, perceived coping efficacy, and negative life events. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2017</b> , 52, 1353-1362	4.5	20
499	Infant, maternal, and familial predictors and correlates of regulatory problems in early infancy: The differential role of infant temperament and maternal anxiety and depression. <i>Early Human Development</i> , <b>2017</b> , 115, 23-31	2.2	41
498	Modulation of defensive reactivity by GLRB allelic variation: converging evidence from an intermediate phenotype approach. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1227	8.6	8
497	Prevalence, Duration and Severity of Parkinson's Disease in Germany: A Combined Meta-Analysis from Literature Data and Outpatient Samples. <i>European Neurology</i> , <b>2017</b> , 78, 128-136	2.1	9
496	Quantitative neurobiological evidence for accelerated brain aging in alcohol dependence. <i>Translational Psychiatry</i> , <b>2017</b> , 7, 1279	8.6	41

495	The Hospital Anxiety and Depression Scale (HADS) and the 9-item Patient Health Questionnaire (PHQ-9) as screening instruments for depression in patients with cancer. <i>Cancer</i> , <b>2017</b> , 123, 4236-4243	6.4	69
494	Improved risk stratification in prevention by use of a panel of selected circulating microRNAs. <i>Scientific Reports</i> , <b>2017</b> , 7, 4511	4.9	17
493	Lifetime prevalence of mental disorders among first and second generation individuals with Turkish migration backgrounds in Germany. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 177	4.2	10
492	Changes of valued behaviors and functioning during an Acceptance and Commitment Therapy Intervention. <i>Journal of Contextual Behavioral Science</i> , <b>2017</b> , 6, 63-70	4.4	16
491	Alkoholabhängigkeit in der primären Versorgung: Welche Patienten werden erkannt?. <i>Suchttherapie</i> , <b>2017</b> , 18, 82-89	0.4	2
490	Development and feasibility of the computerized Turkish edition of the Composite International Diagnostic Interview [DIA-X/CIDI version 2.8(TR)]. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	4
489	Support Vector Machine Analysis of Functional Magnetic Resonance Imaging of Interoception Does Not Reliably Predict Individual Outcomes of Cognitive Behavioral Therapy in Panic Disorder with Agoraphobia. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 99	5	11
488	The THINC-Integrated Tool (THINC-it) Screening Assessment for Cognitive Dysfunction: Validation in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 873-881	4.6	63
487	Mental Disorders, Gender, and Partnership in Problem Alcohol Use Risk at Age 55+. <i>Sucht</i> , <b>2017</b> , 63, 325-337	3.7	1
486	Allelic variation in CRHR1 predisposes to panic disorder: evidence for biased fear processing. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 813-22	15.1	41
485	Satisfaction with information and unmet information needs in men and women with cancer. <i>Journal of Cancer Survivorship</i> , <b>2016</b> , 10, 62-70	5.1	119
484	Asthma Trigger Reports Are Associated with Low Quality of Life, Exacerbations, and Emergency Treatments. <i>Annals of the American Thoracic Society</i> , <b>2016</b> , 13, 204-11	4.7	21
483	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. <i>Psychotherapy and Psychosomatics</i> , <b>2016</b> , 85, 289-96	9.4	65
482	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , <b>2016</b> , 245, 267-275	9.9	15
481	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 223	4.2	15
480	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). <i>Depression and Anxiety</i> , <b>2016</b> , 33, 153-61	8.4	27
479	Maternal anxiety versus depressive disorders: specific relations to infants' crying, feeding and sleeping problems. <i>Child: Care, Health and Development</i> , <b>2016</b> , 42, 231-45	2.8	66
478	Evidence for two different ICD-11 posttraumatic stress disorders in a community sample of adolescents and young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2016</b> , 266, 317-28	5.1	88



477	Neural correlates of individual differences in anxiety sensitivity: an fMRI study using semantic priming. <i>Social Cognitive and Affective Neuroscience</i> , <b>2016</b> , 11, 1245-54	4	10
476	Family functioning mediates the association between parental depression and low self-esteem in adolescents. <i>Journal of Affective Disorders</i> , <b>2016</b> , 203, 184-189	6.6	18
475	Panic disorder with agoraphobia from a behavioral neuroscience perspective: Applying the research principles formulated by the Research Domain Criteria (RDoC) initiative. <i>Psychophysiology</i> , <b>2016</b> , 53, 312-322	4.1	54
474	Does low coping efficacy mediate the association between negative life events and incident psychopathology? A prospective-longitudinal community study among adolescents and young adults. <i>Epidemiology and Psychiatric Sciences</i> , <b>2016</b> , 25, 171-80	5.1	17
473	Prevalence, incidence, and natural course of anorexia and bulimia nervosa among adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 903-18	5.5	115
472	Obesity and Abdominal Fat Markers in Patients with a History of Stroke and Transient Ischemic Attacks. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2016</b> , 25, 1141-1147	2.8	9
471	Peripartum changes in social support among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , <b>2016</b> , 19, 943-952	5	17
470	Sexual Problems During Pregnancy and After Delivery Among Women With and Without Anxiety and Depressive Disorders Prior to Pregnancy: A Prospective-Longitudinal Study. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 95-104	1.1	18
469	Facing the fear--clinical and neural effects of cognitive behavioural and pharmacotherapy in panic disorder with agoraphobia. <i>European Neuropsychopharmacology</i> , <b>2016</b> , 26, 431-44	1.2	14
468	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. <i>Journal of Psychosomatic Research</i> , <b>2016</b> , 81, 24-30	4.1	67
467	Peripartum changes in partnership quality among women with and without anxiety and depressive disorders prior to pregnancy: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , <b>2016</b> , 19, 281-90	5	13
466	Overlooking Informal Dementia Caregivers' Burden. <i>Research in Gerontological Nursing</i> , <b>2016</b> , 9, 167-74	1.6	16
465	Prävalenz und Behandlungsraten von Störungen durch Alkoholkonsum in der primären Versorgung in Deutschland. <i>Sucht</i> , <b>2016</b> , 62, 233-243	0.5	7
464	ATTENTIONAL BIAS TEMPORAL DYNAMICS PREDICT POSTTRAUMATIC STRESS SYMPTOMS: A PROSPECTIVE-LONGITUDINAL STUDY AMONG SOLDIERS. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 630-9	8.4	31
463	IMPACT OF SPECIFIC PHOBIA ON THE RISK OF ONSET OF MENTAL DISORDERS: A 10-YEAR PROSPECTIVE-LONGITUDINAL COMMUNITY STUDY OF ADOLESCENTS AND YOUNG ADULTS. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 667-75	8.4	36
462	Pavlovian-to-instrumental transfer effects in the nucleus accumbens relate to relapse in alcohol dependence. <i>Addiction Biology</i> , <b>2016</b> , 21, 719-31	4.6	96
461	Subtypes of mild cognitive impairment in patients with Parkinson's disease: evidence from the LANDSCAPE study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2016</b> , 87, 1099-105	5.5	56
460	Verbal memory declines more in female patients with Parkinson's disease: the importance of gender-corrected normative data. <i>Psychological Medicine</i> , <b>2016</b> , 46, 2275-86	6.9	10

459	Apolipoprotein E $\epsilon$ 4 does not affect cognitive performance in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , <b>2016</b> , 29, 112-6	3.6	19
458	Risk factors for fearful spells, panic attacks and panic disorder in a community cohort of adolescents and young adults. <i>Journal of Affective Disorders</i> , <b>2016</b> , 193, 305-8	6.6	8
457	A prospective-longitudinal study on the association of anxiety disorders prior to pregnancy and pregnancy- and child-related fears. <i>Journal of Anxiety Disorders</i> , <b>2016</b> , 40, 58-66	10.9	30
456	MAOA gene hypomethylation in panic disorder-reversibility of an epigenetic risk pattern by psychotherapy. <i>Translational Psychiatry</i> , <b>2016</b> , 6, e773	8.6	111
455	Neurobiological markers predicting treatment response in anxiety disorders: A systematic review and implications for clinical application. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2016</b> , 66, 143-62	9	74
454	The economic costs of mental disorders: Do our societies react appropriately to the burden of mental disorders?. <i>EMBO Reports</i> , <b>2016</b> , 17, 1245-9	6.5	277
453	Treating Treatment-Resistant Patients with Panic Disorder and Agoraphobia Using Psychotherapy: A Randomized Controlled Switching Trial. <i>Psychotherapy and Psychosomatics</i> , <b>2015</b> , 84, 100-109	9.4	52
452	Diagnostic classification of specific phobia subtypes using structural MRI data: a machine-learning approach. <i>Journal of Neural Transmission</i> , <b>2015</b> , 122, 123-34	4.3	24
451	Therapygenetics: anterior cingulate cortex-amygdala coupling is associated with 5-HTTLPR and treatment response in panic disorder with agoraphobia. <i>Journal of Neural Transmission</i> , <b>2015</b> , 122, 135-44	4.3	28
450	Mental Disorders, <i>Epidemiology of</i> <b>2015</b> , 179-186		3
449	Hair cortisol concentrations and cortisol stress reactivity predict PTSD symptom increase after trauma exposure during military deployment. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 59, 123-33	5	90
448	Separating depressive comorbidity from panic disorder: A combined functional magnetic resonance imaging and machine learning approach. <i>Journal of Affective Disorders</i> , <b>2015</b> , 184, 182-92	6.6	31
447	Predicting treatment response to cognitive behavioral therapy in panic disorder with agoraphobia by integrating local neural information. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 68-74	14.5	92
446	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder--Data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 68, 76-82	5.2	49
445	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 77	4.2	24
444	Is trait resilience characterized by specific patterns of attentional bias to emotional stimuli and attentional control?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2015</b> , 48, 133-9	2.6	19
443	The 'Early Developmental Stages of Psychopathology (EDSP) study': a 20-year review of methods and findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 851-66	4.5	57
442	Risk factors and course patterns of anxiety and depressive disorders during pregnancy and after delivery: a prospective-longitudinal study. <i>Journal of Affective Disorders</i> , <b>2015</b> , 175, 385-95	6.6	183

441	Danger and loss events and the incidence of anxiety and depressive disorders: a prospective-longitudinal community study of adolescents and young adults. <i>Psychological Medicine</i> , <b>2015</b> , 45, 153-63	6.9	24
440	Dimensional structure of bodily panic attack symptoms and their specific connections to panic cognitions, anxiety sensitivity and claustrophobic fears. <i>Psychological Medicine</i> , <b>2015</b> , 45, 1675-85	6.9	15
439	The role of the mother-child relationship for anxiety disorders and depression: results from a prospective-longitudinal study in adolescents and their mothers. <i>European Child and Adolescent Psychiatry</i> , <b>2015</b> , 24, 451-61	5.5	16
438	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 1036-42	23.3	108
437	Functional disability and quality of life decrements in mental disorders: Results from the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>European Psychiatry</i> , <b>2015</b> , 30, 793-800	6	20
436	Visceral, subcutaneous abdominal adiposity and liver fat content distribution in normal glucose tolerance, impaired fasting glucose and/or impaired glucose tolerance. <i>International Journal of Obesity</i> , <b>2015</b> , 39, 495-501	5.5	34
435	Dimensional psychiatry: reward dysfunction and depressive mood across psychiatric disorders. <i>Psychopharmacology</i> , <b>2015</b> , 232, 331-41	4.7	122
434	Die Effekte interozeptiver Expositionsübungen in der Kognitiven Verhaltenstherapie von Panikstörung mit Agoraphobie. <i>Verhaltenstherapie</i> , <b>2015</b> , 25, 268-276	0.9	6
433	Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CID165. <i>International Journal of Methods in Psychiatric Research</i> , <b>2015</b> , 24, 116-29	4.3	31
432	Stability of Recalled Parental Rearing Behavior in a Community Sample of Adolescents and Young Adults. <i>Journal of Research on Adolescence</i> , <b>2015</b> , 25, 614-621	3.2	7
431	Epigenetic variation in the serotonin transporter gene predicts resting state functional connectivity strength within the salience-network. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 4361-71	5.9	16
430	Twelve-months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults - Mental Health Module (DEGS1-MH): a methodological addendum and correction. <i>International Journal of Methods in Psychiatric Research</i> , <b>2015</b> , 24, 305-13	4.3	65
429	RGS2 genetic variation: association analysis with panic disorder and dimensional as well as intermediate phenotypes of anxiety. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2015</b> , 168B, 211-22	3.5	22
428	The role of behavioral inhibition and parenting for an unfavorable emotional trauma response and PTSD. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 131, 279-89	6.5	10
427	Psychotherapy and Mental Health as a Psychological Science Discipline. <i>Verhaltenstherapie</i> , <b>2015</b> , 25, 98-109	0.9	4
426	People with alcohol use disorders in specialized care in eight different European countries. <i>Alcohol and Alcoholism</i> , <b>2015</b> , 50, 310-8	3.5	41
425	Reduced sleep quality and depression associate with decreased quality of life in patients with pituitary adenomas. <i>European Journal of Endocrinology</i> , <b>2015</b> , 172, 733-43	6.5	27
424	General practitioners recognizing alcohol dependence: a large cross-sectional study in 6 European countries. <i>Annals of Family Medicine</i> , <b>2015</b> , 13, 28-32	2.9	68

423	Reply to C.e. Paiva et Al. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 1517	2.2	
422	Reply to J. Dekker et al. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 2828	2.2	
421	Associations between lifetime PTSD symptoms and current substance use disorders using a five-factor model of PTSD. <i>Journal of Anxiety Disorders</i> , <b>2015</b> , 29, 93-100	10.9	7
420	Neurostructural correlates of two subtypes of specific phobia: a voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 231, 168-75	2.9	20
419	Stress exposure and the risk for the onset of alcohol use disorders and nicotine dependence in deployed military personnel: the role of prior internalizing disorders. <i>Addictive Behaviors</i> , <b>2015</b> , 43, 89-96	4.2	4
418	5HTT is associated with the phenotype psychological flexibility: results from a randomized clinical trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2015</b> , 265, 399-406	5.1	17
417	Associations of anxiety disorders, depressive disorders and body weight with hypertension during pregnancy. <i>Archives of Women's Mental Health</i> , <b>2015</b> , 18, 473-83	5	20
416	Predictors of changes in daily alcohol consumption in the aftermath of military deployment. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 147, 175-82	4.9	19
415	Usefulness of measuring both body mass index and waist circumference for the estimation of visceral adiposity and related cardiometabolic risk profile (from the INSPIRE ME IAA study). <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 307-15	3	106
414	Probing the Interoceptive Network by Listening to Heartbeats: An fMRI Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133764	3.7	16
413	Schlafprobleme bei Soldaten und die Rolle traumatischer Ereignisse bei Auslandseinsätzen. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , <b>2015</b> , 44, 121-130	0.4	5
412	Twelve-month prevalence of mental disorders in cancer patients across major tumor entities. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 9552-9552	2.2	
411	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, 5-50	1.2	121
410	Neural substrates of defensive reactivity in two subtypes of specific phobia. <i>Social Cognitive and Affective Neuroscience</i> , <b>2014</b> , 9, 1668-75	4	23
409	The role of safety behaviors in exposure-based treatment for panic disorder and agoraphobia: associations to symptom severity, treatment course, and outcome. <i>Journal of Anxiety Disorders</i> , <b>2014</b> , 28, 836-44	10.9	23
408	Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: a revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , <b>2014</b> , 28, 403-39	4.6	387
407	Associations of fearful spells and panic attacks with incident anxiety, depressive, and substance use disorders: a 10-year prospective-longitudinal community study of adolescents and young adults. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 55, 8-14	5.2	29
406	CANDIS treatment program for cannabis use disorders: findings from a randomized multi-site translational trial. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 134, 185-193	4.9	45

405	Substance use and substance use disorders in recently deployed and never deployed soldiers. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 134, 128-135	4.9	20
404	Characteristics of initial fearful spells and their associations with DSM-IV panic attacks and panic disorder in adolescents and young adults from the community. <i>Journal of Affective Disorders</i> , <b>2014</b> , 165, 95-102	6.6	12
403	MAOA and mechanisms of panic disorder revisited: from bench to molecular psychotherapy. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 122-8	15.1	79
402	Timing matters: change depends on the stage of treatment in cognitive behavioral therapy for panic disorder with agoraphobia. <i>Journal of Consulting and Clinical Psychology</i> , <b>2014</b> , 82, 141-53	6.5	34
401	Test-retest reliability and sensitivity to change of the dimensional anxiety scales for DSM-5. <i>CNS Spectrums</i> , <b>2014</b> , 19, 256-67	1.8	18
400	Testosterone, sex hormone-binding globulin and the metabolic syndrome in men: an individual participant data meta-analysis of observational studies. <i>PLoS ONE</i> , <b>2014</b> , 9, e100409	3.7	131
399	Horizon 2020 priorities in clinical mental health research: results of a consensus-based ROAMER expert survey. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 10915-39	4.6	17
398	Towards Horizon 2020: challenges and advances for clinical mental health research - outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , <b>2014</b> , 10, 1057-68	3.1	18
397	Does help-seeking alter the risk for incident psychopathology in adolescents and young adults with and without fearful spells or panic attacks? Findings from a 10-year prospective-longitudinal community study. <i>Journal of Affective Disorders</i> , <b>2014</b> , 169, 221-7	6.6	6
396	Anxious and non-anxious forms of major depression: familial, personality and symptom characteristics. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1223-34	6.9	37
395	Four-week prevalence of mental disorders in patients with cancer across major tumor entities. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 3540-6	2.2	363
394	Fear processing in dental phobia during crossmodal symptom provocation: an fMRI study. <i>BioMed Research International</i> , <b>2014</b> , 2014, 196353	3	18
393	The functional -1019C/G HTR1A polymorphism and mechanisms of fear. <i>Translational Psychiatry</i> , <b>2014</b> , 4, e490	8.6	34
392	Twelve-month prevalence, comorbidity and correlates of mental disorders in Germany: the Mental Health Module of the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23, 304-19	4.3	249
391	The need for a behavioural science focus in research on mental health and mental disorders. <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23 Suppl 1, 28-40	4.3	29
390	Emerging clinical trends and perspectives on comorbid patterns of mental disorders in research. <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23 Suppl 1, 92-101	4.3	17
389	Motor impairment, depression, dementia: which forms the impression of disease severity in Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , <b>2014</b> , 20, 1365-70	3.6	5
388	Self-reported utilization of mental health services in the adult German population--evidence for unmet needs? Results of the DEGS1-Mental Health Module (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23, 289-303	4.3	131

387	The psychological perspective on mental health and mental disorder research: introduction to the ROAMER work package 5 consensus document. <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23 Suppl 1, 15-27	4.3	14
386	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , <b>2014</b> , 23 Suppl 1, 1-14	4.3	76
385	Maternal anxiety disorders predict excessive infant crying: a prospective longitudinal study. <i>Archives of Disease in Childhood</i> , <b>2014</b> , 99, 800-6	2.2	38
384	Anticipating agoraphobic situations: the neural correlates of panic disorder with agoraphobia. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2385-96	6.9	27
383	Prognostic value of reported chest pain for cardiovascular risk stratification in primary care. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 727-38	3.9	2
382	Gender-specific association of variants in the AKR1C1 gene with dimensional anxiety in patients with panic disorder: additional evidence for the importance of neurosteroids in anxiety?. <i>Depression and Anxiety</i> , <b>2014</b> , 31, 843-50	8.4	10
381	Altered top-down and bottom-up processing of fear conditioning in panic disorder with agoraphobia. <i>Psychological Medicine</i> , <b>2014</b> , 44, 381-94	6.9	44
380	Einsatzerlebnisse und einsatzbedingte psychische Erkrankungen deutscher Soldaten – Empirische Struktur und prädiktive Wertigkeit traumatischer Stressoren. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , <b>2014</b> , 43, 180-191	0.4	6
379	The MentDis_ICF65+ study protocol: prevalence, 1-year incidence and symptom severity of mental disorders in the elderly and their relationship to impairment, functioning (ICF) and service utilisation. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 62	4.2	29
378	Prognostic value of NT-pro-BNP and hs-CRP for risk stratification in primary care: results from the population-based DETECT study. <i>Clinical Research in Cardiology</i> , <b>2013</b> , 102, 259-68	6.1	23
377	Premenstrual symptoms are associated with psychological and physical symptoms in early pregnancy. <i>Archives of Women's Mental Health</i> , <b>2013</b> , 16, 109-15	5	6
376	Long-term stability of cognitive behavioral therapy effects for panic disorder with agoraphobia: a two-year follow-up study. <i>Behaviour Research and Therapy</i> , <b>2013</b> , 51, 830-9	5.2	40
375	Maternal anxiety disorders prior to conception, psychopathology during pregnancy and early infants' development: a prospective-longitudinal study. <i>Archives of Women's Mental Health</i> , <b>2013</b> , 16, 549-60	5	36
374	Neural substrates of treatment response to cognitive-behavioral therapy in panic disorder with agoraphobia. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 1345-55	11.9	102
373	The best next drug in the course of generalized anxiety disorders: the "PN-GAD-algorithm". <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2013</b> , 17, 78-89	2.4	5
372	Mental disorders and smoking trajectories: a 10-year prospective study among adolescents and young adults in the community. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 130, 201-7	4.9	10
371	Composite International Diagnostic Interview screening scales for DSM-IV anxiety and mood disorders. <i>Psychological Medicine</i> , <b>2013</b> , 43, 1625-37	6.9	117
370	Effect of cognitive-behavioral therapy on neural correlates of fear conditioning in panic disorder. <i>Biological Psychiatry</i> , <b>2013</b> , 73, 93-101	7.9	116

369	Depression bei Morbus Parkinson: Epidemiologie und Therapie. <i>Aktuelle Neurologie</i> , <b>2013</b> , 40, 574-587		2
368	Clock drawing test: is it useful for dementia screening in patients having Parkinson disease with and without depression?. <i>Journal of Geriatric Psychiatry and Neurology</i> , <b>2013</b> , 26, 151-7	3.8	5
367	The design and methods of the mental health module in the German Health Interview and Examination Survey for Adults (DEGS1-MH). <i>International Journal of Methods in Psychiatric Research</i> , <b>2013</b> , 22, 83-99	4.3	64
366	The diagnosis and treatment of generalized anxiety disorder. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2013</b> , 110, 300-9; quiz 310	2.5	33
365	Rates of Mental Disorders Among German Soldiers Deployed to Afghanistan: Increased Risk of PTSD or of Mental Disorders In General?. <i>Journal of Depression &amp; Anxiety</i> , <b>2013</b> , 02,	0	10
364	Enhanced sympathetic arousal in response to fMRI scanning correlates with task induced activations and deactivations. <i>PLoS ONE</i> , <b>2013</b> , 8, e72576	3.7	20
363	Correspondence (reply): In reply. <i>Deutsches A&amp;#x0308;rztblatt International</i> , <b>2013</b> , 110, 610-1	2.5	
362	Criminal behavior in opioid-dependent patients before and during maintenance therapy: 6-year follow-up of a nationally representative cohort sample. <i>Journal of Forensic Sciences</i> , <b>2012</b> , 57, 1524-30	1.8	20
361	The association between social phobia, social anxiety cognitions and paranoid symptoms. <i>Acta Psychiatrica Scandinavica</i> , <b>2012</b> , 125, 213-27	6.5	39
360	Adversity and psychosis: a 10-year prospective study investigating synergism between early and recent adversity in psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2012</b> , 125, 388-99	6.5	77
359	Within and between session changes in subjective and neuroendocrine stress parameters during magnetic resonance imaging: A controlled scanner training study. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 1299-308	5	34
358	P.4.a.014 The role of depression in the treatment outcomes of a multicenter randomized trial of CBT for panic disorder and agoraphobia. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, S365	1.2	
357	P.4.a.016 What happens in the brain after successful vs. non-successful CBT treatment? A multicenter fMRI study on panic disorder with agoraphobia. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, S366-S367	1.2	
356	Binary regression: total gain in positive and negative predictive values. <i>Biometrical Journal</i> , <b>2012</b> , 54, 808-23	1.5	
355	Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. <i>International Journal of Methods in Psychiatric Research</i> , <b>2012</b> , 21, 169-84	4.3	1455
354	A dimensional approach to measuring anxiety for DSM-5. <i>International Journal of Methods in Psychiatric Research</i> , <b>2012</b> , 21, 258-72	4.3	62
353	Efficacy of a targeted cognitive-behavioral treatment program for cannabis use disorders (CANDIS). <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, 267-80	1.2	36
352	Depression and care-dependency in Parkinson's disease: results from a nationwide study of 1449 outpatients. <i>Parkinsonism and Related Disorders</i> , <b>2012</b> , 18, 598-601	3.6	22

351	Improved prediction of all-cause mortality by a combination of serum total testosterone and insulin-like growth factor I in adult men. <i>Steroids</i> , <b>2012</b> , 77, 52-8	2.8	9
350	Characterizing the association between parenting and adolescent social phobia. <i>Journal of Anxiety Disorders</i> , <b>2012</b> , 26, 608-16	10.9	55
349	The relevance of age at first alcohol and nicotine use for initiation of cannabis use and progression to cannabis use disorders. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 123, 48-56	4.9	42
348	Meta-analysis argues for a female-specific role of MAOA-uVNTR in panic disorder in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2012</b> , 159B, 786-93	3.5	55
347	Psychometric properties of the dimensional anxiety scales for DSM-V in an unselected sample of German treatment seeking patients. <i>Depression and Anxiety</i> , <b>2012</b> , 29, 1014-24	8.4	39
346	The natural course of social anxiety disorder among adolescents and young adults. <i>Acta Psychiatrica Scandinavica</i> , <b>2012</b> , 126, 411-25	6.5	94
345	Dynamics of defensive reactivity in patients with panic disorder and agoraphobia: implications for the etiology of panic disorder. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 512-20	7.9	61
344	Impact of complications and comorbidities on treatment costs and health-related quality of life of patients with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , <b>2012</b> , 314, 41-7	3.2	40
343	Introduction: Rethinking the Model - Refining the Method <b>2012</b> , 1-8		1
342	Gender differences in associations of glutamate decarboxylase 1 gene (GAD1) variants with panic disorder. <i>PLoS ONE</i> , <b>2012</b> , 7, e37651	3.7	18
341	International Journal of Methods in Psychiatric Research goes online. <i>International Journal of Methods in Psychiatric Research</i> , <b>2012</b> , 21, 2-4	4.3	1
340	Prevalence, incidence and determinants of PTSD and other mental disorders: design and methods of the PID-PTSD+3 study. <i>International Journal of Methods in Psychiatric Research</i> , <b>2012</b> , 21, 98-116	4.3	19
339	Re-examining the differential familial liability of agoraphobia and panic disorder. <i>Depression and Anxiety</i> , <b>2012</b> , 29, 931-8	8.4	2
338	The economic cost of brain disorders in Europe. <i>European Journal of Neurology</i> , <b>2012</b> , 19, 155-62	6	893
337	Abstinence orientation and treatment practice: an analysis of German settings providing opioid maintenance therapy. <i>Substance Use and Misuse</i> , <b>2012</b> , 47, 22-30	2.2	3
336	Resting heart rate as a tool for risk stratification in primary care: does it provide incremental prognostic information?. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 275-84	3.9	11
335	Risk factors associated with the metabolic syndrome in abdominal obesity. <i>Clinical Obesity</i> , <b>2012</b> , 2, 142-9.6		
334	Circulating troponin as measured by a sensitive assay for cardiovascular risk assessment in primary prevention. <i>Clinical Chemistry</i> , <b>2012</b> , 58, 200-8	5.5	25



333	Omalizumab versus 'usual care': results from a naturalistic longitudinal study in routine care. <i>International Archives of Allergy and Immunology</i> , <b>2012</b> , 159, 83-93	3.7	11
332	Depression does not affect the treatment outcome of CBT for panic and agoraphobia: results from a multicenter randomized trial. <i>Psychotherapy and Psychosomatics</i> , <b>2012</b> , 81, 161-72	9.4	31
331	Alzheimer's Disease: Differences of Transdermal versus Oral Treatment on Caregiving Time. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , <b>2012</b> , 2, 468-80	2.5	6
330	Changes in the prevalence, treatment and control of hypertension in Germany? A clinical-epidemiological study of 50.000 primary care patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e52229	3.7	28
329	Traumatic experiences and posttraumatic stress disorder in soldiers following deployment abroad: how big is the hidden problem?. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2012</b> , 109, 559-68	2.5	52
328	Effekte therapeutenbegleiteter versus patientengeleiteter Exposition bei Panikstörung mit Agoraphobie. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , <b>2012</b> , 41, 114-124	0.4	11
327	Comparative effects of pregabalin on anxiety and sleep disturbance: Results of a path analysis. <i>European Psychiatry</i> , <b>2011</b> , 26, 184-184	6	
326	How specific is specific phobia? Different neural response patterns in two subtypes of specific phobia. <i>NeuroImage</i> , <b>2011</b> , 56, 363-72	7.9	62
325	Non-replication of interaction between cannabis use and trauma in predicting psychosis. <i>Schizophrenia Research</i> , <b>2011</b> , 131, 262-3	3.6	19
324	Trajectory classes of decline in health-related quality of life in Parkinson's disease: a pilot study. <i>Value in Health</i> , <b>2011</b> , 14, 329-38	3.3	8
323	The scanner as a stressor: evidence from subjective and neuroendocrine stress parameters in the time course of a functional magnetic resonance imaging session. <i>International Journal of Psychophysiology</i> , <b>2011</b> , 79, 118-26	2.9	87
322	Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , <b>2011</b> , 21, 718-79	1.2	987
321	(Don't) panic in the scanner! How panic patients with agoraphobia experience a functional magnetic resonance imaging session. <i>European Neuropsychopharmacology</i> , <b>2011</b> , 21, 516-25	1.2	19
320	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , <b>2011</b> , 21, 655-79	1.2	2219
319	Six-year mortality rates of patients in methadone and buprenorphine maintenance therapy: results from a nationally representative cohort study. <i>Journal of Clinical Psychopharmacology</i> , <b>2011</b> , 31, 678-80	1.7	20
318	Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: an 8-year cohort study. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 84-93	1.3	274
317	Psychological treatment for panic disorder with agoraphobia: a randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT. <i>Journal of Consulting and Clinical Psychology</i> , <b>2011</b> , 79, 406-20	6.5	160
316	"Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT": Correction to Gloster et al. (2011).. <i>Journal of Consulting and Clinical Psychology</i> , <b>2011</b> , 79, 652-652	6.5	3

315	Effects of growth hormone replacement within the KIMS survey on estimated cardiovascular risk and predictors of risk reduction in patients with growth hormone deficiency. <i>Clinical Endocrinology</i> , <b>2011</b> , 75, 825-30	3.4	18
314	Associations between use of cocaine, amphetamines, or psychedelics and psychotic symptoms in a community sample. <i>Acta Psychiatrica Scandinavica</i> , <b>2011</b> , 123, 466-74	6.5	17
313	Symptom provocation in dental anxiety using cross-phobic video stimulation. <i>European Journal of Oral Sciences</i> , <b>2011</b> , 119, 61-8	2.3	15
312	Neuropeptide S receptor gene -- converging evidence for a role in panic disorder. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 938-48	15.1	137
311	Type 2 diabetes mellitus and medications for type 2 diabetes mellitus are associated with risk for and mortality from cancer in a German primary care cohort. <i>Metabolism: Clinical and Experimental</i> , <b>2011</b> , 60, 1363-71	12.7	69
310	Social fear and social phobia types among community youth: differential clinical features and vulnerability factors. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 111-20	5.2	62
309	The diagnostic threshold of generalized anxiety disorder in the community: a developmental perspective. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 962-72	5.2	25
308	Smoking cessation in primary care - a randomized controlled trial of bupropione, nicotine replacements, CBT and a minimal intervention. <i>International Journal of Methods in Psychiatric Research</i> , <b>2011</b> , 20, 28-39	4.3	23
307	The DETECT adherence score--structure and psychometric exploration of a novel approach to measure adherence to drug and non-drug interventions in primary care. <i>International Journal of Methods in Psychiatric Research</i> , <b>2011</b> , 20, 82-92	4.3	1
306	The effects of latent variables in the development of comorbidity among common mental disorders. <i>Depression and Anxiety</i> , <b>2011</b> , 28, 29-39	8.4	51
305	Affective dysregulation and reality distortion: a 10-year prospective study of their association and clinical relevance. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 561-71	1.3	106
304	Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study. <i>BMJ, The</i> , <b>2011</b> , 342, d738	5.9	193
303	Health-related quality of life in patients with a history of myocardial infarction and stroke. <i>Cerebrovascular Diseases</i> , <b>2011</b> , 31, 68-76	3.2	13
302	Prediction of incident diabetes mellitus by baseline IGF1 levels. <i>European Journal of Endocrinology</i> , <b>2011</b> , 164, 223-9	6.5	47
301	Do cannabis and urbanicity co-participate in causing psychosis? Evidence from a 10-year follow-up cohort study. <i>Psychological Medicine</i> , <b>2011</b> , 41, 2121-9	6.9	51
300	The role of mental disorders in the risk and speed of transition to alcohol use disorders among community youth. <i>Psychological Medicine</i> , <b>2011</b> , 41, 1073-85	6.9	39
299	Parkinson's disease and dementia: a longitudinal study (DEMPARK). <i>Neuroepidemiology</i> , <b>2011</b> , 37, 168-76	5.4	35
298	Controlled and uncontrolled allergic asthma in routine respiratory specialist care - a clinical-epidemiological study in Germany. <i>Current Medical Research and Opinion</i> , <b>2011</b> , 27, 1835-47	2.5	12

297	Measuring abdominal obesity: effects of height on distribution of cardiometabolic risk factors risk using waist circumference and waist-to-height ratio. <i>Diabetes Care</i> , <b>2011</b> , 34, e7	14.6	89
296	Untersuchungskonzept für die CANDIS 1 Cannabis Disorders -Studie zur Behandlung von cannabisbezogenen Störungen: Ein Beispiel translationaler Forschung. <i>Sucht</i> , <b>2011</b> , 57, 183-192	0.5	5
295	Risk factors predicting onset and persistence of subthreshold expression of bipolar psychopathology among youth from the community. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 122, 255-66	6.5	55
294	Estimating harmful effects of cannabis and use for policy makers shifting from one mistake to the next?. <i>Addiction</i> , <b>2010</b> , 105, 1334-5	4.6	1
293	Triglycerides and stroke risk prediction: lessons from a prospective cohort study in German primary care patients. <i>Frontiers in Neurology</i> , <b>2010</b> , 1, 148	4.1	2
292	Occurrence risk and structure of depression in Parkinson disease with and without dementia: results from the GEPAD Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , <b>2010</b> , 23, 27-34	3.8	51
291	Incidence and risk patterns of anxiety and depressive disorders and categorization of generalized anxiety disorder. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 47-57		293
290	Evidence that bipolar disorder is the poor outcome fraction of a common developmental phenotype: an 8-year cohort study in young people. <i>Psychological Medicine</i> , <b>2010</b> , 40, 289-99	6.9	50
289	Prediction of transition from common adolescent bipolar experiences to bipolar disorder: 10-year study. <i>British Journal of Psychiatry</i> , <b>2010</b> , 196, 102-8	5.4	72
288	The predictive value of different measures of obesity for incident cardiovascular events and mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1777-85	5.6	268
287	Diabetes in primary care: prospective associations between depression, nonadherence and glycemic control. <i>Psychotherapy and Psychosomatics</i> , <b>2010</b> , 79, 172-8	9.4	74
286	Early expression of negative/disorganized symptoms predicting psychotic experiences and subsequent clinical psychosis: a 10-year study. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 1075-82	11.9	118
285	Agoraphobia: a review of the diagnostic classificatory position and criteria. <i>Depression and Anxiety</i> , <b>2010</b> , 27, 113-33	8.4	91
284	Familial risk factors in social anxiety disorder: calling for a family-oriented approach for targeted prevention and early intervention. <i>European Child and Adolescent Psychiatry</i> , <b>2010</b> , 19, 857-71	5.5	18
283	Pain associated with specific anxiety and depressive disorders in a nationally representative population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2010</b> , 45, 89-104	4.5	74
282	Frequency of dementia, depression, and other neuropsychiatric symptoms in 1,449 outpatients with Parkinson's disease. <i>Journal of Neurology</i> , <b>2010</b> , 257, 1073-82	5.5	174
281	Women-specific mental disorders in DSM-V: are we failing again?. <i>Archives of Women's Mental Health</i> , <b>2010</b> , 13, 51-5	5	6
280	Adverse anthropometric risk profile in biochemically controlled acromegalic patients: comparison with an age- and gender-matched primary care population. <i>Pituitary</i> , <b>2010</b> , 13, 207-14	4.3	9

279	A striking pattern of cortisol non-responsiveness to psychosocial stress in patients with panic disorder with concurrent normal cortisol awakening responses. <i>Psychoneuroendocrinology</i> , <b>2010</b> , 35, 414-21	5	96
278	Anxiety disorders before birth and self-perceived distress during pregnancy: associations with maternal depression and obstetric, neonatal and early childhood outcomes. <i>Early Human Development</i> , <b>2010</b> , 86, 305-10	2.2	157
277	Panic disorder: a review of DSM-IV panic disorder and proposals for DSM-V. <i>Depression and Anxiety</i> , <b>2010</b> , 27, 93-112	8.4	97
276	Specific phobia: a review of DSM-IV specific phobia and preliminary recommendations for DSM-V. <i>Depression and Anxiety</i> , <b>2010</b> , 27, 148-67	8.4	161
275	Pregabalin reduces sleep disturbance in patients with generalized anxiety disorder via both direct and indirect mechanisms. <i>European Journal of Psychiatry</i> , <b>2010</b> , 24,	1	8
274	The Social Epidemiology of Mental Disorder <b>2010</b> , 89-101		2
273	Implementierung, Akzeptanz und Informationsgehalt eines Ecological Momentary Assessment (EMA)-Ansatzes bei Patienten mit Panikstörung und Agoraphobie. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , <b>2009</b> , 38, 108-117	0.4	9
272	Epidemiology of Anxiety Disorders. <i>Current Topics in Behavioral Neurosciences</i> , <b>2009</b> , 21-35	3.4	177
271	A new meta-structure of mental disorders: a helpful step into the future or a harmful step back to the past?. <i>Psychological Medicine</i> , <b>2009</b> , 39, 2083-9	6.9	17
270	Reduced memory and attention performance in a population-based sample of young adults with a moderate lifetime use of cannabis, ecstasy and alcohol. <i>Journal of Psychopharmacology</i> , <b>2009</b> , 23, 495-509	4.6	43
269	Common and distinct amygdala-function perturbations in depressed vs anxious adolescents. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 275-85		214
268	Ethanol administration dampens the prolactin response to psychosocial stress exposure in sons of alcohol-dependent fathers. <i>Psychoneuroendocrinology</i> , <b>2009</b> , 34, 996-1003	5	13
267	A novel nonparametric approach for estimating cut-offs in continuous risk indicators with application to diabetes epidemiology. <i>BMC Medical Research Methodology</i> , <b>2009</b> , 9, 63	4.7	17
266	Is moderate substance use associated with altered executive functioning in a population-based sample of young adults?. <i>Human Psychopharmacology</i> , <b>2009</b> , 24, 650-65	2.3	29
265	The role of parental psychopathology and family environment for social phobia in the first three decades of life. <i>Depression and Anxiety</i> , <b>2009</b> , 26, 363-70	8.4	75
264	Subtypes of panic attacks: a critical review of the empirical literature. <i>Depression and Anxiety</i> , <b>2009</b> , 26, 878-87	8.4	56
263	Computerized ambulatory monitoring in psychiatry: a multi-site collaborative study of acceptability, compliance, and reactivity. <i>International Journal of Methods in Psychiatric Research</i> , <b>2009</b> , 18, 48-57	4.3	84
262	The structure of common mental disorders: a replication study in a community sample of adolescents and young adults. <i>International Journal of Methods in Psychiatric Research</i> , <b>2009</b> , 18, 204-20	4.3	65

261	The structure of mental disorders re-examined: is it developmentally stable and robust against additions?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2009</b> , 18, 189-203	4.3	46
260	Associations of familial risk factors with social fears and social phobia: evidence for the continuum hypothesis in social anxiety disorder?. <i>Journal of Neural Transmission</i> , <b>2009</b> , 116, 639-48	4.3	51
259	New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). <i>Archives of Women's Mental Health</i> , <b>2009</b> , 12, 281-9	5	46
258	Psychopathological changes and quality of life in hepatitis C virus-infected, opioid-dependent patients during maintenance therapy. <i>Addiction</i> , <b>2009</b> , 104, 630-40	4.6	20
257	Prevalence of low male testosterone levels in primary care in Germany: cross-sectional results from the DETECT study. <i>Clinical Endocrinology</i> , <b>2009</b> , 70, 446-54	3.4	33
256	Prevalence of mental disorders in acromegaly: a cross-sectional study in 81 acromegalic patients. <i>Clinical Endocrinology</i> , <b>2009</b> , 71, 691-701	3.4	50
255	A typology of cannabis-related problems among individuals with repeated illegal drug use in the first three decades of life: Evidence for heterogeneity and different treatment needs. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 102, 151-7	4.9	29
254	Association between generalized anxiety levels and pain in a community sample: evidence for diagnostic specificity. <i>Journal of Anxiety Disorders</i> , <b>2009</b> , 23, 684-93	10.9	63
253	Do parental psychopathology and unfavorable family environment predict the persistence of social phobia?. <i>Journal of Anxiety Disorders</i> , <b>2009</b> , 23, 986-94	10.9	40
252	The short- and long-term effect of duloxetine on painful physical symptoms in patients with generalized anxiety disorder: results from three clinical trials. <i>Journal of Anxiety Disorders</i> , <b>2009</b> , 23, 1064-71	10.9	20
251	Posttraumatic stress disorder and obesity: evidence for a risk association. <i>American Journal of Preventive Medicine</i> , <b>2009</b> , 36, 1-8	6.1	90
250	The position of anxiety disorders in structural models of mental disorders. <i>Psychiatric Clinics of North America</i> , <b>2009</b> , 32, 465-81	3.1	11
249	Heterogeneity of DSM-IV major depressive disorder as a consequence of subthreshold bipolarity. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 1341-52		199
248	Patterns of healthcare utilization in patients with generalized anxiety disorder in general practice in Germany. <i>European Journal of Psychiatry</i> , <b>2009</b> , 23,	1	9
247	Komorbiditystrukturen bei Angststörungen Häufigkeit und mögliche Implikationen <b>2009</b> , 433-447		1
246	Posttraumatic stress disorder: diagnostic and epidemiological perspectives. <i>CNS Spectrums</i> , <b>2009</b> , 14, 5-12	1.8	50
245	Cape Town consensus on posttraumatic stress disorder. <i>CNS Spectrums</i> , <b>2009</b> , 14, 52-8	1.8	27
244	The natural course of cannabis use, abuse and dependence during the first decades of life. <i>Addiction</i> , <b>2008</b> , 103, 439-49; discussion 450-1	4.6	147

243	Cannabis use--do we have solutions? A reply to Macleod. <i>Addiction</i> , <b>2008</b> , 103, 1575	4.6	3
242	Risk and speed of transitions to first alcohol dependence symptoms in adolescents: a 10-year longitudinal community study in Germany. <i>Addiction</i> , <b>2008</b> , 103, 1638-47	4.6	47
241	The interplay of familial depression liability and adverse events in predicting the first onset of depression during a 10-year follow-up. <i>Biological Psychiatry</i> , <b>2008</b> , 63, 406-14	7.9	55
240	Screening for cognitive deficits in Parkinson's disease with the Parkinson neuropsychometric dementia assessment (PANDA) instrument. <i>Parkinsonism and Related Disorders</i> , <b>2008</b> , 14, 93-101	3.6	142
239	Feasibility and outcome of substitution treatment of heroin-dependent patients in specialized substitution centers and primary care facilities in Germany: a naturalistic study in 2694 patients. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 95, 245-57	4.9	67
238	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , <b>2008</b> , 18, 535-49	1.2	105
237	Duloxetine treatment for relapse prevention in adults with generalized anxiety disorder: a double-blind placebo-controlled trial. <i>European Neuropsychopharmacology</i> , <b>2008</b> , 18, 673-81	1.2	53
236	Agoraphobia and panic. Prospective-longitudinal relations suggest a rethinking of diagnostic concepts. <i>Psychotherapy and Psychosomatics</i> , <b>2008</b> , 77, 147-57	9.4	86
235	Establishing non-inferiority in treatment trials in psychiatry: guidelines from an Expert Consensus Meeting. <i>Journal of Psychopharmacology</i> , <b>2008</b> , 22, 409-16	4.6	21
234	Anxiety disorders in mothers and their children: prospective longitudinal community study. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 308-9	5.4	62
233	Long-term efficacy of pregabalin in generalized anxiety disorder. <i>International Clinical Psychopharmacology</i> , <b>2008</b> , 23, 18-28	2.2	81
232	Epidemiology of Anxiety Disorders <b>2008</b> ,		3
231	Prevalence of mental health problems among children and adolescents in Germany: results of the BELLA study within the National Health Interview and Examination Survey. <i>European Child and Adolescent Psychiatry</i> , <b>2008</b> , 17 Suppl 1, 22-33	5.5	182
230	How impaired are children and adolescents by mental health problems? Results of the BELLA study. <i>European Child and Adolescent Psychiatry</i> , <b>2008</b> , 17 Suppl 1, 42-51	5.5	42
229	Cognitive impairment in 873 patients with idiopathic Parkinson's disease. Results from the German Study on Epidemiology of Parkinson's Disease with Dementia (GEPAD). <i>Journal of Neurology</i> , <b>2008</b> , 255, 255-64	5.5	199
228	Psychometric properties of the Retrospective Self Report of Inhibition (RSRI) in a representative German sample. <i>International Journal of Methods in Psychiatric Research</i> , <b>2008</b> , 17, 80-8	4.3	20
227	Why people change? The role of cognitive-control processes in the onset and cessation of substance abuse disorders. <i>International Journal of Methods in Psychiatric Research</i> , <b>2008</b> , 17 Suppl 1, S4-S15	4.3	42
226	Human and economic burden of generalized anxiety disorder. <i>Depression and Anxiety</i> , <b>2008</b> , 25, 72-90	8.4	292

225	Differential familial liability of panic disorder and agoraphobia. <i>Depression and Anxiety</i> , <b>2008</b> , 25, 422-348.4	17
224	Effectiveness of day hospital treatment for anorexia nervosa and bulimia nervosa. <i>European Eating Disorders Review</i> , <b>2008</b> , 16, 341-51	5.3 46
223	Prävalenz und Versorgung von Diabetes mellitus und Herz-Kreislauf- Erkrankungen: DETECT Eine bundesweite Versorgungsstudie an über 55.000 Hausarztpatienten <b>2008</b> , 315-328	1
222	Rauchen und Nikotinabhängigkeit in Deutschland. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , <b>2008</b> , 37, 1-14	0.4 7
221	Clinical diagnostic criteria for premenstrual syndrome and guidelines for their quantification for research studies. <i>Gynecological Endocrinology</i> , <b>2007</b> , 23, 123-30	2.4 105
220	International Day for the Evaluation of Abdominal Obesity (IDEA): a study of waist circumference, cardiovascular disease, and diabetes mellitus in 168,000 primary care patients in 63 countries. <i>Circulation</i> , <b>2007</b> , 116, 1942-51	16.7 487
219	Estimating causal effects from observational data with a model for multiple bias. <i>International Journal of Methods in Psychiatric Research</i> , <b>2007</b> , 16, 77-87	4.3 12
218	Supplementary dimensional assessment in anxiety disorders. <i>International Journal of Methods in Psychiatric Research</i> , <b>2007</b> , 16 Suppl 1, S52-64	4.3 70
217	Methodological approaches in the assessment of interferon-alfa-induced depression in patients with chronic hepatitis C - a critical review. <i>International Journal of Methods in Psychiatric Research</i> , <b>2007</b> , 16, 186-201	4.3 42
216	Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 903-12	472
215	Increased 12-month prevalence rates of mental disorders in patients with chronic somatic diseases. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 354-60	9.4 156
214	Frequency of albuminuria in primary care: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 107-13	20
213	Childhood separation anxiety and the risk of subsequent psychopathology: Results from a community study. <i>Psychotherapy and Psychosomatics</i> , <b>2007</b> , 76, 47-56	9.4 124
212	Accuracy of anthropometric indicators of obesity to predict cardiovascular risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 589-94	5.6 194
211	Does normal developmental expression of psychosis combine with environmental risk to cause persistence of psychosis? A psychosis proneness-persistence model. <i>Psychological Medicine</i> , <b>2007</b> , 37, 513-27	6.9 185
210	Physical activity and prevalence and incidence of mental disorders in adolescents and young adults. <i>Psychological Medicine</i> , <b>2007</b> , 37, 1657-66	6.9 178
209	Using screening tools to identify neuropathic pain. <i>Pain</i> , <b>2007</b> , 127, 199-203	8 377
208	Cannabis use and cannabis use disorders and their relationship to mental disorders: a 10-year prospective-longitudinal community study in adolescents. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 88 Suppl 1, S60-70	4.9 227

207	Broadening the definition of generalized anxiety disorder: effects on prevalence and associations with other disorders in the National Comorbidity Survey Replication. <i>Journal of Anxiety Disorders</i> , <b>2007</b> , 21, 662-76	10.9	109
206	Unmet needs in the diagnosis and treatment of dyslipidemia in the primary care setting in Germany. <i>Atherosclerosis</i> , <b>2007</b> , 190, 397-407	3.1	27
205	Dependence symptoms in young cannabis users? A prospective epidemiological study. <i>Journal of Psychiatric Research</i> , <b>2006</b> , 40, 394-403	5.2	47
204	Clinical characteristics of major depressive disorder run in families--a community study of 933 mothers and their children. <i>Journal of Psychiatric Research</i> , <b>2006</b> , 40, 283-92	5.2	17
203	Experiences with psychotherapy for depression in routine care: a naturalistic patient survey in Germany. <i>Clinical Psychology and Psychotherapy</i> , <b>2006</b> , 13, 414-421	2.9	11
202	Impact of psychological trauma on the development of psychotic symptoms: relationship with psychosis proneness. <i>British Journal of Psychiatry</i> , <b>2006</b> , 188, 527-33	5.4	239
201	Substance use and substance use disorders in a community sample of adolescents and young adults: incidence, age effects and patterns of use. <i>European Addiction Research</i> , <b>2006</b> , 12, 187-96	4.6	48
200	High cholesterol, triglycerides, and body-mass index in suicide attempters. <i>Archives of Suicide Research</i> , <b>2006</b> , 10, 1-9	2.3	50
199	Pregabalin in the Treatment of Generalised Anxiety Disorder. <i>CNS Drugs</i> , <b>2006</b> , 20, 694-695	6.7	1
198	Patients' Feedback after computer-assisted diagnostic interviews for mental disorders. <i>Psychotherapy Research</i> , <b>2006</b> , 16, 357-363	3.6	25
197	Obesity and risk of myocardial infarction: the INTERHEART study. <i>Lancet, The</i> , <b>2006</b> , 367, 1052	4.0	25
196	The accuracy of prevalence estimations for suicide attempts. how reliably do adolescents and young adults report their suicide attempts?. <i>Archives of Suicide Research</i> , <b>2006</b> , 10, 253-63	2.3	29
195	Prevalence of generalized anxiety disorder in general practice in Denmark, Finland, Norway, and Sweden. <i>Psychiatric Services</i> , <b>2006</b> , 57, 1738-44	3.3	68
194	International Day for the Evaluation of Abdominal obesity: rationale and design of a primary care study on the prevalence of abdominal obesity and associated factors in 63 countries. <i>Country Review Ukraine</i> , <b>2006</b> , 8, B26-B33		14
193	Evidence that the outcome of developmental expression of psychosis is worse for adolescents growing up in an urban environment. <i>Psychological Medicine</i> , <b>2006</b> , 36, 407-15	6.9	60
192	One-year mortality rates of patients receiving methadone and buprenorphine maintenance therapy: a nationally representative cohort study in 2694 patients. <i>Journal of Clinical Psychopharmacology</i> , <b>2006</b> , 26, 657-60	1.7	46
191	DSM-IV pain disorder in the general population. An exploration of the structure and threshold of medically unexplained pain symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2006</b> , 256, 187-96	5.1	62
190	Where have they been? Service use of regular substance users with and without abuse and dependence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 470-9	4.5	16



189	Cross-National Comparisons of Co-Morbidities between Substance Use Disorders and Mental Disorders <b>2006</b> , 447-472		2
188	Size and burden of social phobia in Europe. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 453-62	1.2	227
187	The epidemiology of panic disorder and agoraphobia in Europe. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 435-43	1.2	150
186	Prevalence and burden of bipolar disorders in European countries. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 425-34	1.2	226
185	Size and burden of mental disorders in Europe--a critical review and appraisal of 27 studies. <i>European Neuropsychopharmacology</i> , <b>2005</b> , 15, 357-76	1.2	935
184	Mania, hypomania, and suicidality: findings from a prospective community study. <i>Archives of Suicide Research</i> , <b>2005</b> , 9, 267-78	2.3	14
183	Cardiovascular risk factors in primary care: methods and baseline prevalence rates--the DETECT program. <i>Current Medical Research and Opinion</i> , <b>2005</b> , 21, 619-30	2.5	83
182	Pathways into ecstasy use: the role of prior cannabis use and ecstasy availability. <i>Drug and Alcohol Dependence</i> , <b>2005</b> , 79, 331-41	4.9	26
181	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , <b>2005</b> , 19, 567-96	4.6	449
180	Rethinking the duration requirement for generalized anxiety disorder: evidence from the National Comorbidity Survey Replication. <i>Psychological Medicine</i> , <b>2005</b> , 35, 1073-82	6.9	153
179	Should excessive worry be required for a diagnosis of generalized anxiety disorder? Results from the US National Comorbidity Survey Replication. <i>Psychological Medicine</i> , <b>2005</b> , 35, 1761-72	6.9	96
178	Cost of disorders of the brain in Europe. <i>European Journal of Neurology</i> , <b>2005</b> , 12 Suppl 1, 1-27	6	555
177	Buprenorphine and methadone in the treatment of opioid dependence: methods and design of the COBRA study. <i>International Journal of Methods in Psychiatric Research</i> , <b>2005</b> , 14, 14-28	4.3	12
176	The use of weights to account for non-response and drop-out. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 291-9	4.5	78
175	Calculating control variables with age at onset data to adjust for conditions prior to exposure. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 731-6	4.5	5
174	"Anxietas tibiarum". Depression and anxiety disorders in patients with restless legs syndrome. <i>Journal of Neurology</i> , <b>2005</b> , 252, 67-71	5.5	185
173	Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. <i>BMJ, The</i> , <b>2005</b> , 330, 11	5.9	543
172	Maternal suicidality and risk of suicidality in offspring: findings from a community study. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 1665-71	11.9	65

171	Longitudinal course of posttraumatic stress disorder and posttraumatic stress disorder symptoms in a community sample of adolescents and young adults. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 1320-7	11.9	173
170	Seelische Gesundheit in Ost und West: Analysen auf der Grundlage des Bundesgesundheitsveys. <i>Zeitschrift für Klinische Psychologie Und Psychotherapie</i> , <b>2004</b> , 33, 251-260	0.4	40
169	Effect of ethanol on hypothalamic-pituitary-adrenal system response to psychosocial stress in sons of alcohol-dependent fathers. <i>Neuropsychopharmacology</i> , <b>2004</b> , 29, 1156-65	8.7	80
168	Panic attack as a risk factor for severe psychopathology. <i>American Journal of Psychiatry</i> , <b>2004</b> , 161, 2207-14	11.9	112
167	Prevalence, co-morbidity and correlates of mental disorders in the general population: results from the German Health Interview and Examination Survey (GHS). <i>Psychological Medicine</i> , <b>2004</b> , 34, 597-611	6.9	785
166	Continued needs for epidemiological studies of mental disorders in the community. <i>Psychotherapy and Psychosomatics</i> , <b>2004</b> , 73, 197-206	9.4	24
165	HYDRA: possible determinants of unsatisfactory hypertension control in German primary care patients. <i>Blood Pressure</i> , <b>2004</b> , 13, 80-8	1.7	23
164	How prevalent is smoking and nicotine dependence in primary care in Germany?. <i>Addiction</i> , <b>2004</b> , 99, 1586-98	4.6	49
163	Early maternal stress and health behaviours and offspring expression of psychosis in adolescence. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 110, 356-64	6.5	43
162	Recognition and management of overweight and obesity in primary care in Germany. <i>International Journal of Obesity</i> , <b>2004</b> , 28, 1299-308	5.5	63
161	Effects of ethanol administration and induction of anxiety-related affective states on the acoustic startle reflex in sons of alcohol-dependent fathers. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2004</b> , 28, 424-32	3.7	21
160	Arginine vasopressin and adrenocorticotropin secretion in response to psychosocial stress is attenuated by ethanol in sons of alcohol-dependent fathers. <i>Journal of Psychiatric Research</i> , <b>2004</b> , 38, 385-93	5.2	30
159	Does urbanicity shift the population expression of psychosis?. <i>Journal of Psychiatric Research</i> , <b>2004</b> , 38, 613-8	5.2	63
158	Mixed anxiety-depression in a 1 year follow-up study: shift to other diagnoses or remission?. <i>Journal of Affective Disorders</i> , <b>2004</b> , 79, 235-9	6.6	61
157	Social Phobia in an Italian region: do Italian studies show lower frequencies than community surveys conducted in other European countries?. <i>BMC Psychiatry</i> , <b>2004</b> , 4, 31	4.2	6
156	Correction to the paper How association chain graphs can model pathways into disorders. <i>International Journal of Methods in Psychiatric Research</i> , <b>2004</b> , 13, 54-55	4.3	1
155	The aetiological continuum of psychosis <b>2004</b> , 342-366		3
154	Hypertension in overweight and obese primary care patients is highly prevalent and poorly controlled. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 904-10	2.3	203

153	High prevalence and poor control of hypertension in primary care: cross-sectional study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 479-86	1.9	104
152	What characteristics of primary anxiety disorders predict subsequent major depressive disorder?. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 618-26, quiz 730	4.6	182
151	Risk factors for premenstrual dysphoric disorder in a community sample of young women: the role of traumatic events and posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 1314-22	4.6	92
150	Episodios depresivos: ¿hay datos para un rol causal de los trastornos de ansiedad primarios?. <i>European Psychiatry (Ed Española)</i> , <b>2004</b> , 11, 84-93		
149	Psychische Störungen bei Patienten mit muskuloskelettalen und kardiovaskulären Erkrankungen im Vergleich zur Allgemeinbevölkerung. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , <b>2004</b> , 33, 33-41	0.4	18
148	Natural course and burden of bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , <b>2003</b> , 6, 145-54	5.8	46
147	Recurrent brief depressive disorder reinvestigated: a community sample of adolescents and young adults. <i>Psychological Medicine</i> , <b>2003</b> , 33, 407-18	6.9	28
146	Smoking increases the risk of panic: findings from a prospective community study. <i>Archives of General Psychiatry</i> , <b>2003</b> , 60, 692-700		164
145	Risk factors for depression at 12-month follow-up in adult primary health care patients with major depression: an international prospective study. <i>Journal of Affective Disorders</i> , <b>2003</b> , 76, 157-69	6.6	74
144	Prevalence of psychiatric disorders in an onset cohort of adults with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2003</b> , 19, 216-22	7.5	38
143	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. <i>International Journal of Methods in Psychiatric Research</i> , <b>2003</b> , 12, 3-21	4.3	682
142	Association chain graphs: modelling etiological pathways. <i>International Journal of Methods in Psychiatric Research</i> , <b>2003</b> , 12, 77-84	4.3	4
141	Aims, design and methods of the Smoking and Nicotine Dependence Awareness and Screening (SNICAS) study. <i>International Journal of Methods in Psychiatric Research</i> , <b>2003</b> , 12, 208-28	4.3	3
140	Family and high-risk studies of social anxiety disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 28-37	6.5	44
139	Are patients with pituitary adenomas at an increased risk of mental disorders?. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 107, 60-8	6.5	14
138	Abuse and dependence potential for the non-benzodiazepine hypnotics zolpidem and zopiclone: a review of case reports and epidemiological data. <i>Addiction</i> , <b>2003</b> , 98, 1371-8	4.6	263
137	Sex differences in psychosis: normal or pathological?. <i>Schizophrenia Research</i> , <b>2003</b> , 62, 45-9	3.6	67
136	Depressive episodes--evidence for a causal role of primary anxiety disorders?. <i>European Psychiatry</i> , <b>2003</b> , 18, 384-93	6	126

135	Maternal smoking and smoking in adolescents: a prospective community study of adolescents and their mothers. <i>European Addiction Research</i> , <b>2003</b> , 9, 120-30	4.6	61
134	Primary anxiety disorders and the development of subsequent alcohol use disorders: a 4-year community study of adolescents and young adults. <i>Psychological Medicine</i> , <b>2003</b> , 33, 1211-22	6.9	263
133	The prevalence of treated and untreated mental disorders in five countries. <i>Health Affairs</i> , <b>2003</b> , 22, 122-33	0	226
132	Mental disorders in primary care. <i>Dialogues in Clinical Neuroscience</i> , <b>2003</b> , 5, 115-28	5.7	71
131	El curso natural de los trastornos y síndromes somatomorfos del DSM-IV entre los adolescentes y los adultos jóvenes: un estudio comunitario prospectivo longitudinal. <i>European Psychiatry (Ed Española)</i> , <b>2003</b> , 10, 177-189		
130	Epidemiologie und nosologischer Status der Generalisierten Angststörung. <i>Zeitschrift Für Klinische Psychologie Und Psychotherapie</i> , <b>2003</b> , 32, 267-275	0.4	6
129	Parental depression and depression in offspring: evidence for familial characteristics and subtypes?. <i>Journal of Psychiatric Research</i> , <b>2002</b> , 36, 237-46	5.2	30
128	Complex segregation analysis of restless legs syndrome provides evidence for an autosomal dominant mode of inheritance in early age at onset families. <i>Annals of Neurology</i> , <b>2002</b> , 52, 297-302	9.4	199
127	Estimating the prevalence of mental and somatic disorders in the community: aims and methods of the German National Health Interview and Examination Survey. <i>International Journal of Methods in Psychiatric Research</i> , <b>2002</b> , 11, 1-18	4.3	123
126	Distinguishing generalized anxiety disorder from major depression: prevalence and impairment from current pure and comorbid disorders in the US and Ontario. <i>International Journal of Methods in Psychiatric Research</i> , <b>2002</b> , 11, 99-111	4.3	46
125	Patterns of incidence and psychiatric risk factors for traumatic events. <i>International Journal of Methods in Psychiatric Research</i> , <b>2002</b> , 11, 143-53	4.3	37
124	Prevalence, recognition and management of depression in primary care in Germany: the Depression 2000 study. <i>Human Psychopharmacology</i> , <b>2002</b> , 17 Suppl 1, S1-11	2.3	111
123	Generalized anxiety disorder: prevalence, burden, and cost to society. <i>Depression and Anxiety</i> , <b>2002</b> , 16, 162-71	8.4	460
122	Test-retest reliability of self-reported age at onset of selected psychiatric diagnoses in general health care. <i>Acta Psychiatrica Scandinavica</i> , <b>2002</b> , 106, 117-25	6.5	20
121	Parental alcohol use disorders and alcohol use and disorders in offspring: a community study. <i>Psychological Medicine</i> , <b>2002</b> , 32, 63-78	6.9	153
120	Generalized anxiety disorder: comorbidity, comparative biology and treatment. <i>International Journal of Neuropsychopharmacology</i> , <b>2002</b> , 5, 315-25	5.8	77
119	Parental major depression and the risk of depression and other mental disorders in offspring: a prospective-longitudinal community study. <i>Archives of General Psychiatry</i> , <b>2002</b> , 59, 365-74		351
118	Risk factors for new depressive episodes in primary health care: an international prospective 12-month follow-up study. <i>Psychological Medicine</i> , <b>2002</b> , 32, 595-607	6.9	20

117	Prevalence, incidence and stability of premenstrual dysphoric disorder in the community. <i>Psychological Medicine</i> , <b>2002</b> , 32, 119-32	6.9	377
116	Life events and changes in the course of depression in young adults. <i>European Psychiatry</i> , <b>2002</b> , 17, 241-53	5.3	73
115	The natural course of DSM-IV somatoform disorders and syndromes among adolescents and young adults: a prospective-longitudinal community study. <i>European Psychiatry</i> , <b>2002</b> , 17, 321-31	6	99
114	Use, abuse and dependence of ecstasy and related drugs in adolescents and young adults-a transient phenomenon? Results from a longitudinal community study. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 66, 147-59	4.9	110
113	What predicts incident use of cannabis and progression to abuse and dependence? A 4-year prospective examination of risk factors in a community sample of adolescents and young adults. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 49-64	4.9	215
112	Mental disorders in ecstasy users: a prospective-longitudinal investigation. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 195-207	4.9	128
111	Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 285-97	4.9	181
110	Suchtforschungsverbund ASAT: Entwicklung von Zuordnungsmodellen für Interventionen bei Substanzstörungen. <i>Sucht</i> , <b>2002</b> , 48, 200-208	0.5	2
109	Generalized anxiety and depression in primary care: prevalence, recognition, and management. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63 Suppl 8, 24-34	4.6	138
108	Patterns and correlates of generalized anxiety disorder in community samples. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63 Suppl 8, 4-10	4.6	26
107	Generalized anxiety disorder as a risk factor for depression?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2001</b> , 10, 52-57	4.3	8
106	One-year prevalence of subthreshold and threshold DSM-IV generalized anxiety disorder in a nationally representative sample. <i>Depression and Anxiety</i> , <b>2001</b> , 13, 78-88	8.4	266
105	Comorbidity and mixed anxiety-depressive disorder: clinical curiosity or pathophysiological need?. <i>Human Psychopharmacology</i> , <b>2001</b> , 16, S21-S30	2.3	21
104	Elterliche Alkoholbelastung und die Entwicklung von Suchtproblemen bei ihren Kindern - Ergebnisse der prospektiv-longitudinalen EDSP-Studie1. <i>Suchttherapie</i> , <b>2001</b> , 2, 125-136	0.4	2
103	Social anxiety disorder and the risk of depression: a prospective community study of adolescents and young adults. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 251-6		371
102	The epidemiology of generalized anxiety disorder. <i>Psychiatric Clinics of North America</i> , <b>2001</b> , 24, 19-39	3.1	193
101	The natural course of cannabis use, abuse and dependence over four years: a longitudinal community study of adolescents and young adults. <i>Drug and Alcohol Dependence</i> , <b>2001</b> , 64, 347-61	4.9	129
100	Epidemiology, patterns of comorbidity, and associated disabilities of social phobia. <i>Psychiatric Clinics of North America</i> , <b>2001</b> , 24, 617-41	3.1	91

99	Prevalence and recognition of depressive syndromes in German primary care settings: poorly recognized and treated?. <i>International Clinical Psychopharmacology</i> , <b>2001</b> , 16, 121-35	2.2	101
98	Gender differences in adolescents and young adults with suicidal behaviour. <i>Acta Psychiatrica Scandinavica</i> , <b>2001</b> , 104, 332-9	6.5	97
97	The many faces of social anxiety disorder. <i>International Clinical Psychopharmacology</i> , <b>2000</b> , 15 Suppl 1, S7-12	2.2	16
96	Why do primary care doctors diagnose depression when diagnostic criteria are not met?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2000</b> , 9, 110-120	4.3	14
95	Epidemiological research in mental disorders: lessons for the next decade of research--the NAPE Lecture 1999. Nordic Association for Psychiatric Epidemiology. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 101, 2-10	6.5	29
94	Traumatic events and post-traumatic stress disorder in the community: prevalence, risk factors and comorbidity. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 101, 46-59	6.5	588
93	Somatoform syndromes and disorders in a representative population sample of adolescents and young adults: prevalence, comorbidity and impairments. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 101, 194-208	6.5	48
92	Rates of psychiatric disorders in a clinical study group of adolescents with extreme obesity and in obese adolescents ascertained via a population based study. <i>International Journal of Obesity</i> , <b>2000</b> , 24, 1707-14	5.5	230
91	Social phobia: diagnosis and epidemiology, neurobiology and pharmacology, comorbidity and treatment. <i>Journal of Affective Disorders</i> , <b>2000</b> , 60, 61-74	6.6	97
90	Met and unmet need for interventions in community cases with anxiety disorders <b>2000</b> , 256-276		7
89	Epidemiologie des Konsums, Mißbrauchs und der Abhängigkeit von legalen und illegalen Drogen bei Jugendlichen und jungen Erwachsenen: Die prospektiv-longitudinale Verlaufsstudie EDSP. <i>Sucht</i> , <b>2000</b> , 46, 18-31	0.5	29
88	Lifetime panic-depression comorbidity in the National Comorbidity Survey. Association with symptoms, impairment, course and help-seeking. <i>British Journal of Psychiatry</i> , <b>2000</b> , 176, 229-35	5.4	308
87	Parental psychopathology, parenting styles, and the risk of social phobia in offspring: a prospective-longitudinal community study. <i>Archives of General Psychiatry</i> , <b>2000</b> , 57, 859-66		320
86	The Early Developmental Stages of Psychopathology Study (EDSP): a methodological update. <i>European Addiction Research</i> , <b>2000</b> , 6, 170-82	4.6	172
85	The waxing and waning of mental disorders: evaluating the stability of syndromes of mental disorders in the population. <i>Comprehensive Psychiatry</i> , <b>2000</b> , 41, 122-32	7.3	87
84	Are social fears and DSM-IV social anxiety disorder associated with smoking and nicotine dependence in adolescents and young adults?. <i>European Psychiatry</i> , <b>2000</b> , 15, 67-74	6	156
83	Social phobia in the community: relationship between diagnostic threshold and prevalence. <i>European Psychiatry</i> , <b>2000</b> , 15, 25-8	6	26
82	A European perspective on social anxiety disorder. <i>European Psychiatry</i> , <b>2000</b> , 15, 5-16	6	70

81	Komorbiditätsstrukturen bei Angststörungen Häufigkeit und mögliche Implikationen <b>2000</b> , 329-345		1
80	Patterns of cannabis use, abuse and dependence over time: incidence, progression and stability in a sample of 1228 adolescents. <i>Addiction</i> , <b>1999</b> , 94, 1663-78	4.6	85
79	Covariates of cannabis use progression in a representative population sample of adolescents: a prospective examination of vulnerability and risk factors. <i>Addiction</i> , <b>1999</b> , 94, 1679-94	4.6	74
78	Prevalence, 20-month incidence and outcome of unipolar depressive disorders in a community sample of adolescents. <i>Psychological Medicine</i> , <b>1999</b> , 29, 655-68	6.9	92
77	Prevalence of suicide ideation and suicide attempts in nine countries. <i>Psychological Medicine</i> , <b>1999</b> , 29, 9-17	6.9	445
76	Social fears and social phobia in a community sample of adolescents and young adults: prevalence, risk factors and co-morbidity. <i>Psychological Medicine</i> , <b>1999</b> , 29, 309-23	6.9	503
75	Lifetime co-morbidities between social phobia and mood disorders in the US National Comorbidity Survey. <i>Psychological Medicine</i> , <b>1999</b> , 29, 555-67	6.9	311
74	Toward the identification of core psychopathological processes?. <i>Archives of General Psychiatry</i> , <b>1999</b> , 56, 929-31		35
73	Impairment in pure and comorbid generalized anxiety disorder and major depression at 12 months in two national surveys. <i>American Journal of Psychiatry</i> , <b>1999</b> , 156, 1915-23	11.9	252
72	DSM-IV panic attacks and panic disorder in a community sample of adolescents and young adults: how specific are panic attacks?. <i>Journal of Psychiatric Research</i> , <b>1998</b> , 32, 335-45	5.2	126
71	Methodological studies of the Composite International Diagnostic Interview (CIDI) in the US national comorbidity survey (NCS). <i>International Journal of Methods in Psychiatric Research</i> , <b>1998</b> , 7, 33-54	4.3	338
70	To what degree does the Composite International Diagnostic Interview (CIDI) correctly identify DSM-IV disorders? Testing validity issues in a clinical sample. <i>International Journal of Methods in Psychiatric Research</i> , <b>1998</b> , 7, 142-155	4.3	201
69	The World Health Organization Composite International Diagnostic Interview short-form (CIDI-SF). <i>International Journal of Methods in Psychiatric Research</i> , <b>1998</b> , 7, 171-185	4.3	1446
68	Comorbidity patterns in adolescents and young adults with suicide attempts. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1998</b> , 248, 87-95	5.1	116
67	Test-retest reliability of the computerized DSM-IV version of the Munich-Composite International Diagnostic Interview (M-CIDI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1998</b> , 33, 568-78	4.5	498
66	DSM-IV alcohol disorders in a general population sample of adolescents and young adults. <i>Addiction</i> , <b>1998</b> , 93, 1065-77	4.6	70
65	Comorbidity of substance use disorders with mood and anxiety disorders: results of the International Consortium in Psychiatric Epidemiology. <i>Addictive Behaviors</i> , <b>1998</b> , 23, 893-907	4.2	578
64	Specific fears and phobias: Epidemiology and classification. <i>British Journal of Psychiatry</i> , <b>1998</b> , 173, 212-217		153

63	Substance use, abuse and dependence in Germany. A review of selected epidemiological data. <i>European Addiction Research</i> , <b>1998</b> , 4, 8-17	4.6	15
62	Prevalence of use, abuse and dependence of illicit drugs among adolescents and young adults in a community sample. <i>European Addiction Research</i> , <b>1998</b> , 4, 58-66	4.6	50
61	Use, abuse and dependence of prescription drugs in adolescents and young adults. <i>European Addiction Research</i> , <b>1998</b> , 4, 67-74	4.6	18
60	Smoking and nicotine dependence. Results from a sample of 14- to 24-year-olds in Germany. <i>European Addiction Research</i> , <b>1998</b> , 4, 42-9	4.6	68
59	Early developmental stages of psychopathology study (EDSP): objectives and design. <i>European Addiction Research</i> , <b>1998</b> , 4, 18-27	4.6	203
58	Structure, content and reliability of the Munich-Composite International Diagnostic Interview (M-CIDI) substance use sections. <i>European Addiction Research</i> , <b>1998</b> , 4, 28-41	4.6	184
57	Is the use of ecstasy and hallucinogens increasing? Results from a community study. <i>European Addiction Research</i> , <b>1998</b> , 4, 75-82	4.6	81
56	Patterns of use and their relationship to DSM-IV abuse and dependence of alcohol among adolescents and young adults. <i>European Addiction Research</i> , <b>1998</b> , 4, 50-7	4.6	35
55	The relationship of agoraphobia and panic in a community sample of adolescents and young adults. <i>Archives of General Psychiatry</i> , <b>1998</b> , 55, 1017-24		98
54	Lifetime panic-depression comorbidity in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , <b>1998</b> , 55, 801-8		234
53	Prevalence of mental disorders and psychosocial impairments in adolescents and young adults. <i>Psychological Medicine</i> , <b>1998</b> , 28, 109-26	6.9	642
52	Screening for anxiety disorders: Sensitivity and specificity of the Anxiety Screening Questionnaire (ASQ-15). <i>British Journal of Psychiatry</i> , <b>1998</b> , 173, 10-17	5.4	58
51	Recognition and management of anxiety syndromes. <i>British Journal of Psychiatry</i> , <b>1998</b> , 173, 1-3	5.4	5
50	The US National Comorbidity Survey: overview and future directions. <i>Epidemiologia E Psichiatria Sociale</i> , <b>1997</b> , 6, 4-16		60
49	Comorbidity of Mental Disorders and Substance Use Disorders. <i>European Addiction Research</i> , <b>1996</b> , 2, 36-47	4.6	44
48	Depression Comorbid with Anxiety: Results from the WHO Study on Psychological Disorders in Primary Health Care. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 38-43	5.4	379
47	What is Comorbidity [Fact or Artefact?]. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 7-8	5.4	38
46	Comorbidity and Boundaries of Affective Disorders with Anxiety Disorders and Substance Misuse: Results of an International Task Force. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 58-67	5.4	168



45	Critical Issues in the Evaluation of Comorbidity of Psychiatric Disorders. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 9-16	5.4	108
44	Reliability and procedural validity of UM-CIDI DSM-III-R phobic disorders. <i>Psychological Medicine</i> , <b>1996</b> , 26, 1169-77	6.9	117
43	Mental illness in a representative sample of homeless men in Munich, Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1996</b> , 246, 185-96	5.1	53
42	Implications of comorbidity: lessons from epidemiological studies <sup>1</sup> . <i>Epidemiologia E Psichiatria Sociale</i> , <b>1996</b> , 5, 114-125		
41	The Composite International Diagnostic Interview: An Instrument for Measuring Mental Health Outcome? <b>1996</b> , 179-187		2
40	Komorbiditätsstrukturen bei Angststörungen Häufigkeit und mögliche Implikationen <b>1996</b> , 217-233		6
39	Reliability and clinical validity of UM-CIDI DSM-III-R generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , <b>1995</b> , 29, 95-110	5.2	145
38	Comorbidity of mood disorders—diagnosis and treatment. <i>Depression</i> , <b>1995</b> , 3, 131-133		5
37	Lifetime Risk of Depression. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 16-22	5.4	103
36	DSM-III-R generalized anxiety disorder in the National Comorbidity Survey. <i>Archives of General Psychiatry</i> , <b>1994</b> , 51, 355-64		642
35	Suicidal ideation and suicide attempts: comorbidity with depression, anxiety disorders, and substance abuse disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1994</b> , 244, 93-8	5.1	117
34	Diagnosing major depression in the elderly: evidence for response bias in standardized diagnostic interviews?. <i>Journal of Psychiatric Research</i> , <b>1994</b> , 28, 147-64	5.2	152
33	Reliability and validity studies of the WHO--Composite International Diagnostic Interview (CIDI): a critical review. <i>Journal of Psychiatric Research</i> , <b>1994</b> , 28, 57-84	5.2	1851
32	Sex differences in rates of depression: cross-national perspectives. <i>Journal of Affective Disorders</i> , <b>1993</b> , 29, 77-84	6.6	429
31	Panikattacken mit frühem und spätem Beginn: Unterschiedliche pathogenetische Mechanismen?. <i>Verhaltenstherapie</i> , <b>1993</b> , 3, 296-303	0.9	7
30	Epidemiology of panic disorder: progress and unresolved issues. <i>Journal of Psychiatric Research</i> , <b>1993</b> , 27 Suppl 1, 47-68	5.2	78
29	Instruments for the assessment of substance use disorders. <i>Current Opinion in Psychiatry</i> , <b>1992</b> , 5, 412-419	4.9	7
28	Lifetime and six-month prevalence of mental disorders in the Munich Follow-Up Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1992</b> , 241, 247-58	5.1	298

27	Lifetime and 6-month prevalence of abuse and dependence of alcohol in the Munich Follow-up Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>1992</b> , 241, 273-82	5.1	33
26	The CIDI-core substance abuse and dependence questions: cross-cultural and nosological issues. The WHO/ADAMHA Field Trial. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 653-8	5.4	177
25	Anxiety Disorders: Similarities and Differences of Comorbidity in Treated and Untreated Groups. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 23-33	5.4	82
24	Cross-cultural feasibility, reliability and sources of variance of the Composite International Diagnostic Interview (CIDI). The Multicentre WHO/ADAMHA Field Trials. <i>British Journal of Psychiatry</i> , <b>1991</b> , 159, 645-53, 658	5.4	654
23	Care strategies for schizophrenic patients in a transcultural comparison. <i>Comprehensive Psychiatry</i> , <b>1990</b> , 31, 398-408	7.3	6
22	Anxiety and depression in a community sample: the influence of comorbidity on social functioning. <i>Journal of Affective Disorders</i> , <b>1990</b> , 18, 137-44	6.6	61
21	The classification of functional psychoses and its implications for prognosis. <i>British Journal of Psychiatry</i> , <b>1989</b> , 154, 467-72	5.4	48
20	Anxiety and depression: comorbidity, psychopathology, and social functioning. <i>Comprehensive Psychiatry</i> , <b>1989</b> , 30, 420-33	7.3	38
19	Reliability of life event assessments: test-retest reliability and fall-off effects of the Munich Interview for the Assessment of Life Events and Conditions. <i>Journal of Affective Disorders</i> , <b>1989</b> , 16, 77-91 <sup>66</sup>	6.6	44
18	Recall and dating of psychiatric symptoms. Test-retest reliability of time-related symptom questions in a standardized psychiatric interview. <i>Archives of General Psychiatry</i> , <b>1989</b> , 46, 437-43		187
17	The frequency of social dysfunction in a general population sample and in patients with mental disorders. A comparison using the Social Interview Schedule (SIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1988</b> , 23, 17-29	4.5	29
16	Procedural validity of standardized symptom questions for the assessment of psychotic symptoms--a comparison of the DIS with two clinical methods. <i>Comprehensive Psychiatry</i> , <b>1988</b> , 29, 309-22 <sup>3</sup>	5.2	42
15	Psychopathological and social outcome in schizophrenia versus affective/schizoaffective psychoses and prediction of poor outcome in schizophrenia. Results from a 5-8 year follow-up. <i>Acta Psychiatrica Scandinavica</i> , <b>1988</b> , 77, 379-89	6.5	63
14	Verläufe behandelter und unbehandelter Depressionen und Angststörungen. <i>Monographien Aus Dem Gesamtgebiete Der Psychiatrie</i> , <b>1988</b> ,		46
13	Major affective disorder in anorexia nervosa and bulimia. A descriptive diagnostic study. <i>British Journal of Psychiatry</i> , <b>1987</b> , 151, 785-9	5.4	110
12	Risk of rehospitalization of psychotic patients. A 6-year follow-up investigation using the survival approach. <i>Psychopathology</i> , <b>1987</b> , 20, 48-60	3.4	24
11	Anxiety disorders: a long-term prospective and retrospective follow-up study of former inpatients suffering from an anxiety neurosis or phobia. <i>Acta Psychiatrica Scandinavica</i> , <b>1987</b> , 76, 36-47	6.5	31
10	Diagnostic Reliability of Anxiety Disorders <b>1986</b> , 7-17		1

9	Epidemiology of Panic Attacks and Panic Disorders <b>1986</b> , 18-28		23
8	Professional psychology and private health services: Developing trends in the Federal Republic of Germany.. <i>American Psychologist</i> , <b>1986</b> , 41, 306-308	9.5	5
7	A comparison of two diagnostic methods. Clinical ICD diagnoses vs DSM-III and Research Diagnostic Criteria using the Diagnostic Interview Schedule (version 2). <i>Archives of General Psychiatry</i> , <b>1985</b> , 42, 677-84		110
6	Depressive neurosis. A long-term prospective and retrospective follow-up study of former inpatients. <i>Acta Psychiatrica Scandinavica</i> , <b>1985</b> , 71, 237-48	6.5	46
5	The Social Interview Schedule (SIS)--content, structure and reliability. <i>Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale</i> , <b>1985</b> , 20, 115-24		31
4	Psychotherapy services and the prevalence of mental disorders in urban and rural areas. <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , <b>1983</b> , 233, 39-57		5
3	Some problems concerning the reliability and structure of the scales in the inpatient multidimensional psychiatric scale (IMPS). <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , <b>1982</b> , 232, 395-406		14
2	Clinical psychology and psychotherapy: A survey of the present state of professionalization in 23 countries.. <i>American Psychologist</i> , <b>1980</b> , 35, 16-25	9.5	8
1	Clinical psychology and psychotherapy: a survey of the present state of professionalization in 23 countries. <i>American Psychologist</i> , <b>1980</b> , 35, 16-25	9.5	3