

# Tuantuan Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/541705/publications.pdf>

Version: 2024-02-01

18  
papers

641  
citations

687363

13  
h-index

888059

17  
g-index

18  
all docs

18  
docs citations

18  
times ranked

932  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Facile synthesis of Co <sub>3</sub> O <sub>4</sub> /N-doped carbon nanocomposites as efficient electrode material for sensitive determination of hydrazine. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152574.                      | 5.5  | 12        |
| 2  | Enhanced water gas shift processes for carbon dioxide capture and hydrogen production. <i>Applied Energy</i> , 2019, 254, 113700.  | 10.1 | 36        |
| 3  | Study on MNO <sub>3</sub> /NO <sub>2</sub> (M = Li, Na, and K)/MgO Composites for Intermediate-Temperature CO <sub>2</sub> Capture. <i>Energy &amp; Fuels</i> , 2019, 33, 1704-1712.   | 5.1  | 32        |
| 4  | Controlled synthesis of MgO with diverse basic sites and its CO <sub>2</sub> capture mechanism under different adsorption conditions. <i>Chemical Engineering Journal</i> , 2018, 336, 710-720.  | 12.7 | 93        |
| 5  | Recent advances in layered double hydroxides (LDHs) as two-dimensional membrane materials for gas and liquid separations. <i>Journal of Membrane Science</i> , 2018, 567, 89-103.  | 8.2  | 113       |
| 6  | Effect of Fluoride on the Morphology and Electrochemical Property of Co <sub>3</sub> O <sub>4</sub> Nanostructures for Hydrazine Detection. <i>Materials</i> , 2018, 11, 207.  | 2.9  | 22        |
| 7  | Flower-Shaped Mg <sub>3</sub> Al <sub>1</sub> Fe <sub>1</sub> Layered Double Hydroxides Derived Adsorbents with Tunable Memory Effect for Environmental Remediation. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 2609-2615. | 0.9  | 1         |
| 8  | High Aspect Ratio Perforated Co <sub>3</sub> O <sub>4</sub> Nanowires Derived from Cobalt-Carbonate-Hydroxide Nanowires with Enhanced Sensing Performance. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 3499-3504.           | 0.9  | 1         |
| 9  | Co <sub>3</sub> O <sub>4</sub> nanoparticles/MWCNTs composites: a potential scaffold for hydrazine and glucose electrochemical detection. <i>RSC Advances</i> , 2017, 7, 50087-50096.  | 3.6  | 17        |
| 10 | Fabrication of Lithium Silicates As Highly Efficient High-Temperature CO <sub>2</sub> Sorbents from SBA-15 Precursor. <i>Inorganic Chemistry</i> , 2017, 56, 7821-7834.  | 4.0  | 41        |
| 11 | Two-Dimensional Layered Double Hydroxide Derived from Vermiculite Waste Water Supported Highly Dispersed Ni Nanoparticles for CO Methanation. <i>Catalysts</i> , 2017, 7, 79.  | 3.5  | 19        |
| 12 | Environmental Benign Synthesis of Lithium Silicates and Mg-Al Layered Double Hydroxide from Vermiculite Mineral for CO <sub>2</sub> Capture. <i>Catalysts</i> , 2017, 7, 105.  | 3.5  | 21        |
| 13 | Hydrothermal Fabrication of High Specific Surface Area Mesoporous MgO with Excellent CO <sub>2</sub> Adsorption Potential at Intermediate Temperatures. <i>Catalysts</i> , 2017, 7, 116.   | 3.5  | 36        |
| 14 | Synthesis and characterization of alkali metal molybdates with high catalytic activity for dye degradation. <i>RSC Advances</i> , 2016, 6, 54553-54563.  | 3.6  | 15        |
| 15 | Layered double hydroxide/graphene oxide hybrid incorporated polysulfone substrate for thin-film nanocomposite forward osmosis membranes. <i>RSC Advances</i> , 2016, 6, 56599-56609.   | 3.6  | 75        |
| 16 | Comparison of hollow fiber module designs in membrane distillation process employed lumen-side and shell-side feed. <i>Desalination and Water Treatment</i> , 2016, 57, 7700-7710.   | 1.0  | 4         |
| 17 | Morphology and chemical composition dependent synthesis and electrochemical properties of MnO <sub>2</sub> -based nanostructures for efficient hydrazine detection. <i>Sensors and Actuators B: Chemical</i> , 2016, 224, 878-884.           | 7.8  | 72        |
| 18 | Novel Na <sub>2</sub> Mo <sub>4</sub> O <sub>13</sub> /MoO <sub>3</sub> hybrid material as highly efficient CWAO catalyst for dye degradation at ambient conditions. <i>Scientific Reports</i> , 2014, 4, 6797.                              | 3.3  | 31        |