

Arturo Hernandez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5417665/publications.pdf>

Version: 2024-02-01

57
papers

2,558
citations

185998

28
h-index

189595

50
g-index

57
all docs

57
docs citations

57
times ranked

1968
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Beyond Genes: Germline Disruption in the Etiology of Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 4608-4624. | 1.7 | 6 |
| 2 | Toward Epigenetic Profiling of Thyroid Hormone Status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2444-e2446. | 1.8 | 1 |
| 3 | Spermatogonial Dio3 as a potential germ line sensor for thyroid hormone-driven epigenetic inheritance. <i>Biology of Reproduction</i> , 2021, 105, 613-615. | 1.2 | 2 |
| 4 | Thyroid Hormone Deiodinases: Dynamic Switches in Developmental Transitions. <i>Endocrinology</i> , 2021, 162, . | 1.4 | 19 |
| 5 | The Type 3 Deiodinase Is a Critical Modulator of Thyroid Hormone Sensitivity in the Fetal Brain. <i>Frontiers in Neuroscience</i> , 2021, 15, 703730. | 1.4 | 9 |
| 6 | ABCD of Thyroid Hormone Action: <i>A</i> fter and <i>B</i> efore <i>C</i> loning of <i>D</i> eiodinase Genes. <i>Endocrinology</i> , 2021, 162, . | 1.4 | 1 |
| 7 | Thyroid hormone influences brain gene expression programs and behaviors in later generations by altering germ line epigenetic information. <i>Molecular Psychiatry</i> , 2020, 25, 939-950. | 4.1 | 35 |
| 8 | Thyroid hormone overexposure decreases DNA methylation in germ cells of newborn male mice. <i>Molecular Psychiatry</i> , 2020, 25, 915-915. | 4.1 | 3 |
| 9 | Deletion of β -Synuclein in Prrx1-positive cells causes partial loss of function in the central nervous system (CNS) but does not affect ovariectomy induced bone loss. <i>Bone</i> , 2020, 137, 115428. | 1.4 | 3 |
| 10 | Thyroid hormone action in the developing testis: intergenerational epigenetics. <i>Journal of Endocrinology</i> , 2020, 244, R33-R46. | 1.2 | 13 |
| 11 | Thyroid Hormone and Alcoholic Fatty Liver: The Developmental Input. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1834-1837. | 1.4 | 3 |
| 12 | Adult onset of type 3 deiodinase deficiency in mice alters brain gene expression and increases locomotor activity. <i>Psychoneuroendocrinology</i> , 2019, 110, 104439. | 1.3 | 8 |
| 13 | Spermatogonial Type 3 Deiodinase Regulates Thyroid Hormone Target Genes in Developing Testicular Somatic Cells. <i>Endocrinology</i> , 2019, 160, 2929-2945. | 1.4 | 8 |
| 14 | Thyroid Hormone Role and Economy in the Developing Testis. <i>Vitamins and Hormones</i> , 2018, 106, 473-500. | 0.7 | 23 |
| 15 | The Thyroid Hormone Inactivating Type 3 Deiodinase Is Essential for Optimal Neutrophil Function: Observations From Three Species. <i>Endocrinology</i> , 2018, 159, 826-835. | 1.4 | 21 |
| 16 | Thyroid hormone deiodination and action in the gonads. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2018, 2, 18-23. | 0.6 | 12 |
| 17 | Regulation of Intracellular Triiodothyronine Is Essential for Optimal Macrophage Function. <i>Endocrinology</i> , 2018, 159, 2241-2252. | 1.4 | 43 |
| 18 | Increased aggression and lack of maternal behavior in Dio3-deficient mice are associated with abnormalities in oxytocin and vasopressin systems. <i>Genes, Brain and Behavior</i> , 2018, 17, 23-35. | 1.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Type 3 Deiodinase: Epigenetic Control of Brain Thyroid Hormone Action and Neurological Function. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1804. | 1.8 | 28 |
| 20 | Cognitive function in hypothyroidism: what is that deiodinase again?. <i>Journal of Clinical Investigation</i> , 2018, 129, 55-57. | 3.9 | 5 |
| 21 | Deletion of the Thyroid Hormone-Activating Type 2 Deiodinase Rescues Cone Photoreceptor Degeneration but Not Deafness in Mice Lacking Type 3 Deiodinase. <i>Endocrinology</i> , 2017, 158, 1999-2010. | 1.4 | 13 |
| 22 | Type 3 Deiodinase Role on Central Thyroid Hormone Action Affects the Leptin-Melanocortin System and Circadian Activity. <i>Endocrinology</i> , 2017, 158, 419-430. | 1.4 | 27 |
| 23 | Decreased anxiety- and depression-like behaviors and hyperactivity in a type 3 deiodinase-deficient mouse showing brain thyrotoxicosis and peripheral hypothyroidism. <i>Psychoneuroendocrinology</i> , 2016, 74, 46-56. | 1.3 | 29 |
| 24 | Genomic imprinting of DIO3, a candidate gene for the syndrome associated with human uniparental disomy of chromosome 14. <i>European Journal of Human Genetics</i> , 2016, 24, 1617-1621. | 1.4 | 15 |
| 25 | MCT8 Deficiency in Male Mice Mitigates the Phenotypic Abnormalities Associated With the Absence of a Functional Type 3 Deiodinase. <i>Endocrinology</i> , 2016, 157, 3266-3277. | 1.4 | 12 |
| 26 | The Type 3 Deiodinase Is a Critical Determinant of Appropriate Thyroid Hormone Action in the Developing Testis. <i>Endocrinology</i> , 2016, 157, 1276-1288. | 1.4 | 30 |
| 27 | Genomic Imprinting Variations in the Mouse Type 3 Deiodinase Gene Between Tissues and Brain Regions. <i>Molecular Endocrinology</i> , 2014, 28, 1875-1886. | 3.7 | 34 |
| 28 | Perturbations to the IGF 1 growth pathway and adult energy homeostasis following disruption of mouse chromosome 12 imprinting. <i>Acta Physiologica</i> , 2014, 210, 174-187. | 1.8 | 12 |
| 29 | Maternal Inheritance of an Inactive Type III Deiodinase Gene Allele Affects Mouse Pancreatic β -Cells and Disrupts Glucose Homeostasis. <i>Endocrinology</i> , 2014, 155, 3160-3171. | 1.4 | 17 |
| 30 | Life Without the Iodothyronine Deiodinases. <i>Endocrinology</i> , 2014, 155, 4081-4087. | 1.4 | 36 |
| 31 | Genomic imprinting of the type 3 thyroid hormone deiodinase gene: Regulation and developmental implications. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 3946-3955. | 1.1 | 27 |
| 32 | Cerebellar Abnormalities in Mice Lacking Type 3 Deiodinase and Partial Reversal of Phenotype by Deletion of Thyroid Hormone Receptor β 1. <i>Endocrinology</i> , 2013, 154, 550-561. | 1.4 | 53 |
| 33 | Critical Role of Types 2 and 3 Deiodinases in the Negative Regulation of Gene Expression by T3 in the Mouse Cerebral Cortex. <i>Endocrinology</i> , 2012, 153, 2919-2928. | 1.4 | 65 |
| 34 | Imprinted Gene Dosage Is Critical for the Transition to Independent Life. <i>Cell Metabolism</i> , 2012, 15, 209-221. | 7.2 | 72 |
| 35 | Distinct Roles of Deiodinases on the Phenotype of Mct8 Defect: A Comparison of Eight Different Mouse Genotypes. <i>Endocrinology</i> , 2011, 152, 1180-1191. | 1.4 | 69 |
| 36 | The Thyroid Hormone-Inactivating Type III Deiodinase Is Expressed in Mouse and Human β -Cells and Its Targeted Inactivation Impairs Insulin Secretion. <i>Endocrinology</i> , 2011, 152, 3717-3727. | 1.4 | 68 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Type 3 Deiodinase, a Thyroid-Hormone-Inactivating Enzyme, Controls Survival and Maturation of Cone Photoreceptors. <i>Journal of Neuroscience</i> , 2010, 30, 3347-3357. | 1.7 | 133 |
| 38 | Type 3 Deiodinase Deficiency Causes Spatial and Temporal Alterations in Brain T3 Signaling that Are Dissociated from Serum Thyroid Hormone Levels. <i>Endocrinology</i> , 2010, 151, 5550-5558. | 1.4 | 77 |
| 39 | Impaired Bacterial Clearance in Type 3 Deiodinase-Deficient Mice Infected with <i>Streptococcus pneumoniae</i> . <i>Endocrinology</i> , 2009, 150, 1984-1990. | 1.4 | 52 |
| 40 | A Protective Role for Type 3 Deiodinase, a Thyroid Hormone-Inactivating Enzyme, in Cochlear Development and Auditory Function. <i>Endocrinology</i> , 2009, 150, 1952-1960. | 1.4 | 139 |
| 41 | Defining the Roles of the Iodothyronine Deiodinases: Current Concepts and Challenges. <i>Endocrinology</i> , 2009, 150, 1097-1107. | 1.4 | 254 |
| 42 | Retarded Developmental Expression and Patterning of Retinal Cone Opsins in Hypothyroid Mice. <i>Endocrinology</i> , 2009, 150, 1536-1544. | 1.4 | 52 |
| 43 | Gene Expression from the Imprinted <i>Dio3</i> Locus Is Associated with Cell Proliferation of Cultured Brown Adipocytes. <i>Endocrinology</i> , 2007, 148, 3968-3976. | 1.4 | 43 |
| 44 | Type 3 Deiodinase Deficiency Results in Functional Abnormalities at Multiple Levels of the Thyroid Axis. <i>Endocrinology</i> , 2007, 148, 5680-5687. | 1.4 | 82 |
| 45 | Type 3 deiodinase is critical for the maturation and function of the thyroid axis. <i>Journal of Clinical Investigation</i> , 2006, 116, 476-484. | 3.9 | 290 |
| 46 | Structure and Function of the Type 3 Deiodinase Gene. <i>Thyroid</i> , 2005, 15, 865-874. | 2.4 | 77 |
| 47 | Complex organization and structure of sense and antisense transcripts expressed from the <i>DIO3</i> gene imprinted locus. <i>Genomics</i> , 2004, 83, 413-424. | 1.3 | 50 |
| 48 | Activity and response to serum of the mammalian thyroid hormone deiodinase 3 gene promoter: identification of a conserved enhancer. <i>Molecular and Cellular Endocrinology</i> , 2003, 206, 23-32. | 1.6 | 18 |
| 49 | Thyroid hormone deiodinases: physiology and clinical disorders. <i>Current Opinion in Pediatrics</i> , 2003, 15, 416-420. | 1.0 | 26 |
| 50 | Dexamethasone Inhibits Growth Factor-Induced Type 3 Deiodinase Activity and mRNA Expression in a Cultured Cell Line Derived from Rat Neonatal Brown Fat Vascular-Stromal Cells. <i>Endocrinology</i> , 2002, 143, 2652-2658. | 1.4 | 22 |
| 51 | The GeneLocusEncoding Iodothyronine Deiodinase Type 3 (<i>Dio3</i>) Is Imprinted in the Fetus and Expresses Antisense Transcripts. <i>Endocrinology</i> , 2002, 143, 4483-4486. | 1.4 | 123 |
| 52 | The Type 2 Iodothyronine Deiodinase Is Expressed in the Rat Uterus and Induced During Pregnancy*. <i>Endocrinology</i> , 2001, 142, 2123-2128. | 1.4 | 45 |
| 53 | DEIODINASE PROTECTION OF THE FETUS FROM THYROID HORMONES. <i>Biochemical Society Transactions</i> , 1999, 27, A6-A6. | 1.6 | 0 |
| 54 | Pregnant rat uterus expresses high levels of the type 3 iodothyronine deiodinase. <i>Journal of Clinical Investigation</i> , 1999, 103, 979-987. | 3.9 | 136 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Localization of the Type 3 Iodothyronine Deiodinase (DIO3) Gene to Human Chromosome 14q32 and Mouse Chromosome 12F1. <i>Genomics</i> , 1998, 53, 119-121. | 1.3 | 47 |
| 56 | Thyroid hormones and 5'-deiodinase in rat brown adipose tissue during fetal life. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1989, 257, E625-E631. | 1.8 | 28 |
| 57 | The Type 2 Iodothyronine Deiodinase Is Expressed in the Rat Uterus and Induced During Pregnancy. , 0, . | | 9 |