

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5417765/luca-vanella-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139 papers	3,638 citations	36 h-index	52 g-index
145 ext. papers	4,138 ext. citations	4.1 avg, IF	5.01 L-index

#	Paper	IF	Citations
139	Heme oxygenase-1 induction remodels adipose tissue and improves insulin sensitivity in obesity-induced diabetic rats. <i>Hypertension</i> , 2009 , 53, 508-15	8.5	144
138	Epoxyeicosatrienoic acid agonist rescues the metabolic syndrome phenotype of HO-2-null mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 331, 906-16	4.7	120
137	HO-1 expression increases mesenchymal stem cell-derived osteoblasts but decreases adipocyte lineage. <i>Bone</i> , 2010 , 46, 236-43	4.7	97
136	Adipocyte heme oxygenase-1 induction attenuates metabolic syndrome in both male and female obese mice. <i>Hypertension</i> , 2010 , 56, 1124-30	8.5	96
135	The L-4F mimetic peptide prevents insulin resistance through increased levels of HO-1, pAMPK, and pAKT in obese mice. <i>Journal of Lipid Research</i> , 2009 , 50, 1293-304	6.3	92
134	Epoxyeicosatrienoic acid agonist regulates human mesenchymal stem cell-derived adipocytes through activation of HO-1-pAKT signaling and a decrease in PPAR γ . <i>Stem Cells and Development</i> , 2010 , 19, 1863-73	4.4	86
133	Overexpression of heme oxygenase-1 increases human osteoblast stem cell differentiation. <i>Journal of Bone and Mineral Metabolism</i> , 2010 , 28, 276-88	2.9	80
132	Heme oxygenase gene targeting to adipocytes attenuates adiposity and vascular dysfunction in mice fed a high-fat diet. <i>Hypertension</i> , 2012 , 60, 467-75	8.5	79
131	Increased heme-oxygenase 1 expression in mesenchymal stem cell-derived adipocytes decreases differentiation and lipid accumulation via upregulation of the canonical Wnt signaling cascade. <i>Stem Cell Research and Therapy</i> , 2013 , 4, 28	8.3	76
130	Diabetes impairs the vascular recruitment of normal stem cells by oxidant damage, reversed by increases in pAMPK, heme oxygenase-1, and adiponectin. <i>Stem Cells</i> , 2009 , 27, 399-407	5.8	71
129	Nuclear translocation of heme oxygenase-1 confers resistance to imatinib in chronic myeloid leukemia cells. <i>Current Pharmaceutical Design</i> , 2013 , 19, 2765-70	3.3	70
128	Crosstalk between EET and HO-1 downregulates Bach1 and adipogenic marker expression in mesenchymal stem cell derived adipocytes. <i>Prostaglandins and Other Lipid Mediators</i> , 2011 , 96, 54-62	3.7	66
127	Maternal dietary habits and mycotoxin occurrence in human mature milk. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 496-501	5.9	66
126	Antioxidant activity and antiproliferative action of methanolic extract of Geum quellyon Sweet roots in human tumor cell lines. <i>Journal of Ethnopharmacology</i> , 2005 , 100, 323-32	5	65
125	Genistin inhibits UV light-induced plasmid DNA damage and cell growth in human melanoma cells. <i>Journal of Nutritional Biochemistry</i> , 2006 , 17, 103-8	6.3	63
124	Pannarin inhibits cell growth and induces cell death in human prostate carcinoma DU-145 cells. <i>Anti-Cancer Drugs</i> , 2006 , 17, 1163-9	2.4	62
123	Response of cell cycle/stress-related protein expression and DNA damage upon treatment of CaCo2 cells with anthocyanins. <i>British Journal of Nutrition</i> , 2008 , 100, 27-35	3.6	60

122	Bioavailability, antioxidant and biological properties of the natural free-radical scavengers cyanidin and related glycosides. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2007 , 43, 382-93	1.6	57
121	CYP2J2 targeting to endothelial cells attenuates adiposity and vascular dysfunction in mice fed a high-fat diet by reprogramming adipocyte phenotype. <i>Hypertension</i> , 2014 , 64, 1352-61	8.5	56
120	Epoxyeicosatrienoic Acids Regulate Adipocyte Differentiation of Mouse 3T3 Cells, Via PGC-1 α Activation, Which Is Required for HO-1 Expression and Increased Mitochondrial Function. <i>Stem Cells and Development</i> , 2016 , 25, 1084-94	4.4	53
119	Effects of ellagic Acid on angiogenic factors in prostate cancer cells. <i>Cancers</i> , 2013 , 5, 726-38	6.6	50
118	EET intervention on Wnt1, NOV, and HO-1 signaling prevents obesity-induced cardiomyopathy in obese mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H368-H380	5.2	48
117	The non-canonical functions of the heme oxygenases. <i>Oncotarget</i> , 2016 , 7, 69075-69086	3.3	47
116	Novel imidazole derivatives as heme oxygenase-1 (HO-1) and heme oxygenase-2 (HO-2) inhibitors and their cytotoxic activity in human-derived cancer cell lines. <i>European Journal of Medicinal Chemistry</i> , 2015 , 96, 162-72	6.8	46
115	Bone marrow stem cell transplant into intra-bone cavity prevents type 2 diabetes: role of heme oxygenase-adiponectin. <i>Journal of Autoimmunity</i> , 2008 , 30, 128-35	15.5	46
114	Heme oxygenase-1 nuclear translocation regulates bortezomib-induced cytotoxicity and mediates genomic instability in myeloma cells. <i>Oncotarget</i> , 2016 , 7, 28868-80	3.3	45
113	Pharmacological induction of heme oxygenase-1 inhibits iNOS and oxidative stress in renal ischemia-reperfusion injury. <i>Transplantation Proceedings</i> , 2007 , 39, 2986-91	1.1	45
112	Lentiviral-human heme oxygenase targeting endothelium improved vascular function in angiotensin II animal model of hypertension. <i>Human Gene Therapy</i> , 2011 , 22, 271-82	4.8	44
111	Oxidative stress and heme oxygenase-1 regulated human mesenchymal stem cells differentiation. <i>International Journal of Hypertension</i> , 2012 , 2012, 890671	2.4	42
110	Beneficial effects of rutin and L-arginine coadministration in a rat model of liver ischemia-reperfusion injury. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 296, G664-70	5.1	42
109	Cyanidin induces apoptosis and differentiation in prostate cancer cells. <i>International Journal of Oncology</i> , 2015 , 47, 1303-10	4.4	40
108	Apoptotic markers in a prostate cancer cell line: effect of ellagic acid. <i>Oncology Reports</i> , 2013 , 30, 2804-10	3.5	40
107	Effects of Polyphenolic Derivatives on Heme Oxygenase-System in Metabolic Dysfunctions. <i>Current Medicinal Chemistry</i> , 2018 , 25, 1577-1595	4.3	38
106	Circulating miR-130a, miR-27b, and miR-210 in Patients With Peripheral Artery Disease and Their Potential Relationship With Oxidative Stress. <i>Angiology</i> , 2016 , 67, 945-950	2.1	37
105	High glucose-mediated imbalance of nitric oxide synthase and dimethylarginine dimethylaminohydrolase expression in endothelial cells. <i>Current Neurovascular Research</i> , 2006 , 3, 49-54	1.8	37

104	Heme oxygenase (HO-1) rescue of adipocyte dysfunction in HO-2 deficient mice via recruitment of epoxygenic trienoic acids (EETs) and adiponectin. <i>Cellular Physiology and Biochemistry</i> , 2012 , 29, 99-110	3.9	36
103	Antiproliferative effect of oleuropein in prostate cell lines. <i>International Journal of Oncology</i> , 2012 , 41, 31-8	4.4	35
102	Heme oxygenase induction by cyanidin-3-O-beta-glucoside in cultured human endothelial cells. <i>Molecular Nutrition and Food Research</i> , 2007 , 51, 580-6	5.9	35
101	Novel Caffeic Acid Phenethyl Ester (Cape) Analogues as Inducers of Heme Oxygenase-1. <i>Current Pharmaceutical Design</i> , 2017 , 23, 2657-2664	3.3	33
100	Beneficial Effects of Pomegranate Peel Extract and Probiotics on Pre-adipocyte Differentiation. <i>Frontiers in Microbiology</i> , 2019 , 10, 660	5.7	32
99	Heme oxygenase-derived carbon monoxide restores vascular function in type 1 diabetes. <i>Drug Metabolism Letters</i> , 2008 , 2, 290-300	2.1	32
98	Epoxygenic trienoic acids and heme oxygenase-1 interaction attenuates diabetes and metabolic syndrome complications. <i>Prostaglandins and Other Lipid Mediators</i> , 2012 , 97, 1-16	3.7	31
97	Phenolic compounds and antioxidant activity of Italian extra virgin olive oil Monti Iblei. <i>Journal of Medicinal Food</i> , 2007 , 10, 650-6	2.8	31
96	Protective effect of cyanidin 3-O-beta-D-glucoside on ochratoxin A-mediated damage in the rat. <i>British Journal of Nutrition</i> , 2007 , 98, 937-43	3.6	31
95	Targeting heme Oxygenase-1 with hybrid compounds to overcome Imatinib resistance in chronic myeloid leukemia cell lines. <i>European Journal of Medicinal Chemistry</i> , 2018 , 158, 937-950	6.8	30
94	Endothelial progenitor cell function inversely correlates with long-term glucose control in diabetic patients: association with the attenuation of the heme oxygenase-adiponectin axis. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 728-36	3.8	29
93	Epoxygenic trienoic intervention improves NAFLD in leptin receptor deficient mice by an increase in PGC1 α -HO-1-PGC1 α mitochondrial signaling. <i>Experimental Cell Research</i> , 2019 , 380, 180-187	4.2	28
92	Apolipoprotein A-I mimetic peptide L-4F prevents myocardial and coronary dysfunction in diabetic mice. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 2616-26	4.7	28
91	Successful modulation of type 2 diabetes in db/db mice with intra-bone marrow--bone marrow transplantation plus concurrent thymic transplantation. <i>Journal of Autoimmunity</i> , 2010 , 35, 414-23	15.5	28
90	Downregulation of PGC-1 Prevents the Beneficial Effect of EET-Heme Oxygenase-1 on Mitochondrial Integrity and Associated Metabolic Function in Obese Mice. <i>Journal of Nutrition and Metabolism</i> , 2016 , 2016, 9039754	2.7	28
89	Development of NASH in Obese Mice is Confounded by Adipose Tissue Increase in Inflammatory NOX and Oxidative Stress. <i>International Journal of Hepatology</i> , 2018 , 2018, 3484107	2.7	27
88	Novel sigma receptor ligands: synthesis and biological profile. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 951-61	8.3	27
87	Silibinin Regulates Lipid Metabolism and Differentiation in Functional Human Adipocytes. <i>Frontiers in Pharmacology</i> , 2015 , 6, 309	5.6	27

86	Oxidized HDL is a potent inducer of adipogenesis and causes activation of the Ang-II and 20-HETE systems in human obese females. <i>Prostaglandins and Other Lipid Mediators</i> , 2016 , 123, 68-77	3.7	27
85	Protective Effects of Caffeic Acid Phenethyl Ester (CAPE) and Novel Cape Analogue as Inducers of Heme Oxygenase-1 in Streptozotocin-Induced Type 1 Diabetic Rats. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	26
84	Correlation between lipid profile and heme oxygenase system in patients with benign prostatic hyperplasia. <i>Urology</i> , 2014 , 83, 1444.e7-13	1.6	26
83	Effect of a Natural Supplement Containing Curcuma Longa, Guggul, and Chlorogenic Acid in Patients With Metabolic Syndrome. <i>Angiology</i> , 2015 , 66, 856-61	2.1	26
82	The Heme Oxygenase System in Hematological Malignancies. <i>Antioxidants and Redox Signaling</i> , 2017 , 27, 363-377	8.4	25
81	Oxidative and antioxidant status in plasma of runners: effect of oral supplementation with natural antioxidants. <i>Journal of Medicinal Food</i> , 2009 , 12, 145-50	2.8	25
80	Heme Oxygenase-1 Signaling and Redox Homeostasis in Physiopathological Conditions. <i>Biomolecules</i> , 2021 , 11,	5.9	25
79	Metformin: A Bridge between Diabetes and Prostate Cancer. <i>Frontiers in Oncology</i> , 2017 , 7, 243	5.3	24
78	Diabetic human adipose tissue-derived mesenchymal stem cells fail to differentiate in functional adipocytes. <i>Experimental Biology and Medicine</i> , 2017 , 242, 1079-1085	3.7	23
77	Effects of Tithonia diversifolia (Hemsl.) A. Gray extract on adipocyte differentiation of human mesenchymal stem cells. <i>PLoS ONE</i> , 2015 , 10, e0122320	3.7	22
76	Ablation of soluble epoxide hydrolase reprogram white fat to beige-like fat through an increase in mitochondrial integrity, HO-1-adiponectin in vitro and in vivo. <i>Prostaglandins and Other Lipid Mediators</i> , 2018 , 138, 1-8	3.7	21
75	Ellagic acid: cytodifferentiating and antiproliferative effects in human prostatic cancer cell lines. <i>Current Pharmaceutical Design</i> , 2013 , 19, 2728-36	3.3	21
74	Heme Oxygenase Inhibition Sensitizes Neuroblastoma Cells to Carfilzomib. <i>Molecular Neurobiology</i> , 2019 , 56, 1451-1460	6.2	20
73	ApoA1: mimetic peptide reverses adipocyte dysfunction in vivo and in vitro via an increase in heme oxygenase (HO-1) and Wnt10b. <i>Cell Cycle</i> , 2012 , 11, 706-14	4.7	20
72	Protocatechuic acid: the missing human cyanidinsPmetabolite. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 386-7; author reply 388	5.9	20
71	Propofol inhibits caspase-3 in astroglial cells: role of heme oxygenase-1. <i>Current Neurovascular Research</i> , 2005 , 2, 141-8	1.8	20
70	Therapeutic Efficacy of Stem Cells Transplantation in Diabetes: Role of Heme Oxygenase. <i>Frontiers in Cell and Developmental Biology</i> , 2016 , 4, 80	5.7	20
69	Effects of an extract of Celtis aetnensis (Tornab.) Strobl twigs on human colon cancer cell cultures. <i>Oncology Reports</i> , 2016 , 36, 2298-304	3.5	20

68	Inhibition of Cx43 mediates protective effects on hypoxic/reoxygenated human neuroblastoma cells. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 2563-2572	5.6	19
67	Cold Press Pomegranate Seed Oil Attenuates Dietary-Obesity Induced Hepatic Steatosis and Fibrosis through Antioxidant and Mitochondrial Pathways in Obese Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	19
66	Heme Oxygenase-1 Inhibition Sensitizes Human Prostate Cancer Cells towards Glucose Deprivation and Metformin-Mediated Cell Death. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	18
65	Rutin in rat liver ischemia/reperfusion injury: effect on DDAH/NOS pathway. <i>Microsurgery</i> , 2007 , 27, 245-51	5.1	18
64	Heme oxygenase 1 expression in postischemic reperfusion liver damage: effect of L-arginine. <i>Microsurgery</i> , 2006 , 26, 25-32	2.1	18
63	Combined inhibition of Hsp90 and heme oxygenase-1 induces apoptosis and endoplasmic reticulum stress in melanoma. <i>Acta Histochemica</i> , 2015 , 117, 705-11	2	17
62	Antioxidant activity of extracts of Momordica foetida Schumach. et Thonn. <i>Molecules</i> , 2013 , 18, 3241-9	4.8	17
61	The DDAH/NOS pathway in human prostatic cancer cell lines: antiangiogenic effect of L-NAME. <i>International Journal of Oncology</i> , 2011 , 39, 1303-10	4.4	17
60	Soluble epoxide hydrolase null mice exhibit female and male differences in regulation of vascular homeostasis. <i>Prostaglandins and Other Lipid Mediators</i> , 2015 , 120, 139-47	3.7	16
59	Influence of glucose on cyanidin 3-glucoside absorption in rats. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 959-64	5.9	16
58	Caffeic Acid Phenethyl Ester Regulates PPAR β Levels in Stem Cells-Derived Adipocytes. <i>PPAR Research</i> , 2016 , 2016, 7359521	4.3	16
57	Olive Leaf Extract from Sicilian Cultivar Reduced Lipid Accumulation by Inducing Thermogenic Pathway during Adipogenesis. <i>Frontiers in Pharmacology</i> , 2016 , 7, 143	5.6	16
56	Effect of Treatment with Cyanidin-3-O- β -D-Glucoside on Rat Ischemic/Reperfusion Brain Damage. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 285750	2.3	15
55	New Arylethanolidiazole Derivatives as HO-1 Inhibitors with Cytotoxicity against MCF-7 Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	14
54	Stem cell transplantation upregulates Sirt1 and antioxidant expression, ameliorating fatty liver in type 2 diabetic mice. <i>International Journal of Biological Sciences</i> , 2015 , 11, 472-81	11.2	14
53	ApoA-1 mimetic restores adiponectin expression and insulin sensitivity independent of changes in body weight in female obese mice. <i>Nutrition and Diabetes</i> , 2012 , 2, e33	4.7	14
52	Heme oxygenase levels and metaflammation in benign prostatic hyperplasia patients. <i>World Journal of Urology</i> , 2016 , 34, 1183-92	4	13
51	Heme oxygenase-2/adiponectin protein-protein interaction in metabolic syndrome. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 432, 606-11	3.4	13

50	Usefulness of clopidogrel to protect against diabetes-induced vascular damage. <i>American Journal of Cardiology</i> , 2010 , 105, 1014-8	3	13
49	Technological and Biological Characterization of Idebenone-Loaded Solid Lipid Nanoparticles Prepared by a Modified Solvent Injection Technique. <i>Journal of Biomedical Nanotechnology</i> , 2006 , 2, 253-270	4	13
48	Effect of ischemia-reperfusion on renal expression and activity of N(G)-N(G)-dimethylarginine dimethylaminohydrolases. <i>Anesthesiology</i> , 2008 , 109, 1054-62	4.3	13
47	Stem cell transplantation increases antioxidant effects in diabetic mice. <i>International Journal of Biological Sciences</i> , 2012 , 8, 1335-44	11.2	10
46	N-Acetylcysteine (NAC) Ameliorates Lipid-Related Metabolic Dysfunction in Bone Marrow Stromal Cells-Derived Adipocytes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 5310961	2.3	10
45	(+)-Pentazocine reduces oxidative stress and apoptosis in microglia following hypoxia/reoxygenation injury. <i>Neuroscience Letters</i> , 2016 , 626, 142-8	3.3	9
44	Synthesis, and studies of HO-1 inducers and lung antifibrotic agents. <i>Future Medicinal Chemistry</i> , 2019 , 11, 1523-1536	4.1	9
43	Inhibition of Heme Oxygenase Antioxidant Activity Exacerbates Hepatic Steatosis and Fibrosis. <i>Antioxidants</i> , 2019 , 8,	7.1	8
42	Biochemical modifications in Pinus pinaster Ait. as a result of environmental pollution. <i>Environmental Science and Pollution Research</i> , 2012 , 19, 3850-8	5.1	7
41	Milk thistle seed cold press oil attenuates markers of the metabolic syndrome in a mouse model of dietary-induced obesity. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13522	3.3	7
40	(+)-Pentazocine attenuates SH-SY5Y cell death, oxidative stress and microglial migration induced by conditioned medium from activated microglia. <i>Neuroscience Letters</i> , 2017 , 642, 86-90	3.3	6
39	Pathophysiology of chronic peripheral ischemia: new perspectives. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622319894466	4.9	6
38	Oxidized HDL and Isoprostane Exert a Potent Adipogenic Effect on Stem Cells: Where in the Lineage? 2016 , 2,		6
37	Evaluation of lipid and cholesterol-lowering effect of bioflavonoids from bergamot extract. <i>Natural Product Research</i> , 2021 , 35, 5378-5383	2.3	6
36	In vitro effects of bioflavonoids rich lemon extract on pre-adipocyte differentiation. <i>Natural Product Research</i> , 2021 , 35, 4774-4778	2.3	5
35	L. Leaf Extract Induces Adiponectin and Regulates Adipogenesis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	5
34	Tissue transglutaminase expression during neural differentiation of human mesenchymal stem cells. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015 , 14, 24-32	2.6	5
33	Novel mutual prodrug of 5-fluorouracil and heme oxygenase-1 inhibitor (5-FU/HO-1 hybrid): design and preliminary evaluation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021 , 36, 1378-1386	5.6	5

32	Discovery of Novel Acetamide-Based Heme Oxygenase-1 Inhibitors with Potent Antiproliferative Activity. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 13373-13393	8.3	5
31	The effects of olive leaf extract from a Sicilian cultivar in an experimental model of hepatic steatosis. <i>Rendiconti Lincei</i> , 2017 , 28, 643-650	1.7	4
30	Inhibition of Human Leucocyte Elastase by Novel Thieno-1,3-oxazin-4-ones and Thieno-1,3-thioxazin-4-ones. <i>Letters in Drug Design and Discovery</i> , 2007 , 4, 386-393	0.8	4
29	Caffeic Acid Phenethyl Ester Restores Adipocyte Gene Profile Expression Following Lipopolysaccharide Treatment. <i>Letters in Drug Design and Discovery</i> , 2017 , 14, 481-487	0.8	4
28	Mesenteric lymph nodes as alternative site for pancreatic islet transplantation in a diabetic rat model. <i>BMC Surgery</i> , 2019 , 18, 126	2.3	3
27	Non-competitive heme oxygenase-1 activity inhibitor reduces non-small cell lung cancer glutathione content and regulates cell proliferation. <i>Molecular Biology Reports</i> , 2020 , 47, 1949-1964	2.8	3
26	Antiproliferative Effects of Ellagic Acid on DU145 Cells. <i>The Open Biochemistry Journal</i> , 2019 , 13, 23-31	0.9	3
25	Carbon monoxide: vasoconstrictor or vasodilator? That's the question. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F901-3	4.3	2
24	Anesthetics and natural heme oxygenase-1 inducers: waiting for carbon monoxide?. <i>Annals of Surgery</i> , 2008 , 247, 712-3; author reply 713-4	7.8	2
23	Tin Mesoporphyrin Selectively Reduces Non-Small-Cell Lung Cancer Cell Line A549 Proliferation by Interfering with Heme Oxygenase and Glutathione Systems. <i>Biomolecules</i> , 2021 , 11,	5.9	2
22	Bioactive Compounds from Lemon () Extract Overcome TNF- α -Induced Insulin Resistance in Cultured Adipocytes. <i>Molecules</i> , 2021 , 26,	4.8	2
21	Multimodal Role of PACAP in Glioblastoma. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
20	Heme Oxygenase Modulation Drives Ferroptosis in TNBC Cells. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5709	6.3	2
19	Novel Heme Oxygenase-1 (HO-1) Inducers Based on Dimethyl Fumarate Structure. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
18	Potential Health Benefits of a Pomegranate Extract, Rich in Phenolic Compounds, in Intestinal Inflammation. <i>Current Nutrition and Food Science</i> , 2021 , 17, 833-843	0.7	0
17	Novel Tyrosine Kinase Inhibitors to Target Chronic Myeloid Leukemia. <i>Molecules</i> , 2022 , 27, 3220	4.8	0
16	Cereals consumption and risk for renal cell carcinoma: Can be hypothesized a role of mycotoxins?. <i>International Journal of Cancer</i> , 2007 , 121, 2116-7	7.5	
15	Heme as a playmaker in the regulation of the nitric oxide system. <i>Anesthesiology</i> , 2007 , 107, 355-6; author reply 356	4.3	

14	Heme oxygenase-1 in post-ischemic reperfusion brain damage: effect of cyanidin-3-O-beta-glucoside. <i>FASEB Journal</i> , 2008 , 22, 733.4	0.9
13	S100B Protein Concentration in Milk-formulas for Preterm and Term Infants: Correlation with Industrial Preparation Procedures. <i>FASEB Journal</i> , 2008 , 22, 874.8	0.9
12	Treatment of Obese Diabetic Mice with an Heme Oxygenase Inducer Reduces Visceral and Abdominal Adiposity, Increases Adiponectin Levels and Improves Insulin Sensitivity and Glucose Tolerance. <i>FASEB Journal</i> , 2008 , 22, 642-642	0.9
11	Evaluation of Different Oxidative Stress Biomarkers in Endometriosis. <i>FASEB Journal</i> , 2015 , 29, 576.2	0.9
10	Silibinin Protects Hepatocytes from Lipotoxicity by Inducing AMPK Phosphorylation and miRNA130a Expression. <i>FASEB Journal</i> , 2015 , 29, 885.18	0.9
9	Apolipoprotein Mimetic Peptide (L-4F) Regulation of Adiposity via Increases in Estradiol/Testosterone Ratio in Obese Female Mice. <i>FASEB Journal</i> , 2010 , 24, 588.5	0.9
8	L-4F Rescues the Metabolic Syndrome Phenotype of HO-2 Null Mice via Insulin, Adiponectin, & LKB1 Signaling Pathways. <i>FASEB Journal</i> , 2010 , 24, 570.2	0.9
7	L-4F Improves Metabolic Syndrome Phenotype in HO-2 Null Mice by Decreasing NFkB Activity & Increasing Adiponectin Levels. <i>FASEB Journal</i> , 2010 , 24, 1035.5	0.9
6	Long Term Induction of Heme Oxygenase Ameliorates Angiotensin II Dependent Hypertension in Sprague Dawley Rats Transduced with HO1-Lentiviral Construct. <i>FASEB Journal</i> , 2011 , 25, 661.4	0.9
5	HO-1 Involvement In Iron Homeostasis In Liver Of Obese Mice. <i>FASEB Journal</i> , 2011 , 25, 661.7	0.9
4	HO-1 Induction Preserves Ferritin Function Improving Insulin Sensitivity via AKT/AMPK Signaling In Diabetic Mice. <i>FASEB Journal</i> , 2011 , 25, 661.6	0.9
3	Interplay of Epoxides and Heme Oxygenase System Suppress Adipogenic Regulators in Mesenchymal Stem Cell Derived Adipocytes. <i>FASEB Journal</i> , 2012 , 26, 1121.2	0.9
2	Insufficient HO1 Response to Ischemic Stress Correlates with Increased Inflammation and Reduced Survival of EPCs in Diabetic Patients. <i>FASEB Journal</i> , 2012 , 26, 1114.11	0.9
1	Tissue-Derived Stem Cell Research. <i>Stem Cells International</i> , 2016 , 2016, 4801953	5