

# Xuesong Jiang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5418168/xuesong-jiang-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

2,036  
citations

25  
h-index

40  
g-index

105  
ext. papers

2,353  
ext. citations

6.8  
avg, IF

5.22  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 101 | Poly(vinyl alcohol) (PVA)-Enhanced Hybrid Hydrogels of Hyperbranched Poly(ether amine) (hPEA) for Selective Adsorption and Separation of Dyes. <i>Macromolecules</i> , <b>2013</b> , 46, 2399-2406  | 5.5  | 123       |
| 100 | Near-infrared light-responsive dynamic wrinkle patterns. <i>Science Advances</i> , <b>2018</b> , 4, eaar5762  | 14.3 | 83        |
| 99  | A Nanoimprint Lithography Hybrid Photoresist Based on the Thiol-Ene System. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 2960-2967  | 15.6 | 80        |
| 98  | Polymeric Photoinitiator Containing In-Chain Thioxanthone and Coinitiator Amines. <i>Macromolecular Rapid Communications</i> , <b>2004</b> , 25, 748-752  | 4.8  | 65        |
| 97  | Understanding the Host-Guest Interaction Between Responsive Core-Crosslinked Hybrid Nanoparticles of Hyperbranched Poly(ether amine) and Dyes: The Selective Adsorption and Smart Separation of Dyes in Water. <i>Advanced Functional Materials</i> , <b>2012</b> , 22, 2606-2616 | 15.6 | 63        |
| 96  | Multistimuli Responsive Polymer Nanoparticles On the basis of the Amphiphilic Azobenzene-Contained Hyperbranched Poly(ether amine) (hPEA-AZO). <i>Macromolecules</i> , <b>2010</b> , 43, 10457-10465  | 5.5  | 59        |
| 95  | Thiol-ene-photo-cured hybrid materials based on POSS and renewable vegetable oil. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 12753   |      | 59        |
| 94  | Smart Patterned Surface with Dynamic Wrinkles. <i>Accounts of Chemical Research</i> , <b>2019</b> , 52, 1025-1035   | 24.3 | 57        |
| 93  | Hybrid hydrogels of hyperbranched poly(ether amine)s (hPEAs) for selective adsorption of guest molecules and separation of dyes. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 10055  |      | 56        |
| 92  | Reversible Diels-Alder Reaction To Control Wrinkle Patterns: From Dynamic Chemistry to Dynamic Patterns. <i>Advanced Materials</i> , <b>2016</b> , 28, 9126-9132  | 24   | 55        |
| 91  | Dynamic wrinkling pattern exhibiting tunable fluorescence for anticounterfeiting applications. <i>Nature Communications</i> , <b>2020</b> , 11, 1811  | 17.4 | 55        |
| 90  | Self-Wrinkling Patterned Surface of Photocuring Coating Induced by the Fluorinated POSS Containing Thiol Groups (F-POSS-SH) as the Reactive Nanoadditive. <i>Macromolecules</i> , <b>2012</b> , 45, 7520-7528   | 5.5  | 52        |
| 89  | Multi-responsive microgel of hyperbranched poly(ether amine) (hPEA-mGel) for the selective adsorption and separation of hydrophilic fluorescein dyes. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 17976   |      | 50        |
| 88  | Water-Soluble Polymeric Thioxanthone Photoinitiator Containing Glucamine as Coinitiator. <i>Macromolecular Chemistry and Physics</i> , <b>2008</b> , 209, 1593-1600   | 2.6  | 47        |
| 87  | Versatile Functionalization of the Micropatterned Hydrogel of Hyperbranched Poly(ether amine) Based on Thiol-ene Chemistry. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 1679-1686  | 15.6 | 40        |
| 86  | Multistimuli-responsive hyperbranched poly(ether amine)s. <i>Journal of Polymer Science Part A</i> , <b>2010</b> , 48, 4252-4261  | 2.5  | 34        |
| 85  | A Thiol-ene-photo-curable hybrid fluorinated resist for the high-performance replica mold of nanoimprint lithography (NIL). <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 2616-2623   |      | 33        |

|    |  |     |    |
|----|--|-----|----|
| 84 | Gas separation performance of supported carbon molecular sieve membranes based on soluble polybenzimidazole. <i>Journal of Membrane Science</i> , <b>2017</b> , 533, 1-10  | 9.6 | 30 |
| 83 | Reversible Surface Dual-Pattern with Simultaneously Dynamic Wrinkled Topography and Fluorescence. <i>ACS Macro Letters</i> , <b>2018</b> , 7, 540-545  | 6.6 | 30 |
| 82 | Poly(ether tert-amine): A novel family of multiresponsive polymer. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 1292-1297  | 2.5 | 29 |
| 81 | Responsive polymer nanoparticles formed by poly(ether amine) containing coumarin units and a poly(ethylene oxide) short chain. <i>Langmuir</i> , <b>2009</b> , 25, 9629-32   | 4   | 27 |
| 80 | Photo-crosslinked nanofibers of poly(ether amine) (PEA) for the ultrafast separation of dyes through molecular filtration. <i>Polymer Chemistry</i> , <b>2014</b> , 5, 2027-2034   | 4.9 | 26 |
| 79 | Light-reversible hierarchical patterns by dynamic photo-dimerization induced wrinkles. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 8765-8773  | 7.1 | 26 |
| 78 | Highly efficient, polymerizable, sulfur-containing photoinitiator comprising a structure of planar N-phenylmaleimide and benzophenone for photopolymerization. <i>Journal of Polymer Science Part A</i> , <b>2006</b> , 44, 3738-3750                        | 2.5 | 26 |
| 77 | Simultaneous Formation of a Self-Wrinkled Surface and Silver Nanoparticles on a Functional Photocuring Coating. <i>Langmuir</i> , <b>2015</b> , 31, 11800-8  | 4   | 25 |
| 76 | Self-wrinkling induced by the photopolymerization and self-assembly of fluorinated polymer at air/liquid interface. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 18574-18582   | 13  | 25 |
| 75 | Hybrid CoreShell Microspheres from Coassembly of Anthracene-Containing POSS (POSS-AN) and Anthracene-Ended Hyperbranched Poly(ether amine) (hPEA-AN) and Their Responsive Polymeric Hollow Microspheres. <i>Macromolecules</i> , <b>2013</b> , 46, 3519-3528 | 5.5 | 25 |
| 74 | Multifunctional POSS-Based Nano-Photo-Initiator for Overcoming the Oxygen Inhibition of Photo-Polymerization and for Creating Self-Wrinkled Patterns. <i>Advanced Materials Interfaces</i> , <b>2014</b> , 1, 1400385  | 4.6 | 25 |
| 73 | Hierarchical 3D Patterns with Dynamic Wrinkles Produced by a Photocontrolled Diels-Alder Reaction on the Surface. <i>Advanced Materials</i> , <b>2020</b> , 32, e1906712   | 24  | 25 |
| 72 | Selective Adsorption and Separation through Molecular Filtration by Hyperbranched Poly(ether amine)/Carbon Nanotube Ultrathin Membranes. <i>Langmuir</i> , <b>2016</b> , 32, 13073-13083   | 4   | 24 |
| 71 | Reversible Surface Patterning by Dynamic Crosslink Gradients: Controlling Buckling in 2D. <i>Advanced Materials</i> , <b>2018</b> , 30, e1803463   | 24  | 24 |
| 70 | Multi-Responsive Wrinkling Patterns by the Photoswitchable Supramolecular Network. <i>ACS Macro Letters</i> , <b>2017</b> , 6, 848-853   | 6.6 | 24 |
| 69 | Multistimuli responsive amphiphilic graft poly(ether amine): Synthesis, characterization, and self-assembly in aqueous solution. <i>Journal of Polymer Science Part A</i> , <b>2010</b> , 48, 327-335  | 2.5 | 24 |
| 68 | Responsive fluorescent core-crosslinked polymer particles based on the anthracene-containing hyperbranched poly(ether amine) (hPEA-AN). <i>Soft Matter</i> , <b>2011</b> , 7, 6853   | 3.6 | 22 |
| 67 | Hyperbranched poly(ether amine) (hPEA) as novel backbone for amphiphilic one-component type-II polymeric photoinitiators. <i>Chinese Chemical Letters</i> , <b>2018</b> , 29, 451-455  | 8.1 | 21 |

|    |   |      |    |
|----|---|------|----|
| 66 | Effect on Photopolymerization of the Structure of Amine Coinitiators Contained in Novel Polymeric Benzophenone Photoinitiators. <i>Macromolecular Chemistry and Physics</i> , <b>2006</b> , 207, 1752-1763  | 2.6  | 20 |
| 65 | Multi-responsive polymer nanoparticles from the amphiphilic poly(dimethylsiloxane) (PDMS)-containing poly(ether amine) (PDMS-gPEA) and its potential application for smart separation. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 4416 |      | 19 |
| 64 | Novel Polymerizable Sulfur-Containing Benzophenones as Free-Radical Photoinitiators for Photopolymerization. <i>Macromolecular Chemistry and Physics</i> , <b>2006</b> , 207, 1080-1086   | 2.6  | 19 |
| 63 | Copolymeric photoinitiators containing in-chain thioxanthone and coinitiator amine for photopolymerization. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 94, 2395-2400   | 2.9  | 19 |
| 62 | Thiol-ene photo-curable hybrid silicone resin for LED encapsulation: enhancement of light extraction efficiency by facile self-keeping hemisphere coating. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 5533-5539                       | 7.1  | 18 |
| 61 | A novel pH-responsive POSS-based nanoporous luminescent material derived from brominated distyrylpyridine and octavinylsilsesquioxane. <i>RSC Advances</i> , <b>2015</b> , 5, 12800-12806   | 3.7  | 18 |
| 60 | Study of Novel PU-Type Polymeric Photoinitiators Comprising of Side-Chain Benzophenone and Coinitiator Amine: Effect of Macromolecular Structure on Photopolymerization. <i>Macromolecular Chemistry and Physics</i> , <b>2007</b> , 208, 287-294     | 2.6  | 18 |
| 59 | Pattern Memory Surface (PMS) with Dynamic Wrinkles for Unclonable Anticounterfeiting <b>2019</b> , 1, 77-82   |      | 17 |
| 58 | Dynamic Interpenetrating Polymer Network (IPN) Strategy for Multiresponsive Hierarchical Pattern of Reversible Wrinkle. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 15977-15985   | 9.5  | 17 |
| 57 | In situ polymerization induced supramolecular hydrogels of chitosan and poly(acrylic acid-acrylamide) with high toughness. <i>Materials Chemistry Frontiers</i> , <b>2017</b> , 1, 310-318  | 7.8  | 17 |
| 56 | Hyperbranched poly(ether amine)@poly(vinylidene fluoride) (hPEA@PVDF) porous membranes for selective adsorption and molecular filtration of hydrophilic dyes. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 10470-10479                  | 13   | 16 |
| 55 | Interfacial Activity of Amine-Functionalized Polyhedral Oligomeric Silsesquioxanes (POSS): A Simple Strategy To Structure Liquids. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 10142-10147                                   | 16.4 | 16 |
| 54 | Photoreversible Resists for UV Nanoimprint Lithography (UV-NIL). <i>ACS Applied Materials &amp; Interfaces</i> , <b>2010</b> , 2, 2076-2082   | 9.5  | 16 |
| 53 | Poly(N-isopropylacrylamide) Brush Fabricated by Surface-Initiated Photopolymerization and its Response to Temperature. <i>Macromolecular Chemistry and Physics</i> , <b>2009</b> , 210, 1876-1882   | 2.6  | 16 |
| 52 | Polymeric vesicles with well-defined poly(methyl methacrylate) (PMMA) brushes via surface-initiated photopolymerization (SIPP). <i>Polymer Chemistry</i> , <b>2011</b> , 2, 614-618   | 4.9  | 15 |
| 51 | Novel polymerizable N-aromatic maleimides as free radical initiators for photopolymerization. <i>Polymer International</i> , <b>2006</b> , 55, 930-937  | 3.3  | 15 |
| 50 | Stimuli-responsive microgels formed by hyperbranched poly(ether amine) decorated with platinum nanoparticles. <i>Soft Matter</i> , <b>2011</b> , 7, 8619  | 3.6  | 14 |
| 49 | A water-soluble supramolecular-structured photoinitiator between methylated $\beta$ -cyclodextrin and 2,2-dimethoxy-2-phenylacetophenone. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 105, 3819-3823                                    | 2.9  | 14 |

|    |  |      |    |
|----|--|------|----|
| 48 | Dynamic Structural Color from Wrinkled Thin Films. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 2000234  | 8.1  | 14 |
| 47 | A Highly Efficient Polyurethane-Type Polymeric Photoinitiator Containing In-chain Benzophenone and Coinitiator Amine for Photopolymerization of PU Prepolymers. <i>Macromolecular Chemistry and Physics</i> , <b>2006</b> , 207, 2321-2328 | 2.6  | 13 |
| 46 | One-pot approach to synthesize hyperbranched poly(thiol-ether amine) (hPtEA) through sequential thiol-ene and epoxy-amine click reactions. <i>Polymer Chemistry</i> , <b>2015</b> , 6, 6946-6954   | 4.9  | 12 |
| 45 | Amphiphilic zwitterionic poly(dimethylsiloxane) (PDMS)-contained poly(ether amine) (Z-SiPEA) as the responsive polymeric dispersant. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2011</b> , 3, 1749-56                              | 9.5  | 12 |
| 44 | Amphiphilic polymeric Michler's ketone (MK) photoinitiators (APMKs) containing PEO chain and coinitiator amine. <i>Polymers for Advanced Technologies</i> , <b>2011</b> , 22, 598-604  | 3.2  | 11 |
| 43 | ESR and kinetic study of a novel polymerizable photoinitiator comprising the structure of N-phenylmaleimide and benzophenone for photopolymerization. <i>Journal of Applied Polymer Science</i> , <b>2006</b> , 101, 2347-2354             | 2.9  | 11 |
| 42 | Self-Assembly of Amphiphilic Anthracene-Functionalized Cyclodextrin (CD-AN) through Multi-Micelle Aggregation. <i>Macromolecular Rapid Communications</i> , <b>2016</b> , 37, 998-1004   | 4.8  | 11 |
| 41 | Regulating surface wrinkles using light. <i>National Science Review</i> , <b>2020</b> , 7, 1247-1257   | 10.8 | 10 |
| 40 | Polymeric Michler's ketone photoinitiator containing coinitiator amine. <i>Polymer Engineering and Science</i> , <b>2009</b> , 49, 1608-1615   | 2.3  | 10 |
| 39 | A hybrid resist hemispherical-pit array layer for light trapping in thin film silicon solar cells via UV nanoimprint lithography. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 6140-6147                                     | 7.1  | 9  |
| 38 | Photoinitiation properties of heterocyclic hexaarylbiimidazoles with high UV-vis absorbance. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 105, 2027-2035  | 2.9  | 9  |
| 37 | Cinnamate-Functionalized Cage Silsesquioxanes as Photoreactive Nanobuilding Blocks. <i>European Journal of Inorganic Chemistry</i> , <b>2015</b> , 2015, 99-103  | 2.3  | 8  |
| 36 | Light-Written Reversible 3D Fluorescence and Topography Dual-Pattern with Memory and Self-Healing Abilities. <i>Research</i> , <b>2019</b> , 2019, 2389254   | 7.8  | 8  |
| 35 | Interfacial Activity of Amine-Functionalized Polyhedral Oligomeric Silsesquioxanes (POSS): A Simple Strategy To Structure Liquids. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 10248-10253   | 3.6  | 7  |
| 34 | Photoinitiated synthesis of polymer brush from dendritic photoinitiator electrostatic self-assembly. <i>Chemical Communications</i> , <b>2005</b> , 4927-8   | 5.8  | 7  |
| 33 | Polymerization-Induced Growth of Microprotuberance on the Photocuring Coating. <i>Langmuir</i> , <b>2017</b> , 33, 2027-2032   | 4    | 6  |
| 32 | Photoreversible Growth of Micropattern. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600528  | 4.6  | 6  |
| 31 | The Interaction Between Amphiphilic Polymer Materials and Guest Molecules: Selective Adsorption and Its Related Applications. <i>Macromolecular Chemistry and Physics</i> , <b>2014</b> , 215, 2283-2294                                   | 2.6  | 6  |

|    |   |      |   |
|----|---|------|---|
| 30 | Polybenzimidazoles (PBIs) Derived from Non-Coplanar Dibenzoic Acid Containing Imidazole (IDBA): Synthesis, Characterization and Properties. <i>Macromolecular Chemistry and Physics</i> , <b>2009</b> , 210, 1632-1639                        | 2.6  | 6 |
| 29 | Photodynamic Pattern Memory Surfaces with Responsive Wrinkled and Fluorescent Patterns. <i>Advanced Science</i> , <b>2020</b> , 7, 2002372  | 13.6 | 6 |
| 28 | Micropatterns Fabricated by Photodimerization-Induced Diffusion. <i>Advanced Materials</i> , <b>2021</b> , 33, e2007699   | 6.9  | 6 |
| 27 | Novel Photosensitizer and Methoxy Styryl Pyridines for Photoradical Initiator System. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2009</b> , 22, 351-356   | 0.7  | 5 |
| 26 | Synthesis of stimuli-responsive star-like copolymer H2O-PNIPAm-r-PEGMA via the ATRP copolymerization technique and its micellization in aqueous solution. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 115, 1831-1840            | 2.9  | 5 |
| 25 | Multistimuli responsive micelles based on well-defined amphiphilic comb poly(ether amine) (acPEA). <i>Journal of Polymer Science Part A</i> , <b>2010</b> , 48, 3468-3475   | 2.5  | 5 |
| 24 | Toward Multifunctional Polymer Hybrid through Tunable Charge Transfer Interaction of Anthracene/Naphthalenediimide. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600224   | 4.6  | 5 |
| 23 | 9,10-Dithio/oxo-Anthracene as a Novel Photosensitizer for Photoinitiator Systems in Photoresists. <i>Macromolecular Chemistry and Physics</i> , <b>2019</b> , 220, 1900152  | 2.6  | 4 |
| 22 | A supramolecular polymeric photoinitiator with enhanced dispersion in photo-curing systems. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 1885-1893  | 4.9  | 4 |
| 21 | Effect of N-phenylmaleimide on a novel chemically bonded polymerizable photoinitiator comprising the structure of planar N-phenylmaleimide and benzophenone for photopolymerization. <i>Polymer International</i> , <b>2007</b> , 56, 200-207 | 3.3  | 4 |
| 20 | Realizing Dynamic Diffraction Gratings Based on Light-Direct Writing of Responsive 2D Ordered Patterns <b>2020</b> , 2, 1135-1141   |      | 4 |
| 19 | A Near-Infrared-Triggered Dynamic Wrinkling Biointerface for Noninvasive Harvesting of Practical Cell Sheets. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 32790-32798   | 9.5  | 4 |
| 18 | Photo-Polymerization Induced Hierarchical Pattern via Self-Wrinkling. <i>Advanced Functional Materials</i> , 2106754  | 15.6 | 4 |
| 17 | Thiol-yne Photo-curable Hybrid Resist: An Alternative for UV Nanoimprint Lithography (UV-NIL). <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , <b>2014</b> , 27, 121-129                                  | 0.7  | 3 |
| 16 | Regulating the Interlayer Spacing of 2D Lamellar Polymeric Membranes via Molecular Engineering of 2D Nanosheets. <i>Macromolecules</i> , <b>2021</b> , 54, 4423-4431  | 5.5  | 3 |
| 15 | The Evolution of Self-Wrinkles in a Single-Layer Gradient Polymer Film Based on Viscoelasticity. <i>Macromolecules</i> , <b>2022</b> , 55, 3563-3572  | 5.5  | 3 |
| 14 | Hyperbranched poly(ether amine) nanomicelles as nanoreactors for the unexpected ultrafast photolysis of fluorescein dyes. <i>Polymer Chemistry</i> , <b>2018</b> , 9, 2727-2732   | 4.9  | 2 |
| 13 | Photo-Induced Programmable Morphological Transition of the Hybrid Coassemblies. <i>Macromolecular Chemistry and Physics</i> , <b>2018</b> , 219, 1800054  | 2.6  | 2 |

|    |   |     |   |
|----|---|-----|---|
| 12 | Hyperbranched Poly(ether amine)@Poly(vinylidene fluoride) Hybrid Membrane with Oriented Nanostructures for Fast Molecular Filtration. <i>Langmuir</i> , <b>2018</b> , 34, 3787-3796                           | 4   | 2 |
| 11 | Multifunctional Polymer Sponge with Molecule Recognition: Facile Mechanic Induced Separation. <i>Langmuir</i> , <b>2019</b> , 35, 14920-14928   | 4   | 2 |
| 10 | Multi-responsive wholly aromatic sulfonated polyamide ultra-sensitive to pH value. <i>Science China Chemistry</i> , <b>2012</b> , 55, 2503-2506   | 7.9 | 2 |
| 9  | Light-Induced Programmable 2D Ordered Patterns Based on a Hyperbranched Poly(ether amine) (hPEA)-Functionalized Graphene Film. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 1704-1713    | 9.5 | 2 |
| 8  | Long noncoding RNA-dependent regulation of vascular smooth muscle cell proliferation and migration in hypertension. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2020</b> , 118, 105653 | 5.6 | 1 |
| 7  | Photo-Oxidation-Controlled Surface Pattern with Responsive Wrinkled Topography and Fluorescence. <i>Chemistry - A European Journal</i> , <b>2021</b> , 27, 5810-5816  | 4.8 | 1 |
| 6  | Ultralarge Nanosheets Fabricated by the Hierarchical Self-Assembly of Porphyrin-Ended Hyperbranched Poly (ether amine) (TPP-hPEA). <i>Macromolecular Rapid Communications</i> , <b>2018</b> , 39, e1800042    | 4.8 | 0 |
| 5  | Aminoesterenamide Achieved by Three-Component Reaction Heading toward Tailoring Covalent Adaptable Network with Great Freedom. <i>Macromolecular Rapid Communications</i> , <b>2021</b> , 42, e2100394        | 4.8 | 0 |
| 4  | Wavelength-Selective Photocycloadditions of Styryl-Anthracene.. <i>Macromolecular Rapid Communications</i> , <b>2022</b> , e2200055   | 4.8 | 0 |
| 3  | Hybrid Membranes of hPEA@PVDF for Molecular Recognition and Separation of Phenols and Anilines. <i>Advanced Materials Technologies</i> , <b>2019</b> , 4, 1900529   | 6.8 |   |
| 2  | Application of decarboxylation reactions for improvement of dielectric properties of a methacrylic polymer.. <i>RSC Advances</i> , <b>2021</b> , 11, 20926-20932  | 3.7 |   |
| 1  | Photo-Curing Vis-IR Hybrid Fresnel Lenses with High Refractive Index. <i>Macromolecular Chemistry and Physics</i> , 2100311   | 2.6 |   |