Couvelard Anne

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5418504/couvelard-anne-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172 9,047 54 89 g-index

192 10,329 5.2 5.48 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 172 | ENETS standardized (synoptic) reporting for neuroendocrine tumour pathology <i>Journal of Neuroendocrinology</i> , 2022 , e13100 | 3.8 | 1 |
| 171 | An update on the development of concepts, diagnostic criteria, and challenging issues for neuroendocrine neoplasms across different digestive organs <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022 , 1 | 5.1 | 1 |
| 170 | The molecular characteristics of high-grade gastroenteropancreatic neuroendocrine neoplasms. <i>Endocrine-Related Cancer</i> , 2021 , 29, 1-14 | 5.7 | 13 |
| 169 | Digestive and lung high-grade neuroendocrine neoplasms: Update and challenging issues. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021 , 18, 224-229 | 1.7 | 1 |
| 168 | Histopathological Revision for Gastroenteropancreatic Neuroendocrine Neoplasms in Expert Centers: Does It Make the Difference?. <i>Neuroendocrinology</i> , 2021 , 111, 170-177 | 5.6 | 5 |
| 167 | Specific Genomic Alterations in High-Grade Pulmonary Neuroendocrine Tumours with Carcinoid Morphology. <i>Neuroendocrinology</i> , 2021 , 111, 158-169 | 5.6 | 13 |
| 166 | Biomarkers of Response to Etoposide-Platinum Chemotherapy in Patients with Grade 3 Neuroendocrine Neoplasms. <i>Cancers</i> , 2021 , 13, | 6.6 | 7 |
| 165 | Alkylating agent rechallenge in metastatic pancreatic neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2021 , 28, 457-466 | 5.7 | 2 |
| 164 | Treatment outcomes of advanced digestive well-differentiated grade 3 NETs. <i>Endocrine-Related Cancer</i> , 2021 , 28, 549-561 | 5.7 | O |
| 163 | Cytomegalovirus proctitis as a complication of COVID-19 with immunosuppressive treatments. <i>IDCases</i> , 2021 , 24, e01111 | 2 | 6 |
| 162 | Could pancreatic grade 3 neuroendocrine tumors really behave similarly to neuroendocrine carcinomas following resection?. <i>Hpb</i> , 2020 , 22, 792 | 3.8 | 1 |
| 161 | Long-term consequences of one anastomosis gastric bypass on esogastric mucosa in a preclinical rat model. <i>Scientific Reports</i> , 2020 , 10, 7393 | 4.9 | 3 |
| 160 | Critical appraisal of MGMT in digestive NET treated with alkylating agents. <i>Endocrine-Related Cancer</i> , 2020 , 27, R391-R405 | 5.7 | 5 |
| 159 | O-positive blood type is associated with prolonged recurrence-free survival following curative resection of pancreatic neuroendocrine tumors. <i>Pancreatology</i> , 2020 , 20, 1718-1722 | 3.8 | |
| 158 | Endocannabinoid Receptor-1 and Sympathetic Nervous System Mediate the Beneficial Metabolic Effects of Gastric Bypass. <i>Cell Reports</i> , 2020 , 33, 108270 | 10.6 | 14 |
| 157 | Prognostic Biomarkers in Pancreatic Cancer: Avoiding Errata When Using the TCGA Dataset. <i>Cancers</i> , 2019 , 11, | 6.6 | 15 |
| 156 | Astaxanthin Complexes to Attenuate Muscle Damage after In Vivo Femoral Ischemia-Reperfusion. <i>Marine Drugs</i> , 2019 , 17, | 6 | 12 |

| 155 | Preclinical Evaluation of Ga-DOTA-NT-20.3: A Promising PET Imaging Probe To Discriminate Human Pancreatic Ductal Adenocarcinoma from Pancreatitis. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2776-2784 | 5.6 | 13 |
|-----|--|-------------------|-----|
| 154 | O6-methylguanine-DNA methyltransferase (MGMT) status in neuroendocrine tumors: a randomized phase II study (MGMT-NET). <i>Digestive and Liver Disease</i> , 2019 , 51, 595-599 | 3.3 | 16 |
| 153 | Endoscopic, transanal, laparoscopic, and transabdominal management of rectal neuroendocrine tumors. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2019 , 33, 101293 | 6.5 | 26 |
| 152 | Lesion-by-lesion correlation between uptake at FDG PET and the Ki67 proliferation index in resected pancreatic neuroendocrine tumors. <i>Digestive and Liver Disease</i> , 2019 , 51, 1720-1724 | 3.3 | 10 |
| 151 | Risk of Perforated Colonic Diverticulitis in Patients With Chronic Kidney Disease Requiring Sodium Polystyrene Sulfonate: Not to Be Forgotten. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1003-100 | 15 ^{0.7} | 3 |
| 150 | Colorectal Neuroendocrine Neoplasms: Areas of Unmet Need. <i>Neuroendocrinology</i> , 2019 , 108, 45-53 | 5.6 | 11 |
| 149 | Clinical and Biomarker Evaluations of Sunitinib in Patients with Grade 3 Digestive Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2018 , 107, 24-31 | 5.6 | 24 |
| 148 | Peritoneal Pulse Granulomas With Spiral Bodies Mimicking Peritoneal Carcinomatosis: A Case Report. <i>International Journal of Surgical Pathology</i> , 2018 , 26, 561-563 | 1.2 | O |
| 147 | Chemotherapy for Well-Differentiated Pancreatic Neuroendocrine Tumours with a Ki-67 Index IIO%: Is There a More Effective Antitumour Regimen? A Retrospective Multicentre Study of the French Group of Endocrine Tumours (GTE). <i>Neuroendocrinology</i> , 2018 , 106, 38-46 | 5.6 | 10 |
| 146 | 18F-FDG Uptake in Well-Differentiated Neuroendocrine Tumors Correlates with Both Ki-67 and VHL Pathway Inactivation. <i>Neuroendocrinology</i> , 2018 , 106, 274-282 | 5.6 | 16 |
| 145 | Tumor Heterogeneity in Pancreatic Adenocarcinoma. <i>Pathobiology</i> , 2018 , 85, 64-71 | 3.6 | 53 |
| 144 | An atypical persistent eruption of adult-onset Stillß disease with neutrophilic urticarial dermatosis-like dermal features: A case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2018 , 45, 793-799 | 1.7 | 8 |
| 143 | Predicting the efficacy of surgery for pain relief in patients with alcoholic chronic pancreatitis. <i>Surgery</i> , 2018 , 164, 1064-1070 | 3.6 | 10 |
| 142 | Competitive Testing of the WHO 2010 versus the WHO 2017 Grading of Pancreatic Neuroendocrine Neoplasms: Data from a Large International Cohort Study. <i>Neuroendocrinology</i> , 2018 , 107, 375-386 | 5.6 | 52 |
| 141 | Sensing of red blood cells with decreased membrane deformability by the human spleen. <i>Blood Advances</i> , 2018 , 2, 2581-2587 | 7.8 | 23 |
| 140 | ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: Pathology: Diagnosis and Prognostic Stratification. <i>Neuroendocrinology</i> , 2017 , 105, 196-200 | 5.6 | 108 |
| 139 | Long-Term Evaluation of Biliary Reflux After Experimental One-Anastomosis Gastric Bypass in Rats. <i>Obesity Surgery</i> , 2017 , 27, 1119-1122 | 3.7 | 25 |
| 138 | ENETS Consensus Guidelines for Standard of Care in Neuroendocrine Tumours: Biochemical Markers. <i>Neuroendocrinology</i> , 2017 , 105, 201-211 | 5.6 | 80 |

| 137 | Antisecretory Effects of Chimeric Somatostatin/Dopamine Receptor Ligands on Gastroenteropancreatic Neuroendocrine Tumors. <i>Pancreas</i> , 2017 , 46, 631-638 | 2.6 | 7 |
|-----|--|------|-----|
| 136 | Xanthomatous Posttraumatic Fibro-Osseous Lesion of the Rib: A Rare and Underrecognized Entity. Case Report and Literature Review. <i>International Journal of Surgical Pathology</i> , 2017 , 25, 640-643 | 1.2 | 1 |
| 135 | Digestive System Mixed Neuroendocrine-Non-Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2017 , 105, 412-425 | 5.6 | 73 |
| 134 | Acinar-to-Ductal Metaplasia Induced by Transforming Growth Factor Beta Facilitates KRAS-driven Pancreatic Tumorigenesis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017 , 4, 263-282 | 7.9 | 28 |
| 133 | A gastric MANEC with an adenocarcinoma of fundic-gland type as exocrine component. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 471, 673-678 | 5.1 | 2 |
| 132 | Professional Practices and Diagnostic Issues in Neuroendocrine Tumour Pathology: Results of a Prospective One-Year Survey among French Pathologists (the PRONET Study). <i>Neuroendocrinology</i> , 2017 , 105, 67-76 | 5.6 | 23 |
| 131 | Prediction of pancreatic neuroendocrine tumour grade with MR imaging features: added value of diffusion-weighted imaging. <i>European Radiology</i> , 2017 , 27, 1748-1759 | 8 | 64 |
| 130 | Impact of Orexin-A Treatment on Food Intake, Energy Metabolism and Body Weight in Mice. <i>PLoS ONE</i> , 2017 , 12, e0169908 | 3.7 | 16 |
| 129 | Gly388Arg FGFR4 Polymorphism Is Not Predictive of Everolimus Efficacy in Well-Differentiated Digestive Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2016 , 103, 495-9 | 5.6 | 15 |
| 128 | Gastroenteropancreatic Well-Differentiated Grade 3 Neuroendocrine Tumors: Review and Position Statement. <i>Oncologist</i> , 2016 , 21, 1191-1199 | 5.7 | 95 |
| 127 | Nucleolin Targeting Impairs the Progression of Pancreatic Cancer and Promotes the Normalization of Tumor Vasculature. <i>Cancer Research</i> , 2016 , 76, 7181-7193 | 10.1 | 73 |
| 126 | Differences in Alimentary Glucose Absorption and Intestinal Disposal of Blood Glucose After Roux-en-Y Gastric Bypass vs Sleeve Gastrectomy. <i>Gastroenterology</i> , 2016 , 150, 454-64.e9 | 13.3 | 126 |
| 125 | Dual Roles for CXCL4 Chemokines and CXCR3 in Angiogenesis and Invasion of Pancreatic Cancer. <i>Cancer Research</i> , 2016 , 76, 6507-6519 | 10.1 | 26 |
| 124 | Reappraisal of pancreatic enucleations: A single-center experience of 126 procedures. <i>Surgery</i> , 2015 , 158, 201-10 | 3.6 | 45 |
| 123 | Obesity and Fatty Pancreatic Infiltration Are Risk Factors for Pancreatic Precancerous Lesions (PanIN). <i>Clinical Cancer Research</i> , 2015 , 21, 3522-8 | 12.9 | 108 |
| 122 | Can pancreatic neuroendocrine tumour biopsy accurately determine pathological characteristics?. <i>Digestive and Liver Disease</i> , 2015 , 47, 973-7 | 3.3 | 35 |
| 121 | Glucagon cell hyperplasia and neoplasia with and without glucagon receptor mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E783-8 | 5.6 | 49 |
| 120 | State of the art and future directions of pancreatic ductal adenocarcinoma therapy. <i>Pharmacology & Therapeutics</i> , 2015 , 155, 80-104 | 13.9 | 66 |

(2014-2015)

| 119 | High c-Met expression in stage I-II pancreatic adenocarcinoma: proposal for an immunostaining scoring method and correlation with poor prognosis. <i>Histopathology</i> , 2015 , 67, 664-76 | 7.3 | 19 |
|-----|--|-----|----|
| 118 | Somatostatin receptor subtype 2 expression and somatostatin receptor scintigraphy positivity in pancreatic serous cystadenomas. <i>Pancreas</i> , 2015 , 44, 672-4 | 2.6 | 2 |
| 117 | Long-term Prognosis of Resected Pancreatic Neuroendocrine Tumors in von Hippel-Lindau Disease Is Favorable and Not Influenced by Small Tumors Left in Place. <i>Annals of Surgery</i> , 2015 , 262, 384-8 | 7.8 | 30 |
| 116 | Remodeling of the residual gastric mucosa after roux-en-y gastric bypass or vertical sleeve gastrectomy in diet-induced obese rats. <i>PLoS ONE</i> , 2015 , 10, e0121414 | 3.7 | 19 |
| 115 | Glucagonoma 2015 , 81-87 | | 3 |
| 114 | Metachronous hormonal syndromes in patients with pancreatic neuroendocrine tumors: a case-series study. <i>Annals of Internal Medicine</i> , 2015 , 162, 682-9 | 8 | 19 |
| 113 | Pathological Evaluation and Classification of Digestive Neuroendocrine Tumours 2015 , 59-76 | | 1 |
| 112 | Akt pathway protein expression in gastrointestinal Kaposi sarcomas: relevance for tumor biology. <i>Apmis</i> , 2014 , 122, 518-25 | 3.4 | 3 |
| 111 | CT and MR imaging of multilocular acinar cell cystadenoma: comparison with branch duct intraductal papillary mucinous neoplasia (IPMNs). <i>European Radiology</i> , 2014 , 24, 2128-36 | 8 | 18 |
| 110 | Surgery for small-bowel neuroendocrine tumors: is there any benefit of the laparoscopic approach?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1720-6 | 5.2 | 27 |
| 109 | In situ proteomic analysis by MALDI imaging identifies ubiquitin and thymosin- as markers of malignant intraductal pancreatic mucinous neoplasms. <i>Pancreatology</i> , 2014 , 14, 117-24 | 3.8 | 20 |
| 108 | Reappraisal of central pancreatectomy a 12-year single-center experience. <i>JAMA Surgery</i> , 2014 , 149, 356-63 | 5.4 | 68 |
| 107 | Does tobacco influence the natural history of autoimmune pancreatitis?. <i>Pancreatology</i> , 2014 , 14, 284-8 | 3.8 | 10 |
| 106 | Parenchyma-sparing pancreatectomy for presumed noninvasive intraductal papillary mucinous neoplasms of the pancreas. <i>Annals of Surgery</i> , 2014 , 260, 364-71 | 7.8 | 55 |
| 105 | Proteomic screening identifies a YAP-driven signaling network linked to tumor cell proliferation in human schwannomas. <i>Neuro-Oncology</i> , 2014 , 16, 1196-209 | 1 | 25 |
| 104 | Overcoming Resistance to Targeted Therapies: The Next Challenge in Pancreatic Neuroendocrine Tumors (PNETs) Treatment 2014 , 167-180 | | |
| 103 | Lessons from McCune-Albright syndrome-associated intraductal papillary mucinous neoplasms: : GNAS-activating mutations in pancreatic carcinogenesis. <i>JAMA Surgery</i> , 2014 , 149, 858-62 | 5.4 | 29 |
| 102 | EGFR expression in pancreatic adenocarcinoma. Relationship to tumour morphology and cell adhesion proteins. <i>Journal of Clinical Pathology</i> , 2014 , 67, 295-300 | 3.9 | 13 |

| 101 | Sporadic nonfunctioning pancreatic neuroendocrine tumors: prognostic significance of incidental diagnosis. <i>Surgery</i> , 2014 , 155, 13-21 | 3.6 | 53 |
|-----|---|------|-----|
| 100 | Imaging of Neuroendocrine Tumors and Challenges in Response Evaluation for Targeted Therapies 2014 , 155-165 | | |
| 99 | Tumoral epithelial and stromal expression of SMAD proteins in pancreatic ductal adenocarcinomas. Journal of Hepato-Biliary-Pancreatic Sciences, 2013 , 20, 294-302 | 2.8 | 8 |
| 98 | Targeting the Ras-ERK pathway in pancreatic adenocarcinoma. <i>Cancer and Metastasis Reviews</i> , 2013 , 32, 147-62 | 9.6 | 76 |
| 97 | Oxidative stress induced by inactivation of TP53INP1 cooperates with KrasG12D to initiate and promote pancreatic carcinogenesis in the murine pancreas. <i>American Journal of Pathology</i> , 2013 , 182, 1996-2004 | 5.8 | 29 |
| 96 | Pathology. Annales DrEndocrinologie, 2013, 74, 203-6 | 1.7 | |
| 95 | Focus on the role of the CXCL12/CXCR4 chemokine axis in head and neck squamous cell carcinoma. Head and Neck, 2013 , 35, 1819-28 | 4.2 | 29 |
| 94 | Pancreatic Intraepithelial Neoplasia in Patients With Intraductal Papillary Mucinous Neoplasms. Pancreas, 2013 , 42, 1262-1266 | 2.6 | 19 |
| 93 | Pattern and clinical predictors of lymph node involvement in nonfunctioning pancreatic neuroendocrine tumors (NF-PanNETs). <i>JAMA Surgery</i> , 2013 , 148, 932-9 | 5.4 | 121 |
| 92 | High prevalence of IgG4-related lymphoplasmacytic infiltrative disorder in 25 patients with orbital inflammation: a retrospective case series. <i>British Journal of Ophthalmology</i> , 2013 , 97, 999-1004 | 5.5 | 39 |
| 91 | Ki67 proliferation index, hepatic tumor load, and pretreatment tumor growth predict the antitumoral efficacy of lanreotide in patients with malignant digestive neuroendocrine tumors. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 232-8 | 2.2 | 52 |
| 90 | Surface area loss and increased sphericity account for the splenic entrapment of subpopulations of Plasmodium falciparum ring-infected erythrocytes. <i>PLoS ONE</i> , 2013 , 8, e60150 | 3.7 | 42 |
| 89 | Hypoxia pathways and cellular stress activate pancreatic stellate cells: development of an organotypic culture model of thick slices of normal human pancreas. <i>PLoS ONE</i> , 2013 , 8, e76229 | 3.7 | 19 |
| 88 | The long term risk of malignancy in patients with branch duct intraductal papillary mucinous neoplasms of the pancreas. <i>Pancreatology</i> , 2012 , 12, 198-202 | 3.8 | 75 |
| 87 | Levels of gemcitabine transport and metabolism proteins predict survival times of patients treated with gemcitabine for pancreatic adenocarcinoma. <i>Gastroenterology</i> , 2012 , 143, 664-674.e6 | 13.3 | 184 |
| 86 | Familial intraductal papillary mucinous neoplasms of the pancreas. <i>Digestive and Liver Disease</i> , 2012 , 44, 442-6 | 3.3 | 15 |
| 85 | Prognostic value of the chemokine receptor CXCR4 and epithelial-to-mesenchymal transition in patients with squamous cell carcinoma of the mobile tongue. <i>Oral Oncology</i> , 2012 , 48, 1263-71 | 4.4 | 26 |
| 84 | Neuroendocrine tumours of the pancreas: recent developments in staging and grading. <i>Diagnostic Histopathology</i> , 2012 , 18, 1-7 | 0.7 | 4 |

(2011-2012)

| 83 | Resistance to targeted therapies in pancreatic neuroendocrine tumors (PNETs): molecular basis, preclinical data, and counteracting strategies. <i>Targeted Oncology</i> , 2012 , 7, 173-81 | 5 | 19 |
|----|--|------|-----|
| 82 | Parenchyma-sparing resections for pancreatic neuroendocrine tumors. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 2045-55 | 3.3 | 78 |
| 81 | Immunoglobulin G4 immunostaining of gastric, duodenal, or colonic biopsies is not helpful for the diagnosis of autoimmune pancreatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 91-4 | 6.9 | 54 |
| 80 | Hepatic arterial embolization versus chemoembolization in the treatment of liver metastases from well-differentiated midgut endocrine tumors: a prospective randomized study. <i>Neuroendocrinology</i> , 2012 , 96, 294-300 | 5.6 | 71 |
| 79 | Imaging response in neuroendocrine tumors treated with targeted therapies: the experience of sunitinib. <i>Targeted Oncology</i> , 2012 , 7, 127-33 | 5 | 40 |
| 78 | Molecular profiling of pancreatic neuroendocrine tumors in sporadic and Von Hippel-Lindau patients. <i>Clinical Cancer Research</i> , 2012 , 18, 2838-49 | 12.9 | 46 |
| 77 | ENETS Consensus Guidelines for the management of patients with liver and other distant metastases from neuroendocrine neoplasms of foregut, midgut, hindgut, and unknown primary. <i>Neuroendocrinology</i> , 2012 , 95, 157-76 | 5.6 | 638 |
| 76 | The expression of the hypoxia markers CA9 and CXCR4 is correlated with survival in patients with neuroendocrine tumours of the ileum. <i>Neuroendocrinology</i> , 2012 , 95, 214-22 | 5.6 | 14 |
| 75 | Proteomic assessment of markers for malignancy in the mucus of intraductal papillary mucinous neoplasms of the pancreas. <i>Pancreas</i> , 2012 , 41, 169-74 | 2.6 | 15 |
| 74 | Biological and prognostic relevance of mitogen-activated protein kinases in pancreatic adenocarcinoma. <i>Pancreas</i> , 2012 , 41, 416-21 | 2.6 | 21 |
| 73 | Preoperative CT scan helps to predict the occurrence of severe pancreatic fistula after pancreaticoduodenectomy. <i>Annals of Surgery</i> , 2012 , 256, 139-45 | 7.8 | 104 |
| 72 | Recurrence after surgical resection of gastrinoma: who, when, where and why?. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 368-74 | 2.2 | 11 |
| 71 | Epidermoid carcinoma complicating esophageal lichen planus without cutaneous or oral involvement. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 221-3 | 5.2 | 8 |
| 70 | Outcome of patients with type 1 or 2 autoimmune pancreatitis. <i>American Journal of Gastroenterology</i> , 2011 , 106, 151-6 | 0.7 | 141 |
| 69 | Predictors of tumor response after preoperative chemoradiotherapy for rectal adenocarcinomas. <i>Human Pathology</i> , 2011 , 42, 1702-9 | 3.7 | 25 |
| 68 | Neuroendocrine tumors of midgut and hindgut origin: tumor-node-metastasis classification determines clinical outcome. <i>Cancer</i> , 2011 , 117, 3332-41 | 6.4 | 204 |
| 67 | Id3 modulates cellular localization of bHLH Ptf1-p48 protein. <i>International Journal of Cancer</i> , 2011 , 129, 295-306 | 7·5 | 8 |
| 66 | Mucinous cystic neoplasms of the pancreas: definition of preoperative imaging criteria for high-risk lesions. <i>Pancreatology</i> , 2011 , 11, 495-9 | 3.8 | 54 |

| 65 | Molecular markers associated with response to chemotherapy in gastro-entero-pancreatic neuroendocrine tumors. <i>Endocrine-Related Cancer</i> , 2010 , 17, 847-56 | 5.7 | 42 |
|----|--|------|-----|
| 64 | Expression of follicle-stimulating hormone receptor in tumor blood vessels. <i>New England Journal of Medicine</i> , 2010 , 363, 1621-30 | 59.2 | 216 |
| 63 | Pathology analysis reveals that dysplastic pancreatic ductal lesions are frequent in patients with hereditary pancreatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 206-12 | 6.9 | 38 |
| 62 | Difficult diagnosis of atypical cystic pancreatic lesions in von Hippel-Lindau disease. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 140-5 | 2.2 | 6 |
| 61 | Pancreatic intraepithelial neoplasia is associated with chronic pancreatitis due to serine protease inhibitor kazal type 1 and cystic fibrosis transmembrane conductance regulator mutations. <i>Pancreas</i> , 2010 , 39, 947-8 | 2.6 | 2 |
| 60 | Acute pancreatitis in patients operated on for intraductal papillary mucinous neoplasms of the pancreas: frequency, severity, and clinicopathologic correlations. <i>Pancreas</i> , 2010 , 39, 658-61 | 2.6 | 36 |
| 59 | Response to "Obesity potentiates the growth and dissemination of pancreatic cancer". <i>Surgery</i> , 2010 , 147, 174 | 3.6 | 1 |
| 58 | Fatty pancreas and increased body mass index are risk factors of pancreatic fistula after pancreaticoduodenectomy. <i>Surgery</i> , 2010 , 148, 15-23 | 3.6 | 240 |
| 57 | Determination of angptl4 mRNA as a diagnostic marker of primary and metastatic clear cell renal-cell carcinoma. <i>PLoS ONE</i> , 2010 , 5, e10421 | 3.7 | 27 |
| 56 | Temozolomide: a safe and effective treatment for malignant digestive endocrine tumors. <i>Neuroendocrinology</i> , 2009 , 90, 67-72 | 5.6 | 25 |
| 55 | Glucagon cell adenomatosis: a newly recognized disease of the endocrine pancreas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 213-7 | 5.6 | 57 |
| 54 | ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: towards a standardized approach to the diagnosis of gastroenteropancreatic neuroendocrine tumors and their prognostic stratification. <i>Neuroendocrinology</i> , 2009 , 90, 162-6 | 5.6 | 263 |
| 53 | Is adjuvant therapy with streptozotocin and 5-fluorouracil useful after resection of liver metastases from digestive endocrine tumors?. <i>Surgery</i> , 2009 , 145, 69-75 | 3.6 | 38 |
| 52 | Heterogeneity of tumor prognostic markers: a reproducibility study applied to liver metastases of pancreatic endocrine tumors. <i>Modern Pathology</i> , 2009 , 22, 273-81 | 9.8 | 69 |
| 51 | Pancreatic endocrine tumors: tumor blood flow assessed with perfusion CT reflects angiogenesis and correlates with prognostic factors. <i>Radiology</i> , 2009 , 250, 407-16 | 20.5 | 201 |
| 50 | Pancreatic endocrine microadenomatosis in patients with von Hippel-Lindau disease: characterization by VHL/HIF pathway proteins expression. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 739-48 | 6.7 | 48 |
| 49 | Morphologic changes in branch duct intraductal papillary mucinous neoplasms of the pancreas: a midterm follow-up study. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 807-14 | 6.9 | 101 |
| 48 | Intraductal papillary mucinous neoplasms of the pancreas: performance of pancreatic fluid analysis for positive diagnosis and the prediction of malignancy. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2871-7 | 0.7 | 104 |

(2006-2008)

| 47 | mucinous neoplasms of the pancreas: a case-control study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2878-82 | 0.7 | 48 |
|----|--|------|-----|
| 46 | Overexpression of the oxygen sensors PHD-1, PHD-2, PHD-3, and FIH Is associated with tumor aggressiveness in pancreatic endocrine tumors. <i>Clinical Cancer Research</i> , 2008 , 14, 6634-9 | 12.9 | 77 |
| 45 | Consensus guidelines for the management of patients with digestive neuroendocrine tumours: well-differentiated tumour/carcinoma of the appendix and goblet cell carcinoma. Neuroendocrinology, 2008, 87, 20-30 | 5.6 | 95 |
| 44 | Impaired E-cadherin expression and glutamine synthetase overexpression in solid pseudopapillary neoplasm of the pancreas. <i>Pancreas</i> , 2008 , 36, 80-3 | 2.6 | 47 |
| 43 | Retention of Plasmodium falciparum ring-infected erythrocytes in the slow, open microcirculation of the human spleen. <i>Blood</i> , 2008 , 112, 2520-8 | 2.2 | 115 |
| 42 | Endocrine pancreatic tumors in von Hippel-Lindau disease: clinical, histological, and genetic features. <i>Pancreas</i> , 2008 , 37, 85-93 | 2.6 | 65 |
| 41 | Two-step surgery for synchronous bilobar liver metastases from digestive endocrine tumors: a safe approach for radical resection. <i>Annals of Surgery</i> , 2008 , 247, 659-65 | 7.8 | 90 |
| 40 | Gastroenteropancreatic neuroendocrine tumors: indications for and pitfalls of frozen section examination. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 453, 441-8 | 5.1 | 12 |
| 39 | Malignant intraductal papillary mucinous neoplasm of the pancreas: in situ versus invasive carcinoma surgical resectability. <i>Radiology</i> , 2007 , 245, 483-90 | 20.5 | 53 |
| 38 | Clinical and morphological features of duodenal cystic dystrophy in heterotopic pancreas. <i>American Journal of Gastroenterology</i> , 2007 , 102, 871-9 | 0.7 | 53 |
| 37 | Pancreaticoduodenectomy with mesentericoportal vein resection for adenocarcinoma of the pancreatic head. <i>World Journal of Surgery</i> , 2006 , 30, 1526-35 | 3.3 | 98 |
| 36 | The analysis of quantitative expression of somatostatin and dopamine receptors in gastro-entero-pancreatic tumours opens new therapeutic strategies. <i>European Journal of Endocrinology</i> , 2006 , 155, 849-57 | 6.5 | 84 |
| 35 | Natural history of intraductal papillary mucinous tumors of the pancreas: actuarial risk of malignancy. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 460-8 | 6.9 | 180 |
| 34 | Identification of potential therapeutic targets by gene-expression profiling in pancreatic endocrine tumors. <i>Gastroenterology</i> , 2006 , 131, 1597-610 | 13.3 | 64 |
| 33 | Rare functioning pancreatic endocrine tumors. <i>Neuroendocrinology</i> , 2006 , 84, 189-95 | 5.6 | 104 |
| 32 | CD10 expression in pancreatic endocrine tumors: correlation with prognostic factors and survival. <i>Human Pathology</i> , 2006 , 37, 802-8 | 3.7 | 40 |
| 31 | Ex vivo perfusion of human spleens maintains clearing and processing functions. <i>Blood</i> , 2006 , 107, 3745 | -5.2 | 89 |
| 30 | Microadenomatosis of the endocrine pancreas in patients with and without the multiple endocrine neoplasia type 1 syndrome. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 560-74 | 6.7 | 168 |

| 29 | A clear cell malignant gastrinoma of the pancreas with cytoplasmic accumulation of lipid droplets. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 448, 105-6 | 5.1 | 2 |
|----|---|------|-----|
| 28 | Is idiopathic chronic pancreatitis an autoimmune disease?. <i>Clinical Gastroenterology and Hepatology</i> , 2005 , 3, 903-9 | 6.9 | 41 |
| 27 | Metastatic insulinoma and glucagonoma from the pancreas responsible for specific peritumoral patterns of hepatic steatosis secondary to local effects of insulin and glucagon on hepatocytes. <i>Gastroenterology</i> , 2005 , 129, 1150,1365 | 13.3 | 11 |
| 26 | Granular cell tumor of the pancreas. <i>Pancreas</i> , 2005 , 31, 296-8 | 2.6 | 8 |
| 25 | Frozen sectioning of the pancreatic cut surface during resection of intraductal papillary mucinous neoplasms of the pancreas is useful and reliable: a prospective evaluation. <i>Annals of Surgery</i> , 2005 , 242, 774-8, discussion 778-80 | 7.8 | 8o |
| 24 | Endocrine tumor and intraductal papillary mucinous neoplasm of the pancreas: a fortuitous association?. <i>Pancreas</i> , 2005 , 31, 79-83 | 2.6 | 32 |
| 23 | Chromosome 1p loss: a favorable prognostic factor in low-grade gliomas. <i>Annals of Neurology</i> , 2005 , 58, 322-6 | 9.4 | 70 |
| 22 | Clinical and autopsy diagnoses in the intensive care unit: a prospective study. <i>Archives of Internal Medicine</i> , 2004 , 164, 389-92 | | 101 |
| 21 | Correlation between patterns of DNA mismatch repair hmlh1 and hmsh2 protein expression and progression of dysplasia in intraductal papillary mucinous neoplasms of the pancreas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004 , 444, 235-8 | 5.1 | 11 |
| 20 | Mucinous cystadenoma with mesenchymal over-growth: a new variant among pancreatic mucinous cystadenomas?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004 , 445, 203-5 | 5.1 | 5 |
| 19 | Human chorionic gonadotrophin beta expression in malignant Barrett® oesophagus. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004 , 445, 279-84 | 5.1 | 3 |
| 18 | Early expression of adhesion molecules after lung transplantation: evidence for a role of aggregated P-selectin-positive platelets in human primary graft failure. <i>Journal of Heart and Lung Transplantation</i> , 2004 , 23, 1087-92 | 5.8 | 25 |
| 17 | Macrocystic pancreatic cystadenoma: The role of EUS and cyst fluid analysis in distinguishing mucinous and serous lesions. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, 823-9 | 5.2 | 121 |
| 16 | Adenomyoma and adenomyomatous hyperplasia of the Vaterian system: clinical, pathological, and new immunohistochemical features of 13 cases. <i>Modern Pathology</i> , 2003 , 16, 530-6 | 9.8 | 57 |
| 15 | Intraductal papillary mucinous tumors of the pancreas: the preoperative value of cytologic and histopathologic diagnosis. <i>Gastrointestinal Endoscopy</i> , 2003 , 58, 701-6 | 5.2 | 115 |
| 14 | Mucin gene expression in intraductal papillary-mucinous pancreatic tumours and related lesions. <i>Journal of Pathology</i> , 2002 , 197, 632-7 | 9.4 | 97 |
| 13 | Helical CT of pancreatic endocrine tumors. <i>Journal of Computer Assisted Tomography</i> , 2002 , 26, 728-33 | 2.2 | 21 |
| 12 | Relationship between vascular development and vascular differentiation during liver organogenesis in humans. <i>Journal of Hepatology</i> , 2002 , 37, 730-40 | 13.4 | 65 |

LIST OF PUBLICATIONS

| 11 | Journal of Pathology, 2001 , 193, 398-407 | 9.4 | 115 | |
|----|--|------|-----|--|
| 10 | Integrin up-regulation in chronic liver disease: relationship with inflammation and fibrosis in chronic hepatitis C. <i>Journal of Pathology</i> , 2001 , 195, 473-81 | 9.4 | 27 | |
| 9 | No evidence of somatic FGFR3 mutation in various types of carcinoma. <i>Oncogene</i> , 2001 , 20, 5059-61 | 9.2 | 37 | |
| 8 | Regression of liver fibrosis after biliary drainage in patients with chronic pancreatitis and stenosis of the common bile duct. <i>New England Journal of Medicine</i> , 2001 , 344, 418-23 | 59.2 | 347 | |
| 7 | Endothelial cell marker expression in dysplastic lesions of the liver: an immunohistochemical study. <i>Journal of Hepatology</i> , 2001 , 34, 850-7 | 13.4 | 70 | |
| 6 | Report of a fatal case of dengue infection with hepatitis: demonstration of dengue antigens in hepatocytes and liver apoptosis. <i>Human Pathology</i> , 1999 , 30, 1106-10 | 3.7 | 159 | |
| 5 | CD31 expression in benign, borderline, and malignant epithelial ovarian tumors: an immunohistochemical and serological analysis. <i>Gynecologic Oncology</i> , 1998 , 71, 122-7 | 4.9 | 17 | |
| 4 | Expression of integrins during liver organogenesis in humans. <i>Hepatology</i> , 1998 , 27, 839-47 | 11.2 | 77 | |
| 3 | Focal nodular hyperplasia of the liver: composition of the extracellular matrix and expression of cell-cell and cell-matrix adhesion molecules. <i>Human Pathology</i> , 1995 , 26, 1114-25 | 3.7 | 50 | |
| 2 | Human allograft vein failure: immunohistochemical arguments supporting the involvement of an immune-mediated mechanism. <i>Human Pathology</i> , 1995 , 26, 1313-20 | 3.7 | 10 | |
| 1 | Endothelial cell heterogeneity in the normal human liver acinus: in situ immunohistochemical demonstration. <i>Liver</i> , 1994 , 14, 113-23 | | 38 | |