

Hongsheng Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5418609/publications.pdf>

Version: 2024-02-01

16
papers

501
citations

840776

11
h-index

940533

16
g-index

16
all docs

16
docs citations

16
times ranked

605
citing authors

#	ARTICLE	IF	CITATIONS
1	High-performance triboelectric nanogenerator based on electrospun PVDF-graphene nanosheet composite nanofibers for energy harvesting. <i>Nano Energy</i> , 2021, 80, 105599.	16.0	142
2	A Flexible Capacitive 3D Tactile Sensor With Cross-Shaped Capacitor Plate Pair and Composite Structure Dielectric. <i>IEEE Sensors Journal</i> , 2021, 21, 1378-1385.	4.7	24
3	A langasite surface acoustic wave wide-range temperature sensor with excellent linearity and high sensitivity. <i>AIP Advances</i> , 2021, 11, .	1.3	12
4	New composite electrode for high temperature surface acoustic wave device. <i>Materials Letters</i> , 2021, 294, 129768.	2.6	2
5	Comparison of sputtering and atomic layer deposition based ultra-thin alumina protective layers for high temperature surface acoustic wave devices. <i>Journal of Materials Research and Technology</i> , 2021, 15, 4714-4724.	5.8	9
6	Mode Analysis of Pt/LGS Surface Acoustic Wave Devices. <i>Sensors</i> , 2020, 20, 7111.	3.8	5
7	Controlling Performance of Organic-Inorganic Hybrid Perovskite Triboelectric Nanogenerators via Chemical Composition Modulation and Electric Field-Induced Ion Migration. <i>Advanced Energy Materials</i> , 2020, 10, 2002470.	19.5	19
8	A Flexible Film Bulk Acoustic Resonator Based on β -Phase Polyvinylidene Fluoride Polymer. <i>Sensors</i> , 2020, 20, 1346.	3.8	14
9	Flexible and fully biodegradable resistance random access memory based on a gelatin dielectric. <i>Nanotechnology</i> , 2020, 31, 255204.	2.6	12
10	Stretchable Optical Sensing Patch System Integrated Heart Rate, Pulse Oxygen Saturation, and Sweat pH Detection. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1000-1005.	4.2	28
11	Enhanced performance triboelectric nanogenerators based on solid polymer electrolytes with different concentrations of cations. <i>Nano Energy</i> , 2019, 64, 103960.	16.0	59
12	Surface Acoustic Wave-Based Lab-on-a-Chip for Rapid Transport of Cryoprotectants across Cell Membrane for Cryopreservation with Significantly Improved Cell Viability. <i>Small</i> , 2019, 15, e1805361.	10.0	17
13	Ultra-thin atom layer deposited alumina film enables the precise lifetime control of fully biodegradable electronic devices. <i>Nanoscale</i> , 2019, 11, 22369-22377.	5.6	7
14	Carbon electrodes enable flat surface PDMS and PA6 triboelectric nanogenerators to achieve significantly enhanced triboelectric performance. <i>Nano Energy</i> , 2019, 55, 548-557.	16.0	85
15	Flexible dual-mode surface acoustic wave strain sensor based on crystalline LiNbO_3 thin film. <i>Journal of Micromechanics and Microengineering</i> , 2019, 29, 025003.	2.6	17
16	Flexible surface acoustic wave strain sensor based on single crystalline LiNbO_3 thin film. <i>Applied Physics Letters</i> , 2018, 112, .	3.3	49