

Dorene M Rentz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5419830/dorene-m-rentz-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

231
papers

8,664
citations

44
h-index

91
g-index

312
ext. papers

11,014
ext. citations

5.7
avg, IF

5.84
L-index

#	Paper	IF	Citations
231	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014 , 10, 844-52	1.2	1219
230	Tau positron emission tomographic imaging in aging and early Alzheimer disease. <i>Annals of Neurology</i> , 2016 , 79, 110-9	9.4	591
229	The A4 study: stopping AD before symptoms begin?. <i>Science Translational Medicine</i> , 2014 , 6, 228fs13	17.5	455
228	The preclinical Alzheimer cognitive composite: measuring amyloid-related decline. <i>JAMA Neurology</i> , 2014 , 71, 961-70	17.2	372
227	Subjective cognitive complaints and amyloid burden in cognitively normal older individuals. <i>Neuropsychologia</i> , 2012 , 50, 2880-2886	3.2	318
226	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease: A Longitudinal Study. <i>JAMA Neurology</i> , 2019 , 76, 915-924	17.2	277
225	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , 2020 , 19, 271-278	24.1	259
224	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015 , 48 Suppl 1, S63-86	4.3	253
223	Cognition, reserve, and amyloid deposition in normal aging. <i>Annals of Neurology</i> , 2010 , 67, 353-64	9.4	246
222	Synergistic effect of amyloid and neurodegeneration on cognitive decline in clinically normal individuals. <i>JAMA Neurology</i> , 2014 , 71, 1379-85	17.2	227
221	Amyloid and APOE ϵ interact to influence short-term decline in preclinical Alzheimer disease. <i>Neurology</i> , 2014 , 82, 1760-7	6.5	209
220	Loneliness, depression and cognitive function in older U.S. adults. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 564-573	3.9	159
219	Face-name associative memory performance is related to amyloid burden in normal elderly. <i>Neuropsychologia</i> , 2011 , 49, 2776-83	3.2	145
218	Amyloid- β deposition in mild cognitive impairment is associated with increased hippocampal activity, atrophy and clinical progression. <i>Brain</i> , 2015 , 138, 1023-35	11.2	143
217	Cognitive profile of amyloid burden and white matter hyperintensities in cognitively normal older adults. <i>Journal of Neuroscience</i> , 2012 , 32, 16233-42	6.6	138
216	Structural tract alterations predict downstream tau accumulation in amyloid-positive older individuals. <i>Nature Neuroscience</i> , 2018 , 21, 424-431	25.5	137
215	Subjective cognitive concerns and neuropsychiatric predictors of progression to the early clinical stages of Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1642-51	6.5	133

214	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019 , 76, 542-551	17.2	114
213	Promising developments in neuropsychological approaches for the detection of preclinical Alzheimer's disease: a selective review. <i>Alzheimer's Research and Therapy</i> , 2013 , 5, 58	9	114
212	Sex, amyloid, and APOE ϵ and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018 , 14, 1193-1203	1.2	111
211	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018 , 175, 530-537	11.9	106
210	Subjective cognitive concerns, amyloid- β and neurodegeneration in clinically normal elderly. <i>Neurology</i> , 2015 , 85, 56-62	6.5	105
209	Tracking early decline in cognitive function in older individuals at risk for Alzheimer disease dementia: the Alzheimer's Disease Cooperative Study Cognitive Function Instrument. <i>JAMA Neurology</i> , 2015 , 72, 446-54	17.2	103
208	The impact of amyloid-beta and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019 , 85, 181-193	9.4	100
207	Interactive Associations of Vascular Risk and β Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals: Findings From the Harvard Aging Brain Study. <i>JAMA Neurology</i> , 2018 , 75, 1124-1131	17.2	99
206	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β . <i>Alzheimer's and Dementia</i> , 2017 , 13, 1004-1012	1.2	96
205	Association of Higher Cortical Amyloid Burden With Loneliness in Cognitively Normal Older Adults. <i>JAMA Psychiatry</i> , 2016 , 73, 1230-1237	14.5	96
204	Fluorodeoxyglucose metabolism associated with tau-amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017 , 81, 583-596	9.4	90
203	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β Amyloid Burden. <i>JAMA Neurology</i> , 2017 , 74, 1455-1463	17.2	90
202	Odor identification and Alzheimer disease biomarkers in clinically normal elderly. <i>Neurology</i> , 2015 , 84, 2153-60	6.5	78
201	Optimizing the preclinical Alzheimer's cognitive composite with semantic processing: The PACC5. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 668-677	6	67
200	Harvard Aging Brain Study: Dataset and accessibility. <i>NeuroImage</i> , 2017 , 144, 255-258	7.9	66
199	Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 63-73	4.3	65
198	Use of IQ-adjusted norms to predict progressive cognitive decline in highly intelligent older individuals. <i>Neuropsychology</i> , 2004 , 18, 38-49	3.8	65
197	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018 , 14, 1281-1292	1.2	62

196	Regional cortical thinning predicts worsening apathy and hallucinations across the Alzheimer disease spectrum. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1168-79	6.5	60
195	Sex differences in episodic memory in early midlife: impact of reproductive aging. <i>Menopause</i> , 2017 , 24, 400-408	2.5	53
194	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017 , 99, 343-349	3.2	52
193	The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 421-432	4.3	50
192	Free and cued memory in relation to biomarker-defined abnormalities in clinically normal older adults and those at risk for Alzheimer's disease. <i>Neuropsychologia</i> , 2015 , 73, 169-75	3.2	48
191	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017 , 15, 408-414	5.3	46
190	Subjective cognitive concerns, episodic memory, and the APOE ϵ allele. <i>Alzheimer's and Dementia</i> , 2014 , 10, 752-759.e1	1.2	44
189	Regional cortical thinning and cerebrospinal biomarkers predict worsening daily functioning across the Alzheimer's disease spectrum. <i>Journal of Alzheimer's Disease</i> , 2014 , 41, 719-28	4.3	44
188	Vascular Risk and β Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019 , 85, 272-279	9.4	44
187	Associations of Physical Activity and β Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019 , 76, 1203-1210	17.2	43
186	Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 975-985	4.3	42
185	Biomarker validation of a decline in semantic processing in preclinical Alzheimer's disease. <i>Neuropsychology</i> , 2016 , 30, 624-30	3.8	42
184	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017 , 88, 1759-1767	6.5	41
183	Heterogeneity in Suspected Non-Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016 , 73, 1185-1191	17.2	40
182	Cognitive resilience in clinical and preclinical Alzheimer's disease: the Association of Amyloid and Tau Burden on cognitive performance. <i>Brain Imaging and Behavior</i> , 2017 , 11, 383-390	4.1	38
181	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019 , 78, 178-185	5.6	36
180	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019 , 2, e198964	10.4	35
179	The Feasibility of At-Home iPad Cognitive Testing For Use in Clinical Trials. <i>Journal of Prevention of Alzheimer's Disease</i> , 2016 , 3, 8-12	3.8	35

178	Amyloid-associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018 , 4, 444-449	6	35
177	Neuropsychiatric Symptoms and Functional Connectivity in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 727-35	4.3	33
176	Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020 , 16, 552-560	1.2	33
175	Cued memory decline in biomarker-defined preclinical Alzheimer disease. <i>Neurology</i> , 2017 , 88, 1431-1438.5	3.5	32
174	Regional fluorodeoxyglucose metabolism and instrumental activities of daily living across the Alzheimer's disease spectrum. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 291-300	4.3	32
173	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	32
172	Subjective cognitive concerns are associated with objective memory performance in Caucasian but not African-American persons. <i>Age and Ageing</i> , 2017 , 46, 988-993	3	29
171	Cognitive activity relates to cognitive performance but not to Alzheimer disease biomarkers. <i>Neurology</i> , 2015 , 85, 48-55	6.5	28
170	Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 1097-105	4.3	28
169	Concordance between Subjective and Objective Memory Impairment in Volunteer Subjects. <i>Journal of Alzheimer's Disease</i> , 2015 , 48, 1109-17	4.3	26
168	Midlife Eriksonian psychosocial development: Setting the stage for late-life cognitive and emotional health. <i>Developmental Psychology</i> , 2016 , 52, 496-508	3.7	26
167	Social Engagement and Amyloid-Related Cognitive Decline in Cognitively Normal Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 1247-1256	6.5	24
166	Neuroimaging markers associated with maintenance of optimal memory performance in late-life. <i>Neuropsychologia</i> , 2017 , 100, 164-170	3.2	23
165	The Spanish version of Face-Name Associative Memory Exam (S-FNAME) performance is related to amyloid burden in Subjective Cognitive Decline. <i>Scientific Reports</i> , 2018 , 8, 3828	4.9	23
164	Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 683-693	6.5	22
163	Striatal and extrastriatal dopamine transporter levels relate to cognition in Lewy body diseases: an (11)C altoprane positron emission tomography study. <i>Alzheimer's Research and Therapy</i> , 2014 , 6, 52	9	21
162	Web Camera Based Eye Tracking to Assess Visual Memory on a Visual Paired Comparison Task. <i>Frontiers in Neuroscience</i> , 2017 , 11, 370	5.1	19
161	Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Validation With Paper-Pencil and Computerized Cognitive Composites. <i>Journal of Medical Internet Research</i> , 2018 , 20, e11143	7.6	18

160	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019 , 67, 757-768	4.3	17
159	The Impact of Awareness of and Concern About Memory Performance on the Prediction of Progression From Mild Cognitive Impairment to Alzheimer Disease Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 896-904	6.5	17
158	Costs of Early Stage Alzheimer's Disease in the United States: Cross-Sectional Analysis of a Prospective Cohort Study (GERAS-US)1. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 437-450	4.3	16
157	Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018 , 8, 282	8.6	16
156	Validation of the Spanish Version of the Face Name Associative Memory Exam (S-FNAME) in Cognitively Normal Older Individuals. <i>Archives of Clinical Neuropsychology</i> , 2015 , 30, 712-20	2.7	15
155	Impact of APOE- ϵ 4 carriage on the onset and rates of neocortical A β amyloid deposition. <i>Neurobiology of Aging</i> , 2020 , 95, 46-55	5.6	15
154	Dynamic change of cognitive reserve: associations with changes in brain, cognition, and diagnosis. <i>Neurobiology of Aging</i> , 2019 , 83, 95-104	5.6	14
153	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020 , 25, 2599-2607	15.1	14
152	A computerized version of the Short Form of the Face-Name Associative Memory Exam (FACEmemory \square) for the early detection of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 25	9	13
151	Intelligence quotient-adjusted memory impairment is associated with abnormal single photon emission computed tomography perfusion. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 821-31	3.1	13
150	The Harvard Automated Phone Task: new performance-based activities of daily living tests for early Alzheimer's disease. <i>Journal of Prevention of Alzheimer's Disease</i> , 2015 , 2, 242-253	3.8	13
149	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021 , 96, e619-e631	6.5	13
148	Associations of Widowhood and A β Amyloid With Cognitive Decline in Cognitively Unimpaired Older Adults. <i>JAMA Network Open</i> , 2020 , 3, e200121	10.4	12
147	Association of Social Support With Brain Volume and Cognition. <i>JAMA Network Open</i> , 2021 , 4, e2121122	10.4	12
146	Inferior and medial temporal tau and cortical amyloid are associated with daily functional impairment in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 14	9	11
145	Disruption of the ventral visual stream in a case of reduplicative paramnesia. <i>Annals of the New York Academy of Sciences</i> , 2000 , 911, 447-52	6.5	11
144	Association of Digital Clock Drawing With PET Amyloid and Tau Pathology in Normal Older Adults. <i>Neurology</i> , 2021 , 96, e1844-e1854	6.5	11
143	In vivo and neuropathology data support locus coeruleus integrity as indicator of Alzheimer's disease pathology and cognitive decline. <i>Science Translational Medicine</i> , 2021 , 13, eabj2511	17.5	11

142	The influence of demographic factors on subjective cognitive concerns and beta-amyloid. <i>International Psychogeriatrics</i> , 2017 , 29, 645-652	3.4	10
141	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 426-438	3.1	10
140	Maternal dementia age at onset in relation to amyloid burden in non-demented elderly offspring. <i>Neurobiology of Aging</i> , 2016 , 40, 61-67	5.6	9
139	The presubiculum links incipient amyloid and tau pathology to memory function in older persons. <i>Neurology</i> , 2020 , 94, e1916-e1928	6.5	8
138	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <i>Neurobiology of Aging</i> , 2020 , 93, 124-130	5.6	8
137	Age-Related Increases in Tip-of-the-tongue are Distinct from Decreases in Remembering Names: A Functional MRI Study. <i>Cerebral Cortex</i> , 2017 , 27, 4339-4349	5.1	8
136	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EclinicalMedicine</i> , 2021 , 35, 100848	11.3	8
135	Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 1437-1446	4.3	7
134	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 121-129	5.2	7
133	A Three-Factor Structure of Cognitive Functioning Among Unimpaired Carriers and Non-Carriers of Autosomal-Dominant Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 107-115	4.3	7
132	Validation of the Latin American Spanish version of the face-name associative memory exam in a Colombian Sample. <i>Clinical Neuropsychologist</i> , 2020 , 34, 1-12	4.4	7
131	Visual short-term memory relates to tau and amyloid burdens in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 99	9	7
130	Observation of Patient and Caregiver Burden Associated with Early Alzheimer's Disease in the United States: Design and Baseline Findings of the GERAS-US Cohort Study ¹ . <i>Journal of Alzheimer's Disease</i> , 2019 , 72, 279-292	4.3	6
129	Activities of daily living measured by the Harvard Automated Phone Task track with cognitive decline over time in non-demented elderly. <i>Journal of Prevention of Alzheimer's Disease</i> , 2017 , 4, 81-86	3.8	6
128	Impact of BDNF and sex on maintaining intact memory function in early midlife. <i>Neurobiology of Aging</i> , 2020 , 88, 137-149	5.6	6
127	Plasma IL-12/IFN- γ axis predicts cognitive trajectories in cognitively unimpaired older adults. <i>Alzheimer's and Dementia</i> , 2021 ,	1.2	6
126	Anticholinergic Amnesia is Mediated by Alterations in Human Network Connectivity Architecture. <i>Cerebral Cortex</i> , 2019 , 29, 3445-3456	5.1	6
125	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 138	9	5

124	IQ-based norms for highly intelligent adults. <i>Clinical Neuropsychologist</i> , 2006 , 20, 637-48	4.4	5
123	Association of subjective cognitive decline with markers of brain pathology in preclinical autosomal dominant Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 330-332	5.5	5
122	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021 ,	6.5	5
121	Measuring instrumental activities of daily living in non-demented elderly: a comparison of the new performance-based Harvard Automated Phone Task with other functional assessments. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 4	9	4
120	Multiple markers contribute to risk of progression from normal to mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020 , 28, 102400	5.3	4
119	Validating Use of Technology for Cognitive Test Assessment. <i>EBioMedicine</i> , 2016 , 11, 23-24	8.8	4
118	Building clinically relevant outcomes across the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12181	6	4
117	Associative memory and in vivo brain pathology in asymptomatic presenilin-1 E280A carriers. <i>Neurology</i> , 2020 , 95, e1312-e1321	6.5	3
116	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019 , 24, 102097	5.3	3
115	Mindfulness Training Improves Cognition and Strengthens Intrinsic Connectivity Between the Hippocampus and Posteromedial Cortex in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 702796	5.3	3
114	Racial and socioeconomic status differences in stress, posttraumatic growth, and mental health in an older adult cohort during the COVID-19 pandemic.. <i>EClinicalMedicine</i> , 2022 , 45, 101343	11.3	3
113	Clinical meaningfulness addressed at Alzheimer's Association Research Roundtable. <i>Alzheimer's and Dementia</i> , 2020 , 16, 814	1.2	2
112	Monthly At-Home Computerized Cognitive Testing to Detect Diminished Practice Effects in Preclinical Alzheimer's Disease.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 800126	5.3	2
111	The Latin American Spanish version of the Face-Name Associative Memory Exam is sensitive to cognitive and pathological changes in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 104	9	2
110	Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Implications for Teleneuropsychology. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 477-481	5.9	2
109	Addressing the disparities in dementia risk, early detection and care in Latino populations: Highlights from the second Latinos & Alzheimer's Symposium.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	2
108	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1161-1170	4.3	1
107	Repeated memory-based assessments: Implications for clinical trials and practice. <i>Alzheimer's and Dementia</i> , 2020 , 16, e038143	1.2	1

106	Hypoconnectivity between locus coeruleus and medial temporal lobe during novelty predicts accelerated Aβ-related cognitive decline. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041323	1.2	1
105	Dementia knowledge and associated demographic factors within a registry sample. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046177	1.2	1
104	Harmonizing the preclinical Alzheimer cognitive composite for multi-cohort studies. <i>Alzheimer's and Dementia</i> , 2020 , 16, e047423	1.2	1
103	P1-180: A NEW PERFORMANCE-BASED ACTIVITIES OF DAILY LIVING INSTRUMENT FOR EARLY ALZHEIMER'S DISEASE 2014 , 10, P365-P365		1
102	IC-P-087: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD 2014 , 10, P49-P50		1
101	IC-P-117: AMYLOID-B DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION 2014 , 10, P65-P66		1
100	F4-01-04: TAU PET USING F18-T807: INITIAL EXPERIENCE IN NORMAL ELDERLY AND AD DEMENTIA 2014 , 10, P242-P242		1
99	P2-246: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD 2014 , 10, P566-P566		1
98	O4-01-01: Regional Tau PET measures associated with memory performance in clinically normal older individuals 2015 , 11, P265-P265		1
97	[P3B76]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P1103-P1103		1
96	[IC-0203]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE 2017 , 13, P5-P6		1
95	[P4B34]: LINKING MEASURES OF SUBJECTIVE COGNITION ACROSS INTERNATIONAL AGING STUDIES USING ITEM RESPONSE THEORY 2017 , 13, P1554-P1555		1
94	IC-P-068: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden 2015 , 11, P51-P51		1
93	F5-05-02: The Harvard Automated Phone Task (APT): A Novel Performance-Based ADL Instrument for Early Alzheimer's Disease 2016 , 12, P373-P373		1
92	IC-P-013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum 2016 , 12, P20-P21		1
91	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment 2016 , 12, P36-P37		1
90	O4-06-06: The Impact of Anosognosia and Anosodiaphoria on the Prediction of Progression from Mild Cognitive Impairment to Alzheimer's Disease 2016 , 12, P346-P347		1
89	P4-354: Subjective Cognitive Concerns are Associated with Objective Memory Performance in Older Caucasian but not African-American Persons 2016 , 12, P1173-P1173		1

88	O1-08-03: DIGITIZED CLOCK DRAWING (DCTCLOCKTM) PERFORMANCE AND ITS RELATIONSHIP TO AMYLOID AND TAU PET IMAGING MARKERS IN UNIMPAIRED OLDER ADULTS 2018 , 14, P236-P237		1
87	Automatized FACEmemory□ scoring is related to Alzheimer's disease phenotype and biomarkers in early-onset mild cognitive impairment: the BIOFACE cohort.. <i>Alzheimer's Research and Therapy</i> , 2022 , 14, 43	9	1
86	Lower novelty-related locus coeruleus function is associated with Aβ-related cognitive decline in clinically healthy individuals.. <i>Nature Communications</i> , 2022 , 13, 1571	17.4	1
85	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>Alzheimer's and Dementia</i> , 2021 , 17,	1.2	1
84	Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 806432 ⁵ 3		0
83	Neuroimaging correlates of Stages of Objective Memory Impairment (SOMI) system.. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12224	5.2	0
82	0300 Linking Sleep Disturbances with Amyloid and Tau Imaging. Preliminary Findings from the Harvard Aging Brain Study. <i>Sleep</i> , 2019 , 42, A122-A123	1.1	
81	Tracking the origin of tau spread in the brain. <i>Alzheimer's and Dementia</i> , 2020 , 16, e037501	1.2	
80	Disease progression and costs at two-year follow-up of GERAS-US: A three-year study of mild cognitive impairment and mild dementia due to Alzheimer's disease in the United States. <i>Alzheimer's and Dementia</i> , 2020 , 16, e038768	1.2	
79	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e038867	1.2	
78	Sex, tau, and cortical thinning in the temporal lobe: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e040031	1.2	
77	The dynamic interplay between longitudinal subjective and objective cognitive decline along the early AD spectrum in the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e040260	1.2	
76	Evaluating pre-screening tools for older Latino recruitment into preclinical Alzheimer's disease studies. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041571	1.2	
75	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tau-PET. <i>Alzheimer's and Dementia</i> , 2020 , 16, e043566	1.2	
74	Faster rates of tau accumulation in FTP-PET in females relative to males, and a cross-sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimer's and Dementia</i> , 2020 , 16, e043620	1.2	
73	Are amyloid and tau synergistic? How to interpret an amyloid/tau interaction on cognitive decline in clinically normal adults. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044310	1.2	
72	Trajectories of decline in cognitively complex everyday activities across the Alzheimer's disease continuum. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044787	1.2	
71	GAP rater certification program transforms the rater certification process. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044936	1.2	

- 70 Plasma IL-12/IFN- γ predicts cognitive trajectories in cognitively normal older adults. *Alzheimer's and Dementia*, **2020**, 16, e045497 1.2
- 69 Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. *Alzheimer's and Dementia*, **2020**, 16, e046075 1.2
- 68 Surface-based amyloid and tau correlates of digital clock drawing performance. *Alzheimer's and Dementia*, **2020**, 16, e046461 1.2
- 67 Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. *Alzheimer's and Dementia*, **2020**, 16, e046549 1.2
- 66 Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. *Alzheimer's and Dementia*, **2020**, 16, e047321^{1,2}
- 65 O3-07-02: WHITE MATTER BURDEN IN CLINICALLY NORMAL OLDER ADULTS MEDIATES THE RELATIONSHIP BETWEEN AMYLOID BURDEN AND MEMORY FREE RECALL BUT NOT CUED RECALL **2014**, 10, P221-P222
- 64 DT-01-02: TEMPORAL NEOCORTICAL TAU DEPOSITION MEASURED WITH PET IS ASSOCIATED WITH LONGITUDINAL DECLINE IN MEMORY PERFORMANCE AMONG CLINICALLY NORMAL ELDERLY **2014**, 10, P280-P280
- 63 P2-154: SUBSYNDROMAL DEPRESSION AND ALZHEIMER'S DISEASE BIOMARKERS IN COGNITIVELY NORMAL ELDERLY **2014**, 10, P527-P528
- 62 IC-P-152: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY **2014**, 10, P87-P87
- 61 O3-10-06: AMYLOID- β DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION **2014**, 10, P230-P230
- 60 P1-301: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY **2014**, 10, P422-P422
- 59 IC-02-01: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD **2014**, 10, P4-P4
- 58 O4-12-04: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD **2014**, 10, P276-P276
- 57 IC-P-084: Neurobiological correlates of anosognosia in mild cognitive impairment: A multimodal investigation using FDG-PET, PiB-PET, and volumetric MRI **2015**, 11, P60-P60
- 56 P3-217: Moderate caffeine consumption is associated with better memory scores in clinically normal older adults **2015**, 11, P715-P716
- 55 IC-P-071: Instrumental activities of daily living and functional connectivity in mild cognitive impairment **2015**, 11, P53-P53
- 54 IC-P-085: Regional Tau PET measures associated with memory performance in clinically normal older individuals **2015**, 11, P60-P61
- 53 War and remembrance: Combat exposure in young adulthood and memory function sixty years later. *Comprehensive Psychiatry*, **2017**, 72, 97-105 7.3

- 52 [P4028]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY **2017**, 13, P1357-P1359
- 51 [IC-P-108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS **2017**, 13, P85-P86
- 50 [P1056]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY **2017**, 13, P347-P347
- 49 [P2098]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS **2017**, 13, P730-P731
- 48 [F10302]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE **2017**, 13, P176
- 47 [O10301]: SUBJECTIVE CONCERNS PREFERENTIALLY ASSOCIATE WITH AMYLOID BURDEN AND MEMORY IN CAUCASIANS, BUT WHITE MATTER HYPERINTENSITIES AND EXECUTIVE FUNCTION IN AFRICAN-AMERICANS **2017**, 13, P225
- 46 [O20003]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY **2017**, 13, P577-P578
- 45 [O20104]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY **2017**, 13, P582-P583
- 44 [F30503]: OBJECTIVE AND SUBJECTIVE COGNITIVE DECLINE IN BLACK AMERICANS FROM THE HARVARD AGING BRAIN STUDY **2017**, 13, P885
- 43 [O30602]: SEMANTIC MEMORY AND PET AMYLOID AND TAU DEPOSITION IN PRECLINICAL AND PRODROMAL ALZHEIMER'S DISEASE **2017**, 13, P911-P912
- 42 [O30706]: THE RELATIONSHIP BETWEEN RECALL OF RECENTLY VERSUS REMOTELY ENCODED FAMOUS FACES AND AMYLOID AND TAU BURDEN IN CLINICALLY NORMAL OLDER ADULTS **2017**, 13, P917
- 41 P3-162: Instrumental activities of daily living and functional connectivity in mild cognitive impairment **2015**, 11, P690-P691
- 40 F3-02-02: Snap in cognitively normal adults **2015**, 11, P213-P213
- 39 P2-141: Neurobiological correlates of anosognosia in mild cognitive impairment: A multi-modal investigation using FDG-PET, PiB-PET, and volumetric MRI **2015**, 11, P540-P540
- 38 P3-135: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals **2015**, 11, P675-P676
- 37 IC-P-153: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals **2015**, 11, P102-P103
- 36 O2-02-03: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden **2015**, 11, P175-P175
- 35 O2-02-05: Differential declines in letter versus category fluency over 4 years in biomarker-defined preclinical Alzheimer's disease **2015**, 11, P176-P177

- 34 O2-11-06: Reciprocal relations of loneliness and cognitive function in older u.s. adults **2015**, 11, P201-P202
- 33 P3-266: NEUROPSYCHIATRIC SYMPTOMS AND FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT AND COGNITIVELY NORMAL ELDERLY **2014**, 10, P729-P729
- 32 Commentary on Composite cognitive and functional measures for early stage Alzheimer's disease trials. *Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring*, **2020**, 12, e12012 5-2
- 31 P3-309: Profiles of Cognitive Decline Associated with Biomarker-Defined Preclinical Stages of Alzheimer's Disease **2016**, 12, P960-P961
- 30 P4-217: Regional Fluorodeoxyglucose Hypometabolism is Associated With Greater Apathy Over Time in Early Alzheimer's Disease **2016**, 12, P1111-P1111
- 29 O5-07-04: Dependence Levels as Interim Clinical Milestones Along the Continuum of Alzheimer's Disease (AD): 18-Month Results from the Geras Observational Study **2016**, 12, P394-P396
- 28 IC-P-053: Regional Fluorodeoxyglucose Hypometabolism is Associated with Greater Apathy Over Time in Early Alzheimer's Disease **2016**, 12, P43-P44
- 27 P2-341: Subjective Cognitive Decline Predicts Longitudinal Decline in those with Both Amyloidosis and Neurodegeneration **2016**, 12, P773-P774
- 26 P3-322: Optimal Memory Performance in Older Adults is Associated with Differences in Hippocampal Volume and Amyloid Status at Baseline and Over 3 Years **2016**, 12, P969-P969
- 25 IC-P-185: The Effect of Tract-Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding **2016**, 12, P135-P135
- 24 F1-04-01: Longitudinal Performance on the Preclinical Alzheimer's Cognitive Composite (PACC) in Subjects with Biomarker-Defined Preclinical **2016**, 12, P167-P167
- 23 O1-13-01: Anxiety, Social Activity and Amyloid in Cognitively Normal Older Adults **2016**, 12, P208-P208
- 22 O3-08-03: The Effect of Tract-Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding **2016**, 12, P304-P305
- 21 O3-09-03: Associations between Amyloidosis and Longitudinal Cognitive Decline in Clinically Normal Older Adults **2016**, 12, P308-P308
- 20 O4-01-06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimer's Disease Cognitive Composite **2016**, 12, P333-P334
- 19 O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment **2016**, 12, P345-P346
- 18 O4-07-05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum **2016**, 12, P349-P350
- 17 P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of Amyloid Burden in Preclinical **2016**, 12, P1158-P1159

- 16 P4-607: FREE AND CUED MEMORY IS DISTINCTLY RELATED TO PATHOLOGY IN PRECLINICAL AUTOSOMAL-DOMINANT ALZHEIMER'S DISEASE **2019**, 15, P1557-P1557
- 15 IC-P-037: GERIATRIC DEPRESSION SCALE ITEM-LEVEL ANALYSIS IN RELATION TO β IN VIVO CORTICAL AMYLOID AND CEREBRAL REGIONAL TAU IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE HARVARD AGING BRAIN STUDY **2019**, 15, P43-P43
- 14 IC-P-089: ASSOCIATIONS OF REGIONAL CORTICAL THINNING AND LONGITUDINAL COGNITIVE PERFORMANCE IN THE CONTEXT OF AMYLOID IN CLINICALLY NORMAL OLDER ADULTS **2019**, 15, P79-P80
- 13 F2-03-01: CLINICAL MEANINGFULNESS OF SHORT-TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIMER'S COGNITIVE COMPOSITE-5 (PACC-5) IN NORMAL OLDER ADULTS WITH ELEVATED β AMYLOID **2019**, 15, P518-P519
- 12 O3-09-01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED β AMYLOID BURDEN **2019**, 15, P903-P904
- 11 O3-12-01: DECREASED META-MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS **2018**, 14, P1050-P1050
- 10 P1-327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS **2018**, 14, P417-P417
- 9 O5-07-01: BASELINE FINDINGS FROM GERAS-US: A LONGITUDINAL COHORT STUDY OF RESOURCE USE AND COSTS OF MILD COGNITIVE IMPAIRMENT AND MILD DEMENTIA DUE TO ALZHEIMER'S DISEASE (AD) IN THE UNITED STATES **2018**, 14, P1660-P1661
- 8 P1-310: PATTERNS OF CHANGE IN DEPENDENCE LEVELS FOR COMMUNITY-DWELLING ALZHEIMER'S PATIENTS: 36-MONTH RESULTS FROM THE GERAS OBSERVATIONAL STUDY **2018**, 14, P409-P410
- 7 O3-04-03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS **2018**, 14, P1019-P1020
- 6 IC-P-159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN **2018**, 14, P134-P135
- 5 F4-08-02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS **2018**, 14, P1394-P1395
- 4 O1-10-03: SEX AND APOE GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY **2018**, 14, P243-P244
- 3 IC-P-139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS **2018**, 14, P116-P117
- 2 IC-P-147: QUANTIFYING STAGES OF SUBTLE MEMORY IMPAIRMENT IN PRECLINICAL ALZHEIMER'S DISEASE **2018**, 14, P125-P126
- 1 O2-08-06: AMYLOID- β COGNITION AND SOCIAL ACTIVITY IN COGNITIVELY NORMAL OLDER ADULTS **2018**, 14, P640-P640