

Dorene M Rentz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5419830/dorene-m-rentz-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

231
papers

8,664
citations

44
h-index

91
g-index

312
ext. papers

11,014
ext. citations

5.7
avg, IF

5.84
L-index

#	Paper	IF	Citations
231	Addressing the disparities in dementia risk, early detection and care in Latino populations: Highlights from the second Latinos & Alzheimer's Symposium.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	2
230	Racial and socioeconomic status differences in stress, posttraumatic growth, and mental health in an older adult cohort during the COVID-19 pandemic.. <i>EClinicalMedicine</i> , 2022 , 45, 101343	11.3	3
229	Automatized FACEmemory□ scoring is related to Alzheimer's disease phenotype and biomarkers in early-onset mild cognitive impairment: the BIOFACE cohort.. <i>Alzheimer's Research and Therapy</i> , 2022 , 14, 43	9	1
228	Lower novelty-related locus coeruleus function is associated with Aβ-related cognitive decline in clinically healthy individuals.. <i>Nature Communications</i> , 2022 , 13, 1571	17.4	1
227	Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 806432 ^{5.3}	5.3	0
226	Monthly At-Home Computerized Cognitive Testing to Detect Diminished Practice Effects in Preclinical Alzheimer's Disease.. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 800126	5.3	2
225	Neuroimaging correlates of Stages of Objective Memory Impairment (SOMI) system.. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12224	5.2	0
224	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EClinicalMedicine</i> , 2021 , 35, 100848	11.3	8
223	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021 ,	6.5	5
222	Plasma IL-12/IFN-β axis predicts cognitive trajectories in cognitively unimpaired older adults. <i>Alzheimer's and Dementia</i> , 2021 ,	1.2	6
221	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 426-438	3.1	10
220	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021 , 96, e619-e631	6.5	13
219	Association of Digital Clock Drawing With PET Amyloid and Tau Pathology in Normal Older Adults. <i>Neurology</i> , 2021 , 96, e1844-e1854	6.5	11
218	Association of Social Support With Brain Volume and Cognition. <i>JAMA Network Open</i> , 2021 , 4, e2121122 ^{10.4}	10.4	12
217	Mindfulness Training Improves Cognition and Strengthens Intrinsic Connectivity Between the Hippocampus and Posteromedial Cortex in Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 702796	5.3	3
216	In vivo and neuropathology data support locus coeruleus integrity as indicator of Alzheimer's disease pathology and cognitive decline. <i>Science Translational Medicine</i> , 2021 , 13, eabj2511	17.5	11
215	Building clinically relevant outcomes across the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12181	6	4

214	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	32
213	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>Alzheimers and Dementia</i> , 2021 , 17,	1.2	1
212	Tracking the origin of tau spread in the brain. <i>Alzheimers and Dementia</i> , 2020 , 16, e037501	1.2	
211	Repeated memory-based assessments: Implications for clinical trials and practice. <i>Alzheimers and Dementia</i> , 2020 , 16, e038143	1.2	1
210	Disease progression and costs at two-year follow-up of GERAS-US: A three-year study of mild cognitive impairment and mild dementia due to Alzheimer's disease in the United States. <i>Alzheimers and Dementia</i> , 2020 , 16, e038768	1.2	
209	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimers and Dementia</i> , 2020 , 16, e038867	1.2	
208	Sex, tau, and cortical thinning in the temporal lobe: Findings from the Harvard Aging Brain Study. <i>Alzheimers and Dementia</i> , 2020 , 16, e040031	1.2	
207	The dynamic interplay between longitudinal subjective and objective cognitive decline along the early AD spectrum in the Harvard Aging Brain Study. <i>Alzheimers and Dementia</i> , 2020 , 16, e040260	1.2	
206	Hypoconnectivity between locus coeruleus and medial temporal lobe during novelty predicts accelerated A β -related cognitive decline. <i>Alzheimers and Dementia</i> , 2020 , 16, e041323	1.2	1
205	Evaluating pre-screening tools for older Latino recruitment into preclinical Alzheimer's disease studies. <i>Alzheimers and Dementia</i> , 2020 , 16, e041571	1.2	
204	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tau-PET. <i>Alzheimers and Dementia</i> , 2020 , 16, e043566	1.2	
203	Faster rates of tau accumulation in FTP-PET in females relative to males, and a cross-sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimers and Dementia</i> , 2020 , 16, e043620	1.2	
202	Are amyloid and tau synergistic? How to interpret an amyloid/tau interaction on cognitive decline in clinically normal adults. <i>Alzheimers and Dementia</i> , 2020 , 16, e044310	1.2	
201	Trajectories of decline in cognitively complex everyday activities across the Alzheimer's disease continuum. <i>Alzheimers and Dementia</i> , 2020 , 16, e044787	1.2	
200	GAP rater certification program transforms the rater certification process. <i>Alzheimers and Dementia</i> , 2020 , 16, e044936	1.2	
199	Plasma IL-12/IFN- γ axis predicts cognitive trajectories in cognitively normal older adults. <i>Alzheimers and Dementia</i> , 2020 , 16, e045497	1.2	
198	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimers and Dementia</i> , 2020 , 16, e046075	1.2	
197	Dementia knowledge and associated demographic factors within a registry sample. <i>Alzheimers and Dementia</i> , 2020 , 16, e046177	1.2	1

196	Surface-based amyloid and tau correlates of digital clock drawing performance. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046461	1.2	
195	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046549	1.2	
194	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e047321	1.2	
193	Harmonizing the preclinical Alzheimer cognitive composite for multi-cohort studies. <i>Alzheimer's and Dementia</i> , 2020 , 16, e047423	1.2	1
192	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 138	9	5
191	Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 1437-1446	4.3	7
190	Clinical meaningfulness addressed at Alzheimer's Association Research Roundtable. <i>Alzheimer's and Dementia</i> , 2020 , 16, 814	1.2	2
189	The presubiculum links incipient amyloid and tau pathology to memory function in older persons. <i>Neurology</i> , 2020 , 94, e1916-e1928	6.5	8
188	Impact of APOE- ϵ 4 carriage on the onset and rates of neocortical A β amyloid deposition. <i>Neurobiology of Aging</i> , 2020 , 95, 46-55	5.6	15
187	A computerized version of the Short Form of the Face-Name Associative Memory Exam (FACEmemory \square) for the early detection of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 25	9	13
186	Associative memory and in vivo brain pathology in asymptomatic presenilin-1 E280A carriers. <i>Neurology</i> , 2020 , 95, e1312-e1321	6.5	3
185	Costs of Early Stage Alzheimer's Disease in the United States: Cross-Sectional Analysis of a Prospective Cohort Study (GERAS-US)1. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 437-450	4.3	16
184	Associations of Widowhood and A β Amyloid With Cognitive Decline in Cognitively Unimpaired Older Adults. <i>JAMA Network Open</i> , 2020 , 3, e200121	10.4	12
183	The characterisation of subjective cognitive decline. <i>Lancet Neurology</i> , 2020 , 19, 271-278	24.1	259
182	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <i>Neurobiology of Aging</i> , 2020 , 93, 124-130	5.6	8
181	Validation of the Latin American Spanish version of the face-name associative memory exam in a Colombian Sample. <i>Clinical Neuropsychologist</i> , 2020 , 34, 1-12	4.4	7
180	Impact of BDNF and sex on maintaining intact memory function in early midlife. <i>Neurobiology of Aging</i> , 2020 , 88, 137-149	5.6	6
179	Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020 , 16, 552-560	1.2	33

178	Association of subjective cognitive decline with markers of brain pathology in preclinical autosomal dominant Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 330-332	5.5	5
177	Multiple markers contribute to risk of progression from normal to mild cognitive impairment. <i>NeuroImage: Clinical</i> , 2020 , 28, 102400	5.3	4
176	Commentary on Composite cognitive and functional measures for early stage Alzheimer's disease trials. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12012	5.2	
175	The Latin American Spanish version of the Face-Name Associative Memory Exam is sensitive to cognitive and pathological changes in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 104	9	2
174	Visual short-term memory relates to tau and amyloid burdens in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 99	9	7
173	Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Implications for Teleneuropsychology. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 477-481	5.9	2
172	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020 , 25, 2599-2607	15.1	14
171	Dynamic change of cognitive reserve: associations with changes in brain, cognition, and diagnosis. <i>Neurobiology of Aging</i> , 2019 , 83, 95-104	5.6	14
170	Observation of Patient and Caregiver Burden Associated with Early Alzheimer's Disease in the United States: Design and Baseline Findings of the GERAS-US Cohort Study1. <i>Journal of Alzheimer's Disease</i> , 2019 , 72, 279-292	4.3	6
169	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019 , 67, 757-768	4.3	17
168	Measuring instrumental activities of daily living in non-demented elderly: a comparison of the new performance-based Harvard Automated Phone Task with other functional assessments. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 4	9	4
167	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019 , 76, 542-551	17.2	114
166	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease: A Longitudinal Study. <i>JAMA Neurology</i> , 2019 , 76, 915-924	17.2	277
165	Social Engagement and Amyloid-Related Cognitive Decline in Cognitively Normal Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 1247-1256	6.5	24
164	0300 Linking Sleep Disturbances with Amyloid and Tau Imaging. Preliminary Findings from the Harvard Aging Brain Study. <i>Sleep</i> , 2019 , 42, A122-A123	1.1	
163	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1161-1170	4.3	1
162	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019 , 78, 178-185	5.6	36
161	Inferior and medial temporal tau and cortical amyloid are associated with daily functional impairment in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 14	9	11

160	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019 , 2, e198964	10.4	35
159	Associations of Physical Activity and β Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019 , 76, 1203-1210	17.2	43
158	P4-607: FREE AND CUED MEMORY IS DISTINCTLY RELATED TO PATHOLOGY IN PRECLINICAL AUTOSOMAL-DOMINANT ALZHEIMER'S DISEASE 2019 , 15, P1557-P1557		
157	IC-P-037: GERIATRIC DEPRESSION SCALE ITEM-LEVEL ANALYSIS IN RELATION TO IN VIVO CORTICAL AMYLOID AND CEREBRAL REGIONAL TAU IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2019 , 15, P43-P43		
156	IC-P-089: ASSOCIATIONS OF REGIONAL CORTICAL THINNING AND LONGITUDINAL COGNITIVE PERFORMANCE IN THE CONTEXT OF AMYLOID IN CLINICALLY NORMAL OLDER ADULTS 2019 , 15, P79-P80		
155	F2-03-01: CLINICAL MEANINGFULNESS OF SHORT-TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIMER'S COGNITIVE COMPOSITE-5 (PACC-5) IN NORMAL OLDER ADULTS WITH ELEVATED β AMYLOID 2019 , 15, P518-P519		
154	O3-09-01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED β AMYLOID BURDEN 2019 , 15, P903-P904		
153	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019 , 24, 102097	5.3	3
152	Anticholinergic Amnesia is Mediated by Alterations in Human Network Connectivity Architecture. <i>Cerebral Cortex</i> , 2019 , 29, 3445-3456	5.1	6
151	Vascular Risk and β Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019 , 85, 272-279	9.4	44
150	The impact of amyloid-beta and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019 , 85, 181-193	9.4	100
149	The Spanish version of Face-Name Associative Memory Exam (S-FNAME) performance is related to amyloid burden in Subjective Cognitive Decline. <i>Scientific Reports</i> , 2018 , 8, 3828	4.9	23
148	Structural tract alterations predict downstream tau accumulation in amyloid-positive older individuals. <i>Nature Neuroscience</i> , 2018 , 21, 424-431	25.5	137
147	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 121-129	5.2	7
146	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018 , 175, 530-537	11.9	106
145	A Three-Factor Structure of Cognitive Functioning Among Unimpaired Carriers and Non-Carriers of Autosomal-Dominant Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 107-115	4.3	7
144	The Impact of Awareness of and Concern About Memory Performance on the Prediction of Progression From Mild Cognitive Impairment to Alzheimer Disease Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 896-904	6.5	17
143	Device-Embedded Cameras for Eye Tracking-Based Cognitive Assessment: Validation With Paper-Pencil and Computerized Cognitive Composites. <i>Journal of Medical Internet Research</i> , 2018 , 20, e11143	7.6	18

142	O1-08-03: DIGITIZED CLOCK DRAWING (DCTCLOCKTM) PERFORMANCE AND ITS RELATIONSHIP TO AMYLOID AND TAU PET IMAGING MARKERS IN UNIMPAIRED OLDER ADULTS 2018 , 14, P236-P237			1
141	O3-12-01: DECREASED META-MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS 2018 , 14, P1050-P1050			
140	P1-327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS 2018 , 14, P417-P417			
139	O5-07-01: BASELINE FINDINGS FROM GERAS-US: A LONGITUDINAL COHORT STUDY OF RESOURCE USE AND COSTS OF MILD COGNITIVE IMPAIRMENT AND MILD DEMENTIA DUE TO ALZHEIMER'S DISEASE (AD) IN THE UNITED STATES 2018 , 14, P1660-P1661			
138	P1-310: PATTERNS OF CHANGE IN DEPENDENCE LEVELS FOR COMMUNITY-DWELLING ALZHEIMER'S PATIENTS: 36-MONTH RESULTS FROM THE GERAS OBSERVATIONAL STUDY 2018 , 14, P409-P410			
137	O3-04-03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS 2018 , 14, P1019-P1020			
136	IC-P-159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN 2018 , 14, P134-P135			
135	F4-08-02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS 2018 , 14, P1394-P1395			
134	O1-10-03: SEX AND APOE GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY 2018 , 14, P243-P244			
133	IC-P-139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS 2018 , 14, P116-P117			
132	IC-P-147: QUANTIFYING STAGES OF SUBTLE MEMORY IMPAIRMENT IN PRECLINICAL ALZHEIMER'S DISEASE 2018 , 14, P125-P126			
131	Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018 , 8, 282	8.6	16	
130	O2-08-06: AMYLOID- β COGNITION AND SOCIAL ACTIVITY IN COGNITIVELY NORMAL OLDER ADULTS 2018 , 14, P640-P640			
129	Amyloid-associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018 , 4, 444-449	6	35	
128	Sex, amyloid, and APOE ϵ 4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018 , 14, 1193-1203	1.2	111	
127	Interactive Associations of Vascular Risk and β Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals: Findings From the Harvard Aging Brain Study. <i>JAMA Neurology</i> , 2018 , 75, 1124-1131	17.2	99	
126	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018 , 14, 1281-1292	1.2	62	
125	Harvard Aging Brain Study: Dataset and accessibility. <i>NeuroImage</i> , 2017 , 144, 255-258	7.9	66	

124	Loneliness, depression and cognitive function in older U.S. adults. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 564-573	3.9	159
123	Cued memory decline in biomarker-defined preclinical Alzheimer disease. <i>Neurology</i> , 2017 , 88, 1431-1438	6.5	32
122	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β . <i>Alzheimer's and Dementia</i> , 2017 , 13, 1004-1012	1.2	96
121	Fluorodeoxyglucose metabolism associated with tau-amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017 , 81, 583-596	9.4	90
120	Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 683-693	6.5	22
119	Neuroimaging markers associated with maintenance of optimal memory performance in late-life. <i>Neuropsychologia</i> , 2017 , 100, 164-170	3.2	23
118	Sex differences in episodic memory in early midlife: impact of reproductive aging. <i>Menopause</i> , 2017 , 24, 400-408	2.5	53
117	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017 , 15, 408-414	5.3	46
116	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017 , 99, 343-349	3.2	52
115	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017 , 88, 1759-1767	6.5	41
114	The influence of demographic factors on subjective cognitive concerns and beta-amyloid. <i>International Psychogeriatrics</i> , 2017 , 29, 645-652	3.4	10
113	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β Amyloid Burden. <i>JAMA Neurology</i> , 2017 , 74, 1455-1463	17.2	90
112	Age-Related Increases in Tip-of-the-tongue are Distinct from Decreases in Remembering Names: A Functional MRI Study. <i>Cerebral Cortex</i> , 2017 , 27, 4339-4349	5.1	8
111	Subjective cognitive concerns are associated with objective memory performance in Caucasian but not African-American persons. <i>Age and Ageing</i> , 2017 , 46, 988-993	3	29
110	Cognitive resilience in clinical and preclinical Alzheimer's disease: the Association of Amyloid and Tau Burden on cognitive performance. <i>Brain Imaging and Behavior</i> , 2017 , 11, 383-390	4.1	38
109	War and remembrance: Combat exposure in young adulthood and memory function sixty years later. <i>Comprehensive Psychiatry</i> , 2017 , 72, 97-105	7.3	
108	[P3876]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P1103-P1103		1
107	[P4028]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY 2017 , 13, P1357-P1359		

106	[IC-P-108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS 2017 , 13, P85-P86		
105	[IC-0203]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE 2017 , 13, P5-P6		1
104	[P1056]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P347-P347		
103	[P2098]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS 2017 , 13, P730-P731		
102	[F10302]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE 2017 , 13, P176		
101	[O10301]: SUBJECTIVE CONCERNS PREFERENTIALLY ASSOCIATE WITH AMYLOID BURDEN AND MEMORY IN CAUCASIANS, BUT WHITE MATTER HYPERINTENSITIES AND EXECUTIVE FUNCTION IN AFRICAN-AMERICANS 2017 , 13, P225		
100	[O20003]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P577-P578		
99	[O20104]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P582-P583		
98	[F30503]: OBJECTIVE AND SUBJECTIVE COGNITIVE DECLINE IN BLACK AMERICANS FROM THE HARVARD AGING BRAIN STUDY 2017 , 13, P885		
97	[O30602]: SEMANTIC MEMORY AND PET AMYLOID AND TAU DEPOSITION IN PRECLINICAL AND PRODROMAL ALZHEIMER'S DISEASE 2017 , 13, P911-P912		
96	[O30706]: THE RELATIONSHIP BETWEEN RECALL OF RECENTLY VERSUS REMOTELY ENCODED FAMOUS FACES AND AMYLOID AND TAU BURDEN IN CLINICALLY NORMAL OLDER ADULTS 2017 , 13, P917		
95	[P4034]: LINKING MEASURES OF SUBJECTIVE COGNITION ACROSS INTERNATIONAL AGING STUDIES USING ITEM RESPONSE THEORY 2017 , 13, P1554-P1555		1
94	Optimizing the preclinical Alzheimer's cognitive composite with semantic processing: The PACC5. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 668-677	6	67
93	Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 975-985	4.3	42
92	Web Camera Based Eye Tracking to Assess Visual Memory on a Visual Paired Comparison Task. <i>Frontiers in Neuroscience</i> , 2017 , 11, 370	5.1	19
91	Activities of daily living measured by the Harvard Automated Phone Task track with cognitive decline over time in non-demented elderly. <i>Journal of prevention of Alzheimer's disease, The</i> , 2017 , 4, 81-86	3.8	6
90	Heterogeneity in Suspected Non-Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016 , 73, 1185-1191	17.2	40
89	Association of Higher Cortical Amyloid Burden With Loneliness in Cognitively Normal Older Adults. <i>JAMA Psychiatry</i> , 2016 , 73, 1230-1237	14.5	96

88	Maternal dementia age at onset in relation to amyloid burden in non-demented elderly offspring. <i>Neurobiology of Aging</i> , 2016 , 40, 61-67	5.6	9
87	The Feasibility of At-Home iPad Cognitive Testing For Use in Clinical Trials. <i>Journal of Prevention of Alzheimer's Disease</i> , 2016 , 3, 8-12	3.8	35
86	Biomarker validation of a decline in semantic processing in preclinical Alzheimer's disease. <i>Neuropsychology</i> , 2016 , 30, 624-30	3.8	42
85	P3-309: Profiles of Cognitive Decline Associated with Biomarker-Defined Preclinical Stages of Alzheimer's Disease 2016 , 12, P960-P961		
84	Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 1097-105	4.3	28
83	P4-217: Regional Fluorodeoxyglucose Hypometabolism is Associated With Greater Apathy Over Time in Early Alzheimer's Disease 2016 , 12, P1111-P1111		
82	F5-05-02: The Harvard Automated Phone Task (APT): A Novel Performance-Based ADL Instrument for Early Alzheimer's Disease 2016 , 12, P373-P373		1
81	O5-07-04: Dependence Levels as Interim Clinical Milestones Along the Continuum of Alzheimer's Disease (AD): 18-Month Results from the Geras Observational Study 2016 , 12, P394-P396		
80	IC-P-013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum 2016 , 12, P20-P21		1
79	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment 2016 , 12, P36-P37		1
78	IC-P-053: Regional Fluorodeoxyglucose Hypometabolism is Associated with Greater Apathy Over Time in Early Alzheimer's Disease 2016 , 12, P43-P44		
77	P2-341: Subjective Cognitive Decline Predicts Longitudinal Decline in those with Both Amyloidosis and Neurodegeneration 2016 , 12, P773-P774		
76	P3-322: Optimal Memory Performance in Older Adults is Associated with Differences in Hippocampal Volume and Amyloid Status at Baseline and Over 3 Years 2016 , 12, P969-P969		
75	IC-P-185: The Effect of Tract-Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding 2016 , 12, P135-P135		
74	F1-04-01: Longitudinal Performance on the Preclinical Alzheimer's Cognitive Composite (PACC) in Subjects with Biomarker-Defined Preclinical ad 2016 , 12, P167-P167		
73	O1-13-01: Anxiety, Social Activity and Amyloid in Cognitively Normal Older Adults 2016 , 12, P208-P208		
72	O3-08-03: The Effect of Tract-Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding 2016 , 12, P304-P305		
71	O3-09-03: Associations between Amyloidosis and Longitudinal Cognitive Decline in Clinically Normal Older Adults 2016 , 12, P308-P308		

70	O4-01-06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimer Disease Cognitive Composite 2016 , 12, P333-P334		
69	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment 2016 , 12, P345-P346		
68	O4-06-06: The Impact of Anosognosia and Anosodiaphoria on the Prediction of Progression from Mild Cognitive Impairment to Alzheimer's Disease 2016 , 12, P346-P347		1
67	O4-07-05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum 2016 , 12, P349-P350		
66	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β Amyloid Burden in Preclinical ad 2016 , 12, P1158-P1159		
65	P4-354: Subjective Cognitive Concerns are Associated with Objective Memory Performance in Older Caucasian but not African-American Persons 2016 , 12, P1173-P1173		1
64	Validating Use of Technology for Cognitive Test Assessment. <i>EBioMedicine</i> , 2016 , 11, 23-24	8.8	4
63	Midlife Eriksonian psychosocial development: Setting the stage for late-life cognitive and emotional health. <i>Developmental Psychology</i> , 2016 , 52, 496-508	3.7	26
62	Tau positron emission tomographic imaging in aging and early Alzheimer disease. <i>Annals of Neurology</i> , 2016 , 79, 110-9	9.4	591
61	Tracking early decline in cognitive function in older individuals at risk for Alzheimer disease dementia: the Alzheimer's Disease Cooperative Study Cognitive Function Instrument. <i>JAMA Neurology</i> , 2015 , 72, 446-54	17.2	103
60	Amyloid- β deposition in mild cognitive impairment is associated with increased hippocampal activity, atrophy and clinical progression. <i>Brain</i> , 2015 , 138, 1023-35	11.2	143
59	Cognitive activity relates to cognitive performance but not to Alzheimer disease biomarkers. <i>Neurology</i> , 2015 , 85, 48-55	6.5	28
58	Subjective cognitive concerns, amyloid- β and neurodegeneration in clinically normal elderly. <i>Neurology</i> , 2015 , 85, 56-62	6.5	105
57	Odor identification and Alzheimer disease biomarkers in clinically normal elderly. <i>Neurology</i> , 2015 , 84, 2153-60	6.5	78
56	Validation of the Spanish Version of the Face Name Associative Memory Exam (S-FNAME) in Cognitively Normal Older Individuals. <i>Archives of Clinical Neuropsychology</i> , 2015 , 30, 712-20	2.7	15
55	IC-P-084: Neurobiological correlates of anosognosia in mild cognitive impairment: A multimodal investigation using FDG-PET, PIB-PET, and volumetric MRI 2015 , 11, P60-P60		
54	P3-217: Moderate caffeine consumption is associated with better memory scores in clinically normal older adults 2015 , 11, P715-P716		
53	IC-P-071: Instrumental activities of daily living and functional connectivity in mild cognitive impairment 2015 , 11, P53-P53		

52	IC-P-085: Regional Tau PET measures associated with memory performance in clinically normal older individuals 2015 , 11, P60-P61		
51	O4-01-01: Regional Tau PET measures associated with memory performance in clinically normal older individuals 2015 , 11, P265-P265		1
50	Concordance between Subjective and Objective Memory Impairment in Volunteer Subjects. <i>Journal of Alzheimer's Disease</i> , 2015 , 48, 1109-17	4-3	26
49	Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 63-73	4-3	65
48	Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. <i>Journal of Alzheimer's Disease</i> , 2015 , 48 Suppl 1, S63-86	4-3	253
47	P3-162: Instrumental activities of daily living and functional connectivity in mild cognitive impairment 2015 , 11, P690-P691		
46	The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 421-32	4-3	50
45	Neuropsychiatric Symptoms and Functional Connectivity in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 727-35	4-3	33
44	Free and cued memory in relation to biomarker-defined abnormalities in clinically normal older adults and those at risk for Alzheimer's disease. <i>Neuropsychologia</i> , 2015 , 73, 169-75	3-2	48
43	IC-P-068: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden 2015 , 11, P51-P51		1
42	F3-02-02: Snap in cognitively normal adults 2015 , 11, P213-P213		
41	P2-141: Neurobiological correlates of anosognosia in mild cognitive impairment: A multi-modal investigation using FDG-PET, PiB-PET, and volumetric MRI 2015 , 11, P540-P540		
40	P3-135: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals 2015 , 11, P675-P676		
39	IC-P-153: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals 2015 , 11, P102-P103		
38	O2-02-03: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden 2015 , 11, P175-P175		
37	O2-02-05: Differential declines in letter versus category fluency over 4 years in biomarker-defined preclinical Alzheimer's disease 2015 , 11, P176-P177		
36	O2-11-06: Reciprocal relations of loneliness and cognitive function in older u.s. adults 2015 , 11, P201-P202		
35	The Harvard Automated Phone Task: new performance-based activities of daily living tests for early Alzheimer's disease. <i>Journal of Prevention of Alzheimer's Disease</i> , 2015 , 2, 242-253	3-8	13

34	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014 , 10, 844-52	1.2	1219
33	Subjective cognitive concerns and neuropsychiatric predictors of progression to the early clinical stages of Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1642-51	6.5	133
32	Subjective cognitive concerns, episodic memory, and the APOE ϵ allele. <i>Alzheimer's and Dementia</i> , 2014 , 10, 752-759.e1	1.2	44
31	Regional fluorodeoxyglucose metabolism and instrumental activities of daily living across the Alzheimer's disease spectrum. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 291-300	4.3	32
30	Regional cortical thinning predicts worsening apathy and hallucinations across the Alzheimer disease spectrum. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1168-79	6.5	60
29	P1-180: A NEW PERFORMANCE-BASED ACTIVITIES OF DAILY LIVING INSTRUMENT FOR EARLY ALZHEIMER'S DISEASE 2014 , 10, P365-P365		1
28	O3-07-02: WHITE MATTER BURDEN IN CLINICALLY NORMAL OLDER ADULTS MEDIATES THE RELATIONSHIP BETWEEN AMYLOID BURDEN AND MEMORY FREE RECALL BUT NOT CUED RECALL 2014 , 10, P221-P222		
27	IC-P-087: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD 2014 , 10, P49-P50		1
26	IC-P-117: AMYLOID-B DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION 2014 , 10, P65-P66		1
25	DT-01-02: TEMPORAL NEOCORTICAL TAU DEPOSITION MEASURED WITH PET IS ASSOCIATED WITH LONGITUDINAL DECLINE IN MEMORY PERFORMANCE AMONG CLINICALLY NORMAL ELDERLY 2014 , 10, P280-P280		
24	P2-154: SUBSYNDROMAL DEPRESSION AND ALZHEIMER'S DISEASE BIOMARKERS IN COGNITIVELY NORMAL ELDERLY 2014 , 10, P527-P528		
23	IC-P-152: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY 2014 , 10, P87-P87		
22	O3-10-06: AMYLOID- β DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION 2014 , 10, P230-P230		
21	P1-301: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY 2014 , 10, P422-P422		
20	IC-02-01: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD 2014 , 10, P4-P4		
19	F4-01-04: TAU PET USING F18-T807: INITIAL EXPERIENCE IN NORMAL ELDERLY AND AD DEMENTIA 2014 , 10, P242-P242		1
18	O4-12-04: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD 2014 , 10, P276-P276		
17	P2-246: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD 2014 , 10, P566-P566		1

16	Striatal and extrastriatal dopamine transporter levels relate to cognition in Lewy body diseases: an (11)C altropane positron emission tomography study. <i>Alzheimer's Research and Therapy</i> , 2014 , 6, 52	9	21
15	Regional cortical thinning and cerebrospinal biomarkers predict worsening daily functioning across the Alzheimer's disease spectrum. <i>Journal of Alzheimer's Disease</i> , 2014 , 41, 719-28	4.3	44
14	The A4 study: stopping AD before symptoms begin?. <i>Science Translational Medicine</i> , 2014 , 6, 228fs13	17.5	455
13	Amyloid and APOE ϵ interact to influence short-term decline in preclinical Alzheimer disease. <i>Neurology</i> , 2014 , 82, 1760-7	6.5	209
12	P3-266: NEUROPSYCHIATRIC SYMPTOMS AND FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT AND COGNITIVELY NORMAL ELDERLY 2014 , 10, P729-P729		
11	Synergistic effect of β amyloid and neurodegeneration on cognitive decline in clinically normal individuals. <i>JAMA Neurology</i> , 2014 , 71, 1379-85	17.2	227
10	The preclinical Alzheimer cognitive composite: measuring amyloid-related decline. <i>JAMA Neurology</i> , 2014 , 71, 961-70	17.2	372
9	Promising developments in neuropsychological approaches for the detection of preclinical Alzheimer's disease: a selective review. <i>Alzheimer's Research and Therapy</i> , 2013 , 5, 58	9	114
8	Subjective cognitive complaints and amyloid burden in cognitively normal older individuals. <i>Neuropsychologia</i> , 2012 , 50, 2880-2886	3.2	318
7	Cognitive profile of amyloid burden and white matter hyperintensities in cognitively normal older adults. <i>Journal of Neuroscience</i> , 2012 , 32, 16233-42	6.6	138
6	Face-name associative memory performance is related to amyloid burden in normal elderly. <i>Neuropsychologia</i> , 2011 , 49, 2776-83	3.2	145
5	Cognition, reserve, and amyloid deposition in normal aging. <i>Annals of Neurology</i> , 2010 , 67, 353-64	9.4	246
4	Intelligence quotient-adjusted memory impairment is associated with abnormal single photon emission computed tomography perfusion. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 821-31	3.1	13
3	IQ-based norms for highly intelligent adults. <i>Clinical Neuropsychologist</i> , 2006 , 20, 637-48	4.4	5
2	Use of IQ-adjusted norms to predict progressive cognitive decline in highly intelligent older individuals. <i>Neuropsychology</i> , 2004 , 18, 38-49	3.8	65
1	Disruption of the ventral visual stream in a case of reduplicative paramnesia. <i>Annals of the New York Academy of Sciences</i> , 2000 , 911, 447-52	6.5	11