Bradley R Borlee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5420918/bradley-r-borlee-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,769 15 41 37 h-index g-index citations papers 2,236 41 4.29 4.9 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
37	The NarX-NarL two-component system regulates biofilm formation, natural product biosynthesis, and host-associated survival in Burkholderia pseudomallei <i>Scientific Reports</i> , 2022 , 12, 203	4.9	4
36	Disruption of c-di-GMP Signaling Networks Unlocks Cryptic Expression of Secondary Metabolites during Biofilm Growth in <i>Applied and Environmental Microbiology</i> , 2022 , e0243121	4.8	
35	Unique Features of Biofilms Formed in Synthetic Cystic Fibrosis Medium. <i>Frontiers in Microbiology</i> , 2021 , 12, 743126	5.7	2
34	Identification of a PadR-type regulator essential for intracellular pathogenesis of Burkholderia pseudomallei. <i>Scientific Reports</i> , 2021 , 11, 10405	4.9	O
33	Complete Genome Sequences of Eight Streptococcus equi subsp. Strains Isolated from Mares in Estrus with Endometritis. <i>Microbiology Resource Announcements</i> , 2021 , 10, e0132120	1.3	
32	A Chemical Counterpunch: Chromobacterium violaceum ATCC 31532 Produces Violacein in Response to Translation-Inhibiting Antibiotics. <i>MBio</i> , 2020 , 11,	7.8	14
31	Cyclic di-GMP in Burkholderia spp. 2020 , 519-543		3
30	Busting biofilms: free-living amoebae disrupt preformed methicillin-resistant (MRSA) and biofilms. <i>Microbiology (United Kingdom)</i> , 2020 , 166, 695-706	2.9	1
29	Burkholderia pseudomallei as an Enteric Pathogen: Identification of Virulence Factors Mediating Gastrointestinal Infection. <i>Infection and Immunity</i> , 2020 , 89,	3.7	2
28	Induction of RNA interference to block Zika virus replication and transmission in the mosquito Aedes aegypti. <i>Insect Biochemistry and Molecular Biology</i> , 2019 , 111, 103169	4.5	7
27	Multiple Environmental Factors Influence the Importance of the Phosphodiesterase DipA upon Pseudomonas aeruginosa Swarming. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	12
26	Transcriptional and post-transcriptional regulation of PenA flactamase in acquired Burkholderia pseudomallei flactam resistance. <i>Scientific Reports</i> , 2018 , 8, 10652	4.9	9
25	Pharmacokinetics of Intrauterine Ciprofloxacin in the Mare and Establishment of Minimum Inhibitory Concentrations for Equine Uterine Bacterial Isolates. <i>Journal of Equine Veterinary Science</i> , 2017 , 54, 54-59	1.2	4
24	In[Vitro Biofilm Disruption and Bacterial Killing Using Nonantibiotic Compounds Against Gram-Negative Equine Uterine Pathogens. <i>Journal of Equine Veterinary Science</i> , 2017 , 53, 94-99	1.2	4
23	Thermoregulation of Biofilm Formation in Burkholderia pseudomallei Is Disrupted by Mutation of a Putative Diguanylate Cyclase. <i>Journal of Bacteriology</i> , 2017 , 199,	3.5	21
22	Model of Chronic Equine Endometritis Involving a Pseudomonas aeruginosa Biofilm. <i>Infection and Immunity</i> , 2017 , 85,	3.7	17
21	Spatial transcriptomes within the Pseudomonas aeruginosa biofilm architecture. <i>Molecular Microbiology</i> , 2017 , 106, 976-985	4.1	23

20	Cyclic di-GMP-Responsive Transcriptional Reporter Bioassays in Pseudomonas aeruginosa. <i>Methods in Molecular Biology</i> , 2017 , 1657, 99-110	1.4	3
19	The Current Status of Extracellular Polymeric Substances Produced by Burkholderia pseudomallei. <i>Current Tropical Medicine Reports</i> , 2017 , 4, 117-126	5	6
18	Ability of Chromogenic Agar, MALDI-TOF, API 20E and 20 Strep Strips, and BBL Crystal Enteric and Gram-Positive Identification Kits to Precisely Identify Common Equine Uterine Pathogens. <i>Journal of Equine Veterinary Science</i> , 2017 , 57, 35-40	1.2	3
17	Nitrate Sensing and Metabolism Inhibit Biofilm Formation in the Opportunistic Pathogen by Reducing the Intracellular Concentration of c-di-GMP. <i>Frontiers in Microbiology</i> , 2017 , 8, 1353	5.7	29
16	Genome-scale analysis of the genes that contribute to Burkholderia pseudomallei biofilm formation identifies a crucial exopolysaccharide biosynthesis gene cluster. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005689	4.8	8
15	Pseudomonas aeruginosa variants obtained from veterinary clinical samples reveal a role for cyclic di-GMP in biofilm formation and colony morphology. <i>Microbiology (United Kingdom)</i> , 2017 , 163, 1613-16	525 ⁹	2
14	Cyclic Di-GMP-Regulated Periplasmic Proteolysis of a Pseudomonas aeruginosa Type Vb Secretion System Substrate. <i>Journal of Bacteriology</i> , 2016 , 198, 66-76	3.5	30
13	In Vitro Efficacy of Nonantibiotic Treatments on Biofilm Disruption of Gram-Negative Pathogens and an In Vivo Model of Infectious Endometritis Utilizing Isolates from the Equine Uterus. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 631-9	9.7	30
12	Diguanylate cyclase activity of the Mycobacterium leprae T cell antigen ML1419c. <i>Microbiology</i> (United Kingdom), 2016 , 162, 1651-1661	2.9	6
11	Precision-engineering the Pseudomonas aeruginosa genome with two-step allelic exchange. <i>Nature Protocols</i> , 2015 , 10, 1820-41	18.8	200
10	Self-produced exopolysaccharide is a signal that stimulates biofilm formation in Pseudomonas aeruginosa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 20632-6	11.5	185
9	Fluorescence-based reporter for gauging cyclic di-GMP levels in Pseudomonas aeruginosa. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 5060-9	4.8	153
8	Different Methods for Culturing Biofilms In Vitro 2011 , 251-266		13
7	The pel polysaccharide can serve a structural and protective role in the biofilm matrix of Pseudomonas aeruginosa. <i>PLoS Pathogens</i> , 2011 , 7, e1001264	7.6	330
6	Pseudomonas aeruginosa uses a cyclic-di-GMP-regulated adhesin to reinforce the biofilm extracellular matrix. <i>Molecular Microbiology</i> , 2010 , 75, 827-42	4.1	347
5	Identification of synthetic inducers and inhibitors of the quorum-sensing regulator LasR in Pseudomonas aeruginosa by high-throughput screening. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 8255-8	4.8	43
4	Quorum-sensing signals in the microbial community of the cabbage white butterfly larval midgut. <i>ISME Journal</i> , 2008 , 2, 1101-11	11.9	19
3	Signal mimics derived from a metagenomic analysis of the gypsy moth gut microbiota. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 3669-76	4.8	64

Intracellular screen to identify metagenomic clones that induce or inhibit a quorum-sensing biosensor. *Applied and Environmental Microbiology*, **2005**, 71, 6335-44

4.8 171

The NarX-NarL two-component system is a global regulator of biofilm formation, natural product biosynthesis, and host-associated survival inBurkholderia pseudomallei

2