
## Simona Barison

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5422322/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Review on phase change material emulsions for advanced thermal management: Design, characterization and thermal performance. Renewable and Sustainable Energy Reviews, 2022, 159, 112238.	8.2	28
2	Development and Thermophysical Profile of Cetyl Alcohol-in-Water Nanoemulsions for Thermal Management. Fluids, 2022, 7, 11.	0.8	6
3	Implementing sustainability in laboratory activities: A case study on aluminum titanium nitride based thin film magnetron sputtering deposition onto commercial laminated steel. Journal of Cleaner Production, 2021, 285, 124869.	4.6	7
4	Vacuum Thermal Treatments for Surface Engineering of Selective Laser Melted Ti6Al4V Alloy. Journal of Materials Engineering and Performance, 2021, 30, 6874-6880.	1.2	2
5	Paraffin–graphene oxide hybrid nano emulsions for thermal management systems. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 627, 127132.	2.3	22
6	SIMS and HR-XPS characterization of lithiated graphite from the magnetic fusion device RFX-mod. Applied Surface Science, 2021, 567, 150830.	3.1	9
7	Optical Limiting of Carbon Nanohorn-Based Aqueous Nanofluids: A Systematic Study. Nanomaterials, 2020, 10, 2160.	1.9	7
8	Effects of Carbon Nanohorn Based Nanofluids Pool Boiling on Optical Properties and Wettability of Different Metal Surfaces. Heat Transfer Engineering, 2020, , 1-14.	1.2	5
9	Investigation on the oxide-oxide galvanic displacement reactions employed in the preparation of electrocatalytic layers. Electrochimica Acta, 2020, 341, 136056.	2.6	9
10	Easy preparation method of stable copperâ€based nanoparticle suspensions in lubricant engine oil. Lubrication Science, 2020, 32, 205-217.	0.9	4
11	CO <sub>2</sub> reduction to formic acid at low overpotential on BDD electrodes modified with nanostructured CeO <sub>2</sub> . Journal of Materials Chemistry A, 2019, 7, 17896-17905.	5.2	25
12	Optical characterisation of oxidised carbon nanohorn nanofluids for direct solar energy absorption applications. Solar Energy, 2019, 191, 323-331.	2.9	8
13	Magnetic-field tunability of optical properties in colloidal suspensions of goethite (α-FeOOH) nanorods. Optical Materials, 2019, 96, 109303.	1.7	3
14	Dynamic Viscosity, Surface Tension and Wetting Behavior Studies of Paraffin–in–Water Nano–Emulsions. Energies, 2019, 12, 3334.	1.6	24
15	Development of paraffinic phase change material nanoemulsions for thermal energy storage and transport in low-temperature applications. Applied Thermal Engineering, 2019, 159, 113868.	3.0	46
16	The contact angle of nanofluids as thermophysical property. Journal of Colloid and Interface Science, 2019, 547, 393-406.	5.0	44
17	Nano-encapsulated PCM emulsions prepared by a solvent-assisted method for solar applications. Solar Energy Materials and Solar Cells, 2019, 194, 268-275.	3.0	47
18	Single-step process to produce alumina supported hydroxy-sodalite zeolite membranes. Journal of Materials Science, 2019, 54, 2049-2058.	1.7	11

#	Article	IF	CITATIONS
19	Nanofluids as Direct Solar Energy Absorbers. Journal of Nanofluids, 2019, 8, 17-29.	1.4	4
20	PdAg/alumina membranes prepared by high power impulse magnetron sputtering for hydrogen separation. International Journal of Hydrogen Energy, 2018, 43, 7982-7989.	3.8	11
21	Hydrogen separation by thin vanadium-based multi-layered membranes. International Journal of Hydrogen Energy, 2018, 43, 3235-3243.	3.8	32
22	Surface oxidation of single wall carbon nanohorns for the production of surfactant free water-based colloids. Journal of Colloid and Interface Science, 2018, 514, 528-533.	5.0	23
23	The influence of goethite nanorods on structural transitions in liquid crystal 6CHBT. Journal of Magnetism and Magnetic Materials, 2018, 459, 26-32.	1.0	12
24	Coreactant electrochemiluminescence at nanoporous gold electrodes. Electrochimica Acta, 2018, 277, 168-175.	2.6	24
25	Dielectric breakdown study of a nanofluid based on goethite nanoparticles. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 2206-2211.	1.8	5
26	Highly stable core–shell Pt-CeO2 nanoparticles electrochemically deposited onto Fecralloy foam reactors for the catalytic oxidation of CO. Journal of Industrial and Engineering Chemistry, 2018, 66, 404-410.	2.9	10
27	Effect of external magnetic field on tribological properties of goethite (a-FeOOH) based nanofluids. Tribology International, 2018, 127, 341-350.	3.0	30
28	Heat Transfer Capability of (Ethylene Glycol + Water)-Based Nanofluids Containing Graphene Nanoplatelets: Design and Thermophysical Profile. Nanoscale Research Letters, 2017, 12, 53.	3.1	62
29	Electrochemical preparation of nanostructured CeO 2 -Pt catalysts on Fe-Cr-Al alloy foams for the low-temperature combustion of methanol. Chemical Engineering Journal, 2017, 317, 551-560.	6.6	11
30	NIR transmittance tuneability under a magnetic field of colloidal suspensions of goethite (α-FeOOH) nanorods. RSC Advances, 2017, 7, 12429-12436.	1.7	8
31	Boosting infrared energy transfer in 3D nanoporous gold antennas. Nanoscale, 2017, 9, 915-922.	2.8	42
32	Investigation of a single wall carbon nanohorn-based nanofluid in a full-scale direct absorption parabolic trough solar collector. Energy Conversion and Management, 2017, 150, 693-703.	4.4	58
33	Preparation of Silverâ€Modified Nickel Foams by Galvanic Displacement and Their Use as Cathodes for the Reductive Dechlorination of Herbicides. ChemElectroChem, 2016, 3, 2084-2092.	1.7	27
34	Structural, compositional and functional properties of Sb-doped Mg <sub>2</sub> Si synthesized in Al <sub>2</sub> O <sub>3</sub> -crucibles. RSC Advances, 2016, 6, 81037-81045.	1.7	8
35	Improved tribological and thermal properties of lubricants by graphene based nano-additives. RSC Advances, 2016, 6, 59477-59486.	1.7	50
36	Lithium wall conditioning by high frequency pellet injection in RFX-mod. Journal of Nuclear Materials, 2015, 463, 1138-1141.	1.3	12

#	Article	IF	CITATIONS
37	Effect of precursors on $\hat{l}^2$ -alumina electrolyte preparation. Journal of the European Ceramic Society, 2015, 35, 2099-2107.	2.8	34
38	Engineered/tailored nanoporous gold structures for infrared plasmonics. Proceedings of SPIE, 2015, ,	0.8	1
39	Exceptional hydrogen permeation of all-ceramic composite robust membranes based on BaCe <sub>0.65</sub> Zr <sub>0.20</sub> Y <sub>0.15</sub> O <sub>3â^î´</sub> and Y- or Gd-doped ceria. Energy and Environmental Science, 2015, 8, 3675-3686.	15.6	98
40	Influence of Cu, TiO <sub>2</sub> Nanoparticles and Carbon Nano-Horns on Tribological Properties of Engine Oil. Journal of Nanoscience and Nanotechnology, 2015, 15, 3590-3598.	0.9	38
41	Temperature controlled photoacoustic device for thermal diffusivity measurements of liquids and nanofluids. Thermochimica Acta, 2015, 619, 48-52.	1.2	22
42	Optical Properties of Mixed Nanofluids Containing Carbon Nanohorns and Silver Nanoparticles for Solar Energy Applications. Journal of Nanoscience and Nanotechnology, 2015, 15, 3568-73.	0.9	5
43	Tribological Properties of Engine Oil with Carbon Nano-horns as Nano-additives. Tribology Letters, 2014, 55, 45-53.	1.2	55
44	A preliminary investigation on nanohorn toxicity in marine mussels and polychaetes. Science of the Total Environment, 2014, 468-469, 111-119.	3.9	29
45	Catalytic partial oxidation of methane over nanosized Rh supported on Fecralloy foams. International Journal of Hydrogen Energy, 2014, 39, 11473-11485.	3.8	26
46	SIMS analysis of the interaction between plasmas and the graphite first wall in RFXâ€mod. Surface and Interface Analysis, 2013, 45, 423-426.	0.8	4
47	Introduction of Metal Oxides into Mg2Si Thermoelectric Materials by Spark Plasma Sintering. Journal of Electronic Materials, 2013, 42, 2062-2066.	1.0	8
48	Synthesis and Characterization of Al-Doped Mg2Si Thermoelectric Materials. Journal of Electronic Materials, 2013, 42, 1956-1959.	1.0	69
49	Phase Content Influence on Thermoelectric Properties of Manganese Silicide-Based Materials for Middle-High Temperatures. Journal of Electronic Materials, 2013, 42, 2020-2024.	1.0	17
50	The Synthesis and Effect of Copper Nanoparticles on the Tribological Properties of Lubricant Oils. IEEE Nanotechnology Magazine, 2013, 12, 751-759.	1.1	48
51	A Comparative Study of Cathodic Electrodeposited Nickel Hydroxide Films Electrocatalysts. Electrocatalysis, 2013, 4, 329-337.	1.5	6
52	Tuning the thermal diffusivity of silver based nanofluids by controlling nanoparticle aggregation. Nanotechnology, 2013, 24, 365601.	1.3	13
53	Test Rig for High-Temperature Thermopower and Electrical Conductivity Measurements. Journal of Electronic Materials, 2013, 42, 1319-1323.	1.0	17
54	Overview of the RFX-mod fusion science programme. Nuclear Fusion, 2013, 53, 104018.	1.6	17

#	Article	IF	CITATIONS
55	Nanoporous gold—Application to extraordinary optical transmission of light. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2013, 31, 012601.	0.6	7
56	Synthesis and characterization of Bi-doped Mg2Si thermoelectric materials. , 2012, , .		4
57	Nanostructured multilayered thin film barriers for Mg2Si thermoelectric materials. , 2012, , .		0
58	RFX-mod wall conditioning by lithium pellet injection. Nuclear Fusion, 2012, 52, 023012.	1.6	15
59	FIB lithography of nanoporous gold slits for extraordinary transmission. Microelectronic Engineering, 2012, 98, 419-423.	1.1	9
60	Synthesis and characterization of Bi-doped Mg2Si thermoelectric materials. Journal of Solid State Chemistry, 2012, 193, 142-146.	1.4	65
61	Patterned nanoporous-gold thin layers: Structure control and tailoring of plasmonic properties. Microporous and Mesoporous Materials, 2012, 163, 153-159.	2.2	23
62	Multilayered thin films for oxidation protection of Mg2Si thermoelectric material at middle–high temperatures. Thin Solid Films, 2012, 526, 150-154.	0.8	16
63	Viscosity of water based SWCNH and TiO2 nanofluids. Experimental Thermal and Fluid Science, 2012, 36, 65-71.	1.5	164
64	Influence of Microwaveâ€Assisted Pechini Method on La <sub>0.80</sub> Sr <sub>0.20</sub> Ga <sub>0.83</sub> Mg <sub>0.17</sub> O <sub>3–δ</sub> Ionic Conductivity. Fuel Cells, 2012, 12, 54-60.	1.5	12
65	Large Scale and Low Cost Production of Pristine and Oxidized Single Wall Carbon Nanohorns as Material for Hydrogen Storage. Nanoscience and Nanotechnology Letters, 2012, 4, 160-164.	0.4	13
66	Key Issues in Processing Metal-Supported Proton Conducting Anodes for SOFCs Applications. ECS Transactions, 2011, 35, 1761-1769.	0.3	5
67	Potential of carbon nanohorn-based suspensions for solar thermal collectors. Solar Energy Materials and Solar Cells, 2011, 95, 2994-3000.	3.0	182
68	Analysis of the interaction between plasmas and the graphite first wall in RFX-mod. Journal of Nuclear Materials, 2011, 415, S274-S277.	1.3	8
69	Absorption and scattering properties of carbon nanohorn-based nanofluids for direct sunlight absorbers. Nanoscale Research Letters, 2011, 6, 282.	3.1	109
70	Experimental stability analysis of different water-based nanofluids. Nanoscale Research Letters, 2011, 6, 300.	3.1	179
71	Optical characterisation of Carbon-Nanohorn based nanofluids for solar energy and life science applications. , 2011, , .		4
72	Overview of the RFX fusion science program. Nuclear Fusion, 2011, 51, 094023.	1.6	29

#	Article	IF	CITATIONS
73	A microwave-assisted sol–gel Pechini method for the synthesis of BaCe0.65Zr0.20Y0.15O3â^î´ powders. Materials Research Bulletin, 2010, 45, 1171-1176.	2.7	18
74	Influence of nanoparticles dispersion in POE oils on lubricity and R134a solubility. International Journal of Refrigeration, 2010, 33, 1180-1186.	1.8	82
75	Novel Ru/La0.75Sr0.25Cr0.5Mn0.5O3-l´ catalysts for propane reforming in IT-SOFCs. Solid State Ionics, 2010, 181, 285-291.	1.3	22
76	Evaluation of the scavenging effect by low temperature laboratory plasmas driven with radiofrequency. Plasma Physics and Controlled Fusion, 2010, 52, 075014.	0.9	6
77	Carbon nanohorns-based nanofluids as direct sunlight absorbers. Optics Express, 2010, 18, 5179.	1.7	189
78	Impurities removal by laser blow-off from in-vacuum optical surfaces on RFX-mod experiment. Review of Scientific Instruments, 2010, 81, 123509.	0.6	3
79	Conductivity studies of sol-gel prepared BaCe0.85â^'xZrxY0.15O3â^'Î^ solid electrolytes using impedance spectroscopy. Journal of Applied Electrochemistry, 2009, 39, 2129-2141.	1.5	9
80	Role of synthetic route on the transport properties of BaCe1â^'xYxO3 proton conductor. Journal of Alloys and Compounds, 2009, 470, 477-485.	2.8	66
81	Photocatalytic Activity Dependence on the Structural Orientation of MOCVD TiO[sub 2] Anatase Films. Journal of the Electrochemical Society, 2009, 156, K233.	1.3	10
82	BaCe1-x-yZrxYyO3-d Proton Conductors: The Role of the Synthetic Route on their Properties. ECS Transactions, 2008, 11, 89-96.	0.3	1
83	RF-Sputtering Deposition of Gadolinia Doped Ceria Films for IT-SOFCs Applications. ECS Transactions, 2008, 11, 113-119.	0.3	1
84	Barium Nonâ€Stoichiometry Role on the Properties of Ba <sub>1+</sub> <sub><i>x</i></sub> Ce <sub>0.65</sub> Zr <sub>0.20</sub> Y <sub>0.15</sub> O <sub>3–î´ Proton Conductors for ITâ€SOFCs. Fuel Cells, 2008, 8, 360-368.</sub>	<b sub>	44
85	Growth of <i>p-</i> and <i>n-</i> Dopable Films from Electrochemically Generated C <sub>60</sub> Cations. Journal of the American Chemical Society, 2008, 130, 3788-3796.	6.6	35
86	High conductivity and chemical stability of BaCe1â^'xâ^'yZrxYyO3â^'δ proton conductors prepared by a sol–gel method. Journal of Materials Chemistry, 2008, 18, 5120.	6.7	116
87	In situ window cleaning by laser blowoff through optical fiber. Review of Scientific Instruments, 2008, 79, 10F338.	0.6	8
88	Impedance spectroscopy of solutions at physiological glucose concentrations. Biophysical Chemistry, 2007, 129, 235-241.	1.5	61
89	Novel Au/La1â^'xSrxMnO3 and Au/La1â^'xSrxCrO3 composites: Catalytic activity for propane partial oxidation and reforming. Solid State Ionics, 2007, 177, 3473-3484.	1.3	23
90	GLASS CORROSION ACROSS THE ALPS: A SURFACE STUDY OF CHEMICAL CORROSION OF GLASSES FOUND IN MARINE AND GROUND ENVIRONMENTS*. Archaeometry, 2005, 47, 351-360.	0.6	28

#	Article	IF	CITATIONS
91	SIMS Characterization of La0.7Sr0.3MnO3 Films for Solid Oxide Fuel Cell Applications. Annali Di Chimica, 2005, 95, 395-403.	0.6	2
92	Surface study of water influence on chemical corrosion of Roman glass. Surface Engineering, 2005, 21, 393-396.	1.1	8
93	Sol–gel synthesis of Zn-thiourea-SiO2 thin films from (EtO)3Si(CH2)3NHC(S)NHPh as molecular precursor. Solid State Sciences, 2004, 6, 1287-1294.	1.5	5
94	Effect of Surface Structure on Behavior of RuO2Electrodes in Sulfuric Acid Aqueous Solution. Russian Journal of Electrochemistry, 2004, 40, 1115-1122.	0.3	21
95	Surface chemistry study of RuO2/IrO2/TiO2 mixed-oxide electrodes. Rapid Communications in Mass Spectrometry, 2004, 18, 278-284.	0.7	23
96	Characterisation of surface oxidation of nickel–titanium alloy by ion-beam and electrochemical techniques. Electrochimica Acta, 2004, 50, 11-18.	2.6	69
97	Preparation and Characterization of Antimony-Doped Tin Dioxide Electrodes. 3. XPS and SIMS Characterization. Journal of Physical Chemistry B, 2004, 108, 15976-15981.	1.2	123
98	Glasses on the seabed: surface study of chemical corrosion in sunken Roman glasses. Journal of Non-Crystalline Solids, 2004, 343, 91-100.	1.5	33
99	Secondary ion mass spectrometry and X-ray photoelectron spectroscopy investigation on chemical vapor deposited CeO2?ZrO2?TiO2 thin films. Rapid Communications in Mass Spectrometry, 2003, 17, 996-1001.	0.7	4
100	Sol–gel preparation of non-hygroscopic siliceous thin films enriched with alkaline-earth ions. Journal of Non-Crystalline Solids, 2003, 324, 73-78.	1.5	8
101	Influence of electrochemical processing on the composition and microstructure of chemical-vapor deposited Ru and RuO2 nanocrystalline films. Journal of Materials Chemistry, 2002, 12, 1511-1518.	6.7	13
102	Chemistry of cultural glasses: the early medieval glasses of Monselice's hill (Padova, Italy). Journal of Non-Crystalline Solids, 2002, 306, 249-262.	1.5	22
103	Nanocrystalline Pt thin films obtained via metal organic chemical vapor deposition on quartz and CaF2 substrates: an investigation of their chemico-physical properties. Thin Solid Films, 2002, 405, 81-86.	0.8	22
104	An investigation of cobalt oxide based nanocrystalline thin films by secondary ion mass spectrometry. Rapid Communications in Mass Spectrometry, 2001, 15, 1621-1624.	0.7	4
105	Secondary ion mass spectrometric investigation of Au-based composites. Rapid Communications in Mass Spectrometry, 2001, 15, 2014-2019.	0.7	1
106	Secondary ion mass spectrometric investigation on ruthenium oxide systems: a comparison between poly- and nanocrystalline deposits. Rapid Communications in Mass Spectrometry, 2000, 14, 1179-1183.	0.7	7
107	Surface chemistry of RuO2/IrO2/TiO2 mixed-oxide electrodes: secondary ion mass spectrometric study of the changes induced by electrochemical treatment. Rapid Communications in Mass Spectrometry, 2000, 14, 2165-2169.	0.7	19
108	Characterization of Dispersion-Hardened Electrodeposited Gold Composites. Part 1:Â SIMS and SEM Study of Powder Inclusions. Chemistry of Materials, 2000, 12, 2964-2970.	3.2	3

#	Article	IF	CITATIONS
109	Composite materials obtained by ion irradiation: Mn implantation in silica glass. Journal of Materials Chemistry, 1999, 9, 2929-2933.	6.7	12