Xin Xu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5422543/publications.pdf

Version: 2024-02-01

144	8,475	38	87
papers	citations	h-index	g-index
152	152	152	13013
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Clinical characteristics of 24 asymptomatic infections with COVID-19 screened among close contacts in Nanjing, China. Science China Life Sciences, 2020, 63, 706-711.	2.3	1,090
2	Implementing a unified approach to family-based tests of association. Genetic Epidemiology, 2000, 19, S36-S42.	0.6	777
3	The family based association test method: strategies for studying general genotype–phenotype associations. European Journal of Human Genetics, 2001, 9, 301-306.	1.4	696
4	Family-based tests for associating haplotypes with general phenotype data: Application to asthma genetics. Genetic Epidemiology, 2004, 26, 61-69.	0.6	395
5	Seroprevalence of immunoglobulin M and G antibodies against SARS-CoV-2 in China. Nature Medicine, 2020, 26, 1193-1195.	15.2	352
6	The direction of microsatellite mutations is dependent upon allele length. Nature Genetics, 2000, 24, 396-399.	9.4	323
7	Long-Term Exposure to Air Pollution and Increased Risk of Membranous Nephropathy in China. Journal of the American Society of Nephrology: JASN, 2016, 27, 3739-3746.	3.0	316
8	Environmental pollution and kidney diseases. Nature Reviews Nephrology, 2018, 14, 313-324.	4.1	275
9	Epidemiology and Clinical Correlates of AKI in Chinese Hospitalized Adults. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1510-1518.	2.2	210
10	Genome-wide association study identifies peanut allergy-specific loci and evidence of epigenetic mediation in US children. Nature Communications, 2015, 6, 6304.	5.8	192
11	Effects of age at menarche, reproductive years, and menopause on metabolic risk factors for cardiovascular diseases. Atherosclerosis, 2008, 196, 590-597.	0.4	191
12	A multivariate family-based association test using generalized estimating equations: FBAT-GEE. Biostatistics, 2003, 4, 195-206.	0.9	181
13	A Common Haplotype of the Nicotine Acetylcholine Receptor $\hat{l}\pm4$ Subunit Gene Is Associated with Vulnerability to Nicotine Addiction in Men. American Journal of Human Genetics, 2004, 75, 112-121.	2.6	180
14	Efficacy of Folic Acid Therapy on the Progression of Chronic Kidney Disease. JAMA Internal Medicine, 2016, 176, 1443.	2.6	133
15	A Unified Haseman-Elston Method for Testing Linkage with Quantitative Traits. American Journal of Human Genetics, 2000, 67, 1025-1028.	2.6	115
16	Variation in genes involved in the RANKL/RANK/OPG bone remodeling pathway are associated with bone mineral density at different skeletal sites in men. Human Genetics, 2006, 118, 568-577.	1.8	103
17	A Genomewide Search for Quantitative-Trait Loci Underlying Asthma. American Journal of Human Genetics, 2001, 69, 1271-1277.	2.6	88
18	Folic acid supplementation and cancer risk: A metaâ€analysis of randomized controlled trials. International Journal of Cancer, 2013, 133, 1033-1041.	2.3	86

#	Article	IF	Citations
19	Combining dependent tests for linkage or association across multiple phenotypic traits. Biostatistics, 2003, 4, 223-229.	0.9	78
20	A candidate gene association study on preterm delivery: application of high-throughput genotyping technology and advanced statistical methods. Human Molecular Genetics, 2004, 13, 683-691.	1.4	73
21	Prolylcarboxypeptidase gene, chronic hypertension, and risk of preeclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, 162-171.	0.7	73
22	Insertion/Deletion Polymorphism of the ACE Gene Is Associated With Type 2 Diabetes. Diabetes, 2002, 51, 1986-1988.	0.3	67
23	Hyperhomocysteinemia predicts renal function decline: a prospective study in hypertensive adults. Scientific Reports, 2015, 5, 16268.	1.6	66
24	Noninvasive Central Systolic Blood Pressure Is More Strongly Related to Kidney Function Decline Than Peripheral Systolic Blood Pressure in a Chinese Community–Based Population. Hypertension, 2016, 67, 1166-1172.	1.3	66
25	Polymorphism in Maternal LRP8 Gene Is Associated with Fetal Growth. American Journal of Human Genetics, 2006, 78, 770-777.	2.6	59
26	G protein–coupled receptor 154 gene polymorphism is associated with airway hyperresponsiveness to methacholine in a Chinese population. Journal of Allergy and Clinical Immunology, 2006, 117, 612-617.	1.5	58
27	Accumulation of tissue advanced glycation end products correlated with glucose exposure dose and associated with cardiovascular morbidity in patients on peritoneal dialysis. Atherosclerosis, 2012, 224, 187-194.	0.4	58
28	Prevalence of Metabolic Syndrome and Its Relation to Body Composition in a Chinese Rural Population. Obesity, 2006, 14, 2089-2098.	1.5	57
29	MTHFR C677T and MTR A2756G polymorphisms and the homocysteine lowering efficacy of different doses of folic acid in hypertensive Chinese adults. Nutrition Journal, 2012, 11, 2.	1.5	57
30	Acute Kidney Injury among Hospitalized Children in China. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1791-1800.	2.2	56
31	A New Criterion for Pediatric AKI Based on the Reference Change Value of Serum Creatinine. Journal of the American Society of Nephrology: JASN, 2018, 29, 2432-2442.	3.0	52
32	Effect of folic acid supplementation on the progression of carotid intima-media thickness: A meta-analysis of randomized controlled trials. Atherosclerosis, 2012, 222, 307-313.	0.4	49
33	The Spectrum of Biopsy-Proven Glomerular Diseases among Children in China. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1047-1054.	2.2	48
34	Association of the methylenetetrahydrofolate reductase C677T polymorphism and fracture risk in Chinese postmenopausal women. Bone, 2007, 40, 737-742.	1.4	47
35	A new multimarker test for family-based association studies. Genetic Epidemiology, 2007, 31, 9-17.	0.6	46
36	Prevalence of hyperhomocysteinaemia and its major determinants in rural Chinese hypertensive patients aged 45–75 years. British Journal of Nutrition, 2013, 109, 1284-1293.	1.2	45

#	Article	lF	CITATIONS
37	Hepatitis B virus infection and the risk of cancer among the Chinese population. International Journal of Cancer, 2020, 147, 3075-3084.	2.3	45
38	Folic acid therapy reduces serum uric acid in hypertensive patients: a substudy of the China Stroke Primary Prevention Trial (CSPPT). American Journal of Clinical Nutrition, 2017, 105, 882-889.	2.2	43
39	An efficient family-based association test using multiple markers. Genetic Epidemiology, 2006, 30, 620-626.	0.6	41
40	Salt-induced gold nanoparticles aggregation lights up fluorescence of DNA-silver nanoclusters to monitor dual cancer markers carcinoembryonic antigen and carbohydrate antigen 125. Analytica Chimica Acta, 2020, 1125, 41-49.	2.6	41
41	Epidemiology and outcomes of acute kidney injury in elderly chinese patients: a subgroup analysis from the EACH study. BMC Nephrology, 2016, 17, 136.	0.8	39
42	Elevated Homocysteine Concentrations Decrease the Antihypertensive Effect of Angiotensin-Converting Enzyme Inhibitors in Hypertensive Patients. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 166-172.	1.1	38
43	Effect of folic acid intervention on the change of serum folate level in hypertensive Chinese adults. Pharmacogenetics and Genomics, 2012, 22, 421-428.	0.7	37
44	Prevalence and Associated Factors of Diabetes and Impaired Fasting Glucose in Chinese Hypertensive Adults Aged 45 to 75 Years. PLoS ONE, 2012, 7, e42538.	1.1	37
45	Large-Scale Genome-Wide Linkage Analysis for Loci Linked to BMD at Different Skeletal Sites in Extreme Selected Sibships. Journal of Bone and Mineral Research, 2006, 22, 184-194.	3.1	36
46	Accumulation of circulating advanced oxidation protein products is an independent risk factor for ischaemic heart disease in maintenance haemodialysis patients. Nephrology, 2012, 17, 642-649.	0.7	36
47	Power estimation of multiple SNP association test of case-control study and application. Genetic Epidemiology, 2004, 26, 22-30.	0.6	35
48	Heat shock proteinâ€60 expression was significantly correlated with the prognosis of lung adenocarcinoma. Journal of Surgical Oncology, 2011, 104, 598-603.	0.8	35
49	Heterozygosity increases microsatellite mutation rate, linking it to demographic history. BMC Genetics, 2008, 9, 72.	2.7	33
50	Cured meat, vegetables, and bean-curd foods in relation to childhood acute leukemia risk: A population based case-control study. BMC Cancer, 2009, 9, 15.	1.1	33
51	China collaborative study on dialysis: a multi-centers cohort study on cardiovascular diseases in patients on maintenance dialysis. BMC Nephrology, 2012, 13, 94.	0.8	33
52	Prevalence of obesity, abdominal obesity and associated factors in hypertensive adults aged 45–75 years. Clinical Nutrition, 2013, 32, 361-367.	2.3	32
53	Effect of folic acid supplementation on risk of newâ€onset diabetes in adults with hypertension in China: Findings from the China Stroke Primary Prevention Trial (CSPPT). Journal of Diabetes, 2016, 8, 286-294.	0.8	32
54	Mapping of a Blood Pressure Quantitative Trait Locus to Chromosome 15q in a Chinese Population. Human Molecular Genetics, 1999, 8, 2551-2555.	1.4	31

#	Article	IF	CITATIONS
55	Overexpression of MAGE-A9 predicts unfavorable outcome in breast cancer. Experimental and Molecular Pathology, 2014, 97, 579-584.	0.9	31
56	Urinary Matrix Metalloproteinase 7 and Prediction of IgA Nephropathy Progression. American Journal of Kidney Diseases, 2020, 75, 384-393.	2.1	29
57	Prevalence of Unrecognized Lower Extremity Peripheral Arterial Disease and the Associated Factors in Chinese Hypertensive Adults. American Journal of Cardiology, 2012, 110, 1692-1698.	0.7	28
58	Intensity of Macrophage Infiltration in Glomeruli Predicts Response to Immunosuppressive Therapy in Patients with IgA Nephropathy. Journal of the American Society of Nephrology: JASN, 2021, 32, 3187-3196.	3.0	28
59	Association between Body Mass Index and All-Cause Mortality in Hypertensive Adults: Results from the China Stroke Primary Prevention Trial (CSPPT). Nutrients, 2016, 8, 384.	1.7	27
60	Kinetics of SARS-CoV-2 Specific and Neutralizing Antibodies over Seven Months after Symptom Onset in COVID-19 Patients. Microbiology Spectrum, 2021, 9, e0059021.	1.2	27
61	Maternal and offspring genetic variants of AKR1C3 and the risk of childhood leukemia. Carcinogenesis, 2008, 29, 984-990.	1.3	26
62	Risk factors for renal function decline in adults with normal kidney function: a 7-year cohort study. Journal of Epidemiology and Community Health, 2015, 69, 782-788.	2.0	26
63	The C677T polymorphism of the methylenetetrahydrofolate reductase gene is associated with the level of decrease on diastolic blood pressure in essential hypertension patients treated by angiotensin-converting enzyme inhibitor. Thrombosis Research, 2004, 113, 361-369.	0.8	25
64	Disrupting Circadian Rhythm via the PER1–HK2 Axis Reverses Trastuzumab Resistance in Gastric Cancer. Cancer Research, 2022, 82, 1503-1517.	0.4	25
65	SNPHunter: a bioinformatic software for single nucleotide polymorphism data acquisition and management. BMC Bioinformatics, 2005, 6, 60.	1.2	24
66	Prevalence of hyperhomocysteinaemia and some of its major determinants in Shaanxi Province, China: a cross-sectional study. British Journal of Nutrition, 2015, 113, 691-698.	1.2	24
67	Familial Aggregation of Metabolic Syndrome and Its Components in a Large Chinese Population. Obesity, 2008, 16, 125-129.	1.5	23
68	Dynamics of neutralizing antibody responses to SARS-CoV-2 in patients with COVID-19: an observational study. Signal Transduction and Targeted Therapy, 2021, 6, 197.	7.1	22
69	Analyses of associations between three positionally cloned asthma candidate genes and asthma or asthma-related phenotypes in a Chinese population. BMC Medical Genetics, 2009, 10, 123.	2.1	21
70	A prospective study on pulse wave velocity (PWV) and response to anti-hypertensive treatments. International Journal of Cardiology, 2015, 178, 226-231.	0.8	21
71	Metabolic syndrome, but not insulin resistance, is associated with an increased risk of renal function decline. Clinical Nutrition, 2015, 34, 269-275.	2.3	21
72	Lack of association between rs7566605 and obesity in a Chinese population. Human Genetics, 2006, 120, 743-745.	1.8	19

#	Article	IF	CITATIONS
73	Age, Arterial Stiffness, and Components of Blood Pressure in Chinese Adults. Medicine (United States), 2014, 93, e262.	0.4	19
74	Folic acid therapy reduces the risk of mortality associated with heavy proteinuria among hypertensive patients. Journal of Hypertension, 2017, 35, 1302-1309.	0.3	19
75	Impact of achieved blood pressure on renal function decline and first stroke in hypertensive patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2018, 33, 409-417.	0.4	18
76	Familial Aggregation and Heritability of Electrocardiographic Intervals and Heart Rate in a Rural Chinese Population. Annals of Noninvasive Electrocardiology, 2009, 14, 147-152.	0.5	17
77	Blood pressure and renal function decline. Journal of Hypertension, 2015, 33, 136-143.	0.3	17
78	A split aptamer-labeled ratiometric fluorescent biosensor for specific detection of adenosine in human urine. Mikrochimica Acta, 2019, 186, 43.	2.5	17
79	A chemometric modeling-free near infrared barcode strategy for smart authentication and geographical origin discrimination of Chinese ginseng. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 226, 117555.	2.0	16
80	A Novel Framework for Sib Pair Linkage Analysis. American Journal of Human Genetics, 2006, 78, 222-230.	2.6	15
81	Proteinuria Is an Independent Risk Factor for First Incident Stroke in Adults Under Treatment for Hypertension in China. Journal of the American Heart Association, 2015, 4, .	1.6	15
82	Effects of Folic Acid Therapy on the New-Onset Proteinuria in Chinese Hypertensive Patients. Hypertension, 2017, 70, 300-306.	1.3	15
83	Higher coronary artery calcification score is associated with adverse prognosis in patients with stable angina pectoris. Journal of Thoracic Disease, 2017, 9, 582-589.	0.6	15
84	CYP19A1 polymorphisms are associated with bone mineral density in Chinese men. Human Genetics, 2007, 121, 491-500.	1.8	14
85	Single-nucleotide polymorphisms of the KCNS3 gene are significantly associated with airway hyperresponsiveness. Human Genetics, 2005, 116, 378-383.	1.8	13
86	A Common Haplotype onMethylenetetrahydrofolate ReductaseGene Modifies the Effect of Angiotensin-Converting Enzyme Inhibitor on Blood Pressure in Essential Hypertension Patients—A Family-Based Association Study. Clinical and Experimental Hypertension, 2005, 27, 509-521.	0.5	13
87	Effect of enalapril on plasma homocysteine levels in patients with essential hypertension. Journal of Zhejiang University: Science B, 2010, 11, 583-591.	1.3	13
88	Association of visit-to-visit variability in blood pressure and first stroke risk in hypertensive patients with chronic kidney disease. Journal of Hypertension, 2020, 38, 610-617.	0.3	13
89	High serum YKL-40 level positively correlates with coronary artery disease. Biomarkers in Medicine, 2017, 11, 133-139.	0.6	12
90	HBV mutations in EnhII/BCP/PC region contribute to the prognosis of hepatocellular carcinoma. Cancer Medicine, 2019, 8, 3086-3093.	1.3	12

#	Article	IF	CITATIONS
91	Visit-to-visit variability in blood pressure and the development of chronic kidney disease in treated general hypertensive patients. Nephrology Dialysis Transplantation, 2020, 35, 1739-1746.	0.4	12
92	Specific and visual assay of iodide ion in human urine via redox pretreatment using ratiometric fluorescent test paper printed with dimer DNA silver nanoclusters and carbon dots. Analytica Chimica Acta, 2020, 1138, 99-107.	2.6	12
93	Nonintubated uniportal video-assisted thoracoscopic surgery for primary spontaneous pneumothorax. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2015, 27, 197-202.	0.7	12
94	Association of Maternal Dietary Patterns during Gestation and Offspring Neurodevelopment. Nutrients, 2022, 14, 730.	1.7	12
95	l ² 2Adrenergic Receptor GeneArg16GlyPolymorphism is Associated with Therapeutic Efficacy of Benazepril on Essential Hypertension in Chinese. Clinical and Experimental Hypertension, 2004, 26, 581-592.	0.5	11
96	Folic acid supplementation with and without vitamin B6 and revascularization risk: A meta-analysis of randomized controlled trials. Clinical Nutrition, 2014, 33, 603-612.	2.3	11
97	Relationship of MTHFR Gene 677Câ†'T Polymorphism, Homocysteine, and Estimated Glomerular Filtration Rate Levels With the Risk of New-Onset Diabetes. Medicine (United States), 2015, 94, e563.	0.4	11
98	Predicting Hyperhomocysteinemia by Methylenetetrahydrofolate Reductase C677T Polymorphism in Chinese Patients With Hypertension. Clinical and Applied Thrombosis/Hemostasis, 2015, 21, 661-666.	0.7	11
99	Body mass index is inversely associated with arterial stiffness in Chinese adults with primary hypertension: results from the China Stroke Primary Prevention Trial (CSPPT). Clinical and Experimental Hypertension, 2017, 39, 394-401.	0.5	11
100	Association of Ibuprofen Prescription With Acute Kidney Injury Among Hospitalized Children in China. JAMA Network Open, 2021, 4, e210775.	2.8	11
101	Current pattern of Chinese dialysis units: a cohort study in a representative sample of units. Chinese Medical Journal, 2012, 125, 3434-9.	0.9	11
102	New Powerful Approaches for Familyâ€based Association Tests with Longitudinal Measurements. Annals of Human Genetics, 2009, 73, 74-83.	0.3	9
103	Proton pump inhibitors and the risk of hospital-acquired acute kidney injury in children. Annals of Translational Medicine, 2020, 8, 1438-1438.	0.7	9
104	The Cumulative Rate of SARS-CoV-2 Infection in Chinese Hemodialysis Patients. Kidney International Reports, 2020, 5, 1416-1421.	0.4	9
105	Relationship of Weight Change Patterns From Young to Middle Adulthood With Incident Cardiovascular Diseases. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e812-e823.	1.8	9
106	Immune characteristics of renal allograft donors with mesangial IgA deposition. International Immunopharmacology, 2021, 91, 107282.	1.7	9
107	D919G polymorphism of methionine synthase gene is associated with blood pressure response to benazepril in Chinese hypertensive patients. Journal of Human Genetics, 2004, 49, 296-301.	1.1	8
108	Familial aggregation of bone mineral density and bone mineral content in a Chinese population. Osteoporosis International, 2005, 16, 1917-1923.	1.3	8

#	Article	lF	Citations
109	Implementing a unified approach to family-based tests of association. , 2000, 19, S36.		8
110	Genomeâ€Wide Linkage Analysis in a General Population Sample Using σ2A Random Effects (SSARs) Fitted by Gibbs Sampling. Genetic Epidemiology, 2001, 21, S674-9.	0.6	7
111	Methylenetetrahydrofolate reductase C677T polymorphism is associated with estimated glomerular filtration rate in hypertensive Chinese males. BMC Medical Genetics, 2012, 13, 74.	2.1	7
112	Higher ambient nitrogen dioxide is associated with an elevated risk of hospital-acquired acute kidney injury. CKJ: Clinical Kidney Journal, 2022, 15, 95-100.	1.4	7
113	EFBAT: exact family-based association tests. BMC Genetics, 2007, 8, 86.	2.7	6
114	Impact of Achieved Blood Pressure on First Stroke in Uncomplicated Grade 1 Hypertension. Journal of the American Heart Association, 2017, 6 , .	1.6	6
115	The profiles of biopsy-proven renal tubulointerstitial lesions in patients with glomerular disease. Annals of Translational Medicine, 2020, 8, 1066-1066.	0.7	6
116	Dietary habits and risk of hepatocellular carcinoma among hepatitis B surface antigen carriers: A prospective cohort study in China. Journal of Digestive Diseases, 2020, 21, 406-415.	0.7	6
117	Stress, anxiety, and depression in infertile couples are not associated with a first IVF or ICSI treatment outcome. BMC Pregnancy and Childbirth, 2021, 21, 725.	0.9	6
118	Distribution and Determinants of Plasma Homocysteine Levels in Rural Chinese Twins across the Lifespan. Nutrients, 2014, 6, 5900-5914.	1.7	5
119	Power Evaluations for Family-Based Tests of Association With Incomplete Parental Genotypes. Genetics, 2003, 164, 399-406.	1.2	5
120	Weight Change across Adulthood in Relation to Non-Alcoholic Fatty Liver Disease among Non-Obese Individuals. Nutrients, 2022, 14, 2140.	1.7	5
121	Loop Diuretics Are Associated with Increased Risk of Hospital-Acquired Acute Kidney Injury in Adult Patients: A Retrospective Study. Journal of Clinical Medicine, 2022, 11, 3665.	1.0	5
122	Family-based tests for associating haplotypes with general phenotype data. Genetic Epidemiology, 2018, 42, 123-126.	0.6	4
123	Kidney Biopsies in Elderly Chinese Patients: A Nationwide Survey. American Journal of Kidney Diseases, 2020, 76, 295-297.	2.1	4
124	New Criterion to Evaluate Acute-on-Chronic Kidney Injury Based on the Creatinine Reference Change. American Journal of Nephrology, 2020, 51, 453-462.	1.4	4
125	Combining Association Tests across Multiple Genetic Markers in Case-Control Studies. Human Heredity, 2008, 65, 166-174.	0.4	3
126	Base amount-dependent fluorescence enhancement for the assay of vascular endothelial growth factor 165 in human serum using hairpin DNA-silver nanoclusters and oxidized carbon nanoparticles. Mikrochimica Acta, 2020, 187, 629.	2.5	3

#	Article	IF	Citations
127	Combining Multiple Phenotypic Traits Optimally for Detecting Linkage with Sibâ€Pair Observations. Genetic Epidemiology, 2001, 21, S479-83.	0.6	2
128	Factors underlying the association of body mass index with serum ALT in Chinese hypertensive adults without known hepatic diseases. Journal of Zhejiang University: Science B, 2013, 14, 743-748.	1.3	2
129	Relationship of diabetes with renal dysfunction in hypertensive adults. Medicine (United States), 2017, 96, e7169.	0.4	2
130	Association of different glucose traits with kidney function decline risk in a Chinese community-based population without chronic kidney disease. Therapeutics and Clinical Risk Management, 2018, Volume 14, 1725-1734.	0.9	2
131	Interaction of neutrophil counts and folic acid treatment on new-onset proteinuria in hypertensive patients. British Journal of Nutrition, 2020, 126, 1-8.	1.2	2
132	Mechanical Stimulus-Related Risk Signature Plays a Key Role in the Prognostic Nomogram For Endometrial Cancer. Frontiers in Oncology, 2021, 11, 753910.	1.3	2
133	Association of dynamic changes in serum levels of HBV DNA and risk of hepatocellular carcinoma. , 2022, 1 , .		2
134	Huayu Sanjie Enema Liquid Relieves Pain in Endometriosis Model Rats by Inhibiting Inflammation, Peripheral Sensitization, and Pelvic Adhesion. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-10.	0.5	2
135	Observation of null alleles of microsatellite markers in a Chinese population. GeneScreen, 2000, 1, 41-45.	0.7	1
136	A variance component analysis on recombination rate in the COGA pedigrees. BMC Genetics, 2005, 6, S58.	2.7	1
137	A Large-Scale Genome-Wide Linkage Analysis to Map Loci Linked to Stature in Chinese Population. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4511-4518.	1.8	1
138	EFFICACY OF FOLIC ACID SUPPLEMENTATION IN STROKE PREVENTION: NEW INSIGHT FROM A META-ANALYSIS. Heart, 2012, 98, E149.3-E150.	1.2	1
139	Preliminary Selection and Analysis of Deltamethrin-Resistant Strains of Aedes albopictus in the Laboratory. Vector-Borne and Zoonotic Diseases, 2020, 20, 715-722.	0.6	1
140	Whole exome sequencing reveals the different responsiveness to Enterovirus 71 vaccination in Chinese children. International Journal of Infectious Diseases, 2020, 97, 47-53.	1.5	1
141	A Simple Nonparametric Test for Linkage with Sib-Pair Censored Event Time Observations. Human Heredity, 2003, 55, 143-146.	0.4	0
142	MTHFR C677T AND MTR A2756G POLYMORPHISMS AND THE HOMOCYSTEINE LOWERING EFFICACY OF DIFFERENT DOSES OF FOLIC ACID IN HYPERTENSIVE CHINESE ADULTS. Heart, 2012, 98, E130.2-E130.	1.2	0
143	EFFECT OF FOLIC ACID SUPPLEMENTATION ON THE PROGRESSION OF CAROTID INTIMA-MEDIA THICKNESS: A META-ANALYSIS OF RANDOMISED CONTROLLED TRIALS. Heart, 2012, 98, E277.1-E277.	1.2	0
144	The Nephroprotective Effect of Folic Acidâ€"Only a Matter of Homocysteine?â€"Reply. JAMA Internal Medicine, 2017, 177, 286.	2.6	0