

Xin Xu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5422543/xin-xu-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

6,669
citations

35
h-index

80
g-index

152
ext. papers

7,625
ext. citations

5.5
avg, IF

5.69
L-index

#	Paper	IF	Citations
140	Clinical characteristics of 24 asymptomatic infections with COVID-19 screened among close contacts in Nanjing, China. <i>Science China Life Sciences</i> , 2020 , 63, 706-711	8.5	815
139	Implementing a unified approach to family-based tests of association. <i>Genetic Epidemiology</i> , 2000 , 19 Suppl 1, S36-42	2.6	713
138	The family based association test method: strategies for studying general genotype--phenotype associations. <i>European Journal of Human Genetics</i> , 2001 , 9, 301-6	5.3	667
137	Family-based tests for associating haplotypes with general phenotype data: application to asthma genetics. <i>Genetic Epidemiology</i> , 2004 , 26, 61-9	2.6	371
136	The direction of microsatellite mutations is dependent upon allele length. <i>Nature Genetics</i> , 2000 , 24, 396-9	36.3	275
135	Seroprevalence of immunoglobulin M and G antibodies against SARS-CoV-2 in China. <i>Nature Medicine</i> , 2020 , 26, 1193-1195	50.5	258
134	Long-Term Exposure to Air Pollution and Increased Risk of Membranous Nephropathy in China. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3739-3746	12.7	201
133	A common haplotype of the nicotine acetylcholine receptor alpha 4 subunit gene is associated with vulnerability to nicotine addiction in men. <i>American Journal of Human Genetics</i> , 2004 , 75, 112-21	11	169
132	A multivariate family-based association test using generalized estimating equations: FBAT-GEE. <i>Biostatistics</i> , 2003 , 4, 195-206	3.7	168
131	Effects of age at menarche, reproductive years, and menopause on metabolic risk factors for cardiovascular diseases. <i>Atherosclerosis</i> , 2008 , 196, 590-7	3.1	160
130	Genome-wide association study identifies peanut allergy-specific loci and evidence of epigenetic mediation in US children. <i>Nature Communications</i> , 2015 , 6, 6304	17.4	152
129	Epidemiology and Clinical Correlates of AKI in Chinese Hospitalized Adults. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1510-8	6.9	143
128	Environmental pollution and kidney diseases. <i>Nature Reviews Nephrology</i> , 2018 , 14, 313-324	14.9	137
127	Efficacy of Folic Acid Therapy on the Progression of Chronic Kidney Disease: The Renal Substudy of the China Stroke Primary Prevention Trial. <i>JAMA Internal Medicine</i> , 2016 , 176, 1443-1450	11.5	100
126	A unified Haseman-Elston method for testing linkage with quantitative traits. <i>American Journal of Human Genetics</i> , 2000 , 67, 1025-8	11	97
125	Variation in genes involved in the RANKL/RANK/OPG bone remodeling pathway are associated with bone mineral density at different skeletal sites in men. <i>Human Genetics</i> , 2006 , 118, 568-77	6.3	95
124	A genomewide search for quantitative-trait loci underlying asthma. <i>American Journal of Human Genetics</i> , 2001 , 69, 1271-7	11	70

123	Folic acid supplementation and cancer risk: a meta-analysis of randomized controlled trials. <i>International Journal of Cancer</i> , 2013 , 133, 1033-41	7.5	65
122	A candidate gene association study on preterm delivery: application of high-throughput genotyping technology and advanced statistical methods. <i>Human Molecular Genetics</i> , 2004 , 13, 683-91	5.6	64
121	Prevalence of metabolic syndrome and its relation to body composition in a Chinese rural population. <i>Obesity</i> , 2006 , 14, 2089-98	8	55
120	G protein-coupled receptor 154 gene polymorphism is associated with airway hyperresponsiveness to methacholine in a Chinese population. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 117, 612-7	11.5	54
119	Prolylcarboxypeptidase gene, chronic hypertension, and risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 162-71	6.4	54
118	Insertion/deletion polymorphism of the ACE gene is associated with type 2 diabetes. <i>Diabetes</i> , 2002 , 51, 1986-8	0.9	54
117	Polymorphism in maternal LRP8 gene is associated with fetal growth. <i>American Journal of Human Genetics</i> , 2006 , 78, 770-777	11	51
116	Noninvasive Central Systolic Blood Pressure Is More Strongly Related to Kidney Function Decline Than Peripheral Systolic Blood Pressure in a Chinese Community-Based Population. <i>Hypertension</i> , 2016 , 67, 1166-72	8.5	51
115	MTHFR C677T and MTR A2756G polymorphisms and the homocysteine lowering efficacy of different doses of folic acid in hypertensive Chinese adults. <i>Nutrition Journal</i> , 2012 , 11, 2	4.3	49
114	Combining dependent tests for linkage or association across multiple phenotypic traits. <i>Biostatistics</i> , 2003 , 4, 223-9	3.7	49
113	Hyperhomocysteinemia predicts renal function decline: a prospective study in hypertensive adults. <i>Scientific Reports</i> , 2015 , 5, 16268	4.9	48
112	Accumulation of tissue advanced glycation end products correlated with glucose exposure dose and associated with cardiovascular morbidity in patients on peritoneal dialysis. <i>Atherosclerosis</i> , 2012 , 224, 187-94	3.1	44
111	A new multimarker test for family-based association studies. <i>Genetic Epidemiology</i> , 2007 , 31, 9-17	2.6	44
110	Association of the methylenetetrahydrofolate reductase C677T polymorphism and fracture risk in Chinese postmenopausal women. <i>Bone</i> , 2007 , 40, 737-42	4.7	43
109	An efficient family-based association test using multiple markers. <i>Genetic Epidemiology</i> , 2006 , 30, 620-6	2.6	40
108	Effect of folic acid supplementation on the progression of carotid intima-media thickness: a meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2012 , 222, 307-13	3.1	39
107	Prevalence of hyperhomocysteinaemia and its major determinants in rural Chinese hypertensive patients aged 45-75 years. <i>British Journal of Nutrition</i> , 2013 , 109, 1284-93	3.6	35
106	Large-scale genome-wide linkage analysis for loci linked to BMD at different skeletal sites in extreme selected sibships. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 184-94	6.3	35

105	Folic acid therapy reduces serum uric acid in hypertensive patients: a substudy of the China Stroke Primary Prevention Trial (CSPPT). <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 882-889	7	33
104	Elevated Homocysteine Concentrations Decrease the Antihypertensive Effect of Angiotensin-Converting Enzyme Inhibitors in Hypertensive Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 166-172	9.4	33
103	Prevalence and associated factors of diabetes and impaired fasting glucose in Chinese hypertensive adults aged 45 to 75 years. <i>PLoS ONE</i> , 2012 , 7, e42538	3.7	32
102	Heterozygosity increases microsatellite mutation rate, linking it to demographic history. <i>BMC Genetics</i> , 2008 , 9, 72	2.6	32
101	Heat shock protein-60 expression was significantly correlated with the prognosis of lung adenocarcinoma. <i>Journal of Surgical Oncology</i> , 2011 , 104, 598-603	2.8	30
100	Effect of folic acid intervention on the change of serum folate level in hypertensive Chinese adults: do methylenetetrahydrofolate reductase and methionine synthase gene polymorphisms affect therapeutic responses?. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 421-8	1.9	30
99	Power estimation of multiple SNP association test of case-control study and application. <i>Genetic Epidemiology</i> , 2004 , 26, 22-30	2.6	30
98	Epidemiology and outcomes of acute kidney injury in elderly chinese patients: a subgroup analysis from the EACH study. <i>BMC Nephrology</i> , 2016 , 17, 136	2.7	29
97	Overexpression of MAGE-A9 predicts unfavorable outcome in breast cancer. <i>Experimental and Molecular Pathology</i> , 2014 , 97, 579-84	4.4	29
96	Prevalence of obesity, abdominal obesity and associated factors in hypertensive adults aged 45-75 years. <i>Clinical Nutrition</i> , 2013 , 32, 361-7	5.9	29
95	A New Criterion for Pediatric AKI Based on the Reference Change Value of Serum Creatinine. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2432-2442	12.7	28
94	The Spectrum of Biopsy-Proven Glomerular Diseases among Children in China: A National, Cross-Sectional Survey. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1047-1054	6.9	27
93	Mapping of a blood pressure quantitative trait locus to chromosome 15q in a Chinese population. <i>Human Molecular Genetics</i> , 1999 , 8, 2551-5	5.6	27
92	Prevalence of unrecognized lower extremity peripheral arterial disease and the associated factors in chinese hypertensive adults. <i>American Journal of Cardiology</i> , 2012 , 110, 1692-8	3	26
91	Effect of folic acid supplementation on risk of new-onset diabetes in adults with hypertension in China: Findings from the China Stroke Primary Prevention Trial (CSPPT). <i>Journal of Diabetes</i> , 2016 , 8, 286-94	3.8	26
90	Acute Kidney Injury among Hospitalized Children in China. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 1791-1800	6.9	25
89	Accumulation of circulating advanced oxidation protein products is an independent risk factor for ischaemic heart disease in maintenance haemodialysis patients. <i>Nephrology</i> , 2012 , 17, 642-9	2.2	24
88	The C677T polymorphism of the methylenetetrahydrofolate reductase gene is associated with the level of decrease on diastolic blood pressure in essential hypertension patients treated by angiotensin-converting enzyme inhibitor. <i>Thrombosis Research</i> , 2004 , 113, 361-9	8.2	23

87	China collaborative study on dialysis: a multi-centers cohort study on cardiovascular diseases in patients on maintenance dialysis. <i>BMC Nephrology</i> , 2012 , 13, 94	2.7	22
86	Cured meat, vegetables, and bean-curd foods in relation to childhood acute leukemia risk: a population based case-control study. <i>BMC Cancer</i> , 2009 , 9, 15	4.8	22
85	Maternal and offspring genetic variants of AKR1C3 and the risk of childhood leukemia. <i>Carcinogenesis</i> , 2008 , 29, 984-90	4.6	22
84	SNPHunter: a bioinformatic software for single nucleotide polymorphism data acquisition and management. <i>BMC Bioinformatics</i> , 2005 , 6, 60	3.6	21
83	Prevalence of hyperhomocysteinaemia and some of its major determinants in Shaanxi Province, China: a cross-sectional study. <i>British Journal of Nutrition</i> , 2015 , 113, 691-8	3.6	18
82	Analyses of associations between three positionally cloned asthma candidate genes and asthma or asthma-related phenotypes in a Chinese population. <i>BMC Medical Genetics</i> , 2009 , 10, 123	2.1	18
81	Familial aggregation of metabolic syndrome and its components in a large Chinese population. <i>Obesity</i> , 2008 , 16, 125-9	8	18
80	Lack of association between rs7566605 and obesity in a Chinese population. <i>Human Genetics</i> , 2007 , 120, 743-5	6.3	18
79	Association between Body Mass Index and All-Cause Mortality in Hypertensive Adults: Results from the China Stroke Primary Prevention Trial (CSPPT). <i>Nutrients</i> , 2016 , 8,	6.7	18
78	A prospective study on pulse wave velocity (PWV) and response to anti-hypertensive treatments: PWV determines BP control. <i>International Journal of Cardiology</i> , 2015 , 178, 226-31	3.2	16
77	Hepatitis B virus infection and the risk of cancer among the Chinese population. <i>International Journal of Cancer</i> , 2020 , 147, 3075-3084	7.5	16
76	Age, arterial stiffness, and components of blood pressure in Chinese adults. <i>Medicine (United States)</i> , 2014 , 93, e262	1.8	16
75	Folic acid therapy reduces the risk of mortality associated with heavy proteinuria among hypertensive patients. <i>Journal of Hypertension</i> , 2017 , 35, 1302-1309	1.9	15
74	Metabolic syndrome, but not insulin resistance, is associated with an increased risk of renal function decline. <i>Clinical Nutrition</i> , 2015 , 34, 269-75	5.9	15
73	Salt-induced gold nanoparticles aggregation lights up fluorescence of DNA-silver nanoclusters to monitor dual cancer markers carcinoembryonic antigen and carbohydrate antigen 125. <i>Analytica Chimica Acta</i> , 2020 , 1125, 41-49	6.6	15
72	Familial aggregation and heritability of electrocardiographic intervals and heart rate in a rural Chinese population. <i>Annals of Noninvasive Electrocardiology</i> , 2009 , 14, 147-52	1.5	15
71	Urinary Matrix Metalloproteinase 7 and Prediction of IgA Nephropathy Progression. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 384-393	7.4	14
70	Risk factors for renal function decline in adults with normal kidney function: a 7-year cohort study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 782-8	5.1	13

69	CYP19A1 polymorphisms are associated with bone mineral density in Chinese men. <i>Human Genetics</i> , 2007 , 121, 491-500	6.3	13
68	Effects of Folic Acid Therapy on the New-Onset Proteinuria in Chinese Hypertensive Patients: A Post Hoc Analysis of the Renal Substudy of CSPPT (China Stroke Primary Prevention Trial). <i>Hypertension</i> , 2017 , 70, 300-306	8.5	12
67	Proteinuria Is an Independent Risk Factor for First Incident Stroke in Adults Under Treatment for Hypertension in China. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	12
66	Effect of enalapril on plasma homocysteine levels in patients with essential hypertension. <i>Journal of Zhejiang University: Science B</i> , 2010 , 11, 583-91	4.5	12
65	A novel framework for sib pair linkage analysis. <i>American Journal of Human Genetics</i> , 2006 , 78, 222-30	11	12
64	A common haplotype on methylenetetrahydrofolate reductase gene modifies the effect of angiotensin-converting enzyme inhibitor on blood pressure in essential hypertension patients--a family-based association study. <i>Clinical and Experimental Hypertension</i> , 2005 , 27, 509-21	2.2	12
63	Nonintubated uniportal video-assisted thoracoscopic surgery for primary spontaneous pneumothorax. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2015 , 27, 197-202	3.8	12
62	Impact of achieved blood pressure on renal function decline and first stroke in hypertensive patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 409-417	4.3	11
61	Blood pressure and renal function decline: a 7-year prospective cohort study in middle-aged rural Chinese men and women. <i>Journal of Hypertension</i> , 2015 , 33, 136-43	1.9	11
60	A split aptamer-labeled ratiometric fluorescent biosensor for specific detection of adenosine in human urine. <i>Mikrochimica Acta</i> , 2018 , 186, 43	5.8	11
59	Folic acid supplementation with and without vitamin B6 and revascularization risk: a meta-analysis of randomized controlled trials. <i>Clinical Nutrition</i> , 2014 , 33, 603-12	5.9	10
58	Single-nucleotide polymorphisms of the KCNS3 gene are significantly associated with airway hyperresponsiveness. <i>Human Genetics</i> , 2005 , 116, 378-83	6.3	10
57	Current pattern of Chinese dialysis units: a cohort study in a representative sample of units. <i>Chinese Medical Journal</i> , 2012 , 125, 3434-9	2.9	10
56	Body mass index is inversely associated with arterial stiffness in Chinese adults with primary hypertension: results from the China Stroke Primary Prevention Trial (CSPPT). <i>Clinical and Experimental Hypertension</i> , 2017 , 39, 394-401	2.2	9
55	Higher coronary artery calcification score is associated with adverse prognosis in patients with stable angina pectoris. <i>Journal of Thoracic Disease</i> , 2017 , 9, 582-589	2.6	9
54	High serum YKL-40 level positively correlates with coronary artery disease. <i>Biomarkers in Medicine</i> , 2017 , 11, 133-139	2.3	8
53	HBV mutations in EnhII/BCP/PC region contribute to the prognosis of hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019 , 8, 3086-3093	4.8	8
52	Relationship of MTHFR gene 677C -T polymorphism, homocysteine, and estimated glomerular filtration rate levels with the risk of new-onset diabetes. <i>Medicine (United States)</i> , 2015 , 94, e563	1.8	8

51	New powerful approaches for family-based association tests with longitudinal measurements. <i>Annals of Human Genetics</i> , 2009 , 73, 74-83	2.2	8
50	D919G polymorphism of methionine synthase gene is associated with blood pressure response to benazepril in Chinese hypertensive patients. <i>Journal of Human Genetics</i> , 2004 , 49, 296-301	4.3	8
49	Beta2 adrenergic receptor gene Arg16Gly polymorphism is associated with therapeutic efficacy of benazepril on essential hypertension in Chinese. <i>Clinical and Experimental Hypertension</i> , 2004 , 26, 581-92	2.2	8
48	Familial aggregation of bone mineral density and bone mineral content in a Chinese population. <i>Osteoporosis International</i> , 2005 , 16, 1917-23	5.3	8
47	Association of visit-to-visit variability in blood pressure and first stroke risk in hypertensive patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2020 , 38, 610-617	1.9	8
46	Dynamics of neutralizing antibody responses to SARS-CoV-2 in patients with COVID-19: an observational study. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 197	2.1	8
45	Kinetics of SARS-CoV-2 Specific and Neutralizing Antibodies over Seven Months after Symptom Onset in COVID-19 Patients. <i>Microbiology Spectrum</i> , 2021 , 9, e0059021	8.9	8
44	Implementing a unified approach to family-based tests of association 2000 , 19, S36		8
43	Predicting Hyperhomocysteinemia by Methylenetetrahydrofolate Reductase C677T Polymorphism in Chinese Patients With Hypertension. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015 , 21, 661-6	3.3	7
42	Genome-wide linkage analysis in a general population sample using sigma 2A random effects (SSARs) fitted by Gibbs sampling. <i>Genetic Epidemiology</i> , 2001 , 21 Suppl 1, S674-9	2.6	7
41	Specific and visual assay of iodide ion in human urine via redox pretreatment using ratiometric fluorescent test paper printed with dimer DNA silver nanoclusters and carbon dots. <i>Analytica Chimica Acta</i> , 2020 , 1138, 99-107	6.6	7
40	The Cumulative Rate of SARS-CoV-2 Infection in Chinese Hemodialysis Patients. <i>Kidney International Reports</i> , 2020 , 5, 1416-1421	4.1	7
39	A chemometric modeling-free near infrared barcode strategy for smart authentication and geographical origin discrimination of Chinese ginseng. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 226, 117555	4.4	6
38	Visit-to-visit variability in blood pressure and the development of chronic kidney disease in treated general hypertensive patients. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1739-1746	4.3	6
37	Impact of Achieved Blood Pressure on First Stroke in Uncomplicated Grade 1 Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	5
36	Distribution and determinants of plasma homocysteine levels in rural Chinese twins across the lifespan. <i>Nutrients</i> , 2014 , 6, 5900-14	6.7	5
35	Methylenetetrahydrofolate reductase C677T polymorphism is associated with estimated glomerular filtration rate in hypertensive Chinese males. <i>BMC Medical Genetics</i> , 2012 , 13, 74	2.1	5
34	EFBAT: exact family-based association tests. <i>BMC Genetics</i> , 2007 , 8, 86	2.6	5

33	Power evaluations for family-based tests of association with incomplete parental genotypes. <i>Genetics</i> , 2003 , 164, 399-406	4	5
32	The profiles of biopsy-proven renal tubulointerstitial lesions in patients with glomerular disease. <i>Annals of Translational Medicine</i> , 2020 , 8, 1066	3.2	4
31	Dietary habits and risk of hepatocellular carcinoma among hepatitis B surface antigen carriers: A prospective cohort study in China. <i>Journal of Digestive Diseases</i> , 2020 , 21, 406-415	3.3	3
30	Intensity of Macrophage Infiltration in Glomeruli Predicts Response to Immunosuppressive Therapy in Patients with IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	3
29	Immune characteristics of renal allograft donors with mesangial IgA deposition. <i>International Immunopharmacology</i> , 2021 , 91, 107282	5.8	3
28	Interaction of neutrophil counts and folic acid treatment on new-onset proteinuria in hypertensive patients. <i>British Journal of Nutrition</i> , 2021 , 126, 1040-1047	3.6	2
27	Kidney Biopsies in Elderly Chinese Patients: A Nationwide Survey. <i>American Journal of Kidney Diseases</i> , 2020 , 76, 295-297	7.4	2
26	New Criterion to Evaluate Acute-on-Chronic Kidney Injury Based on the Creatinine Reference Change. <i>American Journal of Nephrology</i> , 2020 , 51, 453-462	4.6	2
25	Factors underlying the association of body mass index with serum ALT in Chinese hypertensive adults without known hepatic diseases. <i>Journal of Zhejiang University: Science B</i> , 2013 , 14, 743-8	4.5	2
24	Combining association tests across multiple genetic markers in case-control studies. <i>Human Heredity</i> , 2008 , 65, 166-74	1.1	2
23	Association of Maternal Dietary Patterns during Gestation and Offspring Neurodevelopment.. <i>Nutrients</i> , 2022 , 14,	6.7	2
22	Relationship of Weight Change Patterns From Young to Middle Adulthood With Incident Cardiovascular Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e812-e823	5.6	2
21	Family-based tests for associating haplotypes with general phenotype data: Improving the FBAT-haplotype algorithm. <i>Genetic Epidemiology</i> , 2018 , 42, 123-126	2.6	2
20	Preliminary Selection and Analysis of Deltamethrin-Resistant Strains of in the Laboratory. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 715-722	2.4	1
19	A large-scale genome-wide linkage analysis to map loci linked to stature in Chinese population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4511-8	5.6	1
18	A variance component analysis on recombination rate in the COGA pedigrees. <i>BMC Genetics</i> , 2005 , 6 Suppl 1, S58	2.6	1
17	Combining multiple phenotypic traits optimally for detecting linkage with sib-pair observations. <i>Genetic Epidemiology</i> , 2001 , 21 Suppl 1, S479-83	2.6	1
16	Observation of null alleles of microsatellite markers in a Chinese population. <i>GeneScreen</i> , 2000 , 1, 41-45		1

15	Stress, anxiety, and depression in infertile couples are not associated with a first IVF or ICSI treatment outcome. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 725	3.2	1
14	Association of Ibuprofen Prescription With Acute Kidney Injury Among Hospitalized Children in China. <i>JAMA Network Open</i> , 2021 , 4, e210775	10.4	1
13	Association of different glucose traits with kidney function decline risk in a Chinese community-based population without chronic kidney disease. <i>Therapeutics and Clinical Risk Management</i> , 2018 , 14, 1725-1734	2.9	1
12	Higher ambient nitrogen dioxide is associated with an elevated risk of hospital-acquired acute kidney injury.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 95-100	4.5	1
11	Weight Change across Adulthood in Relation to Non-Alcoholic Fatty Liver Disease among Non-Obese Individuals. <i>Nutrients</i> , 2022 , 14, 2140	6.7	1
10	Relationship of diabetes with renal dysfunction in hypertensive adults. <i>Medicine (United States)</i> , 2017 , 96, e7169	1.8	0
9	Whole exome sequencing reveals the different responsiveness to Enterovirus 71 vaccination in Chinese children. <i>International Journal of Infectious Diseases</i> , 2020 , 97, 47-53	10.5	0
8	Mechanical Stimulus-Related Risk Signature Plays a Key Role in the Prognostic Nomogram For Endometrial Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 753910	5.3	0
7	Proton pump inhibitors and the risk of hospital-acquired acute kidney injury in children. <i>Annals of Translational Medicine</i> , 2020 , 8, 1438	3.2	0
6	Base amount-dependent fluorescence enhancement for the assay of vascular endothelial growth factor 165 in human serum using hairpin DNA-silver nanoclusters and oxidized carbon nanoparticles. <i>Mikrochimica Acta</i> , 2020 , 187, 629	5.8	0
5	The Nephroprotective Effect of Folic Acid-Only a Matter of Homocysteine?-Reply. <i>JAMA Internal Medicine</i> , 2017 , 177, 286-287	11.5	
4	MTHFR C677T AND MTR A2756G POLYMORPHISMS AND THE HOMOCYSTEINE LOWERING EFFICACY OF DIFFERENT DOSES OF FOLIC ACID IN HYPERTENSIVE CHINESE ADULTS. <i>Heart</i> , 2012 , 98, E130.2-E130	5.1	
3	EFFECT OF FOLIC ACID SUPPLEMENTATION ON THE PROGRESSION OF CAROTID INTIMA-MEDIA THICKNESS: A META-ANALYSIS OF RANDOMISED CONTROLLED TRIALS. <i>Heart</i> , 2012 , 98, E277.1-E277	5.1	
2	EFFICACY OF FOLIC ACID SUPPLEMENTATION IN STROKE PREVENTION: NEW INSIGHT FROM A META-ANALYSIS. <i>Heart</i> , 2012 , 98, E149.3-E150	5.1	
1	A simple nonparametric test for linkage with sib-pair censored event time observations. <i>Human Heredity</i> , 2003 , 55, 143-6	1.1	