

Sandra Joaquim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5422574/sandra-joaquim-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

518
citations

11
h-index

21
g-index

36
ext. papers

599
ext. citations

2.7
avg, IF

3.18
L-index

#	Paper	IF	Citations
36	Calcification, growth and mortality of juvenile clams <i>Ruditapes decussatus</i> under increased pCO ₂ and reduced pH: Variable responses to ocean acidification at local scales?. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 396, 177-184	2.1	79
35	Seawater acidification by CO ₂ in a coastal lagoon environment: Effects on life history traits of juvenile mussels <i>Mytilus galloprovincialis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2012 , 424-425, 89-98	2.1	53
34	The reproductive cycle of white clam <i>Spisula solida</i> (L.) (Mollusca: Bivalvia): Implications for aquaculture and wild stock management. <i>Aquaculture</i> , 2008 , 281, 43-48	4.4	45
33	Effect of geographic origin, temperature and timing of broodstock collection on conditioning, spawning success and larval viability of <i>Ruditapes decussatus</i> (Linn 1758). <i>Aquaculture International</i> , 2009 , 17, 257-271	2.6	42
32	Oocyte and embryo quality in <i>Crassostrea gigas</i> (Portuguese strain) during a spawning period in Algarve, South Portugal. <i>Aquatic Living Resources</i> , 1999 , 12, 327-333	1.5	41
31	Biochemical compounds dynamics during larval development of the carpet-shell clam <i>Ruditapes decussatus</i> (Linnaeus, 1758): effects of mono-specific diets and starvation. <i>Helgoland Marine Research</i> , 2011 , 65, 369-379	1.8	34
30	The reproductive cycle of the European clam <i>Ruditapes decussatus</i> (L., 1758) in two Portuguese populations: Implications for management and aquaculture programs. <i>Aquaculture</i> , 2013 , 406-407, 52-64	4.4	26
29	Growth variation in bivalves: New insights into growth, physiology and somatic aneuploidy in the carpet shell <i>Ruditapes decussatus</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 406, 46-53	2.1	16
28	Reproductive activity and biochemical composition of the pullet carpet shell <i>Venerupis senegalensis</i> (Gmelin, 1791) (Mollusca: Bivalvia) from Ria de Aveiro (northwestern coast of Portugal). <i>Scientia Marina</i> , 2010 , 75, 217-226	1.8	16
27	A microarray-based analysis of gametogenesis in two Portuguese populations of the European clam <i>Ruditapes decussatus</i> . <i>PLoS ONE</i> , 2014 , 9, e92202	3.7	13
26	Broodstock conditioning of the Portuguese oyster (<i>Crassostrea angulata</i> , Lamarck, 1819): influence of different diets. <i>Aquaculture Research</i> , 2017 , 48, 3859-3878	1.9	11
25	First study in cryopreserved <i>Crassostrea angulata</i> sperm. <i>General and Comparative Endocrinology</i> , 2017 , 245, 108-115	3	10
24	Rebuilding viable spawner patches of the overfished <i>Spisula solida</i> (Mollusca: Bivalvia): a preliminary contribution to fishery sustainability. <i>ICES Journal of Marine Science</i> , 2008 , 65, 60-64	2.7	10
23	Bycatch and discard survival rate in a small-scale bivalve dredge fishery along the Algarve coast (southern Portugal). <i>Scientia Marina</i> , 2018 , 82, 75	1.8	9
22	Reproductive effort of the European clam <i>Ruditapes decussatus</i> (Linnaeus, 1758): influence of different diets and temperatures. <i>Invertebrate Reproduction and Development</i> , 2016 , 60, 49-58	0.7	8
21	Evidence of non-random chromosome loss in bivalves: Differential chromosomal susceptibility in aneuploid metaphases of <i>Crassostrea angulata</i> (Ostreidae) and <i>Ruditapes decussatus</i> (Veneridae). <i>Aquaculture</i> , 2012 , 344-349, 239-241	4.4	8
20	Genetic diversity of two Portuguese populations of the pullet carpet shell <i>Venerupis senegalensis</i> , based on RAPD markers: contribution to a sustainable restocking program. <i>Helgoland Marine Research</i> , 2010 , 64, 289-295	1.8	8

19	New species in aquaculture: are the striped venus clam <i>Chamelea gallina</i> (Linnaeus, 1758) and the surf clam <i>Spisula solida</i> (Linnaeus 1758) potential candidates for diversification in shellfish aquaculture?. <i>Aquaculture Research</i> , 2016 , 47, 1327-1340	1.9	8
18	A microarray-based analysis of oocyte quality in the European clam <i>Ruditapes decussatus</i> . <i>Aquaculture</i> , 2015 , 446, 17-24	4.4	7
17	The effect of density in larval rearing of the pullet carpet shell <i>Venerupis corrugata</i> (Gmelin, 1791) in a recirculating aquaculture system. <i>Aquaculture Research</i> , 2016 , 47, 1055-1066	1.9	7
16	Biochemical and energy dynamics throughout the reproductive cycle of the striped venus <i>Chamelea gallina</i> (Mollusca, Bivalvia). <i>Invertebrate Reproduction and Development</i> , 2014 , 58, 284-293	0.7	7
15	Supernumerary chromosomes on Southern European populations of the cockle <i>Cerastoderma edule</i> : Consequence of environmental pollution?. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 79, 152-156	2.9	7
14	Alga diet formulation [An attempt to reduce oxidative stress during broodstock conditioning of Pacific oysters. <i>Aquaculture</i> , 2019 , 500, 540-549	4.4	7
13	Larval hatching and development of the wedge shell (<i>Donax trunculus</i> L.) under increased CO ₂ in southern Portugal. <i>Regional Environmental Change</i> , 2016 , 16, 855-864	4.3	6
12	Combined effect of temperature and nutritional regime on the elimination of the lipophilic toxin okadaic acid in the naturally contaminated wedge shell <i>Donax trunculus</i> . <i>Chemosphere</i> , 2018 , 190, 166-173	8.4	6
11	The influence of different microalgal diets on European clam (<i>Ruditapes decussatus</i> , Linnaeus, 1758) larvae culture performances. <i>Aquaculture Research</i> , 2015 , 46, 2527-2543	1.9	5
10	Comparative study on cellular and molecular responses in oyster sperm revealed different susceptibilities to cryopreservation. <i>Aquaculture</i> , 2019 , 498, 223-229	4.4	5
9	Elemental composition and bioaccessibility of farmed oysters (<i>Crassostrea gigas</i>) fed different ratios of dietary seaweed and microalgae during broodstock conditioning. <i>Food Science and Nutrition</i> , 2019 , 7, 2495-2504	3.2	4
8	Insights into molecular features of <i>Venerupis decussata</i> oocytes: a microarray-based study. <i>PLoS ONE</i> , 2014 , 9, e113925	3.7	4
7	Viability of dietary substitution of live microalgae with dry in broodstock conditioning of the Pacific oyster (<i>Crassostrea gigas</i>). <i>Biology Open</i> , 2018 , 7,	2.2	4
6	Fatty Acid Profile of Pacific Oyster, <i>Crassostrea gigas</i> , Fed Different Ratios of Dietary Seaweed and Microalgae during Broodstock Conditioning. <i>Lipids</i> , 2019 , 54, 531-542	1.6	3
5	Enhanced trace element concentrations in tissues of the clam <i>Ruditapes decussatus</i> transplanted to areas influenced by human activities (Ria Formosa, Portugal). <i>Scientia Marina</i> , 2017 , 81, 229	1.8	3
4	Recirculation nursery systems for bivalves. <i>Aquaculture International</i> , 2016 , 24, 827-842	2.6	3
3	Relationships between broodstock condition, oocyte quality, and 24 h D-larval survival during the spawning season of the pullet carpet shell <i>Venerupis corrugata</i> (Gmelin, 1791). <i>Invertebrate Reproduction and Development</i> , 2016 , 60, 271-280	0.7	2
2	Reproductive cycle of the European clam <i>Ruditapes decussatus</i> from Bidos Lagoon, Leiria, Portugal. <i>Invertebrate Reproduction and Development</i> , 2018 , 62, 179-190	0.7	1

1 Long-term effects of high CO₂ on growth and survival of juveniles of the striped venus clam *Chamelea gallina*: implications of seawater carbonate chemistry. *Marine Biology*, **2021**, 168, 1

2.5 0