

Wen Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5424924/publications.pdf>

Version: 2024-02-01

32
papers

473
citations

840119

11
h-index

752256

20
g-index

33
all docs

33
docs citations

33
times ranked

707
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomimetic chitosan scaffolds with long-term controlled release of nerve growth factor repairs 20-mm-long sciatic nerve defects in rats. <i>Neural Regeneration Research</i> , 2022, 17, 1146.	1.6	12
2	The expression of PHOX2B in bone marrow and peripheral blood predicts adverse clinical outcome in non-high-risk neuroblastoma. <i>Pediatric Hematology and Oncology</i> , 2022, 39, 343-356.	0.3	1
3	Clinical Characteristics of HIV-Infected Patients with Venous Thromboembolism and Different CD4+ T Lymphocyte Levels. <i>Journal of Inflammation Research</i> , 2022, Volume 15, 613-620.	1.6	4
4	<sc>MYCN</sc> amplification plus 1p36 loss of heterozygosity predicts ultra high risk in bone marrow metastatic neuroblastoma. <i>Cancer Medicine</i> , 2022, 11, 1837-1849.	1.3	7
5	Elevated serum extracellular vesicle arginase 1 in type 2 diabetes mellitus: a cross-sectional study in middle-aged and elderly population. <i>BMC Endocrine Disorders</i> , 2022, 22, 62.	0.9	7
6	Distribution Heterogeneity of Muscle Spindles Across Skeletal Muscles of Lower Extremities in C57BL/6 Mice. <i>Frontiers in Neuroanatomy</i> , 2022, 16, 838951.	0.9	2
7	Neural regeneration therapy after spinal cord injury induces unique brain functional reorganizations in rhesus monkeys. <i>Annals of Medicine</i> , 2022, 54, 1867-1883.	1.5	5
8	Clinical Characteristics and Durations of Hospitalized Patients with COVID-19 in Beijing: A Retrospective Cohort Study. <i>Cardiovascular Innovations and Applications</i> , 2021, 6, .	0.1	4
9	Increased concentrations of myeloperoxidase in serum and serum extracellular vesicles are associated with type 2 diabetes mellitus. <i>Clinica Chimica Acta</i> , 2021, 522, 70-76.	0.5	6
10	Implementation of the plasma MYCN / NAGK ratio to detect MYCN amplification in patients with neuroblastoma. <i>Molecular Oncology</i> , 2020, 14, 2884-2893.	2.1	6
11	Image correction for diffusion tensor imaging of Rhesus monkey thoracic spinal cord. <i>Journal of Medical Primatology</i> , 2019, 48, 320-328.	0.3	8
12	Clinical features and prognosis of microscopic polyangiitis with usual interstitial pneumonia compared with idiopathic pulmonary fibrosis. <i>Clinical Respiratory Journal</i> , 2019, 13, 460-466.	0.6	9
13	Differentiation of Bone Marrow Mesenchymal Stem Cells into Neural Lineage Cells Induced by bFGF-Chitosan Controlled Release System. <i>BioMed Research International</i> , 2019, 2019, 1-15.	0.9	14
14	Neuromuscular control pattern in rhesus monkeys during bipedal walking. <i>Experimental Animals</i> , 2019, 68, 341-349.	0.7	6
15	Dynamic alterations of plasma cell free DNA in response to chemotherapy in children with neuroblastoma. <i>Cancer Medicine</i> , 2019, 8, 1558-1566.	1.3	15
16	Chromosome band 11q23 deletion predicts poor prognosis in bone marrow metastatic neuroblastoma patients without <i>MYCN</i> amplification. <i>Cancer Communications</i> , 2019, 39, 1-9.	3.7	8
17	Application of the sodium hyaluronate-CNTF scaffolds in repairing adult rat spinal cord injury and facilitating neural network formation. <i>Science China Life Sciences</i> , 2018, 61, 559-568.	2.3	16
18	Diffusion tensor imaging of spinal cord parenchyma lesion in rat with chronic spinal cord injury. <i>Magnetic Resonance Imaging</i> , 2018, 47, 25-32.	1.0	32

#	ARTICLE	IF	CITATIONS
19	Testing Pathological Variation of White Matter Tract in Adult Rats after Severe Spinal Cord Injury with MRI. <i>BioMed Research International</i> , 2018, 2018, 1-13.	0.9	10
20	NT3-chitosan enables de novo regeneration and functional recovery in monkeys after spinal cord injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5595-E5604.	3.3	128
21	The kinematic recovery process of rhesus monkeys after spinal cord injury. <i>Experimental Animals</i> , 2018, 67, 431-440.	0.7	6
22	Plasma cell-free DNA quantification is highly correlated to tumor burden in children with neuroblastoma. <i>Cancer Medicine</i> , 2018, 7, 3022-3030.	1.3	36
23	DICER1 mutations in twelve Chinese patients with pleuropulmonary blastoma. <i>Science China Life Sciences</i> , 2017, 60, 714-720.	2.3	5
24	MYCN amplification predicts poor prognosis based on interphase fluorescence in situ hybridization analysis of bone marrow cells in bone marrow metastases of neuroblastoma. <i>Cancer Cell International</i> , 2017, 17, 43.	1.8	27
25	Ketamine changes the local resting-state functional properties of anesthetized-monkey brain. <i>Magnetic Resonance Imaging</i> , 2017, 43, 144-150.	1.0	17
26	Combination of kinematic analyses and diffusion tensor tractography to evaluate the residual motor functions in spinal cord-hemisected monkeys. <i>Journal of Medical Primatology</i> , 2017, 46, 239-247.	0.3	13
27	TFH cells promote B cell maturation and antibody production in neuroblastoma. <i>BMC Immunology</i> , 2017, 18, 36.	0.9	10
28	Design, synthesis and evaluation of VEGF-siRNA/CRS as a novel vector for gene delivery. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3851-3865.	2.0	4
29	Influence of walking speed on gait parameters of bipedal locomotion in rhesus monkeys. <i>Journal of Medical Primatology</i> , 2016, 45, 304-311.	0.3	10
30	Endogenous neurogenesis in adult mammals after spinal cord injury. <i>Science China Life Sciences</i> , 2016, 59, 1313-1318.	2.3	25
31	DICER1-Negative Pleuropulmonary Blastoma in a Patient With Selective IgA Deficiency. <i>Pediatric Blood and Cancer</i> , 2016, 63, 757-758.	0.8	6
32	Clinical features and outcomes of 210 patients with idiopathic pulmonary fibrosis. <i>Chinese Medical Journal</i> , 2014, 127, 1868-73.	0.9	14