

# Andrzej Rydzewski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5425193/publications.pdf>

Version: 2024-02-01

25  
papers

471  
citations

759055

12  
h-index

713332

21  
g-index

25  
all docs

25  
docs citations

25  
times ranked

545  
citing authors

#	ARTICLE	IF	CITATIONS
1	Soluble urokinase-type plasminogen activator receptor (suPAR) in patients with acute pancreatitis (AP) - Progress in prediction of AP severity. <i>Pancreatology</i> , 2017, 17, 24-29.	0.5	13
2	Clinicopathologic correlations of renal pathology in the adult population of Poland. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, ii209-ii218.	0.4	28
3	Fluid resuscitation in acute pancreatitis: Normal saline or lactated Ringer's solution?. <i>World Journal of Gastroenterology</i> , 2015, 21, 9367.	1.4	36
4	Urinary Neutrophil Gelatinase-Associated Lipocalin as an Early Predictor of Disease Severity and Mortality in Acute Pancreatitis. <i>Pancreas</i> , 2015, 44, 448-452.	0.5	21
5	Phosphate nephropathy after administration of bowel purgative containing sodium phosphate a. <i>Polish Journal of Pathology</i> , 2014, 1, 60-65.	0.1	4
6	Endoscopic Ultrasound-Guided Biopsy of Pancreas in Simultaneous Pancreas-Kidney Transplant Recipient. <i>Transplantation</i> , 2014, 98, e42-e43.	0.5	5
7	In vivo endomicroscopy of donor duodenum improves early detection of pancreas rejection in a recipient of simultaneous duodenum-drained pancreas-kidney transplantation: a. <i>Wideochirurgia i Inne Techniki Maloinwazyjne</i> , 2013, 4, 366-368.	0.3	2
8	Factors associated with irritable bowel syndrome symptoms in hemodialysis patients. <i>World Journal of Gastroenterology</i> , 2011, 17, 1976.	1.4	11
9	Lack of effect of the CD14 promoter gene C-159T polymorphism on nutritional status parameters in hemodialysis patients. <i>Medical Science Monitor</i> , 2011, 17, CR117-CR121.	0.5	2
10	Adiponectin, Resistin and Leptin Response to Dietary Intervention in Diabetic Nephropathy. , 2010, 20, 255-262.		16
11	Discontinuation of mycophenolate mofetil from a tacrolimus-based triple regimen 2 months after renal transplantation: a comparative randomized multicentre study. <i>Transplant International</i> , 2007, 20, 230-237.	0.8	2
12	Feasibility of Visualization and Biopsy of Donor Duodenum by Double-balloon Enteroscopy Technique in a Recipient of Simultaneous Enteric-drained Pancreas-kidney Transplant: Case Report. <i>Transplantation</i> , 2006, 82, 578-579.	0.5	9
13	N-acetylcysteine does not prevent post-endoscopic retrograde cholangiopancreatography hyperamylasemia and acute pancreatitis. <i>World Journal of Gastroenterology</i> , 2006, 12, 3751.	1.4	46
14	Influence of Low Protein Diet on Nonthyroidal Illness Syndrome in Chronic Renal Failure. <i>Endocrine</i> , 2005, 27, 283-288.	2.2	16
15	Low protein diet causes a decrease in serum concentrations of leptin and tumour necrosis factor-alpha in patients with conservatively treated chronic renal failure. <i>Nephrology</i> , 2004, 9, 319-324.	0.7	13
16	Long-term Effects of Erythropoietin on Platelet Serotonin Storage and Platelet Aggregation in Hemodialysis Patients with Reference to Ketanserin Treatment. <i>Thrombosis Research</i> , 1998, 90, 171-180.	0.8	9
17	THE EFFECT OF A 5HT2 RECEPTOR ANTAGONIST SARPOGRELATE (MCI-9042) TREATMENT ON PLATELET FUNCTION IN BUERGER'S DISEASE. <i>Thrombosis Research</i> , 1996, 84, 445-452.	0.8	21
18	Tissue plasminogen activator, plasminogen activator inhibitor, and other parameters of fibrinolysis in the early stages of taurocholate acute pancreatitis in rats. <i>International Journal of Gastrointestinal Cancer</i> , 1992, 11, 161-168.	0.4	11

#	ARTICLE	IF	CITATIONS
19	Plasminogen activator inhibitor activity as a possible indicator of disease activity in rest angina with angiographically insignificant coronary artery stenosis. <i>Thrombosis Research</i> , 1991, 63, 491-502.	0.8	10
20	Changes in Plasminogen Activator Inhibitor 1 and Tissue-Type Plasminogen Activator during Exercise in Patients with Coronary Artery Disease. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 1990, 20, 305-312.	0.5	24
21	Clinical significance of plasminogen activator inhibitor activity in patients with exercise-induced ischemia. <i>American Heart Journal</i> , 1990, 120, 831-838.	1.2	31
22	Relationships between Euglobulin Clot Lysis Time and the Plasma Levels of Tissue Plasminogen Activator and Plasminogen Activator Inhibitor 1. <i>Thrombosis and Haemostasis</i> , 1990, 63, 082-086.	1.8	106
23	Absence of synergism between tissue-type plasminogen activator and urokinase on plasminogen activation rate in plasma. <i>Thrombosis Research</i> , 1989, 53, 577-583.	0.8	0
24	Determination of plasminogen activator inhibitor-1 (PAI-1) in plasma using two different anticoagulants and methods. <i>Thrombosis Research</i> , 1989, 55, 285-289.	0.8	19
25	Stimulation of Plasmin Catalyzed Conversion of SingleChain to Two-Chain Urokinase-Type Plasminogen Activator by Sulfated Polysaccharides. <i>Thrombosis and Haemostasis</i> , 1989, 62, 752-755.	1.8	16