## Hans-Peter Marti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5425877/publications.pdf

Version: 2024-02-01

		516710	580821
63	795	16	25
papers	citations	h-index	g-index
65	65	65	1273
03	03	03	12/3
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Analysis of independent microarray datasets of renal biopsies identifies a robust transcript signature of acute allograft rejection. Transplant International, 2009, 22, 293-302.	1.6	78
2	Transcriptome Sequencing (RNAseq) Enables Utilization of Formalin-Fixed, Paraffin-Embedded Biopsies with Clear Cell Renal Cell Carcinoma for Exploration of Disease Biology and Biomarker Development. PLoS ONE, 2016, 11, e0149743.	2.5	50
3	High rates of central obesity and sarcopenia in CKD irrespective of renal replacement therapy $\hat{a} \in \text{``an}$ observational cross-sectional study. BMC Nephrology, 2018, 19, 259.	1.8	42
4	RNA extraction for RNA sequencing of archival renal tissues. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 426-434.	1.2	38
5	Glomerular abundance of complement proteins characterized by proteomic analysis of laser-captured microdissected glomeruli associates with progressive disease in IgA nephropathy. Clinical Proteomics, 2017, 14, 30.	2.1	38
6	Characterization of glomerular extracellular matrix in IgA nephropathy by proteomic analysis of laser-captured microdissected glomeruli. BMC Nephrology, 2019, 20, 410.	1.8	38
7	Intrauterine Growth Restriction and Risk of Diverse Forms of Kidney Disease during the First 50 Years of Life. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 1413-1423.	4.5	37
8	Clear Cell Renal Cell Carcinoma is linked to Epithelial-to-Mesenchymal Transition and to Fibrosis. Physiological Reports, 2017, 5, e13305.	1.7	36
9	Intrauterine growth restriction, preterm birth and risk of end-stage renal disease during the first 50 years of life. Nephrology Dialysis Transplantation, 2020, 35, 1157-1163.	0.7	29
10	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Western Europe. Kidney International Supplements, 2021, 11, e106-e118.	14.2	29
11	Pathomechanisms of renal Fabry disease. Cell and Tissue Research, 2017, 369, 53-62.	2.9	27
12	Correlation of serum and urinary matrix metalloproteases/tissue inhibitors of metalloproteases with subclinical allograft fibrosis in renal transplantation. Transplant Immunology, 2014, 30, 1-6.	1.2	22
13	A map of metabolic phenotypes in patients with myalgic encephalomyelitis/chronic fatigue syndrome. JCI Insight, 2021, 6, .	5.0	22
14	Low Birth Weight and Risk of Progression to End Stage Renal Disease in IgA Nephropathy—A Retrospective Registry-Based Cohort Study. PLoS ONE, 2016, 11, e0153819.	2.5	22
15	A subset of metzincins and related genes constitutes a marker of human solid organ fibrosis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 487-496.	2.8	18
16	Development and confirmation of potential gene classifiers of human clear cell renal cell carcinoma using next-generation RNA sequencing. Scandinavian Journal of Urology, 2016, 50, 452-462.	1.0	18
17	Fibrosis and cancer: shared features and mechanisms suggest common targeted therapeutic approaches. Nephrology Dialysis Transplantation, 2022, 37, 1024-1032.	0.7	18
18	<i>In Vivo</i> Detection of Chronic Kidney Disease Using Tissue Deformation Fields From Dynamic MR Imaging. IEEE Transactions on Biomedical Engineering, 2019, 66, 1779-1790.	4.2	17

#	Article	IF	CITATIONS
19	Low Immunization Rate in Kidney Transplant Recipients Also After Dose 2 of the BNT162b2 Vaccine: Continue to Keep Your Guard up!. Transplantation, 2021, 105, e80-e81.	1.0	16
20	Transcriptome-proteome integration of archival human renal cell carcinoma biopsies enables identification of molecular mechanisms. American Journal of Physiology - Renal Physiology, 2019, 316, F1053-F1067.	2.7	15
21	AXL targeting reduces fibrosis development in experimental unilateral ureteral obstruction. Physiological Reports, 2019, 7, e14091.	1.7	13
22	Disease Progression Modeling to Evaluate the Effects of Enzyme Replacement Therapy on Kidney Function in Adult Patients with the Classic Phenotype of Fabry Disease. Kidney and Blood Pressure Research, 2017, 42, 1-15.	2.0	12
23	Systemic redox biomarkers and their relationship to prognostic risk markers in autosomal dominant polycystic kidney disease and IgA nephropathy. Clinical Biochemistry, 2018, 56, 33-40.	1.9	11
24	Axlâ€inhibitor bemcentinib alleviates mitochondrial dysfunction in the unilateral ureter obstruction murine model. Journal of Cellular and Molecular Medicine, 2021, 25, 7407-7417.	<b>3.</b> 6	11
25	Metzincins and related genes in experimental renal ageing: towards a unifying fibrosis classifier across species. Nephrology Dialysis Transplantation, 2014, 29, 1177-1185.	0.7	10
26	Renal Failure due to Excessive Intake of Almonds in the Absence of Oxalobacter formigenes. American Journal of Medicine, 2015, 128, e29-e30.	1.5	9
27	Proteomics for the study of new biomarkers in Fabry disease: State of the art. Molecular Genetics and Metabolism, 2021, 132, 86-93.	1.1	9
28	Renal carcinoma/kidney progenitor cell chimera organoid as a novel tumourigenesis gene discovery model. DMM Disease Models and Mechanisms, 2017, 10, 1503-1515.	2.4	8
29	Circulating inflammation-related factors are correlated with systemic redox status in IgA nephropathy; a case-control study. Free Radical Biology and Medicine, 2020, 155, 10-18.	2.9	8
30	Renal Fibrosis mRNA Classifier: Validation in Experimental Lithium-Induced Interstitial Fibrosis in the Rat Kidney. PLoS ONE, 2016, 11, e0168240.	2.5	7
31	Proteomic Analysis of Minimally Damaged Renal Tubular Tissue from Two-Kidney-One-Clip Hypertensive Rats Demonstrates Extensive Changes Compared to Tissue from Controls. Nephron, 2016, 132, 70-80.	1.8	7
32	Fine needle aspirates of kidneys: a promising tool for RNA sequencing in native and transplanted kidneys. BMC Nephrology, 2018, 19, 221.	1.8	7
33	Familial Contributions to the Association Between Low Birth Weight and Risk of CKD in Adult Life. Kidney International Reports, 2021, 6, 2151-2158.	0.8	7
34	AGAP2-AS1 as a prognostic biomarker in low-risk clear cell renal cell carcinoma patients with progressing disease. Cancer Cell International, 2021, 21, 690.	4.1	7
35	Imaging of Clear Cell Renal Carcinoma with Immune Checkpoint Targeting Aptamer-Based Probe. Pharmaceuticals, 2022, 15, 697.	3.8	7
36	Challenges and opportunities for nephrology in Western Europe. Kidney International, 2019, 95, 1037-1040.	5.2	6

#	Article	IF	CITATIONS
37	Medication Prescription, Common Side-effects, and Nutritional Status are Associated in Patients With Chronic Kidney Disease., 2022, 32, 520-528.		6
38	Reduced α-galactosidase A activity in zebrafish (Danio rerio) mirrors distinct features of Fabry nephropathy phenotype. Molecular Genetics and Metabolism Reports, 2022, 31, 100851.	1.1	6
39	Factors associated with nutritional risk in patients receiving haemodialysis assessed by Nutritional Risk Screening 2002 (NRS2002). Journal of Renal Care, 2022, 48, 112-118.	1.2	5
40	AXL targeting by a specific small molecule or monoclonal antibody inhibits renal cell carcinoma progression in an orthotopic mice model. Physiological Reports, 2021, 9, e15140.	1.7	5
41	Elevated Ambulatory Blood Pressure Measurements are Associated with a Progressive Form of Fabry Disease. High Blood Pressure and Cardiovascular Prevention, 2021, 28, 309-319.	2.2	4
42	Association of redox and inflammation-related biomarkers with prognosis in IgA nephropathy: A prospective observational study. Free Radical Biology and Medicine, 2022, 188, 62-70.	2.9	4
43	Expanding the Utilization of Formalin-Fixed, Paraffin-Embedded Archives: Feasibility of miR-Seq for Disease Exploration and Biomarker Development from Biopsies with Clear Cell Renal Cell Carcinoma. International Journal of Molecular Sciences, 2018, 19, 803.	4.1	3
44	Ultrasound and Microbubbles Enhance Uptake of Doxorubicin in Murine Kidneys. Pharmaceutics, 2021, 13, 2038.	4.5	3
45	Proteomic signature of tubulointerstitial tissue predicts prognosis in IgAN. BMC Nephrology, 2022, 23, 118.	1.8	3
46	Low birth weight associates with glomerular area in young male IgA nephropathy patients. BMC Nephrology, 2018, 19, 287.	1.8	2
47	The Case   Kidney injury in a patient receiving nivolumab. Kidney International, 2020, 98, 1359-1360.	5.2	2
48	End Stage Renal Disease Predicts Increased Risk of Death in First Degree Relatives in the Norwegian Population. PLoS ONE, 2016, 11, e0165026.	2.5	1
49	AGAP2-AS1 as a potential marker for development of distant metastases in surgically treated low-risk clear cell renal cell carcinoma Journal of Clinical Oncology, 2020, 38, 732-732.	1.6	1
50	Chronic Kidney Disease from Polyvinylpyrrolidone Deposition in Persons with Intravenous Drug Use. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 518-526.	4.5	1
51	SaOO46CARBAMYLATION AS A POTENTIAL UNDERLYING MECHANISM OF UREMIC PLATELET DYSFUNCTIONS. Nephrology Dialysis Transplantation, 2018, 33, i334-i335.	0.7	O
52	SP386OXIDATIVE STRESS IN CKD RELATED TO PARATHYROID HORMONE DYSREGULATION. Nephrology Dialysis Transplantation, 2018, 33, i476-i477.	0.7	0
53	FP100FINE NEEDLE ASPIRATES OF KIDNEYS ARE USABLE FOR RNASEQUENCING LIKE REGULAR CORE BIOPSIES. Nephrology Dialysis Transplantation, 2018, 33, i80-i80.	0.7	O
54	FP198LOW BIRTH WEIGHT AND RISK OF FOCAL AND SEGMENTAL GLOMERULOSCLEROSIS IN THE NORWEGIAN POPULATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0

#	Article	IF	CITATIONS
55	FP336AXL INHIBITION PREVENTED MITOCHONDRIAL DYSFUNCTION IN UNILATERAL URETERAL OBSTRUCTION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
56	P0767INTRAUTERINE GROWTH RESTRICTION AND RISK OF KIDNEY DISEASE DURING THE FIRST 50 YEARS OF LIFE. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
57	PO337PROTEOME CHANGES IN TUBULOINTERSTITIAL TISSUE OF PROGRESSIVE VS NON-PROGRESSIVE IGAN. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
58	MO127CLEARED PODOCYTES AND NORMAL KIDNEY FUNCTION IN CLASSICAL FABRY MALES 15 YEARS AFTER START OF ENZYME REPLACEMENT THERAPY AT YOUNG AGE*. Nephrology Dialysis Transplantation, 2021, 36,	0.7	0
59	FC 086GLOMERULI PROTEOME ANALYSIS REVEALS EARLY DIFFERENCES BETWEEN PRE-EXISTING AND DE-NOVO TYPE 2 DIABETES IN HUMAN RENAL ALLOGRAFTS. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0
60	FC 019PROTEOMIC PROFILING OF GLOMERULI FROM KIDNEYS WITH HYPERTENSIVE NEPHROPATHY REVEALS SIGNATURE OF DISEASE PROGRESSION. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0
61	MO074TILVESTAMAB, A FUNCTION-BLOCKING MONOCLONAL ANTIBODY INHIBITOR OF AXL RTK SIGNALLING, LIMITS THE ONSET OF RENAL FIBROTIC CHANGES IN HUMAN KIDNEYS <i>EX VIVO</i> Transplantation, 2021, 36, .	0.7	0
62	Cardiovascular changes in young renal failure patients. CKJ: Clinical Kidney Journal, 2022, 15, 183-185.	2.9	0
63	MO447: Glomerular Transcriptomics in IGA Nephropathy Differentiates Between Disease Progression and Stability in Low-Risk Patients After Prolonged Follow-Up. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0