

Hans-Peter Marti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5425877/publications.pdf>

Version: 2024-02-01

63
papers

795
citations

516710

16
h-index

580821

25
g-index

65
all docs

65
docs citations

65
times ranked

1273
citing authors

#	ARTICLE	IF	CITATIONS
1	Fibrosis and cancer: shared features and mechanisms suggest common targeted therapeutic approaches. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1024-1032.	0.7	18
2	Factors associated with nutritional risk in patients receiving haemodialysis assessed by Nutritional Risk Screening 2002 (NRS2002). <i>Journal of Renal Care</i> , 2022, 48, 112-118.	1.2	5
3	Cardiovascular changes in young renal failure patients. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 183-185.	2.9	0
4	Medication Prescription, Common Side-effects, and Nutritional Status are Associated in Patients With Chronic Kidney Disease. , 2022, 32, 520-528.		6
5	Proteomic signature of tubulointerstitial tissue predicts prognosis in IgAN. <i>BMC Nephrology</i> , 2022, 23, 118.	1.8	3
6	Chronic Kidney Disease from Polyvinylpyrrolidone Deposition in Persons with Intravenous Drug Use. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 518-526.	4.5	1
7	Reduced Î±-galactosidase A activity in zebrafish (<i>Danio rerio</i>) mirrors distinct features of Fabry nephropathy phenotype. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100851.	1.1	6
8	MO447: Glomerular Transcriptomics in IGA Nephropathy Differentiates Between Disease Progression and Stability in Low-Risk Patients After Prolonged Follow-Up. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.7	0
9	Imaging of Clear Cell Renal Carcinoma with Immune Checkpoint Targeting Aptamer-Based Probe. <i>Pharmaceuticals</i> , 2022, 15, 697.	3.8	7
10	Association of redox and inflammation-related biomarkers with prognosis in IgA nephropathy: A prospective observational study. <i>Free Radical Biology and Medicine</i> , 2022, 188, 62-70.	2.9	4
11	Proteomics for the study of new biomarkers in Fabry disease: State of the art. <i>Molecular Genetics and Metabolism</i> , 2021, 132, 86-93.	1.1	9
12	Elevated Ambulatory Blood Pressure Measurements are Associated with a Progressive Form of Fabry Disease. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2021, 28, 309-319.	2.2	4
13	MO127CLEARED PODOCYTES AND NORMAL KIDNEY FUNCTION IN CLASSICAL FABRY MALES 15 YEARS AFTER START OF ENZYME REPLACEMENT THERAPY AT YOUNG AGE*. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
14	FC 086GLOMERULI PROTEOME ANALYSIS REVEALS EARLY DIFFERENCES BETWEEN PRE-EXISTING AND DE-NOVO TYPE 2 DIABETES IN HUMAN RENAL ALLOGRAFTS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
15	FC 019PROTEOMIC PROFILING OF GLOMERULI FROM KIDNEYS WITH HYPERTENSIVE NEPHROPATHY REVEALS SIGNATURE OF DISEASE PROGRESSION. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
16	MO074TILVESTAMAB, A FUNCTION-BLOCKING MONOCLONAL ANTIBODY INHIBITOR OF AXL RTK SIGNALLING, LIMITS THE ONSET OF RENAL FIBROTIC CHANGES IN HUMAN KIDNEYS <i>in vivo</i> . <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
17	International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in Western Europe. <i>Kidney International Supplements</i> , 2021, 11, e106-e118.	14.2	29
18	Low Immunization Rate in Kidney Transplant Recipients Also After Dose 2 of the BNT162b2 Vaccine: Continue to Keep Your Guard up!. <i>Transplantation</i> , 2021, 105, e80-e81.	1.0	16

#	ARTICLE	IF	CITATIONS
19	Axlâ€inhibitor bemcentinib alleviates mitochondrial dysfunction in the unilateral ureter obstruction murine model. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 7407-7417.	3.6	11
20	A map of metabolic phenotypes in patients with myalgic encephalomyelitis/chronic fatigue syndrome. <i>JCI Insight</i> , 2021, 6, .	5.0	22
21	Familial Contributions to the Association Between Low Birth Weight and Risk of CKD in Adult Life. <i>Kidney International Reports</i> , 2021, 6, 2151-2158.	0.8	7
22	Ultrasound and Microbubbles Enhance Uptake of Doxorubicin in Murine Kidneys. <i>Pharmaceutics</i> , 2021, 13, 2038.	4.5	3
23	AGAP2-AS1 as a prognostic biomarker in low-risk clear cell renal cell carcinoma patients with progressing disease. <i>Cancer Cell International</i> , 2021, 21, 690.	4.1	7
24	AXL targeting by a specific small molecule or monoclonal antibody inhibits renal cell carcinoma progression in an orthotopic mice model. <i>Physiological Reports</i> , 2021, 9, e15140.	1.7	5
25	P0767INTRAUTERINE GROWTH RESTRICTION AND RISK OF KIDNEY DISEASE DURING THE FIRST 50 YEARS OF LIFE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
26	The Case Kidney injury in a patient receiving nivolumab. <i>Kidney International</i> , 2020, 98, 1359-1360.	5.2	2
27	P0337PROTEOME CHANGES IN TUBULOINTERSTITIAL TISSUE OF PROGRESSIVE VS NON-PROGRESSIVE IGAN. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
28	Intrauterine growth restriction, preterm birth and risk of end-stage renal disease during the first 50â€™years of life. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1157-1163.	0.7	29
29	Intrauterine Growth Restriction and Risk of Diverse Forms of Kidney Disease during the First 50 Years of Life. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 1413-1423.	4.5	37
30	Circulating inflammation-related factors are correlated with systemic redox status in IgA nephropathy; a case-control study. <i>Free Radical Biology and Medicine</i> , 2020, 155, 10-18.	2.9	8
31	AGAP2-AS1 as a potential marker for development of distant metastases in surgically treated low-risk clear cell renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, 732-732.	1.6	1
32	FP198LOW BIRTH WEIGHT AND RISK OF FOCAL AND SEGMENTAL GLOMERULOSCLEROSIS IN THE NORWEGIAN POPULATION. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
33	FP336AXL INHIBITION PREVENTED MITOCHONDRIAL DYSFUNCTION IN UNILATERAL URETERAL OBSTRUCTION. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
34	AXL targeting reduces fibrosis development in experimental unilateral ureteral obstruction. <i>Physiological Reports</i> , 2019, 7, e14091.	1.7	13
35	Transcriptome-proteome integration of archival human renal cell carcinoma biopsies enables identification of molecular mechanisms. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, F1053-F1067.	2.7	15
36	Challenges and opportunities for nephrology in Western Europe. <i>Kidney International</i> , 2019, 95, 1037-1040.	5.2	6

#	ARTICLE	IF	CITATIONS
37	Characterization of glomerular extracellular matrix in IgA nephropathy by proteomic analysis of laser-captured microdissected glomeruli. <i>BMC Nephrology</i> , 2019, 20, 410.	1.8	38
38	<i>In Vivo</i> Detection of Chronic Kidney Disease Using Tissue Deformation Fields From Dynamic MR Imaging. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1779-1790.	4.2	17
39	Systemic redox biomarkers and their relationship to prognostic risk markers in autosomal dominant polycystic kidney disease and IgA nephropathy. <i>Clinical Biochemistry</i> , 2018, 56, 33-40.	1.9	11
40	SaO046 CARBAMYLATION AS A POTENTIAL UNDERLYING MECHANISM OF UREMIC PLATELET DYSFUNCTIONS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i334-i335.	0.7	0
41	SP386 OXIDATIVE STRESS IN CKD RELATED TO PARATHYROID HORMONE DYSREGULATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i476-i477.	0.7	0
42	Low birth weight associates with glomerular area in young male IgA nephropathy patients. <i>BMC Nephrology</i> , 2018, 19, 287.	1.8	2
43	High rates of central obesity and sarcopenia in CKD irrespective of renal replacement therapy – an observational cross-sectional study. <i>BMC Nephrology</i> , 2018, 19, 259.	1.8	42
44	Fine needle aspirates of kidneys: a promising tool for RNA sequencing in native and transplanted kidneys. <i>BMC Nephrology</i> , 2018, 19, 221.	1.8	7
45	FP100 FINE NEEDLE ASPIRATES OF KIDNEYS ARE USABLE FOR RNASEQUENCING LIKE REGULAR CORE BIOPSIES. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i80-i80.	0.7	0
46	Expanding the Utilization of Formalin-Fixed, Paraffin-Embedded Archives: Feasibility of miR-Seq for Disease Exploration and Biomarker Development from Biopsies with Clear Cell Renal Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2018, 19, 803.	4.1	3
47	Pathomechanisms of renal Fabry disease. <i>Cell and Tissue Research</i> , 2017, 369, 53-62.	2.9	27
48	Disease Progression Modeling to Evaluate the Effects of Enzyme Replacement Therapy on Kidney Function in Adult Patients with the Classic Phenotype of Fabry Disease. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 1-15.	2.0	12
49	Renal carcinoma/kidney progenitor cell chimera organoid as a novel tumourigenesis gene discovery model. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 1503-1515.	2.4	8
50	Clear Cell Renal Cell Carcinoma is linked to Epithelial-to-Mesenchymal Transition and to Fibrosis. <i>Physiological Reports</i> , 2017, 5, e13305.	1.7	36
51	Glomerular abundance of complement proteins characterized by proteomic analysis of laser-captured microdissected glomeruli associates with progressive disease in IgA nephropathy. <i>Clinical Proteomics</i> , 2017, 14, 30.	2.1	38
52	Transcriptome Sequencing (RNAseq) Enables Utilization of Formalin-Fixed, Paraffin-Embedded Biopsies with Clear Cell Renal Cell Carcinoma for Exploration of Disease Biology and Biomarker Development. <i>PLoS ONE</i> , 2016, 11, e0149743.	2.5	50
53	End Stage Renal Disease Predicts Increased Risk of Death in First Degree Relatives in the Norwegian Population. <i>PLoS ONE</i> , 2016, 11, e0165026.	2.5	1
54	Renal Fibrosis mRNA Classifier: Validation in Experimental Lithium-Induced Interstitial Fibrosis in the Rat Kidney. <i>PLoS ONE</i> , 2016, 11, e0168240.	2.5	7

#	ARTICLE	IF	CITATIONS
55	RNA extraction for RNA sequencing of archival renal tissues. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 426-434.	1.2	38
56	Development and confirmation of potential gene classifiers of human clear cell renal cell carcinoma using next-generation RNA sequencing. <i>Scandinavian Journal of Urology</i> , 2016, 50, 452-462.	1.0	18
57	Proteomic Analysis of Minimally Damaged Renal Tubular Tissue from Two-Kidney-One-Clip Hypertensive Rats Demonstrates Extensive Changes Compared to Tissue from Controls. <i>Nephron</i> , 2016, 132, 70-80.	1.8	7
58	Low Birth Weight and Risk of Progression to End Stage Renal Disease in IgA Nephropathy – A Retrospective Registry-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0153819.	2.5	22
59	Renal Failure due to Excessive Intake of Almonds in the Absence of <i>Oxalobacter formigenes</i> . <i>American Journal of Medicine</i> , 2015, 128, e29-e30.	1.5	9
60	Metzincins and related genes in experimental renal ageing: towards a unifying fibrosis classifier across species. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1177-1185.	0.7	10
61	Correlation of serum and urinary matrix metalloproteases/tissue inhibitors of metalloproteases with subclinical allograft fibrosis in renal transplantation. <i>Transplant Immunology</i> , 2014, 30, 1-6.	1.2	22
62	A subset of metzincins and related genes constitutes a marker of human solid organ fibrosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 487-496.	2.8	18
63	Analysis of independent microarray datasets of renal biopsies identifies a robust transcript signature of acute allograft rejection. <i>Transplant International</i> , 2009, 22, 293-302.	1.6	78