

Mark M Gallagher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5426857/mark-m-gallagher-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

1,443
citations

18
h-index

36
g-index

120
ext. papers

1,857
ext. citations

2.9
avg, IF

4.35
L-index

#	Paper	IF	Citations
101	Arrhythmias in Chronic Kidney Disease.. <i>European Cardiology Review</i> , 2022 , 17, e05	3.9	0
100	Multi-catheter cryotherapy compared with radiofrequency ablation in long-standing persistent atrial fibrillation: a randomized clinical trial. <i>Europace</i> , 2021 , 23, 370-379	3.9	4
99	Intraluminal Esophageal Temperature Monitoring Using the Circa S-Cath [™] Temperature Probe to Guide Left Atrial Ablation in Patients with Atrial Fibrillation.. <i>Journal of Atrial Fibrillation</i> , 2021 , 13, 2508 ^{0.8}	3.9	20
98	Randomized comparison of oesophageal protection with a temperature control device: results of the IMPACT study. <i>Europace</i> , 2021 , 23, 205-215	3.9	20
97	Mechanical deviation of the esophagus: Not an easy concept to swallow. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1209-1210	2.7	0
96	Finding the heart of the problem: A letter to the editor on Detection of oesophageal course during left atrial ablation by Santoro et al. <i>Indian Pacing and Electrophysiology Journal</i> , 2021 , 21, 137	1.5	2
95	Innovative Cardiac Resynchronization: Deployable Lead as an Anchor to Facilitate Guidewire Advancement. <i>JACC: Case Reports</i> , 2021 , 3, 594-596	1.2	0
94	Performance and outcomes of transvenous rotational lead extraction: Results from a prospective, monitored, international clinical study. <i>Heart Rhythm O2</i> , 2021 , 2, 113-121	1.5	1
93	To the Editor-A double-blind case study?. <i>HeartRhythm Case Reports</i> , 2021 , 7, 259	1	0
92	Prolonged QT predicts prognosis in COVID-19. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 875-882	1.6	8
91	Subacute left main stem thrombus in COVID-19: a case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab222	0.9	0
90	Prevalence of bradyarrhythmias needing pacing in COVID-19. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1340-1346	1.6	3
89	Contact force sensing in ablation of ventricular arrhythmias using a 56-hole open-irrigation catheter: a propensity-matched analysis. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 60, 543-553	2.4	1
88	Why just detect? We can protect: A letter to the authors of "Prevention of left atrium esophagus fistula". <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 406-407	1.6	0
87	Drive-Through Pacing Clinic: A Popular Response to the COVID-19 Pandemic. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 128-130	4.6	2
86	Multi-lead cephalic venous access and long-term performance of high-voltage leads. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1131-1139	2.7	0
85	Percutaneous management of lead-related cardiac perforation with limited use of computed tomography and cardiac surgery. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 614-624	1.6	0

84	Leadless cardiac resynchronization therapy: a distant Utopia. <i>Europace</i> , 2021 , 23, 817	3.9	2
83	Transvenous lead extraction: The influence of age on patient outcomes in the PROMET study cohort. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1540-1548	1.6	0
82	The 12-Lead ECG in COVID-19: QT Prolongation Predicts Outcome. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 1072-1073	4.6	1
81	Preventing esophageal complications from atrial fibrillation ablation: A review.. <i>Heart Rhythm O2</i> , 2021 , 2, 651-664	1.5	6
80	Reproducibility of pulmonary vein isolation guided by the ablation index: 1-year outcome of the AIR registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1694-1701	2.7	6
79	Review paper on WPW and athletes: Let sleeping dogs lie?. <i>Clinical Cardiology</i> , 2020 , 43, 897-905	3.3	3
78	Cooling or Warming the Esophagus to Reduce Esophageal Injury During Left Atrial Ablation in the Treatment of Atrial Fibrillation. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	4
77	Results of the Patient-Related Outcomes of Mechanical lead Extraction Techniques (PROMET) study: a multicentre retrospective study on advanced mechanical lead extraction techniques. <i>Europace</i> , 2020 , 22, 1103-1110	3.9	14
76	Left atrial appendage isolation during ablation in the interatrial septum: Rapid recognition by continuous monitoring of appendage electrograms. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 149-152	1.6	
75	Isolating the entire pulmonary venous component versus isolating the pulmonary veins for persistent atrial fibrillation: A propensity-matched analysis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 68-77	1.6	1
74	Esophageal cooling for protection during left atrial ablation: a systematic review and meta-analysis. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 59, 347-355	2.4	19
73	Letter in reply to Gianni et al on "Prevention, diagnosis, and management of atrioesophageal fistula". <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 1417-1418	1.6	
72	Modeling esophageal protection from radiofrequency ablation via a cooling device: an analysis of the effects of ablation power and heart wall dimensions. <i>BioMedical Engineering OnLine</i> , 2020 , 19, 77	4.1	7
71	Electrophysiology in the time of coronavirus: coping with the great wave. <i>Europace</i> , 2020 , 22, 1841-1847	3.9	7
70	Exclusively cephalic venous access for cardiac resynchronisation: A prospective multi-centre evaluation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 1515-1520	1.6	3
69	Esophageal cooling for protection: an innovative tool that improves the safety of atrial fibrillation ablation. <i>Expert Review of Medical Devices</i> , 2020 , 17, 981-982	3.5	2
68	Remanufactured circular mapping catheters: safety, effectiveness and cost. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 56, 205-211	2.4	2
67	Reproducibility of acute pulmonary vein isolation guided by the ablation index. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 874-881	1.6	11

66	Oesophageal perforation: an unexpected complication during extraction of a pacing lead. A case report. <i>European Heart Journal - Case Reports</i> , 2019 , 3, ytz008	0.9	1
65	Comment on "Venous access site closure with vascular closure device vs. manual compression in patients undergoing catheter ablation or left atrial appendage occlusion under uninterrupted anticoagulation: a multi-centre experience on efficacy and complications". <i>Europace</i> , 2019 , 21, 997-998	3.9	
64	Half a century of continuous pacing: a living witness to the evolution of a technology. <i>Europace</i> , 2019 , 21, 548-553	3.9	
63	Effect of Catheter Ablation vs Medical Therapy on Quality of Life Among Patients With Atrial Fibrillation: The CABANA Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1275-1285	27.4	209
62	Aware of the evils of life-saving antidote of heparin: clues from 12-lead electrocardiogram during protamine-mediated adverse events-AuthorsReply. <i>Europace</i> , 2019 , 21, 991-992	3.9	
61	A multicentered evaluation of ablation at higher power guided by ablation index: Establishing ablation targets for pulmonary vein isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 357-365	3.7	50
60	Cardiac arrest following protamine administration: a case series. <i>Europace</i> , 2019 , 21, 886-892	3.9	11
59	Successful percutaneous lead extraction 15 years after a failed extraction attempt. <i>Europace</i> , 2019 , 21, 762	3.9	
58	Proteomics of the epicardial fat secretome and its role in post-operative atrial fibrillation. <i>Europace</i> , 2018 , 20, 1201-1208	3.9	18
57	Left ventricular lead misplacement discovered a decade after cardiac resynchronization therapy-defibrillator implantation: a case report. <i>European Heart Journal - Case Reports</i> , 2018 , 2, yty071	0.9	
56	Concealed conduction in atrial tachyarrhythmia illustrated in a heartbeat. <i>HeartRhythm Case Reports</i> , 2018 , 4, 195-196	1	2
55	Non-laser percutaneous extraction of pacemaker and defibrillation leads: a decade of progress. <i>Europace</i> , 2017 , 19, 1521-1526	3.9	14
54	A Fibrillating Left Atrial Appendage During Sinus Rhythm. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 524-525	4.1	
53	Initial clinical results with the ThermoCool SmartTouch Surround Flow catheter. <i>Europace</i> , 2017 , 19, 1317-1321	3.9	11
52	An isolated T wave. <i>European Heart Journal - Case Reports</i> , 2017 , 1, ytx017	0.9	
51	Ventricular fibrillation treated by cryotherapy to the right ventricular outflow tract: a case report. <i>Journal of Medical Case Reports</i> , 2016 , 10, 256	1.2	2
50	Cryoballoon Isolation of the Superior Vena Cava. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 529-531	4.6	10
49	The Ventricular Ectopic QRS Interval: A Potential Marker for Ventricular Arrhythmia in Ischemic Heart Disease. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 587-595	4.6	3

48	The ventricular ectopic QRS interval (VEQSI): Diagnosis of arrhythmogenic right ventricular cardiomyopathy in patients with incomplete disease expression. <i>Heart Rhythm</i> , 2016 , 13, 1504-12	6.7	8
47	Femoral implantation and pull through as an adjunct to traditional methods in cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2016 , 13, 1260-5	6.7	5
46	Successful transvenous lead extraction after a failed open surgical attempt. <i>Europace</i> , 2016 , 18, 130	3.9	4
45	Evaluation of the Achieve Mapping Catheter in cryoablation for atrial fibrillation: a prospective randomized trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016 , 45, 179-87	2.4	5
44	Cryoballoon Pulmonary Vein Isolation After Lung Lobectomy. <i>JACC: Clinical Electrophysiology</i> , 2015 , 1, 461-462	4.6	2
43	The efficacy and tolerability of commonly used agents to prevent recurrence of atrial fibrillation after successful cardioversion. <i>American Journal of Cardiovascular Drugs</i> , 2014 , 14, 241-51	4	3
42	A pacing lead repositioned without incising the skin: a simplified approach. <i>Europace</i> , 2014 , 16, 305	3.9	1
41	P-wave abnormality predicts recurrence of atrial fibrillation after electrical cardioversion: a prospective study. <i>Annals of Noninvasive Electrocardiology</i> , 2014 , 19, 57-62	1.5	28
40	Response to baranchuk et Al. <i>Annals of Noninvasive Electrocardiology</i> , 2014 , 19, 409	1.5	
39	Feasibility and efficacy of simultaneous pulmonary vein isolation and cavotricuspid isthmus ablation using cryotherapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 714-8	2.7	5
38	To the Editor--The Jurdham procedure: endocardial left ventricular lead insertion via a femoral transeptal sheath for cardiac resynchronization therapy pectoral device implantation. <i>Heart Rhythm</i> , 2013 , 10, e1	6.7	
37	Response to Letter by: Chase, doi: 10.1016/j.jsha.2012.01.001. <i>Journal of the Saudi Heart Association</i> , 2012 , 24, 147	0.7	
36	Successful ablation for atrioventricular nodal reentrant tachycardia in a patient with left atrial isomerism. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e291-2	1.6	3
35	Ventricular automaticity as a predictor of sudden death in ischaemic heart disease. <i>Europace</i> , 2012 , 14, 795-803	3.9	9
34	Safety and feasibility of cephalic venous access for cardiac resynchronization device implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 365-9	1.6	12
33	Evaluation of femoral approach to coronary sinus catheterisation in electrophysiological and ablation procedures: Single centre experience. <i>Journal of the Saudi Heart Association</i> , 2011 , 23, 213-6	0.7	2
32	Ventricular pauses during atrial fibrillation predict relapse after electrical cardioversion: a prospective study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 934-8	1.6	2
31	Femoral vein implantation with subclavian vein pullthrough for left ventricular lead placement. <i>Europace</i> , 2010 , 12, 1193-4	3.9	6

30	A distinctly bimodal distribution pattern in the RR interval histogram predicts early recurrence of atrial fibrillation after electrical cardioversion. <i>International Journal of Cardiology</i> , 2010 , 145, 244-245	3.2	2
29	Arrhythmic complications of electrical cardioversion: relationship to shock energy. <i>International Journal of Cardiology</i> , 2008 , 123, 307-12	3.2	41
28	Potential demographic and baseline variables for risk stratification of high-risk post-myocardial infarction patients in the era of implantable cardioverter-defibrillator--a prognostic indicator. <i>International Journal of Cardiology</i> , 2008 , 126, 101-7	3.2	9
27	Prevalence and significance of Brugada-type ECG in 12,012 apparently healthy European subjects. <i>International Journal of Cardiology</i> , 2008 , 130, 44-8	3.2	79
26	Revascularization strategy in patients with multivessel disease and a major vessel chronically occluded; data from the CABRI trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2008 , 33, 4-8	3	10
25	Transthoracic versus transesophageal cardioversion of atrial fibrillation under light sedation: a prospective randomized trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1469-75	1.6	6
24	Feasibility and safety of a simplified draping method for pacing procedures. <i>Europace</i> , 2007 , 9, 890-3	3.9	4
23	Electrocardiographic markers of structural heart disease and predictors of death in 2332 unselected patients undergoing outpatient Holter recording. <i>Europace</i> , 2007 , 9, 1203-8	3.9	8
22	Coronary spasm: a case of transient ST elevation and syncopal ventricular tachycardia without angina. <i>Europace</i> , 2007 , 9, 568-70	3.9	5
21	Optimising the dichotomy limit for left ventricular ejection fraction in selecting patients for defibrillator therapy after myocardial infarction. <i>Heart</i> , 2007 , 93, 832-6	5.1	21
20	Outpatient oesophageal-precordial electrical cardioversion of atrial fibrillation: an effective and safe technique to restore sinus rhythm. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 488-93	1.9	4
19	Prognostic value of blood pressure measured during hospitalization after acute myocardial infarction: an insight from survival trials. <i>Journal of Hypertension</i> , 2007 , 25, 307-13	1.9	14
18	Appropriateness of ECG Holter requests in an outpatient service: a prospective study. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 517-20	1.9	2
17	Distribution and prognostic significance of QT intervals in the lowest half centile in 12,012 apparently healthy persons. <i>American Journal of Cardiology</i> , 2006 , 98, 933-5	3	93
16	Prognostic significance of serial P wave signal-averaged electrocardiograms following external electrical cardioversion for persistent atrial fibrillation: a prospective study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 299-304	1.6	19
15	Embolitic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 926-33	15.1	136
14	Initial energy setting, outcome and efficiency in direct current cardioversion of atrial fibrillation and flutter. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 1498-504	15.1	75
13	Consistency of multicenter measurements of heart rate variability in survivors of acute myocardial infarction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000 , 23, 157-64	1.6	8

12	Failure of magnesium to protect isolated cardiomyocytes from effects of hypoxia or metabolic poisoning. <i>Clinical Cardiology</i> , 2000 , 23, 530-4	3.3	6
11	Comparison of formulae for heart rate correction of QT interval in exercise electrocardiograms. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999 , 22, 1397-401	1.6	69
10	Circadian Pattern of QT/RR Adaptation in Patients with and Without Sudden Cardiac Death after Myocardial Infarction. <i>Annals of Noninvasive Electrocardiology</i> , 1999 , 4, 286-294	1.5	10
9	Effect of moderate physical exercise on noninvasive cardiac autonomic tests in healthy volunteers. <i>International Journal of Cardiology</i> , 1999 , 69, 155-68	3.2	11
8	Optimum lead positioning for recording bipolar atrial electrocardiograms during sinus rhythm and atrial fibrillation. <i>Clinical Cardiology</i> , 1998 , 21, 825-30	3.3	15
7	Schemes of classification. Replace a number of complicated systems with a simple division of atrial fibrillation (AF) based on temporal pattern. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 776-7	1.6	2
6	Evolution of changes in the ventricular rhythm during paroxysmal atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 2450-4	1.6	3
5	Circadian variation of the QT interval in patients with sudden cardiac death after myocardial infarction. <i>American Journal of Cardiology</i> , 1998 , 81, 950-6	3	35
4	Classification of atrial fibrillation. <i>American Journal of Cardiology</i> , 1998 , 82, 18N-28N	3	80
3	Rapid recurrence of pulmonary hypertension following cessation of nifedipine. <i>Postgraduate Medical Journal</i> , 1998 , 74, 111-2	2	
2	Tachycardia-induced atrial myopathy: an important mechanism in the pathophysiology of atrial fibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 1065-74	2.7	27
1	Long-term management of atrial fibrillation. <i>Clinical Cardiology</i> , 1997 , 20, 381-90	3.3	5