

Ricardo Gusmão

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5427239/publications.pdf>

Version: 2024-02-01

42
papers

1,997
citations

361045

20
h-index

315357

38
g-index

48
all docs

48
docs citations

48
times ranked

2549
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of a video-based randomized controlled trial intervention on depression stigma and help-seeking attitudes in university students. <i>Psychiatry Research</i> , 2022, 308, 114356.	1.7	9
2	The association between stigmatizing attitudes towards depression and help seeking attitudes in college students. <i>PLoS ONE</i> , 2022, 17, e0263622.	1.1	14
3	Psychometric properties of the Depression Stigma Scale in the Portuguese population and its association with gender and depressive symptomatology. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 42.	1.0	1
4	A systematic review of older adults' request for or attitude toward euthanasia or assisted-suicide. <i>Aging and Mental Health</i> , 2021, 25, 420-430.	1.5	27
5	A New Viewpoint on the Etiopathogenesis of Depression: Insights From the Neurophysiology of Deep Brain Stimulation in Parkinson's Disease and Treatment-Resistant Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 607339.	1.3	7
6	Suicide time-series structural change analysis in Portugal (1913-2018): Impact of register bias on suicide trends. <i>Journal of Affective Disorders</i> , 2021, 291, 65-75.	2.0	4
7	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 765128.	1.3	2
8	The Association Between Changes in the University Educational Setting and Peer Relationships: Effects in Students' Depressive Symptoms During the COVID-19 Pandemic. <i>Frontiers in Psychiatry</i> , 2021, 12, 783776.	1.3	19
9	Tendências Seculares na Mortalidade por Doenças Cerebrovasculares em Portugal: 1902-2012. <i>Revista De Medicina Internaf, Neurologie, Psihiatrie, Neurochirurgie, Dermato-venerologie MedicinAf InternAf</i> , 2020, 27, 139-144.	0.0	0
10	Prevention of suicidal behaviour: Results of a controlled community-based intervention study in four European countries. <i>PLoS ONE</i> , 2019, 14, e0224602.	1.1	27
11	Effectiveness of General Practitioner training to improve suicide awareness and knowledge and skills towards depression. <i>Journal of Affective Disorders</i> , 2018, 227, 17-23.	2.0	21
12	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). <i>European Neuropsychopharmacology</i> , 2018, 28, 185-194.	0.3	9
13	EUDORA multi-centre research program: A naturalistic, European Multi-centre Clinical study of EDOR Test in adult patients with primary depression. <i>BMC Psychiatry</i> , 2017, 17, 108.	1.1	7
14	Public attitudes toward depression and help-seeking: Impact of the OSPI-Europe depression awareness campaign in four European regions. <i>Journal of Affective Disorders</i> , 2017, 217, 252-259.	2.0	49
15	A cross-national study on gender differences in suicide intent. <i>BMC Psychiatry</i> , 2017, 17, 234.	1.1	204
16	Enhancing mental health literacy in young people. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 567-569.	2.8	91
17	Effectiveness of Depression's Suicidal Behaviour Gatekeeper Training among police officers in three European regions: Outcomes of the Optimising Suicide Prevention Programmes and Their Implementation in Europe (OSPI-Europe) study. <i>International Journal of Social Psychiatry</i> , 2016, 62, 651-660.	1.6	23
18	Exploring synergistic interactions and catalysts in complex interventions: longitudinal, mixed methods case studies of an optimised multi-level suicide prevention intervention in four European countries (Ospi-Europe). <i>BMC Public Health</i> , 2016, 16, 268.	1.2	44

#	ARTICLE	IF	CITATIONS
19	Contribution to the validation of the Kutcher Adolescent Depression Scale (KADS-6) in a Portuguese population. <i>Psicologia: Reflexao E Critica</i> , 2015, 28, 313-321.	0.4	3
20	What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. <i>PLoS ONE</i> , 2015, 10, e0129062.	1.1	151
21	Depression Awareness and Self-Management Through the Internet: Protocol for an Internationally Standardized Approach. <i>JMIR Research Protocols</i> , 2015, 4, e99.	0.5	22
22	How to Adjust Media Recommendations on Reporting Suicidal Behavior to New Media Developments. <i>Archives of Suicide Research</i> , 2014, 18, 156-169.	1.2	28
23	Effectiveness of community facilitator training in improving knowledge, attitudes, and confidence in relation to depression and suicidal behavior: Results of the OSPI-Europe intervention in four European countries. <i>Journal of Affective Disorders</i> , 2014, 165, 142-150.	2.0	69
24	EPA-1387 “The case for a structured up-to-date suicide national prevention strategy based on the 4-level approach: lessons from EAAD and OSPI-Europe in Portugal. <i>European Psychiatry</i> , 2014, 29, 1.	0.1	0
25	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. <i>BMC Psychiatry</i> , 2013, 13, 71.	1.1	15
26	Developing social capital in implementing a complex intervention: a process evaluation of the early implementation of a suicide prevention intervention in four European countries. <i>BMC Public Health</i> , 2013, 13, 158.	1.2	35
27	Financial crisis, austerity, and health in Europe. <i>Lancet, The</i> , 2013, 382, 391.	6.3	16
28	Public attitudes toward depression and help-seeking in four European countries baseline survey prior to the OSPI-Europe intervention. <i>Journal of Affective Disorders</i> , 2013, 150, 320-329.	2.0	129
29	Financial crisis, austerity, and health in Europe. <i>Lancet, The</i> , 2013, 382, 391-392.	6.3	24
30	Media recommendations on reporting suicidal behaviour and suggestions for optimisation. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, n/a-n/a.	2.2	4
31	Antidepressant Utilization and Suicide in Europe: An Ecological Multi-National Study. <i>PLoS ONE</i> , 2013, 8, e66455.	1.1	109
32	Suicide after 65 years old: current data in Portugal. , 2013, , 321-334.		0
33	Drug suicide: a sex-equal cause of death in 16 European countries. <i>BMC Public Health</i> , 2011, 11, 61.	1.2	20
34	Best Practice Elements of Multilevel Suicide Prevention Strategies. <i>Crisis</i> , 2011, 32, 319-333.	0.9	214
35	Intermediate outcome criteria and evaluation of suicide prevention programmes: a review. <i>Injury Prevention</i> , 2010, 16, A234-A234.	1.2	0
36	Suicide registration in eight European countries: A qualitative analysis of procedures and practices. <i>Forensic Science International</i> , 2010, 202, 86-92.	1.3	54

#	ARTICLE	IF	CITATIONS
37	Munchausen syndrome mimicking psychiatric disease with concomitant genuine physical illness. <i>BMJ Case Reports</i> , 2010, 2010, bcr0720103142-bcr0720103142.	0.2	6
38	Optimizing Suicide Prevention Programs and Their Implementation in Europe (OSPI Europe): an evidence-based multi-level approach. <i>BMC Public Health</i> , 2009, 9, 428.	1.2	104
39	Gender issues in suicide rates, trends and methods among youths aged 15â€“24 in 15 European countries. <i>Journal of Affective Disorders</i> , 2009, 113, 216-226.	2.0	101
40	The â€œEuropean Alliance Against Depression (EAAD)â€™™: A multifaceted, community-based action programme against depression and suicidality. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 51-58.	1.3	101
41	Suicide methods in Europe: a gender-specific analysis of countries participating in the "European Alliance Against Depression". <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 545-551.	2.0	221
42	Assessment of dysfunctional working models of self and others in schizophrenic patients: a summary of data collected in nine nations. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 336-341.	2.2	4