Mirjam Christ-Crain

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5428018/mirjam-christ-crain-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219 10,620 53 99 g-index

232 12,456 7 6.23 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
219	No obesity paradox in patients with community-acquired pneumonia - secondary analysis of a randomized controlled trial <i>Nutrition and Diabetes</i> , 2022 , 12, 12	4.7	O
218	Effect of hyponatremia normalization on osteoblast function in patients with SIAD. <i>European Journal of Endocrinology</i> , 2021 , 186, 1-8	6.5	1
217	Diabetes insipidus. <i>Presse Medicale</i> , 2021 , 50, 104093	2.2	О
216	Multicenter, Observational Study of Lanreotide Autogel for the Treatment of Patients with Acromegaly in Routine Clinical Practice in Germany, Austria and Switzerland. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2021 , 129, 224-233	2.3	3
215	Impact of Adrenal Function on Hemostasis/Endothelial Function in Patients Undergoing Surgery. Journal of the Endocrine Society, 2021 , 5, bvab047	0.4	O
214	Diagnosis and management of diabetes insipidus for the internist: an update. <i>Journal of Internal Medicine</i> , 2021 , 290, 73-87	10.8	5
213	Prevalence and outcome of dysnatremia in patients with COVID-19 compared to controls. <i>European Journal of Endocrinology</i> , 2021 , 184, 409-418	6.5	13
212	Effects of interleukin-1 antagonism and corticosteroids on fibroblast growth factor-21 in patients with metabolic syndrome. <i>Scientific Reports</i> , 2021 , 11, 7911	4.9	0
211	Incidence of hyperkalemia during hypertonic saline test for the diagnosis of diabetes insipidus. <i>Endocrine Connections</i> , 2021 , 10, 401-409	3.5	1
2 10	Oxytocin Levels in Response to Pituitary Provocation Tests in Healthy Volunteers. <i>Journal of the Endocrine Society</i> , 2021 , 5, A631-A631	0.4	78
209	Duration of antibiotic treatment using procalcitonin-guided treatment algorithms in older patients: a patient-level meta-analysis from randomized controlled trials. <i>Age and Ageing</i> , 2021 , 50, 1546-1556	3	1
208	Validity of Different Copeptin Assays in the Differential Diagnosis of the Polyuria-Polydipsia Syndrome. <i>Journal of the Endocrine Society</i> , 2021 , 5, A637-A637	0.4	78
207	Validity of different copeptin assays in the differential diagnosis of the polyuria-polydipsia syndrome. <i>Scientific Reports</i> , 2021 , 11, 10104	4.9	2
206	Syndrome of inappropriate antidiuretic hormone secretion and hypothalamic hypocortisolism in neuromyelitis optica. <i>Lancet, The</i> , 2021 , 397, 2194	40	
205	Influence of Prednisone on Inflammatory Biomarkers in Community-Acquired Pneumonia: Secondary Analysis of a Randomized Trial. <i>Journal of Clinical Pharmacology</i> , 2021 , 61, 1406-1414	2.9	2
204	Pituitary Society Delphi Survey: An international perspective on endocrine management of patients undergoing transsphenoidal surgery for pituitary adenomas. <i>Pituitary</i> , 2021 , 1	4.3	2
203	Effects of oral macimorelin on copeptin and anterior pituitary hormones in healthy volunteers. <i>Pituitary</i> , 2021 , 24, 555-563	4.3	2

(2020-2021)

202	Can treatment response to SGLT2-inhibitors in syndrome of inappropriate antidiuresis be predicted by copeptin, natriuretic peptides and inflammatory markers?. <i>Biomarkers</i> , 2021 , 26, 647-655	2.6	0
2 01	Hyponatremia Intervention Trial (HIT): Study Protocol of a Randomized, Controlled, Parallel-Group Trial With Blinded Outcome Assessment. <i>Frontiers in Medicine</i> , 2021 , 8, 729545	4.9	1
200	A randomized controlled trial of the GLP-1 receptor agonist dulaglutide in primary polydipsia. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	1
199	Oxytocin levels in response to pituitary provocation tests in healthy volunteers. <i>European Journal of Endocrinology</i> , 2021 , 185, 355-364	6.5	1
198	ENDOCRINOLOGY IN THE TIME OF COVID-19-2021 UPDATES: The management of diabetes insipidus and hyponatraemia. <i>European Journal of Endocrinology</i> , 2021 , 185, G35-G42	6.5	4
197	Low arginine vasopressin levels in patients with diabetes insipidus are not associated with anaemia. <i>Clinical Endocrinology</i> , 2020 , 93, 456-465	3.4	2
196	Independent Prognostic Value of MRproANP (Midregional Proatrial Natriuretic Peptide) Levels in Patients With Stroke Is Unaltered Over Time. <i>Stroke</i> , 2020 , 51, 1873-1875	6.7	5
195	Proenkephalin A Adds No Incremental Prognostic Value After Acute Ischemic Stroke. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020 , 26, 1076029619895318	3.3	3
194	Effects of glucagon-like peptide-1 receptor agonists on fluid intake in healthy volunteers. <i>Endocrine</i> , 2020 , 70, 292-298	4	3
193	Metformin to reduce metabolic complications and inflammation in patients on systemic glucocorticoid therapy: a randomised, double-blind, placebo-controlled, proof-of-concept, phase 2 trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2020 , 8, 278-291	18.1	27
192	Mild to moderate hyponatremia at discharge is associated with increased risk of recurrence in patients with community-acquired pneumonia. <i>European Journal of Internal Medicine</i> , 2020 , 75, 44-49	3.9	9
191	Use of copeptin in the diagnosis of polyuria-polydipsia syndrome - AuthorsRreply. <i>Lancet, The</i> , 2020 , 395, 267-268	40	
190	Effects of alcohol consumption on copeptin levels and sodium-water homeostasis. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F702-F709	4.3	1
189	Diabetes Insipidus: New Concepts for Diagnosis. <i>Neuroendocrinology</i> , 2020 , 110, 859-867	5.6	10
188	Association of kidney function with effectiveness of procalcitonin-guided antibiotic treatment: apatient-level meta-analysis from randomized controlled trials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 441-453	5.9	6
187	Copeptin is not useful as a marker of malignant disease in the syndrome of inappropriate antidiuresis. <i>Endocrine Connections</i> , 2020 , 9, 20-27	3.5	3
186	The role of IL-1 in the regulation of copeptin in patients with metabolic syndrome. <i>Endocrine Connections</i> , 2020 , 9, 715-723	3.5	3
185	ENDOCRINOLOGY IN THE TIME OF COVID-19: Management of diabetes insipidus and hyponatraemia. <i>European Journal of Endocrinology</i> , 2020 , 183, G9-G15	6.5	38

184	Seasonality of Hypoosmolar Hyponatremia in Medical Inpatients - Data from a Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
183	Diabetes Insipidus: An Update. Endocrinology and Metabolism Clinics of North America, 2020, 49, 517-53	1 5.5	16
182	Excess Mortality Among Hospitalized Patients With Hypopituitarism-A Population-Based, Matched-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
181	Hyponatremia at discharge: A solid risk or accidental findings in community acquired pneumonia - AuthorsRreply. <i>European Journal of Internal Medicine</i> , 2020 , 78, 137-138	3.9	1
180	Risk of Adverse Clinical Outcomes in Hyponatremic Adult Patients Hospitalized for Acute Medical Conditions: A Population-Based Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
179	Copeptin response to hypoglycemic stress is linked to prolactin activation in children. <i>Pituitary</i> , 2020 , 23, 681-690	4.3	4
178	Copeptin Istellenwert in der Diagnostik des Polyurie-Polydipsie-Syndroms. <i>Austrian Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 13, 142-150	0.2	
177	Copeptin in the differential diagnosis of hypotonic polyuria. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 21-30	5.2	6
176	A Randomized Trial of Empagliflozin to Increase Plasma Sodium Levels in Patients with the Syndrome of Inappropriate Antidiuresis. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 615-624	12.7	11
175	IL (Interleukin)-1 Receptor Antagonist Increases Ang (Angiotensin [1-7]) and Decreases Blood Pressure in Obese Individuals. <i>Hypertension</i> , 2020 , 75, 1455-1463	8.5	7
174	Effect of Arginine on the Hypothalamic-Pituitary-Adrenal Axis in Individuals With and Without Vasopressin Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	1
173	C-Terminal-Pro-Endothelin-1 Adds Incremental Prognostic Value for Risk Stratification After Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020 , 11, 629151	4.1	1
172	Vasopressin and Copeptin in health and disease. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019 , 20, 283-294	10.5	28
171	Chronic low-grade inflammation in polycystic ovary syndrome: is there a (patho)-physiological role for interleukin-1?. <i>Seminars in Immunopathology</i> , 2019 , 41, 447-459	12	19
170	Exercise upregulates copeptin levels which is not regulated by interleukin-1. <i>PLoS ONE</i> , 2019 , 14, e0217	78,0,0	9
169	Copeptin and its role in the diagnosis of diabetes insipidus and the syndrome of inappropriate antidiuresis. <i>Clinical Endocrinology</i> , 2019 , 91, 22-32	3.4	27
168	A novel biomarker-based prognostic score in acute ischemic stroke: The CoRisk score. <i>Neurology</i> , 2019 , 92, e1517-e1525	6.5	23
167	Influence of Outdoor Temperature and Relative Humidity on Incidence and Etiology of Hyponatremia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1304-1312	5.6	2

166	Cytokines and Cortisol - predictors of treatment response to corticosteroids in community-acquired pneumonia?. <i>Journal of Internal Medicine</i> , 2019 , 286, 75-87	10.8	5
165	Resolution of Hypothyroidism Restores Cold-Induced Thermogenesis in Humans. <i>Thyroid</i> , 2019 , 29, 493	-5021	13
164	Diabetes insipidus. <i>Nature Reviews Disease Primers</i> , 2019 , 5, 54	51.1	73
163	EJE AWARD 2019: New diagnostic approaches for patients with polyuria polydipsia syndrome. <i>European Journal of Endocrinology</i> , 2019 , 181, R11-R21	6.5	9
162	Arginine-stimulated copeptin measurements in the differential diagnosis of diabetes insipidus: a prospective diagnostic study. <i>Lancet, The</i> , 2019 , 394, 587-595	40	50
161	Effects of interleukin-1 antagonism on cortisol levels in individuals with obesity: a randomized clinical trial. <i>Endocrine Connections</i> , 2019 , 8, 701-708	3.5	3
160	Markers of systemic inflammation in response to osmotic stimulus in healthy volunteers. <i>Endocrine Connections</i> , 2019 , 8, 1282-1287	3.5	1
159	The challenges of sodium measurements: indirect versus direct ion-selective method. <i>European Journal of Endocrinology</i> , 2019 , 181, 193-199	6.5	6
158	Association of adrenal insufficiency with patient-oriented health-care outcomes in adult medical inpatients. <i>European Journal of Endocrinology</i> , 2019 , 181, 701-709	6.5	8
157	SAT-066 Effect Of Interleukin-1-receptor Antagonist On Hemodynamics And Renin-angiotensin-aldosterone System In Obese Individuals. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
156	Estimation of treatment allocation in a randomised, double-blinded, placebo-controlled trial. <i>Swiss Medical Weekly</i> , 2019 , 149, w20114	3.1	
155	Copeptin levels upon corticosteroid treatment in acute community-acquired pneumonia. <i>Journal of Investigative Medicine</i> , 2019 , 67, e1	2.9	2
154	Fibroblast growth factor 21 predicts outcome in community-acquired pneumonia: secondary analysis of two randomised controlled trials. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	8
153	Procalcitonin-guided Antibiotic Treatment in Patients With Positive Blood Cultures: A Patient-level Meta-analysis of Randomized Trials. <i>Clinical Infectious Diseases</i> , 2019 , 69, 388-396	11.6	40
152	Effects of Glucagon-Like Peptide-1 Receptor Agonists on Hypothalamic-Pituitary-Adrenal Axis in Healthy Volunteers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 202-208	5.6	3
151	Cosyntropin testing does not predict response to glucocorticoids in community-acquired pneumonia in a randomized controlled trial. <i>Clinical Endocrinology</i> , 2019 , 91, 374-382	3.4	3
150	Reply to Stern et al. Clinical Infectious Diseases, 2018, 67, 1467-1468	11.6	
149	Hyponatremia and activation of vasopressin secretion are both independently associated with 30-day mortality: results of a multicenter, observational study. <i>Journal of Internal Medicine</i> , 2018 , 284, 270-281	10.8	7

148	Release and Decay Kinetics of Copeptin vs AVP in Response to Osmotic Alterations in Healthy Volunteers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 505-513	5.6	47
147	Retrospective assessment of resource use and costs in two investigator-initiated randomized trials exemplified a comprehensive cost item list. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 73-83	5.7	13
146	Serum neurofilament light chain in patients with acute cerebrovascular events. <i>European Journal of Neurology</i> , 2018 , 25, 562-568	6	49
145	Midregional proatrial natriuretic peptide improves risk stratification after ischemic stroke. Neurology, 2018, 90, e455-e465	6.5	14
144	Copeptin levels and commonly used laboratory parameters in hospitalised patients with severe hypernatraemia - the "Co-MED study". <i>Critical Care</i> , 2018 , 22, 33	10.8	9
143	Corticosteroids in Patients Hospitalized With Community-Acquired Pneumonia: Systematic Review and Individual Patient Data Metaanalysis. <i>Clinical Infectious Diseases</i> , 2018 , 66, 346-354	11.6	59
142	Markers of neutrophil extracellular traps predict adverse outcome in community-acquired pneumonia: secondary analysis of a randomised controlled trial. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	54
141	Gut, microbiota-dependent trimethylamine-N-oxide is associated with long-term all-cause mortality in patients with exacerbated chronic obstructive pulmonary disease. <i>Nutrition</i> , 2018 , 45, 135-141.e1	4.8	24
140	Effect of procalcitonin-guided antibiotic treatment on mortality in acute respiratory infections: a patient level meta-analysis. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, 95-107	25.5	233
139	A Copeptin-Based Approach in the Diagnosis of Diabetes Insipidus. <i>New England Journal of Medicine</i> , 2018 , 379, 428-439	59.2	99
138	Association of the Tyrosine/Nitrotyrosine pathway with death or ICU admission within 30 days for patients with community acquired pneumonia. <i>BMC Infectious Diseases</i> , 2018 , 18, 423	4	2
137	Diabetes insipidus in pregnancy: how to advice the patient?. <i>Minerva Endocrinology</i> , 2018 , 43, 458-464	2.5	4
136	FGF-21 levels in polyuria-polydipsia syndrome. <i>Endocrine Connections</i> , 2018 , 7, 1501-1506	3.5	
135	Cortisol Outperforms Novel Cardiovascular, Inflammatory, and Neurohumoral Biomarkers in the Prediction of Outcome in Acute Pancreatitis. <i>Pancreas</i> , 2018 , 47, 55-64	2.6	5
134			
- 9 4	Association of adrenal hormone metabolites and mortality over a 6-year follow-up in COPD patients with acute exacerbation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 669-680	5.9	9
133		5·9 7·3	9
	patients with acute exacerbation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 669-680 Dihydrotestosterone is a predictor for mortality in males with community-acquired pneumonia:	7:3	

130	Impact of chronic hyponatremia on neurocognitive and neuromuscular function. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e13022	4.6	14
129	Procalcitonin-guided antibiotic therapy algorithms for different types of acute respiratory infections based on previous trials. <i>Expert Review of Anti-Infective Therapy</i> , 2018 , 16, 555-564	5.5	31
128	The natriuretic peptide MR-proANP predicts all-cause mortality and adverse outcome in community patients: a 10-year follow-up study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 1407-1416	5.9	7
127	Admission levels of asymmetric and symmetric dimethylarginine predict long-term outcome in patients with community-acquired pneumonia. <i>Respiratory Research</i> , 2017 , 18, 25	7.3	4
126	Metformin prevents metabolic side effects during systemic glucocorticoid treatment. <i>European Journal of Endocrinology</i> , 2017 , 176, 349-358	6.5	23
125	"La Monstrua Desnuda": an artistic textbook representation of Prader-Willi syndrome in a painting of Juan Carre de Miranda (1680). <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 691-692	5.2	2
124	Activation of the Serotonin Pathway is Associated with Poor Outcome in COPD Exacerbation: Results of a Long-Term Cohort Study. <i>Lung</i> , 2017 , 195, 303-311	2.9	10
123	Characteristics and outcomes of patients with profound hyponatraemia due to primary polydipsia. <i>Clinical Endocrinology</i> , 2017 , 87, 492-499	3.4	22
122	Interleukin-1 Antagonism Decreases Cortisol Levels in Obese Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1712-1718	5.6	16
121	Time-dependent association of glucocorticoids with adverse outcome in community-acquired pneumonia: a 6-year prospective cohort study. <i>Critical Care</i> , 2017 , 21, 72	10.8	11
120	Comparison of 1 mg versus 2 mg Dexamethasone Suppression Test in Patients with Obesity. Hormone and Metabolic Research, 2017 , 49, 854-859	3.1	1
119	Procalcitonin to initiate or discontinue antibiotics in acute respiratory tract infections. <i>The Cochrane Library</i> , 2017 , 10, CD007498	5.2	131
118	Empagliflozin Increases Short-Term Urinary Volume Output in Artificially Induced Syndrome of Inappropriate Antidiuresis. <i>International Journal of Endocrinology</i> , 2017 , 2017, 7815690	2.7	11
117	Copeptin for risk stratification in non-traumatic headache in the emergency setting: a prospective multicenter observational cohort study. <i>Journal of Headache and Pain</i> , 2017 , 18, 21	8.8	6
116	Pro-Adrenomedullin predicts 10-year all-cause mortality in community-dwelling patients: a prospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 178	2.3	7
115	MicroRNA 150-5p Improves Risk Classification for Mortality within 90 Days after Acute Ischemic Stroke. <i>Journal of Stroke</i> , 2017 , 19, 323-332	5.6	21
114	Artificial Syndrome of Inappropriate Antidiuresis Model as Potential Use for Diagnostic and Therapeutic Strategies. <i>Hormone and Metabolic Research</i> , 2017 , 49, 673-679	3.1	2
113	Asymmetric Dimethylarginine Predicts Long-Term Outcome in Patients with Acute Exacerbation of Chronic Obstructive Pulmonary Disease. <i>Lung</i> , 2017 , 195, 717-727	2.9	12

112	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2017 , 43, 1751-1763	14.5	123
111	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2017 , 45, 2078-2088	1.4	140
110	Critical illness-related corticosteroid insufficiency (CIRCI): a narrative review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2017 , 43, 1781-1792	14.5	77
109	Critical Illness-Related Corticosteroid Insufficiency (CIRCI): A Narrative Review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Critical Care Medicine</i> , 2017 , 45, 2089-2098	1.4	31
108	Effects of procalcitonin testing on antibiotic use and clinical outcomes in patients with upper respiratory tract infections. An individual patient data meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 56, 170-177	5.9	12
107	Obesity paradox in patients with community-acquired pneumonia: Is inflammation the missing link?. <i>Nutrition</i> , 2017 , 33, 304-310	4.8	24
106	Evaluation of copeptin and commonly used laboratory parameters for the differential diagnosis of profound hyponatraemia in hospitalized patients: The Co-MED StudyR <i>Clinical Endocrinology</i> , 2017 , 86, 456-462	3.4	31
105	The Circadian Rhythm of Copeptin, the C-Terminal Portion of Arginine Vasopressin. <i>Journal of Biomarkers</i> , 2017 , 2017, 4737082	0	16
104	Primary polydipsia in the medical and psychiatric patient: characteristics, complications and therapy. <i>Swiss Medical Weekly</i> , 2017 , 147, w14514	3.1	24
103	Trimethylamine-N-oxide (TMAO) predicts fatal outcomes in community-acquired pneumonia patients without evident coronary artery disease. <i>European Journal of Internal Medicine</i> , 2016 , 36, 67-73	3.9	28
102	Benefit of adjunct corticosteroids for community-acquired pneumonia in diabetic patients. <i>Diabetologia</i> , 2016 , 59, 2552-2560	10.3	12
101	Infection biomarkers in primary care patients with acute respiratory tract infections-comparison of Procalcitonin and C-reactive protein. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 43	3.5	20
100	Copeptin predicts 10-year all-cause mortality in community patients: a 10-year prospective cohort study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1681-90	5.9	6
99	Copeptin in the diagnosis of vasopressin-dependent disorders of fluid homeostasis. <i>Nature Reviews Endocrinology</i> , 2016 , 12, 168-76	15.2	104
98	A copeptin-based classification of the osmoregulatory defects in the syndrome of inappropriate antidiuresis. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016 , 30, 219-33	6.5	11
97	Copeptin as a biomarker and a diagnostic tool in the evaluation of patients with polyuria-polydipsia and hyponatremia. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016 , 30, 235-47	, 6.5	17
96	Metabolic syndrome and hypogonadismtwo peas in a pod. Swiss Medical Weekly, 2016 , 146, w14283	3.1	14
95	Profound hyponatraemia in the emergency department: a hot topic. <i>Swiss Medical Weekly</i> , 2016 , 146, w14396	3.1	

(2014-2016)

94	The National Early Warning Score (NEWS) for outcome prediction in emergency department patients with community-acquired pneumonia: results from a 6-year prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e011021	3	40
93	Prospective evaluation of biomarkers for prediction of quality of life in community-acquired pneumonia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1831-1846	5.9	11
92	Plasma Apelin Concentrations in Patients With Polyuria-Polydipsia Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1917-23	5.6	11
91	Long-term outcome of profound hyponatremia: a prospective 12 months follow-up study. <i>European Journal of Endocrinology</i> , 2016 , 175, 499-507	6.5	25
90	Predictors of nonresponse to fluid restriction in hyponatraemia due to the syndrome of inappropriate antidiuresis. <i>Journal of Internal Medicine</i> , 2016 , 280, 609-617	10.8	19
89	Pathogen- and antibiotic-specific effects of prednisone in community-acquired pneumonia. <i>European Respiratory Journal</i> , 2016 , 48, 1150-1159	13.6	26
88	Diagnostic Accuracy of Copeptin in the Differential Diagnosis of the Polyuria-polydipsia Syndrome: A Prospective Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2268-74	5.6	82
87	Prognostic value of procalcitonin in respiratory tract infections across clinical settings. <i>Critical Care</i> , 2015 , 19, 74	10.8	36
86	Symptoms and characteristics of individuals with profound hyponatremia: a prospective multicenter observational study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 470-5	5.6	41
85	Corticosteroid therapy for pneumonia - Authorß reply. <i>Lancet, The</i> , 2015 , 386, 956	40	1
84	Mid-regional pro-atrial natriuretic peptide and the assessment of volaemic status and differential	10.8	6
	diagnosis of profound hyponatraemia. <i>Journal of Internal Medicine</i> , 2015 , 278, 29-37	10.0	
83	diagnosis of profound hyponatraemia. <i>Journal of Internal Medicine</i> , 2015 , 278, 29-37 Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> , 2015 , 278, 174-84	10.8	42
83	Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> ,		4 ²
	Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> , 2015 , 278, 174-84 Economic evaluation of procalcitonin-guided antibiotic therapy in acute respiratory infections: a US	10.8	
82	Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> , 2015 , 278, 174-84 Economic evaluation of procalcitonin-guided antibiotic therapy in acute respiratory infections: a US health system perspective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 583-92 Postoperative Copeptin Concentration Predicts Diabetes Insipidus After Pituitary Surgery. <i>Journal</i>	10.8	55
82	Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> , 2015 , 278, 174-84 Economic evaluation of procalcitonin-guided antibiotic therapy in acute respiratory infections: a US health system perspective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 583-92 Postoperative Copeptin Concentration Predicts Diabetes Insipidus After Pituitary Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2275-82 Copeptin as a stress marker prior and after a written examinationthe CoEXAM study. <i>Stress</i> , 2015 ,	10.85.95.6	55
82 81 80	Clinical risk scores and blood biomarkers as predictors of long-term outcome in patients with community-acquired pneumonia: a 6-year prospective follow-up study. <i>Journal of Internal Medicine</i> , 2015 , 278, 174-84 Economic evaluation of procalcitonin-guided antibiotic therapy in acute respiratory infections: a US health system perspective. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 583-92 Postoperative Copeptin Concentration Predicts Diabetes Insipidus After Pituitary Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2275-82 Copeptin as a stress marker prior and after a written examinationthe CoEXAM study. <i>Stress</i> , 2015 , 18, 134-7 Steps to Take to Reduce Length of Hospital Stay in Patients With Lower Respiratory Tract	10.85.95.63	55

76	A copeptin-based classification of the osmoregulatory defects in the syndrome of inappropriate antidiuresis. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 2376-83	12.7	45
75	Excluding infection through procalcitonin testing improves outcomes of congestive heart failure patients presenting with acute respiratory symptoms: results from the randomized ProHOSP trial. <i>International Journal of Cardiology</i> , 2014 , 175, 464-72	3.2	48
74	Corticosteroid treatment for community-acquired pneumoniathe STEP trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 257	2.8	14
73	Adenovirus-specific IgG maturation as a surrogate marker in acute exacerbations of COPD. <i>Chest</i> , 2014 , 146, 339-347	5.3	3
72	Copeptin levels remain unchanged during the menstrual cycle. PLoS ONE, 2014, 9, e98240	3.7	9
71	Isolated insular strokes and plasma MR-proANP levels are associated with newly diagnosed atrial fibrillation: a pilot study. <i>PLoS ONE</i> , 2014 , 9, e92421	3.7	13
70	BNP but Not s-cTnln is associated with cardioembolic aetiology and predicts short and long term prognosis after cerebrovascular events. <i>PLoS ONE</i> , 2014 , 9, e102704	3.7	23
69	Pre-analytic factors and initial biomarker levels in community-acquired pneumonia patients. <i>BMC Anesthesiology</i> , 2014 , 14, 102	2.4	19
68	Copeptin concentrations during psychological stress: the PsyCo study. <i>European Journal of Endocrinology</i> , 2014 , 171, 737-42	6.5	35
67	Copeptin levels are independent of ingested nutrient type after standardised meal administrationthe CoMEAL study. <i>Biomarkers</i> , 2014 , 19, 557-62	2.6	9
66	Potential role of blood biomarkers in the management of nontraumatic intracerebral hemorrhage. <i>Cerebrovascular Diseases</i> , 2014 , 38, 395-409	3.2	46
65	Copeptin and risk stratification in patients with ischemic stroke and transient ischemic attack: the CoRisk study. <i>International Journal of Stroke</i> , 2013 , 8, 214-8	6.3	18
64	Glucose-dependent insulinotropic polypeptide induces cytokine expression, lipolysis, and insulin resistance in human adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 304, E1-13	6	55
63	Copeptin adds prognostic information after ischemic stroke: results from the CoRisk study. <i>Neurology</i> , 2013 , 80, 1278-86	6.5	69
62	Pancreatic stone protein predicts positive sputum bacteriology in exacerbations of COPD. <i>Chest</i> , 2013 , 143, 379-387	5.3	14
61	Prognostic value of dehydroepiandrosterone-sulfate and other parameters of adrenal function in acute ischemic stroke. <i>PLoS ONE</i> , 2013 , 8, e63224	3.7	16
60	Concentrations of the stress hormone copeptin increase upon hypoglycaemia in patients with type 1 diabetes dependent of hypoglycaemia awareness. <i>PLoS ONE</i> , 2013 , 8, e72876	3.7	8
59	Procalcitonin to initiate or discontinue antibiotics in acute respiratory tract infections. <i>Cochrane Database of Systematic Reviews</i> , 2012 , CD007498		150

(2010-2012)

58	Procalcitonin to guide initiation and duration of antibiotic treatment in acute respiratory infections: an individual patient data meta-analysis. <i>Clinical Infectious Diseases</i> , 2012 , 55, 651-62	11.6	195
57	Direct comparison of three natriuretic peptides for prediction of short- and long-term mortality in patients with community-acquired pneumonia. <i>Chest</i> , 2012 , 141, 974-982	5.3	51
56	Copeptin, procalcitonin and routine inflammatory markers-predictors of infection after stroke. <i>PLoS ONE</i> , 2012 , 7, e48309	3.7	58
55	Mannose-binding lectin deficiency is associated with smaller infarction size and favorable outcome in ischemic stroke patients. <i>PLoS ONE</i> , 2011 , 6, e21338	3.7	68
54	Symptoms, diagnosis and prognosis 2011 , 20-42		
53	Midregional proatrial natriuretic peptide predicts survival in exacerbations of COPD. <i>Chest</i> , 2011 , 140, 91-99	5.3	21
52	Anterior pituitary axis hormones and outcome in acute ischaemic stroke. <i>Journal of Internal Medicine</i> , 2011 , 269, 420-32	10.8	47
51	The role of routine echocardiography in unselected patients with cerebrovascular ischaemic events. <i>European Journal of Neurology</i> , 2011 , 18, 925-8	6	O
50	Enhancement of CURB65 score with proadrenomedullin (CURB65-A) for outcome prediction in lower respiratory tract infections: derivation of a clinical algorithm. <i>BMC Infectious Diseases</i> , 2011 , 11, 112	4	92
49	Targeting AMP-activated protein kinase in adipocytes to modulate obesity-related adipokine production associated with insulin resistance and breast cancer cell proliferation. <i>Diabetology and Metabolic Syndrome</i> , 2011 , 3, 16	5.6	33
48	Growth hormone and outcome in patients with intracerebral hemorrhage: a pilot study. <i>Biomarkers</i> , 2011 , 16, 511-6	2.6	9
47	Prognostic value of procalcitonin in community-acquired pneumonia. <i>European Respiratory Journal</i> , 2011 , 37, 384-92	13.6	123
46	Stress hormones predict cerebrovascular re-events after transient ischemic attacks. <i>Neurology</i> , 2011 , 76, 563-6	6.5	48
45	The use of copeptin, the stable peptide of the vasopressin precursor, in the differential diagnosis of sodium imbalance in patients with acute diseases. <i>Swiss Medical Weekly</i> , 2011 , 141, w13270	3.1	21
44	Metformin induces glucose uptake in human preadipocyte-derived adipocytes from various fat depots. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 356-9	6.7	28
43	Prognostic value of copeptin: one-year outcome in patients with acute stroke. Stroke, 2010, 41, 1564-7	6.7	73
42	Midregional pro-atrial natriuretic peptide and outcome in patients with acute ischemic stroke. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1045-53	15.1	58
41	Prohormones for prediction of adverse medical outcome in community-acquired pneumonia and lower respiratory tract infections. <i>Critical Care</i> , 2010 , 14, R106	10.8	102

40	Clinical review: the role of biomarkers in the diagnosis and management of community-acquired pneumonia. <i>Critical Care</i> , 2010 , 14, 203	10.8	113
39	Copeptin is associated with mortality and outcome in patients with acute intracerebral hemorrhage. <i>BMC Neurology</i> , 2010 , 10, 34	3.1	63
38	Mechanisms of metformin action on glucose transport and metabolism in human adipocytes. <i>Biochemical Pharmacology</i> , 2010 , 80, 1736-45	6	47
37	The stress hormone copeptin: a new prognostic biomarker in acute illness. <i>Swiss Medical Weekly</i> , 2010 , 140, w13101	3.1	114
36	Circulating levels of GH predict mortality and complement prognostic scores in critically ill medical patients. <i>European Journal of Endocrinology</i> , 2009 , 160, 157-63	6.5	34
35	Copeptin: a novel, independent prognostic marker in patients with ischemic stroke. <i>Annals of Neurology</i> , 2009 , 66, 799-808	9.4	215
34	Use of B-type natriuretic peptide in the risk stratification of community-acquired pneumonia. <i>Journal of Internal Medicine</i> , 2008 , 264, 166-76	10.8	70
33	Copeptin: a new and promising diagnostic and prognostic marker. Critical Care, 2008, 12, 117	10.8	65
32	Biomarkers in the management of pneumonia. Expert Review of Respiratory Medicine, 2008, 2, 565-72	3.8	12
31	Procalcitonin-guided antibiotic use vs a standard approach for acute respiratory tract infections in primary care. <i>Archives of Internal Medicine</i> , 2008 , 168, 2000-7; discussion 2007-8		233
30	Predicting mortality with pneumonia severity scores: importance of model recalibration to local settings. <i>Epidemiology and Infection</i> , 2008 , 136, 1628-37	4.3	54
29	Plasma pro-adrenomedullin but not plasma pro-endothelin predicts survival in exacerbations of COPD. <i>Chest</i> , 2008 , 134, 263-272	5.3	81
28	Endothelin-1 precursor peptides correlate with severity of disease and outcome in patients with community acquired pneumonia. <i>BMC Infectious Diseases</i> , 2008 , 8, 22	4	36
27	Copeptin, a stable peptide derived from the vasopressin precursor, correlates with the individual stress level. <i>Neuroendocrinology Letters</i> , 2008 , 29, 341-6	0.3	120
26	Biomarkers in respiratory tract infections: diagnostic guides to antibiotic prescription, prognostic markers and mediators. <i>European Respiratory Journal</i> , 2007 , 30, 556-73	13.6	200
25	Anterior and posterior pituitary function testing with simultaneous insulin tolerance test and a novel copeptin assay. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2640-3	5.6	69
24	Diagnostic and prognostic accuracy of clinical and laboratory parameters in community-acquired pneumonia. <i>BMC Infectious Diseases</i> , 2007 , 7, 10	4	254

(2004-2007)

22	infections: a prospective, multicenter, randomized controlled trial. <i>BMC Health Services Research</i> , 2007 , 7, 102	2.9	91
21	Procalcitonin and pneumonia: is it a useful marker?. Current Infectious Disease Reports, 2007, 9, 233-40	3.9	17
20	Free and total cortisol levels as predictors of severity and outcome in community-acquired pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 176, 913-20	10.2	606
19	Copeptin, C-reactive protein, and procalcitonin as prognostic biomarkers in acute exacerbation of COPD. <i>Chest</i> , 2007 , 131, 1058-67	5.3	207
18	Changes in plasma copeptin, the c-terminal portion of arginine vasopressin during water deprivation and excess in healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3973-8	5.6	165
17	Circulating levels of soluble triggering receptor expressed on myeloid cells (sTREM)-1 in community-acquired pneumonia. <i>Critical Care Medicine</i> , 2007 , 35, 990-1	1.4	34
16	Copeptin, a stable peptide of the arginine vasopressin precursor, is elevated in hemorrhagic and septic shock. <i>Shock</i> , 2007 , 28, 219-26	3.4	183
15	Procalcitonin guidance of antibiotic therapy in community-acquired pneumonia: a randomized trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 84-93	10.2	702
14	Pro-adrenomedullin to predict severity and outcome in community-acquired pneumonia [ISRCTN04176397]. <i>Critical Care</i> , 2006 , 10, R96	10.8	162
13	Circulating levels of pro-atrial natriuretic peptide in lower respiratory tract infections. <i>Journal of Internal Medicine</i> , 2006 , 260, 568-76	10.8	51
12	Pro-atrial natriuretic peptide is a prognostic marker in sepsis, similar to the APACHE II score: an observational study. <i>Critical Care</i> , 2005 , 9, R37-45	10.8	99
11	Mid-regional pro-adrenomedullin as a prognostic marker in sepsis: an observational study. <i>Critical Care</i> , 2005 , 9, R816-24	10.8	195
10	Value of gonadotropin-releasing hormone testing in the differential diagnosis of androgen deficiency in elderly men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1280-6	5.6	17
9	Procalcitonin in bacterial infectionshype, hope, more or less?. Swiss Medical Weekly, 2005, 135, 451-60	3.1	206
8	Pro-A-type and N-terminal pro-B-type natriuretic peptides in different thyroid function states. Swiss Medical Weekly, 2005 , 135, 549-54	3.1	15
7	Is there a clinical relevance of partial androgen deficiency of the aging male?. <i>Journal of Urology</i> , 2004 , 172, 624-7	2.5	36
6	Effect of procalcitonin-guided treatment on antibiotic use and outcome in lower respiratory tract infections: cluster-randomised, single-blinded intervention trial. <i>Lancet, The</i> , 2004 , 363, 600-7	40	850
5	Comparison of different methods for the measurement of serum testosterone in the aging male. <i>Swiss Medical Weekly</i> , 2004 , 134, 193-7	3.1	14

4	Elevated C-reactive protein and homocysteine values: cardiovascular risk factors in hypothyroidism? A cross-sectional and a double-blind, placebo-controlled trial. <i>Atherosclerosis</i> , 2003 , 166, 379-86	3.1	176
3	Effect of restoration of euthyroidism on peripheral blood cells and erythropoietin in women with subclinical hypothyroidism. <i>Hormones</i> , 2003 , 2, 237-42	3.1	24
2	Basal TSH levels compared with TRH-stimulated TSH levels to diagnose different degrees of TSH suppression: diagnostic and therapeutic impact of assay performance. <i>European Journal of Clinical Investigation</i> , 2002 , 32, 931-7	4.6	11
1	A novel biomarker panel index improves risk stratification after ischemic stroke. <i>European Stroke Journal</i> ,239698732210907	5.6	1