Guido Bellezza

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5428546/publications.pdf

Version: 2024-02-01

46 804 18 26 papers citations h-index g-index

46 46 46 1416
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Targeting the KRAS variant for treatment of non-small cell lung cancer: potential therapeutic applications. Expert Review of Respiratory Medicine, 2016, 10, 53-68.	1.0	56
2	Future options for ALK-positive non-small cell lung cancer. Lung Cancer, 2015, 87, 211-219.	0.9	50
3	Glyoxalase 2 Is Involved in Human Prostate Cancer Progression as Part of a Mechanism Driven By PTEN/PI3K/AKT/mTOR Signaling With Involvement of PKM2 and ERα. Prostate, 2017, 77, 196-210.	1.2	47
4	Clinical impact of sequential treatment with ALK-TKIs in patients with advanced ALK-positive non-small cell lung cancer: Results of a multicenter analysis. Lung Cancer, 2015, 90, 255-260.	0.9	43
5	Clinical Outcome With Platinum-Based Chemotherapy in Patients With Advanced Nonsquamous EGFR Wild-Type Non–Small-Cell Lung Cancer Segregated According to KRAS Mutation Status. Clinical Lung Cancer, 2014, 15, 86-92.	1.1	40
6	Nonalcoholic fatty liver disease impairs the cytochrome P-450-dependent metabolism of \hat{l}_{\pm} -tocopherol (vitamin E). Journal of Nutritional Biochemistry, 2017, 47, 120-131.	1.9	40
7	An Additional Case of Breast Tumor Resembling the Tall Cell Variant of Papillary Thyroid Carcinoma. International Journal of Surgical Pathology, 2015, 23, 217-220.	0.4	29
8	Glyoxalase 2 drives tumorigenesis in human prostate cells in a mechanism involving androgen receptor and p53â€p21 axis. Molecular Carcinogenesis, 2017, 56, 2112-2126.	1.3	29
9	Precision medicine against ALK-positive non-small cell lung cancer: beyond crizotinib. Medical Oncology, 2018, 35, 72.	1.2	29
10	Indoleamine 2,3-Dioxygenase 2 Immunohistochemical Expression in Resected Human Non-small Cell Lung Cancer: A Potential New Prognostic Tool. Frontiers in Immunology, 2020, 11, 839.	2.2	28
11	Assessment of TILs, IDO-1, and PD-L1 in resected non-small cell lung cancer: an immunohistochemical study with clinicopathological and prognostic implications. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2019, 474, 159-168.	1.4	27
12	Garcinoic Acid Is a Natural and Selective Agonist of Pregnane X Receptor. Journal of Medicinal Chemistry, 2020, 63, 3701-3712.	2.9	27
13	Sensitivity to Immune Checkpoint Blockade in Advanced Non-Small Cell Lung Cancer Patients with EGFR Exon 20 Insertion Mutations. Genes, 2021, 12, 679.	1.0	25
14	Functional signaling pathway analysis of lung adenocarcinomas identifies novel therapeutic targets for <i>KRAS</i> mutant tumors. Oncotarget, 2015, 6, 32368-32379.	0.8	25
15	Osimertinib. Recent Results in Cancer Research, 2018, 211, 257-276.	1.8	24
16	Kynurenine/Tryptophan Ratio as a Potential Blood-Based Biomarker in Non-Small Cell Lung Cancer. International Journal of Molecular Sciences, 2021, 22, 4403.	1.8	24
17	Current Challenges for IDO2 as Target in Cancer Immunotherapy. Frontiers in Immunology, 2021, 12, 679953.	2.2	24
18	Targeting autophagy sensitises lung cancer cells to Src family kinase inhibitors. Oncotarget, 2018, 9, 27346-27362.	0.8	20

#	Article	IF	Citations
19	Ectopic prostatic tissue in the bladder. International Journal of Urology, 2005, 12, 1066-1068.	0.5	19
20	Survival outcomes and incidence of brain recurrence in high-grade neuroendocrine carcinomas of the lung: Implications for clinical practice. Lung Cancer, 2016, 95, 82-87.	0.9	19
21	Garcinoic acid prevents \hat{I}^2 -amyloid ($\hat{AI^2}$) deposition in the mouse brain. Journal of Biological Chemistry, 2020, 295, 11866-11876.	1.6	18
22	High expression of cellular retinol binding protein-1 in lung adenocarcinoma is associated with poor prognosis. Genes and Cancer, 2015, 6, 490-502.	0.6	16
23	Pigmented "Black―Pheochromocytoma of the Adrenal Gland: A Case Report and Review of the Literature. Archives of Pathology and Laboratory Medicine, 2004, 128, e125-e128.	1.2	16
24	IMP3 Is Strongly Expressed in Malignant Phyllodes Tumors of the Breast. International Journal of Surgical Pathology, 2016, 24, 37-42.	0.4	15
25	Successful Response to Osimertinib Rechallenge after Intervening Chemotherapy in an EGFR T790M-Positive Lung Cancer Patient. Clinical Drug Investigation, 2018, 38, 983-987.	1.1	14
26	High PD-L1/IDO-2 and PD-L2/IDO-1 Co-Expression Levels Are Associated with Worse Overall Survival in Resected Non-Small Cell Lung Cancer Patients. Genes, 2021, 12, 273.	1.0	14
27	Schwannoma of the breast: a case report and review of the literature. Tumori, 2007, 93, 308-11.	0.6	11
28	Classification Model to Estimate MIB-1 (Ki 67) Proliferation Index in NSCLC Patients Evaluated With ¹⁸ F-FDG-PET/CT. Anticancer Research, 2020, 40, 3355-3360.	0.5	8
29	INSL4 as prognostic marker for proliferation and invasiveness in Non-Small-Cell Lung Cancer. Journal of Cancer, 2021, 12, 3781-3795.	1.2	8
30	KRAS mutation and DNA repair and synthesis genes in non‑small‑cell lung cancer. Molecular and Clinical Oncology, 2018, 9, 689-696.	0.4	7
31	Localized Intrasplenic Mesothelioma. International Journal of Surgical Pathology, 2014, 22, 451-455.	0.4	6
32	Looking for more reliable biomarkers in breast cancer: Comparison between routine methods and RT-qPCR. PLoS ONE, 2021, 16, e0255580.	1,1	6
33	PD-L1 quantification across tumor types using the reverse phase protein microarray: implications for precision medicine., 2021, 9, e002179.		6
34	Primary angiosarcoma of the kidney: case report and comprehensive literature review. Open Medicine (Poland), 2019, 14, 443-455.	0.6	5
35	Immune checkpoint inhibitors for unresectable malignant pleural mesothelioma. Human Vaccines and Immunotherapeutics, 2021, 17, 2972-2980.	1.4	5
36	Higher TLR7 Gene Expression Predicts Poor Clinical Outcome in Advanced NSCLC Patients Treated with Immunotherapy. Genes, 2021, 12, 992.	1.0	5

#	Article	IF	CITATIONS
37	Coexpression of HER-2/neu and p53 in Breast Cancer Identifies a Subset with an Aggressive Biopathological Profile. Tumori, 2006, 92, 412-415.	0.6	4
38	The implementation of a commercially available multi-gene profile test for breast cancer characterization in a department of pathology: what have we learned from the first 100 cases?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 1079-1087.	1.4	3
39	Inflammatory myofibroblastic tumor of the larynx with anaplastic lymphoma kinase (ALK) protein overexpression. A case report. Tumori, 2006, 92, 449-51.	0.6	3
40	CD10 is frequently expressed in classical seminomas. Histology and Histopathology, 2014, 29, 101-6.	0.5	3
41	PLA2R Immunohistochemistry Staining in Membranous Glomerulopathy: A Challenging Stain to Interpret But a Potentially Useful Diagnostic Tool. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, 414-421.	0.6	2
42	Type A thymoma invading the trachea: a case report. Mediastinum, 2021, 5, 0-0.	0.6	1
43	Cholesterol crystals tubulointerstitial injury during nephrotic syndrome; can be classified as tubular crystallopathy?. Journal of Nephropathology, 2021, 10, e20-e20.	0.1	1
44	Inflamed Tumor Phenotype as Predictor of Long-Term Response to Pembrolizumab in an EGFR-Mutated Non-Small Cell Lung Cancer (NSCLC) Patient with Acquired Resistance to Afatinib: a Case Report and Review of the Literature. Oncology and Therapy, 2022, 10, 291-300.	1.0	1
45	Mitotic index matter: how to improve the assessment of mitosis in order to better classify G2 breast cancer and luminal A category. Histology and Histopathology, 2018, 33, 81-88.	0.5	1
46	Impact of Epithelial–Mesenchymal Immunophenotype on Local Aggressiveness in Papillary Thyroid Carcinoma Invading the Airway. Journal of Clinical Medicine, 2021, 10, 4351.	1.0	O