

# Fei-Chi Chuang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5428870/fei-chi-chuang-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20  
papers

143  
citations

7  
h-index

11  
g-index

24  
ext. papers

184  
ext. citations

2.5  
avg, IF

2.78  
L-index

#	Paper	IF	Citations
20	Short-term results of stress urinary incontinence in women undergoing laparoscopic sacrocolpopexy with and without midurethral sling. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2021</b> , 13, 341-348	1.9	1
19	Combined melatonin-adipose derived mesenchymal stem cells therapy effectively protected the testis from testicular torsion-induced ischemia-reperfusion injury. <i>Stem Cell Research and Therapy</i> , <b>2021</b> , 12, 370	8.3	1
18	Botulinum toxin A injection in the treatment of chronic pelvic pain with hypertonic pelvic floor in women: Treatment techniques and results. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2021</b> , 13, 5-12	1.9	0
17	Sacrospinous ligament fixation with uterine preservation reduces the risk of anatomical recurrence in pelvic organ prolapse. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2021</b> , 13, 249-256	1.9	0
16	Long-term effect of extracorporeal shock wave therapy on attenuating radiation-induced chronic cystitis in rat. <i>American Journal of Translational Research (discontinued)</i> , <b>2020</b> , 12, 999-1015	3	0
15	Mesh-related complications in single-incision transvaginal mesh (TVM) and laparoscopic abdominal sacrocolpopexy (LASC). <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2020</b> , 59, 43-50	1.6	3
14	Evaluating the efficacy of the single-incision uphold system for pelvic organ prolapse repair. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 58, 94-98	1.6	4
13	The effects of "unilateral midurethral sling cut down" in women with voiding dysfunctions after anti-incontinence surgery. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 1501-1506	2.3	2
12	Use of an Ellik evacuator to remove tenacious bladder clots resulting from transvaginal oocyte retrieval: 2 cases and a literature review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 58, 880-884	1.6	4
11	Lower Levels of Urinary Nerve Growth Factor Might Predict Recurrent Urinary Tract Infections in Women. <i>International Neurourology Journal</i> , <b>2016</b> , 20, 33-9	2.6	7
10	Validation of the traditional Chinese version of the prolapse quality of life questionnaire (P-QOL) in a Mandarin-speaking Taiwanese population. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 55, 680-685	1.6	5
9	Comparison of the clinical outcomes of transobturator and single-incision slings for stress urinary incontinence. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2016</b> , 32, 367-72	2.4	5
8	Overactive bladder changes with time: a 5-year longitudinal followup of changes in overactive bladder symptoms, urodynamic studies and urinary nerve growth factor levels. <i>Journal of Urology</i> , <b>2014</b> , 192, 458-63	2.5	11
7	Lower Urinary Tract Symptoms and Video-Urodynamic Characteristics of Women with Clinically Unsuspected Bladder Outlet Obstruction. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2013</b> , 5, 23-7	1.9	7
6	Evaluation of the relationship between urodynamic examination and urinary tract infection based on urinalysis results. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 52, 493-7	1.6	14
5	Concomitant trocar-guided transvaginal mesh surgery with a midurethral sling in treating advanced pelvic organ prolapse associated with stress or occult stress urinary incontinence. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 52, 516-22	1.6	9
4	Increased urothelial cell apoptosis and chronic inflammation are associated with recurrent urinary tract infection in women. <i>PLoS ONE</i> , <b>2013</b> , 8, e63760	3.7	32

3	Prevalence of lower urinary tract symptoms in indigenous and non-indigenous women in Eastern Taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2010</b> , 109, 228-36	3.2	16
2	Videourodynamic evaluation of urge syndrome following pubovaginal sling procedure for stress urinary incontinence in women. <i>International Urogynecology Journal</i> , <b>2009</b> , 20, 1253-8	2	1
1	Management of lower urinary tract dysfunction after radical hysterectomy with or without radiotherapy for uterine cervical cancer. <i>Journal of the Formosan Medical Association</i> , <b>2009</b> , 108, 619-26	3.2	19