

# Michiel van den Brekel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5429273/publications.pdf>

Version: 2024-02-01

147  
papers

5,488  
citations

100601

38  
h-index

111975

67  
g-index

148  
all docs

148  
docs citations

148  
times ranked

6067  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysphagia, trismus and speech impairment following radiation-based treatment for advanced stage oropharyngeal carcinoma: a one-year prospective evaluation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 1003-1027.	0.8	7
2	Simple delineations cannot substitute full 3d tumor delineations for MR-based radiomics prediction of locoregional control in oropharyngeal cancer. <i>European Journal of Radiology</i> , 2022, 148, 110167.	1.2	1
3	Low-resource automatic speech recognition and error analyses of oral cancer speech. <i>Speech Communication</i> , 2022, 141, 14-27.	1.6	2
4	Evaluation of subclasses for <sc>T4</sc> â€˜classified squamous cell carcinoma of the external auditory canal. <i>Head and Neck</i> , 2022, , .	0.9	3
5	Evaluation Criteria for Chromosome Instability Detection by FISH to Predict Malignant Progression in Premalignant Glottic Laryngeal Lesions. <i>Cancers</i> , 2022, 14, 3260.	1.7	0
6	Costâ€‘Effectiveness of Surgery Versus Organ Preservation in Advanced Laryngeal Cancer. <i>Laryngoscope</i> , 2021, 131, E509-E517.	1.1	2
7	Cost-utility of an eHealth application â€‘Oncokompasâ€™™ that supports cancer survivors in self-management: results of a randomised controlled trial. <i>Journal of Cancer Survivorship</i> , 2021, 15, 77-86.	1.5	23
8	Clinical variables and magnetic resonance imagingâ€‘based radiomics predict human papillomavirus status of oropharyngeal cancer. <i>Head and Neck</i> , 2021, 43, 485-495.	0.9	33
9	Surgical site complications of post-chemoradiotherapy neck dissection: Urgent need for standard registration. <i>European Journal of Surgical Oncology</i> , 2021, 47, 764-771.	0.5	1
10	Adjustable breathing resistance for laryngectomized patients: Proof of principle in a novel heat and moisture exchanger cassette. <i>Head and Neck</i> , 2021, 43, 1073-1087.	0.9	4
11	Characterization of the tumor immune microenvironment in human papillomavirus-positive and -negative head and neck squamous cell carcinomas. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1227-1237.	2.0	23
12	Translation of c-Met Targeted Image-Guided Surgery Solutions in Oral Cavity Cancerâ€‘Initial Proof of Concept Data. <i>Cancers</i> , 2021, 13, 2674.	1.7	8
13	Improved outcome prediction of oropharyngeal cancer by combining clinical and MRI features in machine learning models. <i>European Journal of Radiology</i> , 2021, 139, 109701.	1.2	16
14	Deterioration of Intended Target Volume Radiation Dose Due to Anatomical Changes in Patients with Head-and-Neck Cancer. <i>Cancers</i> , 2021, 13, 4253.	1.7	2
15	Assessment of the deep resection margin during oral cancer surgery: A systematic review. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2220-2232.	0.5	19
16	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of Oncokompas among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021, 25, 100429.	1.4	19
17	Real-Time Ultrasound Image Fusion with FDG-PET/CT to Perform Fused Image-Guided Fine-Needle Aspiration in Neck Nodes: Feasibility and Diagnostic Value. <i>American Journal of Neuroradiology</i> , 2021, 42, 566-572.	1.2	7
18	The eHealth self-management application â€‘Oncokompasâ€™™ that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta OncolÃ³gica</i> , 2021, 60, 403-411.	0.8	34

#	ARTICLE	IF	CITATIONS
19	Value of Assessing Peripheral Vascularization with Micro-Flow Imaging, Resistive Index and Absent Hilum Sign as Predictor for Malignancy in Lymph Nodes in Head and Neck Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 5071.	1.7	7
20	Improving Hands-Free Speech Rehabilitation in Laryngectomized Patients: Preliminary Results of a Novel Intratracheal Fixation Device. , 2021, , .		0
21	SUV values at FDG PET-CT to predict malignancy in lymph nodes aspirated by real time image fused USgFNAC in head and neck squamous cell carcinoma. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 11, 178-187.	1.0	1
22	Neoadjuvant immunotherapy with nivolumab and ipilimumab induces major pathological responses in patients with head and neck squamous cell carcinoma. <i>Nature Communications</i> , 2021, 12, 7348.	5.8	96
23	Immuno-radiotherapy with cetuximab and avelumab for advanced stage head and neck squamous cell carcinoma: Results from a phase-I trial. <i>Radiotherapy and Oncology</i> , 2020, 142, 79-84.	0.3	37
24	Women's perspective on life after total laryngectomy: a qualitative study. <i>International Journal of Language and Communication Disorders</i> , 2020, 55, 188-199.	0.7	24
25	Optimizing Survival Predictions of Hypopharynx Cancer: Development of a Clinical Prediction Model. <i>Laryngoscope</i> , 2020, 130, 2166-2172.	1.1	9
26	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 80-94.	5.1	121
27	Interaction of functional and participation issues on quality of life after total laryngectomy. <i>Laryngoscope Investigative Otolaryngology</i> , 2020, 5, 453-460.	0.6	13
28	Evaluation of the modified Pittsburgh classification for predicting the disease-free survival outcome of squamous cell carcinoma of the external auditory canal. <i>Head and Neck</i> , 2020, 42, 3609-3622.	0.9	14
29	Topicalizing psychosocial distress in cancer follow-up consultations: An exploration of the interactional effects of discussion tools. <i>Cogent Arts and Humanities</i> , 2020, 7, 1812866.	0.5	0
30	Cost-effectiveness analysis of using the heat and moisture exchangers compared with alternative stoma covers in laryngectomy rehabilitation: <sc>US</sc> perspective. <i>Head and Neck</i> , 2020, 42, 3720-3734.	0.9	7
31	Laryngeal Compartmentalization Does Not Affect the Prognosis of T3-T4 Laryngeal Cancer Treated by Upfront Total Laryngectomy. <i>Cancers</i> , 2020, 12, 2241.	1.7	12
32	Epithelial-to-mesenchymal transition is a prognostic marker for patient outcome in advanced stage HNSCC patients treated with chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2020, 147, 186-194.	0.3	12
33	Outcome prediction of head and neck squamous cell carcinoma by MRI radiomic signatures. <i>European Radiology</i> , 2020, 30, 6311-6321.	2.3	49
34	Expiratory Muscle Strength Training in patients After Total Laryngectomy; A Feasibility Pilot Study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2020, 129, 1186-1194.	0.6	4
35	Privacy-preserving distributed learning of radiomics to predict overall survival and HPV status in head and neck cancer. <i>Scientific Reports</i> , 2020, 10, 4542.	1.6	46
36	Ovarian cancer-derived copy number alterations signatures are prognostic in chemoradiotherapy-treated head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2020, 147, 1732-1739.	2.3	6

#	ARTICLE	IF	CITATIONS
37	Patient-reported swallowing function after treatment for early-stage oropharyngeal carcinoma: Population-based study. <i>Head and Neck</i> , 2020, 42, 1981-1993.	0.9	2
38	Study protocol for a randomized controlled trial: prophylactic swallowing exercises in head-and-neck cancer patients treated with (chemo)radiotherapy (PRESTO trial). <i>Trials</i> , 2020, 21, 237.	0.7	20
39	Long-term swallowing, trismus, and speech outcomes after combined chemoradiotherapy and preventive rehabilitation for head and neck cancer; 10-year plus update. <i>Head and Neck</i> , 2020, 42, 1907-1918.	0.9	13
40	SPECT/CT-guided elective nodal irradiation for head and neck cancer is oncologically safe and less toxic: A potentially practice-changing approach. <i>Radiotherapy and Oncology</i> , 2020, 147, 56-63.	0.3	29
41	Computed tomography-derived radiomic signature of head and neck squamous cell carcinoma (peri)tumoral tissue for the prediction of locoregional recurrence and distant metastasis after concurrent chemo-radiotherapy. <i>PLoS ONE</i> , 2020, 15, e0232639.	1.1	35
42	Title is missing!. , 2020, 15, e0232639.		0
43	Title is missing!. , 2020, 15, e0232639.		0
44	Title is missing!. , 2020, 15, e0232639.		0
45	Title is missing!. , 2020, 15, e0232639.		0
46	The impact of margin reduction on outcome and toxicity in head and neck cancer patients treated with image-guided volumetric modulated arc therapy (VMAT). <i>Radiotherapy and Oncology</i> , 2019, 130, 25-31.	0.3	66
47	Laryngo-esophageal dysfunction free survival and propensity score matched analysis comparing organ preservation and total laryngectomy in hypopharynx cancer. <i>Oral Oncology</i> , 2019, 95, 143-149.	0.8	4
48	Study protocol of a prospective multicenter study comparing (cost-)effectiveness of a tailored interdisciplinary head and neck rehabilitation program to usual supportive care for patients treated with concomitant chemo- or bioradiotherapy. <i>BMC Cancer</i> , 2019, 19, 655.	1.1	4
49	Sarcopenia, a strong determinant for prolonged feeding tube dependency after chemoradiotherapy for head and neck cancer. <i>Head and Neck</i> , 2019, 41, 4000-4008.	0.9	19
50	Drug Sensitivity Prediction Models Reveal a Link between DNA Repair Defects and Poor Prognosis in HNSCC. <i>Cancer Research</i> , 2019, 79, 5597-5611.	0.4	28
51	The potential use of big data in oncology. <i>Oral Oncology</i> , 2019, 98, 8-12.	0.8	40
52	Study protocols of three parallel phase 1 trials combining radical radiotherapy with the PARP inhibitor olaparib. <i>BMC Cancer</i> , 2019, 19, 901.	1.1	33
53	Improving decision making in larynx cancer by developing a decision aid: A mixed methods approach. <i>Laryngoscope</i> , 2019, 129, 2733-2739.	1.1	21
54	Acute Hypoxia Profile is a Stronger Prognostic Factor than Chronic Hypoxia in Advanced Stage Head and Neck Cancer Patients. <i>Cancers</i> , 2019, 11, 583.	1.7	28

#	ARTICLE	IF	CITATIONS
55	Genetic Factors Associated with a Poor Outcome in Head and Neck Cancer Patients Receiving Definitive Chemoradiotherapy. <i>Cancers</i> , 2019, 11, 445.	1.7	30
56	Patient access to voice prostheses and heat and moisture exchangers: Factors influencing physician's prescription and reimbursement in eight European countries. <i>Oral Oncology</i> , 2019, 91, 56-64.	0.8	6
57	Mapping of sentinel lymph node drainage using SPECT/CT to tailor elective nodal irradiation in head and neck cancer patients (SUSPECT-2): a single-center prospective trial. <i>BMC Cancer</i> , 2019, 19, 1110.	1.1	20
58	Mapping the EORTC QLQ-C30 and QLQ-H&N35 to the EQ-5D for head and neck cancer: Can disease-specific utilities be obtained?. <i>PLoS ONE</i> , 2019, 14, e0226077.	1.1	15
59	Salvage Surgery for Recurrence after Radiotherapy for Squamous Cell Carcinoma of the Head and Neck. <i>Otolaryngology - Head and Neck Surgery</i> , 2019, 160, 1023-1033.	1.1	23
60	Solving periprosthetic leakage with a novel prosthetic device. <i>Laryngoscope</i> , 2019, 129, 2299-2302.	1.1	3
61	AMORE treatment as salvage treatment in children and young adults with relapsed head-neck rhabdomyosarcoma. <i>Radiotherapy and Oncology</i> , 2019, 131, 21-26.	0.3	16
62	Psychosocial well-being of long-term survivors of pediatric head-neck rhabdomyosarcoma. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27498.	0.8	12
63	Biological Determinants of Chemo-Radiotherapy Response in HPV-Negative Head and Neck Cancer: A Multicentric External Validation. <i>Frontiers in Oncology</i> , 2019, 9, 1470.	1.3	19
64	Comparative genomic analysis of oral versus laryngeal and pharyngeal cancer. <i>Oral Oncology</i> , 2018, 81, 35-44.	0.8	45
65	Trends in treatment, incidence and survival of hypopharynx cancer: a 20-year population-based study in the Netherlands. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 181-189.	0.8	113
66	Role of variant allele fraction and rare SNP filtering to improve cellular DNA repair endpoint association. <i>PLoS ONE</i> , 2018, 13, e0206632.	1.1	2
67	Fanconi anemia and homologous recombination gene variants are associated with functional DNA repair defects <i>in vitro</i> and poor outcome in patients with advanced head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2018, 9, 18198-18213.	0.8	37
68	Sponge-supported cultures of primary head and neck tumors for an optimized preclinical model. <i>Oncotarget</i> , 2018, 9, 25034-25047.	0.8	8
69	Ex vivo humidifying capacity and patient acceptability of stoma cloths in laryngectomized individuals. <i>Head and Neck</i> , 2017, 39, 921-931.	0.9	9
70	Elective unilateral nodal irradiation in head and neck squamous cell carcinoma: A paradigm shift. <i>European Journal of Cancer</i> , 2017, 82, 1-5.	1.3	22
71	Unknown primary head and neck squamous cell carcinoma in the era of fluorodeoxyglucose-positron emission tomography/CT and intensity-modulated radiotherapy. <i>Head and Neck</i> , 2017, 39, 1382-1391.	0.9	11
72	Recurrent oropharyngeal cancer after organ preserving treatment: pattern of failure and survival. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 1691-1700.	0.8	10

#	ARTICLE	IF	CITATIONS
73	Facing a Disruptive Face: Embodiment in the Everyday Experiences of "Disfigured" Individuals. <i>Human Studies</i> , 2017, 40, 285-307.	0.7	11
74	A prospective multicenter clinical feasibility study of a new automatic speaking valve for postlaryngectomy voice rehabilitation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 1005-1013.	0.8	4
75	Definitive (chemo)radiotherapy is a curative alternative for standard of care in advanced stage squamous cell carcinoma of the oral cavity. <i>Oral Oncology</i> , 2017, 75, 163-168.	0.8	18
76	Identification of a novel ATM inhibitor with cancer cell specific radiosensitization activity. <i>Oncotarget</i> , 2017, 8, 73925-73937.	0.8	21
77	Tumor volume as a prognostic factor for local control and overall survival in advanced larynx cancer. <i>Laryngoscope</i> , 2016, 126, E60-7.	1.1	37
78	Effectiveness and cost-utility of a guided self-help exercise program for patients treated with total laryngectomy: protocol of a multi-center randomized controlled trial. <i>BMC Cancer</i> , 2016, 16, 580.	1.1	15
79	Trends in treatment and survival for advanced laryngeal cancer: A 20-year population-based study in The Netherlands. <i>Head and Neck</i> , 2016, 38, E1247-55.	0.9	72
80	Assessment of voice, speech, and related quality of life in advanced head and neck cancer patients 10-years+ after chemoradiotherapy. <i>Oral Oncology</i> , 2016, 55, 24-30.	0.8	45
81	Cause-specific excess mortality in patients treated for cancer of the oral cavity and oropharynx: A population-based study. <i>Oral Oncology</i> , 2016, 52, 37-44.	0.8	13
82	Management of locally advanced HPV-related oropharyngeal squamous cell carcinoma: where are we?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 2877-2894.	0.8	22
83	Prevalence of swallowing and speech problems in daily life after chemoradiation for head and neck cancer based on cut-off scores of the patient-reported outcome measures SWAL-QOL and SHI. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1849-1855.	0.8	69
84	Multidisciplinary Treatment of the Neck. , 2016, , 591-606.		0
85	T3-T4 laryngeal cancer in The Netherlands Cancer Institute; 10-year results of the consistent application of an organ-preserving/sacrificing protocol. <i>Head and Neck</i> , 2015, 37, 1495-1503.	0.9	46
86	Extent of radiosensitization by the PARP inhibitor olaparib depends on its dose, the radiation dose and the integrity of the homologous recombination pathway of tumor cells. <i>Radiotherapy and Oncology</i> , 2015, 116, 358-365.	0.3	115
87	Determinants of treatment waiting times for head and neck cancer in the Netherlands and their relation to survival. <i>Oral Oncology</i> , 2015, 51, 272-278.	0.8	141
88	Evaluation of long term (10-years+) dysphagia and trismus in patients treated with concurrent chemo-radiotherapy for advanced head and neck cancer. <i>Oral Oncology</i> , 2015, 51, 787-794.	0.8	89
89	Adverse events of local treatment in long-term head and neck rhabdomyosarcoma survivors after external beam radiotherapy or AMORE treatment. <i>European Journal of Cancer</i> , 2015, 51, 1424-1434.	1.3	41
90	Effects of heat and moisture exchangers on tracheal mucociliary clearance in laryngectomized patients: a multi-center case-control study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3439-3450.	0.8	15

#	ARTICLE	IF	CITATIONS
91	Cost-effectiveness of heat and moisture exchangers compared to usual care for pulmonary rehabilitation after total laryngectomy in Poland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2381-2388.	0.8	14
92	Elective neck dissection versus observation in the clinically node negative neck in early oral cancer: Do we have the answer yet?. <i>Oral Oncology</i> , 2015, 51, 963-965.	0.8	17
93	Pretreatment microRNA Expression Impacting on Epithelial-to-Mesenchymal Transition Predicts Intrinsic Radiosensitivity in Head and Neck Cancer Cell Lines and Patients. <i>Clinical Cancer Research</i> , 2015, 21, 5630-5638.	3.2	77
94	Sentinel European Node Trial (SENT): 3-year results of sentinel node biopsy in oral cancer. <i>European Journal of Cancer</i> , 2015, 51, 2777-2784.	1.3	282
95	Prospective clinical study on long-term swallowing function and voice quality in advanced head and neck cancer patients treated with concurrent chemoradiotherapy and preventive swallowing exercises. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3521-3531.	0.8	72
96	Physiology and prospects of bimanual tracheoesophageal brass instrument play. <i>Acta Otorhinolaryngologica Italica</i> , 2015, 35, 202-7.	0.7	1
97	Incidence Changes of Human Papillomavirus in Oropharyngeal Squamous Cell Carcinoma and Effects on Survival in the Netherlands Cancer Institute, 1980-2009. <i>Anticancer Research</i> , 2015, 35, 4015-22.	0.5	19
98	Ex vivo water exchange performance and short-term clinical feasibility assessment of newly developed heat and moisture exchangers for pulmonary rehabilitation after total laryngectomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 359-366.	0.8	8
99	Incidence of severe tracheobronchitis and pneumonia in laryngectomized patients: a retrospective clinical study and a European-wide survey among head and neck surgeons. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3297-3303.	0.8	20
100	Water Uptake Performance of Hygroscopic Heat and Moisture Exchangers after 24-hour Tracheostoma Application. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 999-1004.	1.1	2
101	Ex Vivo Assessment and Validation of Water Exchange Performance of 23 Heat and Moisture Exchangers for Laryngectomized Patients. <i>Respiratory Care</i> , 2014, 59, 1161-1171.	0.8	17
102	Developing automatic articulation, phonation and accent assessment techniques for speakers treated for advanced head and neck cancer. <i>Speech Communication</i> , 2014, 59, 44-54.	1.6	6
103	Pattern of CAIX expression is prognostic for outcome and predicts response to ARCON in patients with laryngeal cancer treated in a phase III randomized trial. <i>Radiotherapy and Oncology</i> , 2013, 108, 517-522.	0.3	42
104	A Novel, Simplified Ex Vivo Method for Measuring Water Exchange Performance of Heat and Moisture Exchangers for Tracheostomy Application. <i>Respiratory Care</i> , 2013, 58, 1449-1458.	0.8	11
105	Acoustic Analysis of Changes in Articulation Proficiency in Patients with Advanced Head and Neck Cancer Treated with Chemoradiotherapy. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2013, 122, 754-762.	0.6	16
106	Practice of laryngectomy rehabilitation interventions. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2013, 21, 230-238.	0.8	23
107	Value of MR and CT Imaging for Assessment of Internal Carotid Artery Encasement in Head and Neck Squamous Cell Carcinoma. <i>International Journal of Surgical Oncology</i> , 2013, 2013, 1-6.	0.3	7
108	Visualization of the sentinel node in early-stage oral cancer. <i>Nuclear Medicine Communications</i> , 2012, 33, 1065-1069.	0.5	26



#	ARTICLE	IF	CITATIONS
109	Concurrent chemoradiation for adenoid cystic carcinoma of the head and neck. <i>Head and Neck</i> , 2012, 34, 1263-1268.	0.9	48
110	Prognostic significance of radiologically determined neck node volume in head and neck cancer: A systematic review. <i>Oral Oncology</i> , 2012, 48, 298-302.	0.8	22
111	Feasibility of Sentinel Node Biopsy in Head and Neck Melanoma Using a Hybrid Radioactive and Fluorescent Tracer. <i>Annals of Surgical Oncology</i> , 2012, 19, 1988-1994.	0.7	112
112	Employment and return to work in head and neck cancer survivors. <i>Oral Oncology</i> , 2010, 46, 56-60.	0.8	114
113	Sealing of small postlaryngectomy pharyngocutaneous fistulas with voice prosthesis. <i>Laryngoscope</i> , 2010, 120, 1971-1973.	1.1	2
114	CD44 Expression Predicts Local Recurrence after Radiotherapy in Larynx Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 5329-5338.	3.2	173
115	HPV and high-risk gene expression profiles predict response to chemoradiotherapy in head and neck cancer, independent of clinical factors. <i>Radiotherapy and Oncology</i> , 2010, 95, 365-370.	0.3	36
116	Sentinel Node Detection in Head and Neck Malignancies: Innovations in Radioguided Surgery. <i>Journal of Oncology</i> , 2009, 2009, 1-10.	0.6	24
117	The Yield of SPECT/CT for Anatomical Lymphatic Mapping in Patients with Melanoma. <i>Annals of Surgical Oncology</i> , 2009, 16, 1537-1542.	0.7	105
118	Ultrasound-guided aspiration cytology for the assessment of the clinically NO neck: Factors influencing its accuracy. <i>Head and Neck</i> , 2008, 30, 1505-1513.	0.9	39
119	Long-term Results of Provox ActiValve, Solving the Problem of Frequent Candida- and Underpressure-Related Voice Prosthesis Replacements. <i>Laryngoscope</i> , 2008, 118, 252-257.	1.1	32
120	Gene Expression Profiling to Predict Outcome After Chemoradiation in Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 1544-1552.	0.4	65
121	Relationship between clinical factors and the incidence of toxicity after intra-arterial chemoradiation for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2006, 81, 143-150.	0.3	32
122	Mapping of treatment-induced apoptosis in normal structures: 99mTc-Hynic-rh-annexin V SPECT and CT image fusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 893-899.	3.3	27
123	What the clinician wants to know: surgical perspective and ultrasound for lymph node imaging of the neck. <i>Cancer Imaging</i> , 2005, 5, S41-S49.	1.2	36
124	Imaging of lymphadenopathy in the neck. <i>European Radiology</i> , 2002, 12, 727-738.	2.3	159
125	Biological evidence that human papillomaviruses are etiologically involved in a subgroup of head and neck squamous cell carcinomas. <i>International Journal of Cancer</i> , 2001, 93, 232-235.	2.3	277
126	Head and Neck Squamous Cell Carcinoma: US-guided Fine-Needle Aspiration of Sentinel Lymph Nodes for Improved Staging—Initial Experience. <i>Radiology</i> , 2001, 218, 289-293.	3.6	45



#	ARTICLE	IF	CITATIONS
127	The Free Vascularized Flap and the Flap Plate Options: Comparative Results of Reconstruction of Lateral Mandibular Defects. <i>Laryngoscope</i> , 2000, 110, 2056-2060.	1.1	48
128	Imaging of the larynx. <i>Seminars in Roentgenology</i> , 2000, 35, 31-41.	0.2	20
129	Imaging of lymph nodes in the neck. <i>Seminars in Roentgenology</i> , 2000, 35, 42-53.	0.2	27
130	Lymph node metastases: CT and MRI. <i>European Journal of Radiology</i> , 2000, 33, 230-238.	1.2	123
131	Molecular Diagnosis of Head and Neck Cancer. <i>Recent Results in Cancer Research</i> , 2000, 157, 90-106.	1.8	12
132	Nasopharyngeal Brush Biopsies and Detection of Nasopharyngeal Cancer in a High-Risk Population. <i>Journal of the National Cancer Institute</i> , 1999, 91, 796-800.	3.0	59
133	Radiologic evaluation of neck metastases: The otolaryngologist's perspective. <i>Seminars in Ultrasound, CT and MRI</i> , 1999, 20, 162-174.	0.7	12
134	Outcome of Observing the NO Neck Using Ultrasonographic-Guided Cytology for Follow-up. <i>JAMA Otolaryngology</i> , 1999, 125, 153.	1.5	70
135	Assessment of tumour invasion into the mandible: the value of different imaging techniques. <i>European Radiology</i> , 1998, 8, 1552-1557.	2.3	106
136	Labeling Efficiency of Oligonucleotides by T4 Polynucleotide Kinase Depends on 5' Nucleotide. <i>Analytical Biochemistry</i> , 1998, 265, 386-389.	1.1	31
137	The impact of tumour volume and other characteristics on uptake of radiolabelled monoclonal antibodies in tumour tissue of head and neck cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 1562-1565.	3.3	19
138	DIAGNOSTIC EVALUATION OF THE NECK. <i>Otolaryngologic Clinics of North America</i> , 1998, 31, 601-620.	0.5	52
139	Prognostic Features in Tall Cell Papillary Carcinoma and Insular Thyroid Carcinoma. <i>Laryngoscope</i> , 1997, 107, 254-259.	1.1	63
140	US-guided Fine-Needle Aspiration Cytology of Neck Nodes in Patients with NO Disease. <i>Radiology</i> , 1996, 201, 580-580.	3.6	20
141	The Incidence of Micrometastases in Neck Dissection Specimens Obtained From Elective Neck Dissections. <i>Laryngoscope</i> , 1996, 106, 987-991.	1.1	293
142	Assessment and management of lymph node metastases in the neck in head and neck cancer patients. <i>Critical Reviews in Oncology/Hematology</i> , 1996, 22, 175-182.	2.0	10
143	The value of staging of neck nodes in patients treated with radiotherapy. <i>Radiotherapy and Oncology</i> , 1994, 32, 193-196.	0.3	15
144	Assessment of lymph node metastases in the neck. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1994, 30, 88-92.	0.9	9

#	ARTICLE	IF	CITATIONS
145	Surgical Management of Cervical Lymph Nodes in Patients with Oral and Oropharyngeal Cancer. Recent Results in Cancer Research, 1994, 134, 43-55.	1.8	24
146	Modern imaging techniques and ultrasound-guided aspiration cytology for the assessment of neck node metastases: a prospective comparative study. European Archives of Oto-Rhino-Laryngology, 1993, 250, 11-17.	0.8	280
147	Detecting and Analysing Spontaneous Oral Cancer Speech in the Wild. , 0, , .		3